UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Alonso-González, M., Felix, M., Romero, A., & Pollet, E. (2025). Combining extrusion and hot compression molding for the development of bioplastics and nano-biocomposites based on rice bran. *Journal of Food Engineering*. Advance online publication. https://doi.org/10.1016/j.jfoodeng.2025.112559

ASTM International. (2022). *Standard test method for tensile properties of plastics (ASTM D638-22)*. ASTM International.

Badan Standardisasi Nasional. (2006). *SNI 01-4449-2006: Papan serat—Persyaratan dan cara uji*. Badan Standardisasi Nasional.

Basiak, E., Lenart, A., & Debeaufort, F. (2018). How glycerol and water contents affect the structural and functional properties of starch-based edible films. *Polymers, 10*(4), Article 412. https://doi.org/10.3390/polym10040412

Bher, A., Mayekar, P. C., Auras, R. A., & Schvezov, C. E. (2022). Biodegradation of biodegradable polymers in mesophilic aerobic environments. *International Journal of Molecular Sciences, 23*(20), Article 12165. https://doi.org/10.3390/ijms232012165

Bolaños, P. A., Cajiao Buitron, E. S., España Carlosama, D., Camacho Muñoz, R., Villada Castillo, H. S., & Torres Rodriguez, G. A. (2025). Development of a biocomposite based on cassava bagasse and fique fiber with potential use in the manufacture of pots: Physical–mechanical characterization and biodegradability. *Cellulose, 32*, 4249–4270. https://doi.org/10.1007/s10570-025-06484-0

Coran, A. Y. (2013). Vulcanization. In *The science and technology of rubber* (4th ed., pp. 337–381). Academic Press.

Dai, C., & Yu, C. (2004). Heat and mass transfer in wood composite panels during hot-pressing: Part I. A physical-mathematical model. *Wood and Fiber Science, 36*(4), 585–597.

Dittenber, D. B., & GangaRao, H. V. S. (2012). Critical review of recent publications on use of natural composites in infrastructure. *Composites Part A: Applied Science and Manufacturing, 43*(8), 1419–1429.

Dukarska, D., Rogoziński, T., Antov, P., Kristak, L., & Kmieciak, J. (2022). Characterisation of wood particles used in the particleboard production as a function of their moisture content. *Materials, 15*(1), Article 48. https://doi.org/10.3390/ma15010048

Elashry, M. E., Khater, E. G., & Ali, S. A. (2025). Biodegradable biocomposite pots reinforced with mercerized sugarcane bagasse for sustainable agriculture and

UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

plastic waste mitigation. *Scientific Reports, 15*(1), Article 17199. https://doi.org/10.1038/s41598-025-01419-y

Food and Agriculture Organization of the United Nations. (2021). *Assessment of agricultural plastics and their sustainability: A call for action*. FAO. https://openknowledge.fao.org/handle/20.500.14283/cb7856en

Fuentes, R. A., Berthe, J. A., Barbosa, S. E., & Castillo, L. A. (2021). Development of biodegradable pots from different agroindustrial wastes and byproducts. *Sustainable Materials and Technologies, 30*, Article e00338. https://doi.org/10.1016/j.susmat.2021.e00338

Guilbert, S., Gontard, N., & Gorris, L. G. M. (1996). Prolongation of the shelf life of perishable food products using biodegradable films and coatings. *LWT—Food Science and Technology, 29*(1–2), 10–17.

Gupta, Y., Khan, M. S., Bansal, M., Singh, M. K., Pragatheesh, K., & Thakur, A. (2024). A review of carboxymethyl cellulose composite-based hydrogels in drug delivery applications. *Results in Chemistry, 10*, Article 101695. https://doi.org/10.1016/j.rechem.2024.101695

Harahap, H., Nasution, H., Manurung, R., & Rashid, A. (2025). Physical characteristics of biodegradable pots from empty fruit bunches and sawdust waste as planting media. *Case Studies in Chemical and Environmental Engineering, 11*, Article 101193.

Haryanto, A., Hidayat, W., Hasanudin, U., Iryani, D. A., Kim, S., Lee, S., & Yoo, J. (2021). Valorization of Indonesian wood wastes through pyrolysis: A review. *Energies, 14*(5), Article 1407. https://doi.org/10.3390/en14051407

Heinze, T., & Liebert, T. (2001). Unconventional methods in cellulose functionalization. *Progress in Polymer Science, 26*(9), 1689–1762.

Hendrawati, N., Wibowo, A. A., & Chrisnandari, R. D. (2020). Biodegradable foam dari pati sagu terasetilasi dengan penambahan blowing agent $NaHCO_3$. *Jurnal Teknik Kimia dan Lingkungan, 4*(2), 186–195.

Husnan, S., & Muhammad, S. (2014). *Studi kelayakan proyek bisnis* (Edisi ke-5). UPP STIM YKPN.

Hwang, S.-J., Jang, M.-K., & Nam, J.-S. (2022). Development of autofeeding device applicable to a biodegradable pot tray. *Agriculture, 12*(12), Article 2097. https://doi.org/10.3390/agriculture12122097

Islam, M. S., Sproule, D., Yohans, J., Chenananporn, P., Yim, E., Gupta, A., & Mekonnen, T. H. (2025). Citric acid-crosslinked cellulose derivatives superabsorbent hydrogels (SAH) as sustainable alternatives for personal hygiene applications.

UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemical Engineering Journal, 526, Article 170721. https://doi.org/10.1016/j.cej.2025.170721

Jaya, J. D., Majid, A., Nuryati, N., & Ningsih, Y. (2024). Biodegradable pot from oil palm fronds waste: Production process, physical properties, and biodegradability study. *Agrointek: Jurnal Teknologi Industri Pertanian, 18*(3). https://doi.org/10.21107/agrointek.v18i3.22635

Jaya, J. D., Nugroho, A., Elma, M., & Sunardi, S. (2023). Review on biodegradable pot: A new promising approach for sustainable agriculture. *AIP Conference Proceedings, 2682*(1), Article 030009. https://doi.org/10.1063/5.0118270

Kasmir, & Jakfar. (2015). *Studi kelayakan bisnis* (Edisi revisi, cetakan ke-11). Kencana.

Kasemsiri, P., Dulsang, N., Pongsa, U., Hiziroglu, S., & Chindaprasirt, P. (2017). Optimization of biodegradable foam composites from cassava starch, oil palm fiber, chitosan, and palm oil using Taguchi method and grey relational analysis. *Journal of Polymers and the Environment, 25*(2), 378–390.

Klyosov, A. A. (2007). *Wood-plastic composites*. John Wiley & Sons.

Kobayashi, J., Kaneko, M., Supachettapun, C., Takada, K., Kaneko, T., Kim, J. Y., Ishida, M., Kawai, M., & Mitsumata, T. (2024). Mechanical properties and reinforcement of paper sheets composited with carboxymethyl cellulose. *Polymers, 16*(1), Article 80. https://doi.org/10.3390/polym16010080

Korba, A., Lekawska-Andrinopoulou, L., Chatziioannou, K., Tsimiklis, G., Amditis, A., & Pazzaglia, A. (2025). Wood waste valorization and classification approaches: A systematic review. *Open Research Europe, 5*, Article 5. https://doi.org/10.12688/openreseurope.18862.1

Krishnaiah, K., & Shahabudeen, P. (2012). *Applied design of experiments and Taguchi methods*. PHI Learning Private Limited.

Krisnawati, H., Varis, E., Kallio, M., & Kanninen, M. (2011). *Paraserianthes falcataria (L.) Nielsen: Ecology, silviculture and productivity*. CIFOR.

Lee, S. H., Tahir, P. M., Lum, W. C., Tan, L. P., Bawon, P., Park, B.-D., Osman Al-Edrus, S. S., & Abdullah, U. H. (2020). A review on citric acid as green modifying agent and binder for wood. *Polymers, 12*(8), Article 1692. https://doi.org/10.3390/polym12081692

Legrand, G., Baeza, G. P., Manneville, S., & Divoux, T. (2025). Rheological properties of acid-induced carboxymethylcellulose hydrogels. *Cellulose, 32*, 903–917. https://doi.org/10.1007/s10570-024-06330-9

Listyanto, T. (2018). Wood quality of *Paraserianthes falcataria* from three-year rotation harvesting for construction application. *Wood Research, 63*(3), 497–504.

UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohanty, A. K., Misra, M., & Drzal, L. T. (2005). *Natural fibers, biopolymers, and biocomposites*. CRC Press.

Montgomery, D. C. (2017). *Design and analysis of experiments* (9th ed.). John Wiley & Sons.

Morais, M. A. P., Silva, M., Barros, M., Halley, P., Almeida, Y., & Vinhas, G. (2024). Impact of citric acid on guar gum carboxymethylcellulose crosslinked blend films. *Journal of Applied Polymer Science, 141*(44), Article e56162. https://doi.org/10.1002/app.56162

Muid, A., Dahda, S. S., & Ismiyah, E. (2020). Penerapan metode Taguchi untuk meningkatkan kualitas produk UKM makanan khas Sidayu Bonggolan. *JUSTI (Jurnal Sistem dan Teknik Industri), 1*(2), 304–321.

Mulyadi. (2015). *Akuntansi biaya* (Edisi ke-5). UPP STIM YKPN.

Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response surface methodology: Process and product optimization using designed experiments* (4th ed.). Wiley.

Nainggolan, Y., Divia, D., Hutapea, D. L., Sirait, W. F., Sirait, M., & Sianturi, R. (2025). Anava satu jalur (one way-ANOVA). *Innovative: Journal of Social Science Research, 5*(1), 5670–5682.

Najib, M. R., Saputro, D. D., Widayat, W., Widodo, R. D., & Karnowo. (2025). Engineering evaluation of pressing temperature effects on mahogany wood particleboard characteristics. *Book Chapter Teknik Mesin, 1*, 63–77. https://doi.org/10.15294/tm.v1i1.358

NIST/SEMATECH. (2012). *Anderson-Darling and Shapiro-Wilk tests*. In *e-Handbook of statistical methods*. National Institute of Standards and Technology. https://www.itl.nist.gov/div898/handbook/prc/section2/prc213.htm

Nongnual, T., Butprom, N., & Kaewpirom, S. (2024). Citric acid crosslinked carboxymethyl cellulose edible films: A case study on preserving freshness in bananas. *International Journal of Biological Macromolecules, 267*(5), Article 131135. https://doi.org/10.1016/j.ijbiomac.2024.131135

Payanthoth, N. S., Mut, N. N. N., Samanta, P., Li, G., & Jung, J. (2024). A review of biodegradation and formation of biodegradable microplastics in soil and freshwater environments. *Applied Biological Chemistry, 67*, Article 110. https://doi.org/10.1186/s13765-024-00959-7

Peace, G. S. (1993). *Taguchi methods: A hands-on approach*. Addison-Wesley.

Phadke, M. S. (1989). *Quality engineering using robust design*. Prentice Hall.

Pindyck, R. S., & Rubinfeld, D. L. (2013). *Microeconomics* (8th ed.). Pearson.

UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pintiaux, T., Viet, D., Vandenbossche, V., Rigal, L., & Rouilly, A. (2013). High pressure compression-molding of α-cellulose and effects of operating conditions. *Materials, 6*(6), 2240–2251. https://doi.org/10.3390/ma6062240

Pizzi, A., Papadopoulos, A. N., & Policardi, F. (2020). Wood composites and their polymer binders. *Polymers, 12*(5), Article 1115. https://doi.org/10.3390/polym12051115

Pujawan, I. N. (2019). *Ekonomi teknik* (Edisi ke-3). Lautan Pustaka.

Pushpamalar, V., Langford, S. J., Ahmad, M., & Lim, Y. Y. (2006). Optimization of reaction conditions for preparing carboxymethyl cellulose from sago waste. *Carbohydrate Polymers, 64*(2), 312–318. https://doi.org/10.1016/j.carbpol.2005.12.003

Ramezanpoor Maraghi, M. M., Tabei, A., & Madanipoor, M. (2018). Effect of board density, resin percentage and pressing temperature on particleboard properties made from mixing of poplar wood slab, citrus branches and twigs of beech. *Wood Research, 63*(4), 669–682.

Rhomadon, F. I., Hasibuan, A. K. H., Kurniadi, T., Ramadhanty, C. P., & Azzida, P. W. (2025). Optimization of carboxymethylcellulose (CMC) for environmentally friendly TNI rations packaging formulation based on polysaccharides. *MUNISI: Military Mathematics and Natural Sciences, 3*(1), 20–33.

Ries, E. (2011). *The lean startup: How today's entrepreneurs use continuous innovation to create radically successful businesses*. Crown Business.

Ritonga, H., Mashuni, M., & Hardima, W. (2024). Optimasi sifat mekanik komposit bioplastik dari selulosa ampas sagu dan kitosan cangkang kepiting. *Alchemy Jurnal Penelitian Kimia, 20*(2), 190–197. https://doi.org/10.20961/alchemy.20.2.85193.190-197

Rowell, R. M., Pettersen, R., & Tshabalala, M. A. (2005). Cell wall chemistry. In R. M. Rowell (Ed.), *Handbook of wood chemistry and wood composites* (pp. 35–74). CRC Press.

Roy, R. K. (2001). *Design of experiments using the Taguchi approach*. John Wiley & Sons.

Sabzevari, S., Farrokhzad, H., & Poorkhalil, A. (2025). Development of citric acid-crosslinked carboxymethyl cellulose/chitosan hydrogel films reinforced with ZnO nanoparticles for active broccoli packaging. *Food Packaging and Shelf Life, 52*, Article 101623. https://doi.org/10.1016/j.fpsl.2025.101623

Santoso, M., Widyorini, R., Prayitno, T. A., Sulistyo, J., & Hamidah, N. (2020). Effect of pressing temperatures on bonding properties of sucrose-citric acid for nipa palm

UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

fronds particleboard. *Wood Research, 65*(5), 747–756. https://doi.org/10.37763/wr.1336-4561/65.5.747756

Sendawati, I., Asri, A., & Nugroho, B. S. (2022). Analisis pengaruh densitas pada kualitas papan komposit berbahan baku limbah kayu jabon dan serat bundung (*Scirpus grossus*). *Prisma Fisika, 10*(1), 33–39.

Setiawan, A., Putra, A. S., Agustianingsih, F. M., & Ananda, R. R. (2019). Implementasi recycle limbah kayu hasil produksi plywood dan work wood menjadi bahan baku produk particle board di PT Kutai Timber Indonesia Pabrik Probolinggo. *JKIE (Journal Knowledge Industrial Engineering), 6*(3), 121–127.

Setyanto, R. H. (2012). Review: Teknik manufaktur komposit hijau dan aplikasinya. *Performa, 11*(1), 9–18.

Sjafarina, H., Syahbanu, I., & Nurlina, N. (2020). Pengaruh variasi komposisi selulosa jerami padi dan limbah botol plastik polietilen tereftalat (PET) terhadap karakteristik biodegradable plastic. *Indonesian Journal of Pure and Applied Chemistry, 3*(3), 25–32. https://doi.org/10.26418/indonesian.v3i3.44154

Sofiana, A. R., & Widyantini, I. N. (2016). Pengaruh penambahan magnesium stearat dan jenis protein pada pembuatan biodegradable foam dengan metode baking process. *Jurnal Bahan Alam Terbarukan, 4*(2), 34–39.

Susi, S., Ainuri, M., Wagiman, W., Falah, M. A. F., & Hakim, H. M. A. (2026). Selecting hydrogel films composed of carboxymethyl cellulose and microcrystalline cellulose from OPEFB with citric acid as a green crosslinker for fruit wrapping. *International Journal of Biomaterials, 2026*(1), Article 2806425. https://doi.org/10.1155/ijbm/2806425

Syukron, A. (2013). *Six sigma quality for business improvement*. Graha Ilmu.

Taguchi, G., Chowdhury, S., & Wu, Y. (2005). *Taguchi's quality engineering handbook*. John Wiley & Sons.

Tajalla, G. U. N., Andriansyah, P., Riyadi, I. T., Vadila, M. L. N., & Laksono, A. D. (2024). Karakteristik termal material komposit berbahan dasar polipropilena dan batang pisang. *Jurnal Teknik: Media Pengembangan Ilmu dan Aplikasi Teknik, 23*(1), 41–49.

Tarique, J., Sapuan, S. M., & Khalina, A. (2021). Effect of glycerol plasticizer loading on the physical, mechanical, thermal, and barrier properties of arrowroot (*Maranta arundinacea*) starch biopolymers. *Scientific Reports, 11*(1), Article 13900. https://doi.org/10.1038/s41598-021-93094-y

Thybring, E. E., Fredriksson, M., Zelinka, S. L., & Glass, S. V. (2022). Water in wood: A review of current understanding and knowledge gaps. *Forests, 13*(12), Article 2051. https://doi.org/10.3390/f13122051

UNIVERSITAS
GADJAH MADA
Pengembangan Biodegradable POt Dari Limbah Kayu Sengon (Albizia falcataria) Dengan Perekat Carboxymethyl Cellulose
Bagus Surya Wicaksono, Dr. Wagiman, S.T.P, M.Si ; Dr. Jumeri, S.T.P. M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tomadoni, B., Merino, D., Casalongué, C., & Alvarez, V. A. (2020). Biodegradable materials for planting pots. In *Advanced applications of biodegradable green composites* (pp. 85–103). Materials Research Forum LLC. https://doi.org/10.21741/9781644900659-4

Tongdeesoontorn, W., Mauer, L. J., Wongruong, S., Sriburi, P., & Rachtanapun, P. (2011). Effect of carboxymethyl cellulose concentration on physical properties of biodegradable cassava starch-based films. *Chemistry Central Journal, 5*(1), Article 6. https://doi.org/10.1186/1752-153X-5-6

United Nations. (2015). *Transforming our world: The 2030 Agenda for Sustainable Development*. United Nations. https://sdgs.un.org/2030agenda

Wang, L., You, D.-S., Guo, D.-Y., Zhuang, X.-C., Yuan, T., & Qiu, D. (2025). Preparation and properties of sodium carboxymethyl cellulose microspheres by dropping method. *ACS Omega, 10*(5), 4754–4762. https://doi.org/10.1021/acsomega.4c09736

Wasserstein, R. L., & Lazar, N. A. (2016). The ASA's statement on *p*-values: Context, process, and purpose. *The American Statistician, 70*(2), 129–133. https://doi.org/10.1080/00031305.2016.1154108

Widsten, P., Dooley, N., Parr, R., Capricho, J., & Suckling, I. D. (2014). Citric acid crosslinking of paper products for improved high-humidity performance. *Carbohydrate Polymers, 101*, 998–1004. https://doi.org/10.1016/j.carbpol.2013.10.002

Widyorini, R., Nugraha, P. A., Rahman, M. Z. A., & Prayitno, T. A. (2016). Bonding ability of a new adhesive composed of citric acid-sucrose for particleboard. *BioResources, 11*(2), 4526–4535. https://doi.org/10.15376/biores.11.2.4526-4535

Withana, P. A., Yuan, X., Im, D., Choi, Y., Bank, M. S., Lin, C. S. K., Hwang, S. Y., & Ok, Y. S. (2025). Biodegradable plastics in soils: Sources, degradation, and effects. *Environmental Science: Processes & Impacts, 27*, 3321–3343. https://doi.org/10.1039/D4EM00754A

Wu, H., Lei, Y., Lu, J., Zhu, R., Xiao, D., Jiao, C., Xia, R., Zhang, Z., Shen, G., Liu, Y., Li, S., & Li, M. (2019). Effect of citric acid induced crosslinking on the structure and properties of potato starch/chitosan composite films. *Food Hydrocolloids, 97*, Article 105208. https://doi.org/10.1016/j.foodhyd.2019.105208

Yao, Y., Sun, Z., Li, X., Tang, Z., Li, X., Morrell, J. J., Liu, Y., Li, C., & Luo, Z. (2022). Effects of raw material source on the properties of CMC composite films. *Polymers, 14*(1), Article 32. https://doi.org/10.3390/polym14010032