

DAFTAR PUSTAKA

- Abdi, K., Mandegary, A., Amini, M., Bagheri, M., dan Gerami-Panah, F., 2005, Determination of Residual Methymethacrylate Monomer in Denture Base resins by Gas Chromatography, *Iran J Pharm Res*, 4: 227-232.
- Adak, M. D., Purohit, K. M., 2011, Synthesis of nano-crystalline hydroxyapatite from dead snail shells for biological implantation, *Organs*, 25(3): 101-106.
- Afranita, G., Anita, S., Hanifah, T. A., 2014, Potensi Abu Cangkang Kerang Darah (*Anadara granosa*) sebagai Adsorben Ion Timah Putih, Fakultas Matematika dan Ilmu Pengetahuan Alam, Kampus Binawidya Pekanbaru. 1.
- Afrizal, G., Analisa Struktur Mikro Material Substitusi Hidroksiapatit Cangkang Kerang Darah dan Resin Akrilik Bahan Pembuat Gigi untuk Aplikasi Gigi Tiruan, Program Studi Teknik Mesin, Fakultas Teknik, Universitas Andalas.
- Alla, R. K., 2013, *Dental Materials Science, 1st Edition*, Jaypee Brothers Medical Publishers (Pvt) Ltd., New Delhi, India, h. 248-284.
- Alla, R. K., Swamy KN, R., Konakanchi, A., 2015, Conventional and Contemporary polymers for the fabrication of denture prosthesis: part I- Overview, composition and properties, *Intl Jour of Applied Dent Science*, 1(4): 82-89.
- Anusavice, K. J., 2003, *Phillip's Science of Dental Materials 11th Edition*, St. Louise: Elsevier, p 283-292.
- _____, 2013, *Phillip's Science of Dental Materials 12th Edition*, Elsevier, Missouri.
- Arajo, P., Sayer, C., Giudici, R., 2002, Techniques for Reducing Residual Monomer Content in Polymers: A Review, *Polym. Eng. and Sci.*, 42(7): 1445-1446.
- Arora, S.J., Arora, A., Upadhyaya, V., Goyal., A., 2017, Evaluation of the Mechanical Properties of High Impact Denture Base Resin with Different Polymer to Monomer Ratios: An *In Vitro* Study, *Indian J. Dent. Sci.*, 9(2): 70.
- Atia, N., Sidiqia, Nin, D., Bambang, S., Renny, F., 2012, Surface Modification of Multilayer Coatings Ti-Al-Cr and Hydroxyapatite on Calcium Phosphate Cement with Sol-Gel Method, *Journal of Dentistry Indonesia*, 19(2): 43-46.
- Awang-Hazmi, A. J., Zuki, A. B. Z., Noordin M. M., Jalila, A., and Norimah, Y., 2007, Mineral composition of the cockle (*Anadara Granosa*) shells of west

coast of peninsular Malaysia and its potential as biomaterial for use in bone repair, *J. Anim. Vet. Adv.*, 6(5): 691-594.

Ayman, A., 2017, The residual monomer content and mechanical properties of CAD/CAM resins used in the fabrication of complete dentures as compared to heat cured resins, *Electronic Physician*, 9(7): 4768-4769, 4771.

Bural, C., Aktas, E., Deniz, G., Unlucerc, Y., Bayraktar, G., 2009, Effect of leaching residual methyl methacrylate concentrations on *in vitro* cytotoxicity of heat polymerized denture base acrylic resin processed with different polymerization cycles, *J. Appl. Oral Sci.*, 19(4): 306-307.

Bhardwaj, S. K., Dwivedi, K., dan Agarwal, D. D., 2016, A Review: GC Method Development and validation, *Int J Anal. Bioanal. Chem.*, 6(1): 1-3.

Charasseangpaisarn, T., Wiwatwarrapan, C., Leklerssiriwong, N., 2016, Ultrasonic cleaning reduces the residual monomer in acrylic resins, *J. Dent. Sci.*, 11: 444-447.

Cilenti, L., Scirocco, T., Specchiulli, A., Florio, M., Renzi, M., Breber, P., 2010, Population structure and spatial distribution of *Loripes lacteus* (Linnaeus, 1758) in Varano lagoon, SE Italy, *Transit Water Bull*, 2(4): 63-70.

Crono, M., Busco, C., Civalleri, B., dan Ugliengo, 2006, P. Periodic ab initio study of structural and vibrational features of hexagonal hydroxyapatite $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$, *Phys. Chem. Chem. Phys.*, 8(21): 2464-2472.

Darwis, D. dan Watastuti, Y., 2008, Sintesis dan Karakterisasi Komposit Hidroksiapatit (HA) sebagai Graft Tulang Sintetik, *Jurnal Ilmiah Aplikasi dan Radiasi*, 4(2): 145.

Emini, 2013, Gigi Tiruan dan Perilaku Ibadah, *J. Health Qual.*, 4(1): 1.

Fatimina, A. D., Benyamin, B., dan Fathurrahman, H., 2016, Pengaruh Posisi Serat Kaca (*Fiberglass*) yang Berbeda Terhadap Kekuatan Fleksural Fiber Reinforced Acrylic Resin, *Dent. J.*, 3(2).

Hashem, M., Alsaleem, S. O., Assery, M. K., Abdeslam, E. B., Vellappally, S., dan Anil, S., 2014, A Comparative Study of the Mechanical Properties of the Light-cure and Conventional Denture Base Resins, *Oral Health and dental management*, 13(2): 311-312.

Hassan, Z. J., Hatim, N.A., dan Taqa, A.A., 2014, Study The FTIR of Hydroxyapatite Additive to Heat Cured Acrylic Resin, *Al-Rafidain Dent J*, 14(1): 1-2, 4.

- Herwinarni, Utama, M., Sumarti, M., dan Riswiyanto., 1996, Analisis residu Monomer dalam kopolimer KA-St dan KA-MMA dgn Kromatografi Gas, *J. Ilm. Apl. Isot. dan Radiasi*. h. 143-145
- ISO 1567, Dentistry-Denture Base materials, 2000.
- Ivkovic, N., Bozovic, D., Ristic, S., Mirjanic, V., Jankovic, O., 2013, The Residual Monomer in Dental Acrylic Resin And Its Adverse Effect: *Review*, Faculty of Medicine, Department of Stomatology, University of East Sarajevo, Republic of Srpska.
- Jawad, I. A. M., Hasan, R. M. A., Al-Hamdani., 2016, Modified Heat Cured Acrylic Resin Denture Base Material: Residual Monomer, *I J. Enhanc Res. Sc.i*, 5(5): 22.
- Kamba, A. S., Ismail, M., Ibrahim, T. A. T., dan Zakaria, Z. A. B., 2013, Synthesis and Characterisation of Calcium Carbonate Aragonite Nanocrystals from Cockle Shell Powder (*Anadara granosa*), *J Nanomater*. Nomor 398357: 1-9.
- Kartono, G. S., Widyastuti, dan Setiawan, H. W., 2014, Biokompatibilitas Hidroksiapatit Graft dari Cangkang Kerang Darah (*Anadara granosa*) Terhadap Kultur Sel Fibroblas, *Dental Journal Kedokteran Gigi*, 8(1):3-4.
- Kedjarune, U., Charoenworoluk, N., dan Koontongkaew, S., 1999, Release of methyl methacrylate fro, heat-cured and autopolymerized resins: Cytotoxicity testing related to residual monomer, *Aust Dent J*, 44(1): 25-30.
- Lai, Y.L., Chen, Y. T., Lee, S.Y., Shieh, T. M., Hung, S.L., 2004, Cytotoxic effects of dental resin liquids on primary gingival fibroblasts and periodontal ligament cells in vitro, *J Oral Rehabil*, 31(12): 1165-1172.
- Liu, D., Troczynski, T., Tseng, W. J., 2001, Water-based sol-gel synthesis of hydroxyapatite: process development, *Biomaterials*, 22: 1721-1722.
- Mac-Kay, A. P. M. G., Veliz, L. O. C., Calderon, C. S. M., dan Aranguiz, S. D., Chewing Alterations in Removable Dental Prosthesis Users: *Systematic Review*, *Rev. CEFAC*, 17(4): 1319.
- Mallikarjuna, A., 2014, Cytotoxicity of Acrylic Resin: A review Arunasree V Mallikarjuna, *IOSR J. Dent. Med. Sci.*, 13(3): 7-8.
- Manappallil, J. J., 2015, *Basic Dental Materials Ninth Edition*, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi India.
- McCabe, J. F., dan Walls, A. W. G., 2008, *Applied Dental Materials*, John Wiley & Sons Publishers.

- _____., 2013, *Applied Dental Materials Ninth Edition*, John Wiley & Sons Publishers .
- McKenna, G. dan Burke, F.M., 2010, Age-related oral changes, *Dent Update*, 37(8): 519-523.
- Mochizuki, A., Miwa, Y., Miyoshi, R., dan Namiki, T., 2017, Relationship between water structure and properties of poly(methyl methacrylate-b-2-hydroxyethyl methacrylate) by solid-state NMR, *J Biomater Sci Polym Ed*, ISSN: 0920-503 :14.
- Mohamed, M., Yusup, M., dan Maitra S., 2012, Decomposition study of calcium carbonate in cockle shells, *J. Eng. Sci. Tech.*,7(1):1-10.
- Muntamah, 2011, Sintesis dan karakterisasi hidroksiapatit dari limbah cangkang kerna darah (*Anadara granosa*), Institut Pertanian Bogor, Indonesia.
- Nanci, A., 2013, *Ten Cate's Oral Histology, 8th ed*, Elsevier Mosby, Mssouri, h. 48.
- Nayak, A., 2010, Hydroxyapatite Synthesis Methodologies: An Overview, *Int. J. Chem. Tech. Research*, 2(2): 903-907.
- Pravallika, S., 2016, Gas Chromatography a Mini Review, *Research and Reviews Journal of Pharmaceutical Analysis*, 5(2): 55-56.
- Rashid, H., Sheikh, Z., dan Vohra, F., 2015, Allergic Effects of The Residual Monomer Used in Denture Base Acrylic Resins, *Eur. J. Dent.*, 9(4).
- Rumengan, F. S., Raya, I., Maming, 2017, Sintesis dan Karakterisasi Hidroksiapatit $[Ca_{10}(PO_4)_6(OH)_2]$ dari Batu Kapur dengan Metode Sol-Gel, Fakultas MIPA, Universitas Hassanuddin.
- Ruppert, E.E., dan Barnes, R. D., 1994, *Invertebrate zoology Sixth Edition*, Saunders, College Publishing, Fort Worth.
- Salim, S., 2011, The difference of acrylic resin residual monomer levels with various polymerization method, *Dent. J.*, 44(4): 197.
- Santos, R., Pithon, M., Carvalho, F., 2013, Mechanical and biological properties of acrylic resins manipulated and polished by different methods, *Brazilian Dent. J.*, 24(5): 493.
- Seal, S., 2008, *Functional Nanostructures: Processing, Characterization, and Applications*, Springer, Orlando, h. 192-193.
- Serebetci, Kemal., 2000, Mechanical and Thermal Properties of Hydroxyapatite-Impregnated Bone Cement, *Turk J Med Sci*, 30(6): 543-549.

- Singh, S., Palaskar, J. N., Mittal, S., 2013, Comparative evaluation of surface porosities in conventional heat polymerized acrylic resin cured by water bath and microwave energy with microwavable acrylic resin cured by microwave energy, *Contemporary Clinical Dentistry*, 4(2): 147-148.
- Shirkavand, S., dan Moslehifard, E., 2014, Effect of TiO₂ Nanoparticles on Tensile Strength of Dental Acrylic Resins, *J. Dent. Res. Dent. Clin. Dent. Prospect*, 8(4): 197-203.
- Soejoko, D. S., Wahyuni, S., 2002, Spektroskopi inframerah senyawa kalsium fosfat hasil presipitasi, *Makara Sains*, 6(3): 117-120.
- Souto-Lopes, M., Azavedo, A., Teixeira, A., Bastos-Aires, D., Lordelo, J., Perez-Mongioli, D., 2013, Cytotoxicity of acrylic based resin compounds in a human gingival fibroblast cell line, *Rev Port Estomatol Med Dent Gir Maxilopac*, 54(2): 87-90.
- Sofou, A., Tsoupi, I., Emmanouil, J., 2005, HPLC determination of residual monomers released from heat-cured acrylic resin, *Anal. Bioanal. Chem.*, 381: 1337-1338.
- Spasojevic, P., Zrilic, M., Panic, V., Stamenkovic, D., Seslija, S., dan Velickovic, S., 2015, The Mechanical Properties of a Poly(methyl methacrylate) Denture Base Material Modified with Dimethyl Itaconate and Di-n-butyl Itaconate, *Int. J. Polym. Sci.* halaman: 1-2.
- Swain, S.K., 2009, *Composite Hydroxyapatite Polymeric Scaffolds*, , Master thesis, University of Helsinki.
- Tham, W. L., Chow, W. S., Mohd Inshak, Z. A., 2010, Simulated body fluid and water absorption effects on poly(methyl methacrylate)/hydroxyapatite denture base composites, *eXPRESS Polymer Letters*, 4(9): 517-523.
- Thammana, M., 2016, A Review on High Performance Liquid Chromatography (HPLC), *J. Pharm. Anal.*, 5(2): 22.
- Thongrakard, T., dan Wiwatwarrapan, C., 2016, Tensile Bond Strength Between Auto-Polymerized Acrylic Resin and Acrylic Denture Teeth Treated with MF-MA Solution, *J. Adv. Prosthodont*, 8(4): 285-287.
- Tuna, S. H., Keyf, F., Gumus, H. O., dan Uzun, C., 2008, The Evaluation of Water Sorption/Solubility on Various Acrylic Resins, *Eur. J. Dent.*, 2:191-192.
- Tuna, E. B., Rohlig, B. G., Sancakli, E., Evlioglu, G., Gencay, K., 2013, Influence of Acrylic Resin Polymerization Methods on Residual Monomer Release, *J. Contemp. Dent. Pract.*, 14(2): 259.

Vallittu, P. K., Ruyter, I. E., dan Buykuilmaz, S., 1998, Effect of polymerization temperature and time on the residual monomer content of denture base polymers, *Eur. J. Oral. Sci.*, 106: 588-593 .

Vijayalakshmi, U., Xavier, S. A., Anjaneyulu, U., dan Chellappa, M., 2015, Influence of particle size and morphology of chemically modified hydroxyapatite by sol-gel method, *Int. J. Chem. Tech. Res.*, 7(3): 1429-1430.