UNIVERSITAS GADJAH MADA
COBALT AND MOLYBDENUM DISPERSED ONTO CORNCOB WASTE-DERIVED ACTIVATED CARBON CATALYSTS FOR MICROWAVE-ASSISTED HYDROTREATMENT OF TAMANU OIL (Calophyllum inophyllum) INTO BIO-JET FUEL
Irene Tantri Mahadevi Muktiono, Prof. Drs. Karna Wijaya, M. Eng., Dr.rer.nat.; Drs. Iqmal Tahir, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF CONTENTS

UNDERGRADUATE THESIS **i**
APPROVAL PAGE **ii**
STATEMENT OF PLAGIARISM-FREE WORK AND THE USE OF GENERATIVE ARTIFICIAL INTELLIGENCE **iii**
DEDICATION PAGE **iv**
PREFACE **v**
LIST OF CONTENTS **vi**
LIST OF FIGURES **viii**
LIST OF TABLES **x**
LIST OF APPENDICES **xi**
ABSTRACT **xii**
INTISARI **xiii**
CHAPTER I INTRODUCTION **1**
I.1 Background 1
I.2 Research Objectives 4
I.3 Research Benefits 4
CHAPTER II LITERATURE REVIEW AND HYPOTHESIS FORMULATION **5**
II.1 Literature Review 5
II.1.1 Tamanu oil as a feedstock for bio-jet fuel production 5
II.1.3 Activated carbon from corncob 10
II.1.4 Cobalt and molybdenum as catalysts 13
II.1.5 Ultrasound-assisted impregnation method 15
II.2 Hypothesis and Research Design 17
II.2.1 Hypothesis Formulation I 17
II.2.2 Hypothesis Formulation II 17
II.2.3 Hypothesis Formulation III 18
II.2.4 Research Design 20
CHAPTER III EXPERIMENTAL METHODS **21**
III.1 Research materials 21
III.2 Research apparatus 21
III.3 Research Methods 21
III.3.1 Synthesis of activated carbon from corncob 21
III.3.2 Ultrasound-assisted impregnation of cobalt–molybdenum onto activated carbon 22
III.3.3 Hydrotreatment of tamanu oil into bio-jet fuel 23
CHAPTER IV RESULTS AND DISCUSSION **25**
IV.1 Synthesis and characterization of activated carbon from corncob 25
IV.1.1 Analysis using XRD 25
IV.1.2 Analysis using FTIR 26
IV.1.3 Analysis using NH_3-TPD 28

UNIVERSITAS GADJAH MADA
COBALT AND MOLYBDENUM DISPERSED ONTO CORNCOB WASTE-DERIVED ACTIVATED CARBON CATALYSTS FOR MICROWAVE-ASSISTED HYDROTREATMENT OF TAMANU OIL (Calophyllum inophyllum) INTO BIO-JET FUEL
Irene Tantri Mahadevi Muktiono, Prof. Drs. Karna Wijaya, M. Eng., Dr.rer.nat.; Drs. Iqmal Tahir, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

IV.1.4 Analysis using SAA 31
IV.1.5 Analysis using SEM–EDX and TEM 34
IV.2 Synthesis and characterization of the catalysts 37
IV.2.1 Analysis using XRD 37
IV.2.2 Analysis using FTIR 40
IV.2.3 Analysis using NH_3-TPD 41
IV.2.4 Analysis using SAA 43
IV.2.5 Analysis using SEM–EDX and TEM 48
IV.3 Conversion of tamanu oil into bio-jet fuel over the catalysts 52
IV.3.1 Study of activity and selectivity toward bio-jet fuel production 52
IV.3.2 Reusability of the best catalyst 58
IV.3.3 Evaluation of bio-jet fuel products 69
IV.3.4 Summary of studies on bio-jet fuel production from previous studies 79
CHAPTER V CONCLUSION AND SUGGESTION 82
V.1 Conclusion 82
V.2 Suggestions 83
APPENDIX 103

UNIVERSITAS GADJAH MADA
COBALT AND MOLYBDENUM DISPERSED ONTO CORNCOB WASTE-DERIVED ACTIVATED CARBON CATALYSTS FOR MICROWAVE-ASSISTED HYDROTREATMENT OF TAMANU OIL (Calophyllum inophyllum) INTO BIO-JET FUEL
Irene Tantri Mahadevi Muktiono, Prof. Drs. Karna Wijaya, M. Eng., Dr.rer.nat.; Drs. Iqmal Tahir, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF FIGURES

Figure II.1	Overall hydrotreatment pathway of triglycerides into hydrocarbon fuels	8
Figure II.2	(a) Cracking of a normal paraffin by the classical carbenium ion and (b) Mechanistic relation between paraffin isomerization and hydrocracking	9
Figure II.3	Structure of activated carbon	11
Figure II.4	Schematic presentation of pore structure and surface functional groups of activated carbon	12
Figure II.5	Schematic of acoustic pressure cycle when ultrasound is subjected to a liquid medium (Tiong et al., 2025)	166
Figure II.6	Bifunctional cobalt molybdenum catalyst research scheme	20
Figure III.1	Scheme of the reactor employed	23
Figure IV.1	X-ray diffractograms of (a) corncob, (b) carbon, and (c) activated carbon	26
Figure IV.2	FTIR spectra of (a) corncob, (b) carbon, and (c) activated carbon	28
Figure IV.3	NH_3-TPD curves of carbon and activated carbon	30
Figure IV.4	Nitrogen adsorption-desorption isotherm graphs of (a) carbon and (b) activated carbon	33
Figure IV.5	Distribution of the average pore diameter of carbon and activated carbon	33
Figure IV.6	SEM images of (a) carbon and (b) activated carbon at 1,000× magnification	35
Figure IV.7	TEM images of activated carbon at (a) 100.0 nm and (b) 20.0 nm scale bar	36
Figure IV.8	X-ray diffractograms of (a) activated carbon, (b) CoMo/AC, (c) Mo–Co/AC, and (d) Co–Mo/AC	39
Figure IV.9	FTIR spectra of (a) activated carbon, (b) Co–Mo/AC, (c) Mo–Co/AC, and (d) CoMo/AC	41
Figure IV.10	NH_3-TPD curves of activated carbon, Co–Mo/AC, Mo–Co/AC, and CoMo/AC	42
Figure IV.11	Nitrogen adsorption-desorption isotherm graphs of (a) CoMo/AC, (b) Mo–Co/AC, and (c) Co–Mo/AC	45
Figure IV.12	Distribution of average pore radius of Co–Mo/AC, Mo–Co/AC, and CoMo/AC	46
Figure IV.13	SEM images (a) Co–Mo/AC, (b) Mo–Co/AC, and (c) CoMo/AC at 1,000× magnification	48
Figure IV.14	TEM images of Co–Mo/AC at (a) 100.0 nm and (b) 20.0 nm scale bar	50

UNIVERSITAS GADJAH MADA
COBALT AND MOLYBDENUM DISPERSED ONTO CORNCOB WASTE-DERIVED ACTIVATED CARBON CATALYSTS FOR MICROWAVE-ASSISTED HYDROTREATMENT OF TAMANU OIL (Calophyllum inophyllum) INTO BIO-JET FUEL
Irene Tantri Mahadevi Muktiono, Prof. Drs. Karna Wijaya, M. Eng., Dr.rer.nat.; Drs. Iqmal Tahir, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Figure IV.15 Particle diameter size distribution graph of the Co–Mo/AC catalyst 52
Figure IV.16 Selectivity and yield of bio-jet fuel from microwave-assisted hydrotreatment of tamanu oil using various catalysts 575
Figure IV.17 Hydrotreatment reaction mechanism of tamanu oil into bio-jet fuel 57
Figure IV.18 Selectivity and yield of bio-jet fuel from microwave-assisted hydrotreatment of tamanu oil using the Co–Mo/AC during reusability test 61
Figure IV.19 SEM images of (a) Co–Mo/AC fresh and (b) Co–Mo/AC spent 62
Figure IV.20 Nitrogen adsorption-desorption isotherm graphs (a) Co–Mo/AC Reuse and (b) Co–Mo/AC fresh 64
Figure IV.21 Distribution of average pore radius of Co–Mo/AC fresh and Co–Mo/AC spent 65
Figure IV.22 X-ray diffractograms of (a) Co–Mo/AC fresh and (b) Co–Mo/AC spent 67
Figure IV.23 FTIR spectra of (a) Co–Mo/AC fresh and (b) Co–Mo/AC spent 69
Figure IV.24 Histogram of the number of carbons in bio-jet fuel produced from carbon, activated carbon, Co–Mo/AC, Mo–Co/AC, and CoMo/AC 71
Figure IV.25 Histogram of the compound groups in bio-jet fuel produced from carbon, activated carbon, Co–Mo/AC, Mo–Co/AC, and CoMo/AC 72
Figure IV.26 Histogram of the distribution of the number of carbon atoms in Jet A-1 and Co–Mo 73
Figure IV.27 Histogram of the compound groups in bio-jet fuel produced from Jet A-1 and CoMo/AC 74
Figure IV.28 Histogram of the distribution of the number of carbon atoms in Co–Mo, Reuse 1, Reuse, 2, and Resue 3 75
Figure IV.29 Histogram of the compound groups in bio-jet fuel produced from run-1, run-2, run-3, and run-4 76
Figure IV.30 FTIR of a) Tamanu oil, b) Co–Mo/AC bio-jet fuel, and c) Jet A-1 78

UNIVERSITAS GADJAH MADA
COBALT AND MOLYBDENUM DISPERSED ONTO CORNCOB WASTE-DERIVED ACTIVATED CARBON CATALYSTS FOR MICROWAVE-ASSISTED HYDROTREATMENT OF TAMANU OIL (Calophyllum inophyllum) INTO BIO-JET FUEL
Irene Tantri Mahadevi Muktiono, Prof. Drs. Karna Wijaya, M. Eng., Dr.rer.nat.; Drs. Iqmal Tahir, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF TABLES

Table IV.1	Carbon and activated carbon acidity	29
Table IV.2	Characteristics of carbon and activated carbon surface	28
Table IV.3	Elemental composition percentage of carbon and activated carbon	34
Table IV.4	Crystallite size of Co–Mo/AC, MoCo/AC, and CoMo/AC	40
Table IV.5	Activated carbon, Co–Mo/AC, Mo–Co/AC, and CoMo/AC acidity	43
Table IV.6	Characteristics of activated carbon, Co–Mo/AC, Mo–Co/AC, and CoMo/AC surface	42
Table IV.7	Elemental composition percentage of activated carbon, Co–Mo/AC, Mo–Co/AC, and CoMo/AC	49
Table IV.8	Results of GC–MS analysis of fatty acid composition in tamanu oil	53
Table IV.9	Distribution of products from microwave-assisted hydrotreatment of tamanu oil using various catalysts	54
Table IV.10	Distribution of products from microwave-assisted hydrotreatment of tamanu oil using the Co–Mo/AC catalyst during reusability tests	60
Table IV.11	Elemental composition percentage of Co–Mo/AC fresh and Co–Mo/AC spent	64
Table IV.12	Crystallite size of Co–Mo/AC fresh and Co–Mo/AC spent	67
Table IV.13	Comparison of the results of this study with previous studies	80

UNIVERSITAS
GADJAH MADA
COBALT AND MOLYBDENUM DISPERSED ONTO CORNCOB WASTE-DERIVED ACTIVATED CARBON CATALYSTS FOR
MICROWAVE-ASSISTED HYDROTREATMENT OF TAMANU OIL (Calophyllum inophyllum) INTO BIO-JET FUEL
Irene Tantri Mahadevi Muktiono, Prof. Drs. Karna Wijaya, M. Eng., Dr.rer.nat.; Drs. Iqmal Tahir, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF APPENDICES

Appendix 1	X-ray diffractogram of activated carbon from corncob	103
Appendix 2	FTIR Spectra of activated carbon from corncob	105
Appendix 3	N_2 adsorption-desorption isotherm curve of carbon and activated carbon	106
Appendix 4	SEM EDX of carbon and activated carbon	107
Appendix 5	XRD of catalyst variations	108
Appendix 6	FTIR Spectra of catalyst variations	110
Appendix 7	N_2 adsorption-desorption isotherm curve of carbon and activated carbon	111
Appendix 8	SEM EDX of catalyst variations	113
Appendix 9	FTIR of jet A-1, tamanu oil, and Co-Mo/AC bio-jet fuel product	116
Appendix 10	GC Chromatogram of Jet A-1, and tamanu oil	117
Appendix 11	GC chromatogram and MS spectra of the liquid product from the reusability test	118
Appendix 12	XRD of Co–Mo/AC catalyst reuse	120
Appendix 13	FTIR of Co–Mo/AC catalyst reuse	121
Appendix 14	N_2 adsorption-desorption isotherm curve of carbon and activated carbon	122
Appendix 15	SEM EDX of catalyst variatons	123
Appendix 16	GC chromatogram and MS spectra of the liquid product from the reusability test	124