UNIVERSITAS GADJAH MADA
Pengaruh Dosis Pupuk Nitrogen (NH4+) Terhadap Penyakit Hawar Daun Bakteri Padi (Xanthomonas oryzae pv. oryzae)
Khalista Windi Azzahra, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahmed, S. M., Q. Sani, A. Majeed, F. Dhawi, S. I. Alsanie, and A. M. Abdelghany. 2026. Molecular and phenotypic diversity of bacterial leaf blight resistance in green super rice germaplasm. BMC Plant Biology, 26 (332): 1-18.

Ali, S., F., Hastuti, D., & Andree Saylendra. 2012. Uji Ketahanan 10 Tanaman Padi Varietas Lokal Banten terhadap Perkembangan Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*) pada Fase Persemaian. Jurnal Agroekoteknologi, 4(1) : 1-7.

Apriyadi, R. A., Wahyuni, W. S., & Supartini, V. 2013. Pengendalian Penyakit Patik *(Cercospora nicotinae)* pada Tembakau secara in-vivo dengan ekstrak daun gulma kipahit *(Tithonia diversifolia)*. Pertanian, 1(2): 30-32.

Astuti, Y., I. Lubis, and . Junaedi. Determination pf optimum nitrogen, phosphor, and potassium fertilizer dosage for lowland rice bioemas agritan. Jurnal Agro 10(1): 16-27.

Arnama, I. N. 2020. Pertumbuhan dan produksi varietas padi sawah (Oryza sativa L.) dengan variasi jumlah bibit per rumpun. Perbal. Jurnal Pertanian Berkelanjutan, 8(3): 166-175.

BPPADI Balitbangtan Kementerian Pertanian. 2016. Tiga Fase Pertumbuhan Padi. http://bbpadi.litbang.pertanian.go.id/index.php/info-berita/tahukah-anda/tigafase- pertumbuhan-padi Diakses pada 30 Oktober 2025.

BPS. Laju pertumbuhan penduduk (persen), 2025. https://www.bps.go.id/id/statistics table/2/MTk3NiMy/laju-pertumbuhan-penduduk.html Diakses pada 30 Oktober 2025.

BPS. Luas panen dan produksi padi di Indonesia 2023. https://www.bps.go.id/id/pressrelease/2023/10/16/2037/luas-panen-dan-produksi padi-di-indonesia-2023--angka-sementara-.html Diakses pada 30 Oktober 2025.

Chang, T. T., and E. A. Bardenas. 1965. The morphology and varietal characteristics of the rice plant. IRRZ. Technical Bulletin, Manila.

Chen, J., J. Li., W. Li, P. Li., R. Zhu, Y. Zhong, W. Zhang, and T. Li. 2024. The optimal ammonium-nitrate ratio for various crops: A meta-analysis. Fields Crop Research, 307.

Das, P. P., A. Kumar, M. Mohammed, K. Bhati, K. R. Babu, K. P. Bhandari, R. M. Sundaram, and I. A. Ghazali. 2025. Comparative metabolites analysis of resistant, susceptible and wild rice species in response to bacterial blight disease. BMC Plant Biology, 25:178.

Dellero. 2020. Manipulating amino acid metabolism to improve crop nitrogen use efficiency for a sustainable agriculture. Frontiers in Plant Science, 11: 1-14.

Di, D. W., T. T. Li, J. Wu., M. Wang, H. J. Kronzucker, Y. Liu, C. Liu, and W. Shi. 2024. Rapid induction of NH4+ efflux in rice roots under high ammonium

UNIVERSITAS GADJAH MADA
Pengaruh Dosis Pupuk Nitrogen (NH4+) Terhadap Penyakit Hawar Daun Bakteri Padi (Xanthomonas oryzae pv. oryzae)
Khalista Windi Azzahra, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

stress and its association with varietal differences in ammonium tolerance and ammonium-utilization efficiency. New Phytologist, 248(4): 1628-1638.

Doddagoudar , S. R., M. Nagaraja, M. Lakshmikanth, A. G. Srininvas, N. M. Shakuntala, U. Hiremath, and K. Mahanthshivayogayya. 2023. Improving the resilience of rice seedlings to low temperature stress through seed priming. South African Journal of Botany, 162 (2023): 183-192.

Ejaz, K., A. Faiq, M. Asif, A. Zaka, M. H. Nguyen, C. M. Cruz, R. Oliva, M. Arif, and S. Yasmin. 2022. Molecular characterization and screening of *Xanthomonas oryzae* pv. *oryzae*, isolated from Pakistan for prediction of bacterial leaf blight resistant basmati rice. Physiological and Molecular Plant Pathology.

Ekalinda, I. O., Pratama, D., Anggraini, S. R. S., dan SP, M. 2018. Teknologi budidaya padi jajar legowo super. Balai Pengkajian Teknologi Pertanian, Riau.

EPPO, 2007. *Xanthomonas oryzae*. Blackwell Publishing Ltd European and Mediterranean Plant Protection Organization, Paris.

Esteban, R., I. Ariz, C. Cruz, and J. F. Moran. 2016. Review: mechanisms of ammonium toxi*cit*y and the quest for tolerance. Plant Science, 248: 92-101.

Fadil, M., Y. Yanti, dan U. Khairul. 2023. Penapisan aktinobakteria rhizosfer padi sebagai agens pengendali hayati *Xanthomonas oryzae* pv. *oryzae* pathogen penyebab penyakit hawar daun bakteri. Jurnal Agro, 10(1): 1-15.

Fadlillah, D. A., A. W. Setiawan, Y. A. Handoko. 2022. Isolasi, karakterisasi, dan uji stabilitas pH bakteriofag Xanathomonas *oryzae* pv. *oryzae* dari area persawahan. Jurnal Ilmiah Pertanian, 19(2): 1-8.

Fan, X., C. Lu., Z. Khan, Z. Li, S. Duan, H. Shen, and Y. Fu. 2025. Mixed ammonium-nitrate nutrition regulates enzymes, gene expression, and metabolic pathways to improve nitrogen uptake, partitioning, and utilization efficiency in rice. Plants, 14, 611.

Fiyaz, R. A., D. Shivani, K. Chaitanya, K. Mounika, M. Chiranjeevi, G. S. Laha, B. C Viraktamath, L. V.S. rao, and R. M. Sundaram. 2022. Genetic improvement of rice for bacterial blight resistance: presence status and future prospects. Rice Science, 29 (2): 118-132.

Fortunato, S., D. Nigro, C. Lasorella, I. Marcotuli, A. Gadaleta, and M.C. de Pinto. 2023. The role of glutamine synthetase (GS) and glutamate synthase (GOGAT) in the improvemenr of nitrogen use efficiency in cereals. Biomolecules, 13(12): 1-21.

George, E., W. J. Horst, and E. Neumann. 2012. Adaptation of plants to adverse chemical soil conditions. Marschner's Mineral Nutrition of Higher Plants: 409-472..

Gunawan, I., A. T. Sukma, Humairoh, K. Christian, dan R. B. Saputra. 2020. Agen

UNIVERSITAS GADJAH MADA
Pengaruh Dosis Pupuk Nitrogen (NH4+) Terhadap Penyakit Hawar Daun Bakteri Padi (Xanthomonas oryzae pv. oryzae)
Khalista Windi Azzahra, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

hayati yang berperan dalam menghambat penyakit hawar daun bakteri (HDB) yang disebabkan oleh bakteri Xoo pada padi sawah *(Oryza sativa* L.*)*. Jurnal Ilmiah Unsri, 5(2):19-27.

Greer, S. F., M. Rabiey, D. J. Studholme, and M. Grant. 2025. The potential of bacteriocins and bacteriophages to control bacterial disease of crops with a focus on *Xanthomonas* spp. Journal of the Royal Society of New Zealand, 55(2): 302-326.

Hachiya, T., and H. Sakakibara. 2017. Interactions between nitrate and ammonium in their uptake, allocation, assimilation, and signaling in plants. Journal of Experimental Botany, 68(1): 2501-2512.

Hidayanto, M. 2019. Rekomendasi pemupukan padi sawah (Oryza sativa L.) spesifik lokasi di kecamatan Malinau-Kabupaten Malinau. Jurnal Agroteknologi Tropika Lembab, 2(1): 1-7.

Irpawa, D. M. I., T. Arwiyanto, and S. Sulandari. The characterization, pathotype distribution and genetic diversity of *Xanthomonas oryzae* pv. *oryzae* in rice production centers of the Special Region of Yogyakarta, Indonesia. Journal of Tropical Plants and Disease, 24(2) : 262-273.

Jiang, H., Q. Huang, C. Yang, and Y. Liang. 2026. Resistance gene against Xanthomonas oryzae pv. oryzae (Xoo) in rice: molecular mechanisms and breeding strategies for bacterial leaf blight. Front Plant Science, 13 (17): 1-11.

Laraswati, R., E. P. Ramdan, dan U. Kulsum. 2021. Identifikasi penyebab penyakit hawar daun bakteri pada kombinasi pola tanam system of rice intensification (SRI) dan jajar legowo. Jurnal Pertanian Politeknk Negri Jember, 2(1): 18-31.

Lestari, D., W. T. Prasetyawati, and P. Suryaminarsih. 2023. Modeling intensity of bacterial leaf blight on rice plants due to influence of abiotic factors in babaksari village, Gresik. Agric, 35(1): 149-158.

Liu, X., S. Chen, C. Miao., H. Ye, Q. Li., H. Jiang., and J. Chen. 2024. Transcriptome analysis of differentially expressed genes in rice seedling leaves under different nitrate treatments on resistance to bacterial leaf blight. Frintiers in Plant Sciences, 15(1436912):1-15.

Lu, B., C. Xu., Z. Li., X. Tang, f. Yang, D. Xu, G. Zhu, J. Zhang, Y. Jiang, W. Li, Y. Ding, and G. Li. 2024. Influence of the temperature during grain filling stage and nitrogenapplication rate on yield and quality of indica hybrid rice. Fields Crop Research, 309 (2024): 1-15.

Luo, H. Z., Y. Guan, R. Yang, G. L. Qian, X. H. Yang, J. S. Wang, and A. Q, Jia. 2024. Growth inhibition and metabolomic analysis of *Xanthomonas oryzae* pv. *oryzae* treated with resveratrol. BMC Microbiology, 20:117.

Lyu, H., Y. Li, Y. Wang, P. Wang, Y. Shang, X. Yang, F. Wang, and A. Yu. 2024. Drive soil nitrogen transformation and improve crop nitrogen absorption and utilization – a review of green manure applications. Front Plant Sci, 14(1305600): 1-15.

UNIVERSITAS
GADJAH MADA
Pengaruh Dosis Pupuk Nitrogen (NH4+) Terhadap Penyakit Hawar Daun Bakteri Padi (Xanthomonas oryzae pv. oryzae)
Khalista Windi Azzahra, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Menoreh, J., dan T. B. Ogie. 2020. Disease control using biopesticide on rice plants *(Oryza sativa* L*)*. Jurnal Agroteknologi Terapan, 1(1): 11-13.

Nino-Liu, D.O., P.C. Roland, and A.J. Bogdanove. 2006 *Xanthomonas oryzae* pathovars: model pathogens of a model crop. Molecular Plant Pathology, 7(5): 303-324.

Patel, S. J., N. M. Gohef, H. L. Chauhan, and K. B. Parmar. 2014. Screening of media for growth of *Xanthomonas oryzae* pv. *oryzae* (Xoo). Bioinfolet, 11(4): 1156-1158.

Patti, P.S., E. Kaya, dan Silahooy. 2013. Analisis status nitrogen tanah dalam kaitanya dengan serapan N oleh tanaman padi sawah di Desa Waimital, Kecamatan Kairatu, Kabupaten Seram Bagian Barat. Agrologia, 2(1): 51-58.

Pelissier, M. P., B. Parizot, L. Jia, A. D. Knijf, V. Goosssens, P. Gantet, A. Champion, D. Audenaert, W. Xuan, T. Beeckman, and H. Motte. 2024. Nitrate and ammonium, the yin and yang of nitrogen uptake: a time-course transcriptomic study in rice. Front Plant Sci: 15(1343073): 1-16.

Prasekti, Y. H. 2015. Analisa ekonomi usaha penangkar benih padi ciherang (di Kelurahhan Tamanan Kec, Tulungagung Kab. Tulungagung) Jurnal Agribisnis Fakultas Unila, 11(13): 1-11.

Purnama, G. W., A. A. J. Permana, K. N. Ananada, N. L. I. Purnami, G. N. A. Nugraga, dan I. B. S M. Yogi. 2024. Implementasi sistem pakar untuk klasifikasi tanaman padi *(Oryza sativa* L*.)* berdasarkan ciri morfologi. Jurnal Pendidikan Teknik Elektro, 13(2): 171-185.

Ritbamrung, O., P. Inthima, K. Ratanasut, K. Sujipuli, T. Rungrat, and K. Buddhachat. 2025. Evaluating *Xanthomonas oryzae* pv. *oryzae* (Xoo) infekction dynamics in rice for distribution routes and environmental reservoirs by molecular approaches. Scientific Reports, 15: 1408.

Rolanda, I. A., A. Z. Arifin, dan Sulistyawati. 2021. Pengaruh pemberian dosis pupuk nitrogen terhadap pertumbuhan dan hasil tanaman sawi pahit *(Brassica juncea* L*.)*. Jurnal Agroteknologi Merdeka Pasuruan , 5(2): 1-6.

Saepuloh, S. Isnaeni, dan E. Firmansyah. 2020. Pengaruh kombinasi dosis pupuk kandang ayam dan pupuk kandang kambing terhadap pertumbuhan dan hasil pagoda *(Brassica narinosa* L*.)*. Agroscript, 2(1): 34-48.

Sanya, D. R. A., S. F. S. Ab-Rahman, A. Jia. D. Onesime, K. M. Kim., B. C. Ahohuendo. J. R. Rohr. 2022. A review of approaches to control bacterial leaf blight in rice. World Journal of Microbiology and Biotechnology, 38(113): 1-8.

Sastro, Y., Suprihanto, A. Hairmansis, I. Hasmi, Satoto, I.P. Tumanti, Z. Susanti, B. Kusbianto, D. D. Handoko, Rahmini, T. Sitaresmi, Suharna, M. Norvyani, dan D. Arismiati. 2021. Deskripsi varietas unggul baru padi. Badan Penelitian dan Pengembangan Pertanian, Kementrian Pertanian.

UNIVERSITAS
GADJAH MADA
**Pengaruh Dosis Pupuk Nitrogen (NH4+) Terhadap Penyakit Hawar Daun Bakteri Padi (Xanthomonas oryzae
pv. oryzae)**
Khalista Windi Azzahra, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Shilpha, J., J. Song, and B. R. Jeong. 2023. Ammonium phytotoxicity and tolerance: an insight into ammonium nutrition to improve crop productivity. Agronomy, 13: 1-23.

Simko, I., and H. P. Piepho. 2012. The area under the disease progress stairs: Calculating, advantage, and application. Phytopathology, 102(4): 381-389

Siregar, N. S. 2014. Karbohidrat. Jurnal Ilmu Keolahragaan, 13(2): 38-44.Soepriyanto, S., Sulistyawati, dan R. T. Purnamasari. 2021. Pengaruh pemberian berbagai jenis pupuk nitrogen terhadap jumlah klorofil daun kacang tanah. Jurnal Agroteknologi Merdeka Pasuruan, 5(1): 23-31.

Song, Z., Q. Tang, L. Zhao, G. Wang, and Y. Li. 2025. Ammonium nutrition improves the yield of drip irrigated rice by prolonging leaf photosynthethic capacity and enhancing source-sink performance. Technology in Agronomy, 6:1-12.

Sourmare, A., A. G. Diedhiou, M. Thuita, M. Hafidi, Y. Ouhdouch, S. Gopalakrishnan, and L. Kouismi. 2020. Exploitin biological nitrogen fixation: A route. Plants, 9(8): 1- 22.

Sudir, and D. Yuliani. 2016. Composition and distribution of *Xanthomonas oryzae* pv. *oryzae* pathotypes, the pathogen of rice bacterial leaf blight in Indonesia. Journal of Agricultural Science, 38(2): 174-185.

Sukmawati, M. Nuranggraeni, O. Prasadi, dan N. A. Triwuri. 2021. Pemanfaatan berbagai jenis pupuk bagi tanaman padi pada pertanian di Cilacap. Seminar Nasional Terapan Riset Inovatif, 6(1): 1-10.

Suryadi, Y., D. N. Susilowati dan I. Made Samudra. 2021. Penggunaan Formulasi Bacillus firmus E65- Berbasis talek untuk untuk pengendalian penyakit hawar daun bakteri. Gontor Agrotech Science Journal, 7(2): 183-214.

Suryani, N., R. Abdurrachim, dan N. Alindah. 2016. Analisis kandungan karbohidrat, srat dan indeks glikemik pada hasil olahan beras siam unus sebagai alternatif makanan selingan penderita diabetes melitus. Jurnal Kesehatan Masyarakat, 7(1): 1-9.

Suryaningsih, A. S., H. Tri, dan S. Wiyobo. 2023. Ketahanan enam galur padi asal petani terhadap penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*). Jurnal Fitopatologi Indonesia, 19(4): 176-181.

Thamrin, M., R. H. Wening, I. Hasmi, C. Gunarsih, N. Kartina, J. Sugiharto, Suprihanto, D. Handoko, dan Nafisah. 2025. Deskripsi varietas unggul baru padi 2025. Pertanian Press, Jakarta.

Tripathi, R., R. Tewari, K. P. Singh., C. Keswani, T. Minkina, A. K. Srivastava, U. D. Corato, and E. Sansinenea. 2022. Plant mineral nutrition and disease resistance: A significant linkage for sustainable crop protection. Front Plant Science, 13(883970):1-12.

Tsilenge-Lukanda, L., K.K.C. N., Kalonji-Mbyi, A., and RV, K. 2012. Epidemiology of the groundout *(Arachis hypogaea* L.*)* leaf spot disease: genetic analysis and developmental cycles. American Journal of Plant Sciences, 3(5): 582-

UNIVERSITAS
GADJAH MADA
Pengaruh Dosis Pupuk Nitrogen (NH4+) Terhadap Penyakit Hawar Daun Bakteri Padi (Xanthomonas oryzae pv. oryzae)
Khalista Windi Azzahra, Prof. Dr. Ir. Triwidodo Arwiyanto, M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

588.

Walascha, A., A. Febriana, D. Saputri, D. S. N. Haryanti, R. Tsania, Y. Sanjaya, dan Priyanti. 2021. Review artikel: Inventarisasi jenis penyakit yang menyerang daun tanaman padi *(Oryza sativa* L.*)*. Prosiding Semnas Bio.

Wang, Q., S. Li, J. Li, and D. Huang. 2024. The ulitization and roles of nitrogen in plants. Forest, 15: 1-20.

Wang, Z.H., Y. Miao, and S. Li. 2015. Effect of ammonium and nitrate nitrogen fertilizers on wheat yield in relation to accumulated nitrate at different depths of soil in drylands of China. Field Crops Res, 183: 211-224.

Yaliang, W., W. Lei, Z. Jianxia, H. Shengbo, C. Huizhe, X. Jing, Z. Yikai, Z. Yongjun, S. Qinghua, Z. Defeng, and Z. Yuping. 2019. Research progress on heat stress of rice at flowering stage. Rice Science, 26(1): 1-10.

Yunianto, A. E., S. A. Lusiana, N. T. Triatmaja, Suryana, N. Utami, W. Yunieswati, F. Ningsih, R. J. Fitriani, N. B. Argaheni, F. Febry, A. R. Puspa, D. R. Atmaka, dan A. Lubis. 2021. Ilmu Gizi Dasar. Yayasan Kita Menulis, Medan.

Yusril, L. O. M., L. O. S. Bande, dan A. Hasan. 2024. The effect of nitrogen fertilizer dosage on disease severity for growth and production of rice plants. Jurnal Ilmiah Membangun Desa dan Pertanian, 9(5): 490-498.

Zhang, Q., Y., X. Y. Song, and F. Liu. 2023. Xanfur, a novel fur protein induced by H2O2, positively regulated by the global trascriptional regulator clp and required for the full virulence of *Xanthomonas oryzae* pv. *oryzae* in rice. Microbiology Spectrum, 11(6): 1-10.