UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MORFOLOGI DAN MOLEKULER JAMUR PENYEBAB PENYAKIT BERCAK DAUN PADA TANAMAN KEDELAI
V. Sekar Mawarni Hartono P, Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdel-Sattar, M.A., E. Hanan., and E.I Usama. 2017. Pathogenicity test and anastomosis group of *R. solani* the causal organism of stem canker and black scurf disease of potato in Egypt. Journal of Applied Plant Protection, 6 (1): 1-8. DOI: 10.21608/japp.2017.7494

Ajayi-Oyetunde, O. O., and C. A. Bradley. 2018. *Rhizoctonia solani:* Taxonomy, population biology and management of Rhizoctonia seedling disease of soybean. Plant Pathology, 67(1): 3–17. DOI: https://doi.org/10.1111/ppa.12769

Andayanie, W. R. 2016. Pengembangan Produksi Kedelai Sebagai Upaya Kemandirian Pangan di Indonesia. Mitra Wacana Media, Jakarta.

Anshori, A., E. Srihartanto., dan Mulyadi. 2012. Teknologi Budidaya Kedelai Spesifik Lokasi Di Daerah Istimewa Yogyakarta. Balai Pengkajian Teknologi Pertanian Yogyakarta, Yogyakarta.

Balitkabi (Balai Penelitian Tanaman Aneka Kacang dan Umbi). 2023. Deskripsi Varietas Unggul Kedelai Nasional. Badan Litbang Pertanian, Kementerian Pertanian RI.

Barro, J.P., Neves, D.L., Del Ponte, E.M. *et al.* 2023. Frogeye leaf spot caused by *Cercospora sojina*: a review. Tropical Plant Pathology,48:363–374. DOI: https://doi.org/10.1007/s40858-023-00588-4

Bintang, A. S., A. Wibowo., A. Priyatmojo., dan S. Subandiyah. 2017. Morphological and molecular characterization of *Rhizoctonia solani* isolates from two different rice varieties. Jurnal Perlindungan Tanaman Indonesia, 21(2) : 72-79. DOI : https://doi.org/10.22146/jpti.25469

Borah, M. and B. Deb. 2022. Fungi causing leaf spot diseases of soyabean: their epidemiology and integrated management strategies. International Journal of Economic Plants, 9(1):88-94. DOI: 10.23910/2/2022.0437a

Boufleur, T. R., M. Ciampi-Guillardi., I. Tikami., F. Rogerio., M. R. Thon., S. A. Sukno., N. S. Massola Junior., and R. Baroncelli. 2021. Soybean anthracnose caused by *Colletotrichum* species: current status and future prospects. Moleculer Plant Pathology, 22(4):393-409l. DOI: https://doi.org/10.1111/mpp.13033

BPS. (2022). Analisis Produktivitas Jagung dan Kedelai di Indonesia 2022 (Hasil Survei Ubinan). Badan Pusat Statistik.

BPS. (2023). Analisis Produktivitas Jagung dan Kedelai di Indonesia 2023 (Hasil Survei Ubinan). Badan Pusat Statistik.

Buzdar, M. I., Ahmed, N., Awan, M. J. A., Ur-Rahman, S., Waqas, M., Raza, G., Mubeen, F., Mansoor, S., & Amin, I. (2023). Occurrence and characterization of Alternaria alternata causing leaf spot of soybean (Glycine max) in Pakistan. *Journal of Plant Pathology, 105*, 1651 - 1659. DOI: 10.1007/s42161-023-01464-4

Carlson, J. B.1973. Morphology soybean. American Society of Agronomy, 17-96.

Diaz-Cruz, G. A. and B. J. Cassone. 2020. Amplicon sequencing reveals extensive coinfections of foliar pathogens in soybean. Plant Disease. 105(1):127-133. DOI: https://doi.org/10.1094/PDIS-06-20-1165-RE

El-Shafey, R.A.S., *et al*. 2019. Morphological, pathological, and molecular characterization of *Rhizoctonia solani* AG-1 IA in egypt. Archives of Phytopathology and Plant Protection, 52(5–6): 507–529. DOI: 10.1080/03235408.2019.1650544

Fenille, R. C., M. B. Ciampi., E. E. Kurame., and N. L. Souza. 2003. Identification of *Rhizoctonia solani* associated with soybean in Brazil by rDNA-ITS sequins.

UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MORFOLOGI DAN MOLEKULER JAMUR PENYEBAB PENYAKIT BERCAK DAUN PADA TANAMAN KEDELAI
V. Sekar Mawarni Hartono P, Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fitopatol. Bras, 28(4) : 413-419. DOI: https://doi.org/10.1590/S0100-41582003000400011

Firmansyah, M. A., dan M. H. Alfarisi. 2016. Uji patogenisitas patogen bercak daun pada tanaman kayu afrika (*Maesopsis eminii* Engl.) di persemaian permanen BPDAS Bogor. Jurnal Silvikultur Tropika, 7(2) : 115-124. DOI: https://doi.org/10.29244/j-siltrop.7.2.%25p

George, M., B. M. Sureshbabu., A. Manoj., L. M. D. R. Belufi., F. E. D. Mello., J. M. Diniz., B. Hosseini., A. Infantino., T. Link., D. Marques., S. M. Mathioni., L. Orzali., K. Petrovic., and F. M. Mathew. 2025. A diagnostic guide of disease caused by *Diaporthe* species in soybean. Plant Health Progress, 26:705-716. DOI: 10.1094/php-03-25-0096-dg

Gomes, R. R., C. Glienke., S. I. R. Videira., L. Lombard., J. Z. Groenewald., and P. W. Crous. 2013. Diaporthe: a genus of endophytic, saprobic and plant pathogenic fungi. Persoonia, 31:1-41. DOI: https://doi.org/10.3767/003158513X676601

Hosseini, B., R. T. Voegele., and T. I. Link. 2023. Diagnosis of soybean diseases caused by fungal and oomycete pathogens: existing methods and new developments. Journal of Fungi, 9(5):587. DOI: https://doi.org/10.3390/jof9050587

Huilgol, S.N., 2020. First record of target leaf spot disease of soybean and progression of other fungal foliar spots in Karnataka. Journal of Pharmacognosy and Phytochemistry 9(4), 3203−3205.

Jayaprakashvel, M., and Mathivanan, N. 2012. Morphological and pathological variations of rice sheath blight inciting South Indian *Rhizoctonia solani* isolates. Archives of Phytopathology and Plant Protection, 45(18): 2171–2183. DOI: 10.1080/03235408.2011.587983

Karmila, M., A. Widiastuti, A. Wibowo, A. and Suryanti, 2022. Pythium ultimum and *Phytopythium vexans* the potential pathogen isolated from potato rhizosphere in Central Java, Indonesia. Jurnal Fitopatologi Indonesia.18(5): 187-194. DOI: 10.14692/jfi.18.5.187-194

Landeweert, R., P. Leeflang, T. W. Kuyper, E. Hoffland, A. Rosling, K. Wernars, and E. Smit. 2003. Molecular identification of ectomycorrhizal mycelium in soil horizons. Applied and Encironmental Microbiology. 69(1): 327-333. DOI: https://doi.org/10.1128/AEM.69.1.327-333.2003

Maharachchikumbura, S., K. D. Hyde., J. Z. Groenewald., and P. W. Crous. 2014. Pestalotiopsis revisited. Studies in Mycology, 79(1):121-186. DOI: https://doi.org/10.3114/sim0024

Meena, R. P. and V. A. Kadam. 2021. Characterization of *Macrophomina phaseolina* associated with leaf blight disease on *Chlorophytum borivilianum* Santapau & R.R. Fern. and its fungicidal susceptibility. Jurnal of Applied Research on Medicinal and Aromatic Plants, 20:1-6. DOI: 10.1016/j.jarmap.2020.100288

Mishra, S., *et al.* 2024. Morphological and physiological performance of indian soybean genotypes in respect to drought. Legume Research, 47(2): 705-713. DOI: 10.18805/LR-4550

Molina, J. P. E., B. L. Navarro., T. W. Allen., and C. V. Godoy. 2022. Soybean target spot caused by *Corynespora cassiicola*: a resurgent disease in the Americas. Tropica Plant Pathology, 47:315-331. DOI: 10.1007/s40858-022-00495-z

Mughal, M.N., Sabiya, B., Nazir, A. B., and Bhat, K.A. 2017. Cultural and morphological variability and identification of anastomosis group of *Rhizoctonia solani*

UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MORFOLOGI DAN MOLEKULER JAMUR PENYEBAB PENYAKIT BERCAK DAUN PADA TANAMAN KEDELAI
V. Sekar Mawarni Hartono P, Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(*Thanatephorus cucumeris*) causing sheath blight of rice in Kashmir. International Journal of Current Microbiology and Aplied Sciences, 6 (11): 3787-3794. DOI: 10.20546/ijcmas.2017.611.443

Mulyani, R., Setiawan, A., dan Astuti, E. 2020. Aktivitas fiksasi nitrogen beberapa varietas kedelai unggul nasional di tanah lempung berpasir. Jurnal Tanah dan Iklim Indonesia, 42(1): 21–30.

Nikoh, N., N. Hayase., N. Iwabe., Kuma K., and T. Miyata. 1994. Phylogenetic relationship of the kingdoms animalia, plantae, and fungi, inferred from 23 different protein species. Molecular Biology and Evolution, 11(5) : 762-768. DOI: 10.1093/oxfordjournals.molbev.a040156

Nursanti, A., E. T. Sucianto., dan A. Mumpuni. 2021. Identifikasi jamur patogen dan tingkat persentase penyakit pada tanaman selada (*Lactuca sativa* L.) di sentra tanaman sayur Desa Serang, Kecamatan Karangreja, Kabupaten Purbalingga. BioEksakta: Jurnal Ilmiah Biologi Unsoed, 3(1) : 9-19. DOI : 10.20884/1.bioe.2020.2.3.3396

Petrović, E., Vrandečić, K., Ćosić, J., Đermić, E., and Godena, S. 2023. First report of *Nigrospora* species causing leaf spot on olive (*Olea europaea* L.). Horticulturae, 9(10):1067 . DOI: 10.3390/horticulturae9101067

Posada, D. and K. A. Crandall. 2021. Felsenstein phylogenetic likelihood. Journal of Molecular Evolution, 89 : 134-145. DOI: 10.1007/s00239-020-09982-w

Purwantisari, A., W. A. Mahardhika., M F. Q. Naufal., A. T. Lunggani., dan S. N. Jannah. 2023. Aktivitas cendawan antagonis *Trichoderma* terhadap *Fusarium* dari tanaman kentang di Kecamatan Pakis Kabupaten Magelang. Bioscientist: Jurnal Ilmiah Biologi, 11 : 46-56. DOI: 10.33394/bioscientist.v11i1.6630

Rondon, M. N. and K. Lawrence. 2021. The fungal pathogen *Corynespora cassiicola*: a review and insights for target spot management on cotton and soya bean. Journal of Phytopathology, 169(6):329-338. DOI: https://doi.org/10.1111/jph.12988

Safi, A., Mehrabi-Koushki, M. & Arzanlou, M. 2024. Endophytic species of *Nigrospora* from grasses and shrubs of Shadegan International Wetland, with new species and records from Iran. Antonie van Leeuwenhoek, Journal of Microbiology 117, 77. DOI: 10.1007/s10482-024-01976-8

Saleh M, Eddy W, Suaidi R. 2011. Performance of three soybean varieties in tidal swamp land acid sulphate type B. In: Adie MM, Sholihin, Rahmianna AA, Tastra IK, Fachrur R, Hermanto, Apri S, Sumartini (Eds.) Proceedings in the Seminar of legume and tuber crops. Agency for agricultural research and development, Ministry of agriculture, Indonesia. pp: 90-95.

Sautua, F. J., M. M. Scandiani., M. Gordo., M. A. Caemona., M. L. Tartabini., and A. G. Luque. 2018. Detection and chemical control of *Cercospora sojina* infecting soybean seed in Argentina. Tropical Plant Pathology, 43:552-558. DOI: https://doi.org/10.1007/s40858-018-0228-4

Schoch, C.L., *et al*. 2012. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal dna barcode marker for fungi. Proceedings of the National Academy of Sciences (PNAS), 109(16): 6241–6246. DOI: https://doi.org/10.1073/pnas.1117018109

Shanmugam, P., D. Zulperi., N. Saad., and S. I. Ismail. 2025. First report of *Pseudopestalotiopsis ampullacea* causing leaf spot on *Hevea brasiliensis* in Malaysia. New Disease Report, 52(2). DOI : https://doi.org/10.1002/ndr2.70073

UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MORFOLOGI DAN MOLEKULER JAMUR PENYEBAB PENYAKIT BERCAK DAUN PADA TANAMAN KEDELAI
V. Sekar Mawarni Hartono P, Prof. Ir. Achmadi Priyatmojo, M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Siahaan, L. S., A. Adriadi., dan A. Sazali. 2026. Identifikasi dan karakterisasi jamur penyebab penyakit busuk buah pada jambu biji (*Psidium guajava*). CENDEKIA: Jurnal Ilmu Sosial, Bahasa, dan Pendidikan, 6(1):147-158. DOI: https://doi.org/10.55606/cendekia.v6i1.8999

Sibarani, I. B., R. R. Lahay., dan D. S. Hanafiah. 2015. Respon morfologi tanaman kedelai (*Glycine max* (L.) Merrill) varietas anjasmoro terhadap beberapa iradiasi sinar gamma. Jurnal Online Agroekoteknologi, 3(2) : 515-526. DOI: 10.32734/jaet.v3i2.10136

Suhartina, I., Sumarno, dan Harnowo, D. 2021. Teknologi dan Varietas Unggul Kedelai untuk Meningkatkan Produksi Nasional. Prosiding Seminar Nasional Balitkabi, Malang.

Sumarmi, A., Lestari, E., dan Widodo, A. 2022) pengamatan morfologi bagian tanaman lima kultivar kedelai *(Glycine max* L.*)* di Jawa Tengah. Bioma: Jurnal Biologi Universitas Diponegoro, 24(2): 89–97. DOI: https://doi.org/10.14710/bioma.24.2.130-137

Ustun, R., Cat, A., Uzun, B., Catal, M., 2019. First report of *Alternaria alternata* causing leaf spot disease on soybean (*Glycine max*) in Antalya province of Turkey. Plant Disease 103(12), 3284. DOI: https://doi.org/10.1094/PDIS-02-19-0420-PDN

Wiyono, S. dan Widodo. 2012. Laporan pertama tentang penyakit busuk arang pada kacang tanah. Jurnal Fitopatologi Indonesia, 8(2):54-56. DOI: 10.14692/jfi.8.2.54

Wolf, R., R. Holland., J. A. Rojas., S. Fernandes., I. Fernandes., and J. C. Rupe. 2024. Assessing soybean cultivar ressistance to target spot using a detached leaf assay. PhytoFrontiers, 4(4):728-733. DOI: https://doi.org/10.1094/PHYTOFR-01-24-0006-FI

Xu, X., G. Shen., H. Teng., J. Zhao., J. Xiao., L. Guo., Y. Guo., J. Chen., X. Wang., W. Xiang., and J. Zhao. 2024. Unravelling species diversity and pathogenicity of *Fusarium* spp. associated with soybean leaf and root in Heilongjiang Province, China. Plant Disease, 108(4):852-856. DOI: https://doi.org/10.1094/PDIS-05-23-0977-SR

Yuta, S. A., M. I. Pinem., dan L. Lubis. 2013. Pertumbuhan isolat *Phytophthora infestans* (Mont.) de Bary tanaman kentang dan tomat pada berbeda media di laboratorium. Jurnal Online Agroekoteknologi, 2(1):380-392. DOI: 10.32734/jaet.v2i1.5839

Zhao, X. Y., F. Wu., M. Chen., S. C. Li., Y. N. Zhang., Y. Q. Fu., G. Y. Yu., and M. L. Xiang. 2020. First report of *Colletotrichum siamense* causing leaf spot on *Parthenocissus tricuspidata* in China. Plant Disease, 104(8):2290. DOI: https://doi.org/10.1094/PDIS-12-19-2535-PDN

Zhao, X., K. Li., S. Zheng., J. Yang., C. Chen., X. Zheng., Y. Wang., and W. Ye. 2022. *Diaporthe* diversity and pathogenicity revealed from a broad survey of soybean stem blight in China. Plant Disease, 106(11):2892-2903. DOI: https://doi.org/10.1094/PDIS-12-21-2770-RE