UNIVERSITAS
GADJAH MADA
**Analisis Hubungan Spasial Keparahan Kebakaran Terhadap Amblesan Lahan Gambut Menggunakan Metode
DInSAR dan dNBR di Kabupaten Pulang Pisau Tahun 2019**
Amalia Puspita, peatland, burn severity, dNBR, DInSAR, land subsidence, Pulang Pisau Regency
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agus, F., & Subiksa, I. G. M. (2008). *Lahan gambut: Potensi untuk pertanian dan aspek lingkungan*. Balai Penelitian Tanah & World Agroforestry Centre (ICRAF).

Aldrian, E., & Susanto, R. D. (2003). *Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature*. *International Journal of Climatology, 23*(12), 1435–1452.

Anda, M., Ritung, S., Suryani, E., Sukarman, Hikmat, M., Yatno, E., Mulyani, A., Subandiono, R. E., Suratman, & Husnain. (2021). Revisiting tropical peatlands in Indonesia: Semi-detailed mapping, extent and depth distribution assessment. *Geoderma, 402*, 115235. https://doi.org/10.1016/j.geoderma.2021.115235.

Asdak, C. (2023). Hidrologi dan Pengelolaan Daerah Aliran Sungai. Gadjah Mada University Press.

Badan Meteorologi, Klimatologi, dan Geofisika. (2019). *Analisis kondisi iklim Indonesia tahun 2019*. BMKG.

Badan Meteorologi, Klimatologi, dan Geofisika. (n.d.). *Prediksi hujan bulanan*. BMKG.

Badan Pusat Statistik Kabupaten Pulang Pisau. (2025). *Kabupaten Pulang Pisau dalam angka 2025*. BPS Kabupaten Pulang Pisau.

Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian. (2011). *Peta lahan gambut Indonesia skala 1:250.000*. BBSDLP.

Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (5th ed.). Guilford Press.

Chatzopoulos-Vouzoglanis, K., Reinke, K. J., Soto-Berelov, M., & Jones, S. D. (2024). Are fire intensity and burn severity associated? Advancing our understanding of FRP and NBR metrics from Himawari-8/9 and Sentinel-2. *International Journal of Applied Earth Observation and Geoinformation, 127*, 103673. https://doi.org/10.1016/j.jag.2024.103673

Chen, C. W., & Zebker, H. A. (2002). Phase unwrapping for large SAR interferograms: Statistical segmentation and generalized network models. *IEEE Transactions on Geoscience and Remote Sensing, 40*(8), 1709–1719. https://doi.org/10.1109/TGRS.2002.802453.

Chow, V. T., Maidment, D. R., & Mays, L. W. (1988). Applied Hydrology. McGraw-Hill.

UNIVERSITAS
GADJAH MADA
**Analisis Hubungan Spasial Keparahan Kebakaran Terhadap Amblesan Lahan Gambut Menggunakan Metode
DInSAR dan dNBR di Kabupaten Pulang Pisau Tahun 2019**
Amalia Puspita, peatland, burn severity, dNBR, DInSAR, land subsidence, Pulang Pisau Regency
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cole, L. E. S., Bhagwat, S. A., & Willis, K. J. (2015). Long-term disturbance dynamics and resilience of tropical peat swamp forests. *Journal of Ecology, 103*, 16–30. https://doi.org/10.1111/1365-2745.12329

Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices* (3rd ed.). CRC Press.

Cook, M., Schott, J. R., Mandel, J., & Raqueno, N. (2014). Development of an operational calibration methodology for the Landsat thermal data archive and initial testing of the atmospheric compensation component of a land surface temperature product from the archive. *Remote Sensing, 6*(11), 11244–11266. https://doi.org/10.3390/rs61111244

Deyosky, S. T., & Laksono, D. P. (2020). *Pemanfaatan citra Landsat 8 untuk estimasi tingkat keparahan kebakaran hutan dan lahan di Kabupaten Pulang Pisau Provinsi Kalimantan Tengah* (Tugas akhir). Program Studi D3 Teknik Geomatika.

ESA. (2012). *Sentinel-1: ESA's radar observatory mission for GMES operational services* (K. Fletcher(ed.)). ESA Communications.

ESA. (2024). *Sentinel-1 User Guide*. Copernicus Programme.

Flores-Anderson, A., Herndon, K. E., Thapa, R. B., et al. (2019). *The SAR Handbook: Comprehensive Methodologies for Forest Monitoring and Biomass Estimation.* NASA SERVIR & SilvaCarbon.

Giglio, L. (2015). *MODIS Collection 6 Active Fire Product User's Guide Revision B*. University of Maryland.

Giglio, L., Descloitres, J., Justice, C. O., & Kaufman, Y. J. (2003). An enhanced contextual fire detection algorithm for MODIS. *Remote Sensing of Environment, 87*(2–3), 273–282. https://doi.org/10.1016/S0034-4257(03)00184-6

Giglio, L., Schroeder, W., & Justice, C. O. (2016). *The Collection 6 MODIS Active Fire Detection Algorithm and Fire Products*. *Remote Sensing of Environment, 178*, 31–41. https://doi.org/10.1016/j.rse.2016.02.054

Hanssen, R. F. (2001). *Radar Interferometry: Data Interpretation and Error Analysis*. Dordrecht: Kluwer Academic Publishers. https://doi.org/10.1007/0-306-47633-9

Hooijer, A., Page, S., Canadell, J. G., Silvius, M., Kwadijk, J., Wösten, H., & Jauhiainen, J. (2010). Current and future CO_2 emissions from drained peatlands in Southeast Asia. *Biogeosciences, 7*, 1505–1514. https://doi.org/10.5194/bg-7-1505-2010

UNIVERSITAS
GADJAH MADA
**Analisis Hubungan Spasial Keparahan Kebakaran Terhadap Amblesan Lahan Gambut Menggunakan Metode
DInSAR dan dNBR di Kabupaten Pulang Pisau Tahun 2019**
Amalia Puspita, peatland, burn severity, dNBR, DInSAR, land subsidence, Pulang Pisau Regency
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hooijer, A., Vernimmen, R., Visser, M., & Mawdsley, N. (2012). *Subsidence and carbon loss in drained tropical peatlands*. Deltares.

Irons, J. R., Dwyer, J. L., & Barsi, J. A. (2012). The next Landsat satellite: The Landsat Data Continuity Mission. *Remote Sensing of Environment, 122*, 11–21. https://doi.org/10.1016/j.rse.2011.08.026

Izumi, Y., Takeuchi, W., Widodo, J., Sulaiman, A., Awaluddin, A., Aditiya, A., Razi, P., Anggono, T., & Sumantyo, J. T. S. (2022). Temporal subset SBAS InSAR approach for tropical peatland surface deformation monitoring using Sentinel-1 data. *Remote Sensing, 14*(22), 5825. https://doi.org/10.3390/rs14225825

Jensen, J. R. (2016). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4th ed.). Pearson Education.

Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia. (2022). *Model pengelolaan lahan gambut berkelanjutan pada lanskap Kesatuan Hidrologis Gambut (KHG) SMPEI-GEF 5*.

Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia. (2022). *Statistik Kementerian Lingkungan Hidup dan Kehutanan 2022*.

Key, C. H., & Benson, N. C. (2006). *Landscape assessment: Sampling and analysis methods* (USDA Forest Service General Technical Report RMRS-GTR-164-CD).

Kruskal, W. H., & Wallis, W. A. (1952). Use of ranks in one-criterion variance analysis. *Journal of the American Statistical Association, 47*(260), 583–621. https://doi.org/10.1080/01621459.1952.10483441.

Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2004). *Remote Sensing and Image Interpretation* (5th ed.). Wiley.

Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation* (7th ed.). John Wiley & Sons.

Meichia, M., Ruslan, M., Fauzi, H., & Kissinger. (2021). Analisis kebakaran hutan dan lahan dan alih fungsi lahan di Desa Gandang Barat, Pulang Pisau. *EnviroScienteae, 17*(1), 76–82. https://ppjp.ulm.ac.id/journal/index.php/es/article/view/11374/7306

Moreira, A., Prats-Iraola, P., Younis, M., Krieger, G., Hajnsek, I., & Papathanassiou, K. (2013). A tutorial on synthetic aperture radar. *IEEE Geoscience and Remote Sensing Magazine, 1*(1), 6–43. https://doi.org/10.1109/MGRS.2013.2248301.

NASA MODIS Characterization Support Team. (2024). *MODIS Technical Specifications.*

UNIVERSITAS
GADJAH MADA
**Analisis Hubungan Spasial Keparahan Kebakaran Terhadap Amblesan Lahan Gambut Menggunakan Metode
DInSAR dan dNBR di Kabupaten Pulang Pisau Tahun 2019**
Amalia Puspita, peatland, burn severity, dNBR, DInSAR, land subsidence, Pulang Pisau Regency
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

NASA FIRMS. (2025). *Fire Information for Resource Management System (FIRMS): Active Fire Data*. National Aeronautics and Space Administration.

National Oceanic and Atmospheric Administration. (2017). *VIIRS Sensor Data Record (SDR) User's Guide*. NOAA.

Noor, M. (2001). *Pertanian lahan gambut: Potensi dan kendala*. Kanisius.

Noor, M. (2010). *Gambut: Pengembangan, Konservasi, dan Perubahan Iklim.* Gadjah Mada University Press.

Novrianti, P. N., & Handayani, N. (2018). Sosialisasi pencegahan kebakaran di lahan gambut daerah Bereng Bengkel Kota Palangka Raya. *PengabdianMu: Jurnal Ilmiah Pengabdian kepada Masyarakat, 3*(2), 146–151.

Page, S. E., & Baird, A. J. (2016). Peatlands and global change: Response and resilience. *Annual Review of Environment and Resources, 41*, 35–57. https://doi.org/10.1146/annurev-environ-110615-085520

Page, S. E., Siegert, F., Rieley, J. O., Boehm, H.-D. V., Jaya, A., & Limin, S. (2002). *The amount of carbon released from peat and forest fires in Indonesia during 1997*. Nature, 420(6911), 61–65. https://doi.org/10.1038/nature01141

Pepe, A., & Calò, F. (2017). A review of interferometric synthetic aperture radar (InSAR) multi-track approaches for the retrieval of Earth's surface displacements. *Applied Sciences, 7*(12), 1264. https://doi.org/10.3390/app7121264

Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor P.8/MENLHK/SETJEN/KUM.1/3/2018 tentang Tetap Pengecekan Lapangan Informasi Titik Panas dan/atau Informasi Kebakaran Hutan dan Lahan.

Peraturan Pemerintah Republik Indonesia Nomor 71 Tahun 2014 tentang Perlindungan dan Pengelolaan Ekosistem Gambut.

Permana, A. A. A., Pantinema, L., & Noraini, A. (n.d.). *Pemanfaatan data Landsat 8 dan MODIS untuk identifikasi burned area: Studi kasus Kabupaten Pulang Pisau dan Kota Palangka Raya*. Teknik Geodesi, ITN Malang.

Phua, M.-H., Tsuyuki, S., Lee, J. S., & Sasakawa, H. (2007). Detection of burned peat swamp forest in a heterogeneous tropical landscape. *Landscape and Urban Planning, 82*(2–4), 103–116.

Richards, J. A. (2009). *Remote Sensing with Imaging Radar*. Springer.

UNIVERSITAS
GADJAH MADA
**Analisis Hubungan Spasial Keparahan Kebakaran Terhadap Amblesan Lahan Gambut Menggunakan Metode
DInSAR dan dNBR di Kabupaten Pulang Pisau Tahun 2019**
Amalia Puspita, peatland, burn severity, dNBR, DInSAR, land subsidence, Pulang Pisau Regency
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rizqika, S. N., Prasetyo, Y., & Yusuf, M. A. (2022). Analisis akurasi perbandingan algoritma indeks kebakaran hutan berdasarkan citra Sentinel-2A. *Elipsoida: Jurnal Geodesi dan Geomatika, 5*(1), 1–8.

Rosen, P. A., Hensley, S., Joughin, I. R., Li, F. K., Madsen, S. N., Rodriguez, E., & Goldstein, R. M. (2000). Synthetic aperture radar interferometry. *Proceedings of the IEEE, 88*(3), 333–382. https://doi.org/10.1109/5.838084

Roswintiarti, O. (2016). *Pemanfaatan data penginderaan jauh untuk deteksi hotspot kebakaran hutan dan lahan di Indonesia*. LAPAN.

Roy, D. P., Wulder, M. A., Loveland, T. R., Woodcock, C. E., Allen, R. G., Anderson, M. C., & Zhu, Z. (2014). Landsat-8: Science and product vision for terrestrial global change research. *Remote Sensing of Environment, 145*, 154–172. http://dx.doi.org/10.1016/j.rse.2014.02.001

Saharjo, B. H., & Ary, S. M. (2003). Pendugaan emisi gas karbon dioksida akibat kebakaran hutan dan lahan di Kabupaten Muaro Jambi. *Jurnal Silvikultur Tropika, 15*(2), 123–130.

Salsabilah, N., Rayes, M. L., & Rachmanadi, D. (2021). Pemetaan daerah rawan kebakaran di Kecamatan Jabiren Raya, Kabupaten Pulang Pisau. *Jurnal Tanah dan Sumberdaya Lahan, 8*(1), 35–42.

Saputra, A. D., Setiabudidaya, D., Setyawan, D., & Iskandar, I. (2019). Validasi areal terbakar dengan NBR menggunakan UAV. *Jurnal Penelitian Sains, 19*(2), 66–72.

Sutikno, S., Nugroho, B., & Syaufina, L. (2020). Pengaruh kekeringan terhadap kerentanan kebakaran lahan gambut di Indonesia.

Syaufina, L. (2008). *Kebakaran hutan dan lahan di Indonesia: Perilaku api, penyebab, dan dampak kebakaran*. Bayumedia Publishing.

Tarigan, S., Kristanto, Y. K., & Utomo, W. Y. (2023). Characterizing subsidence in used and restored peatland with Sentinel SAR data. *Frontiers in Environmental Science, 11*, 1088923. https://doi.org/10.3389/fenvs.2023.1088923

Ulaby, F. T., & Long, D. G. (2014). *Microwave Radar and Radiometric Remote Sensing.* CRC Press.

United States Department of Agriculture Natural Resources Conservation Service. (2010). *Keys to soil taxonomy* (11th ed.). USDA-NRCS.

UNIVERSITAS
GADJAH MADA
**Analisis Hubungan Spasial Keparahan Kebakaran Terhadap Amblesan Lahan Gambut Menggunakan Metode
DInSAR dan dNBR di Kabupaten Pulang Pisau Tahun 2019**
Amalia Puspita, peatland, burn severity, dNBR, DInSAR, land subsidence, Pulang Pisau Regency
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Usup, A., Hashimoto, Y., Takahashi, H., & Hayasaka, H. (2004). Combustion and thermal characteristics of peat fire in tropical peatland in Central Kalimantan, Indonesia. *Tropics, 14*(1), 1–19. https://doi.org/10.3759/tropics.14.1

Wösten, J. H. M., Clymans, E., Page, S. E., Rieley, J. O., & Limin, S. H. (2006). Interrelationships between hydrology and ecology in fire degraded tropical peat swamp forests. *International Journal of Water Resources Development, 22*(1), 157–174. https://doi.org/10.1080/07900620500405973

Wulder, M. A., & Franklin, S. E. (2006). *Understanding forest disturbance and spatial pattern: Remote sensing and GIS approaches*.

Yuwati, T. W., Rachmanadi, D., Pratiwi, P., Turjaman, M., Indrajaya, Y., Nugroho, H. Y. S. H., et al. (2021). Restoration of degraded tropical peatland in Indonesia: A review. *Land, 10*(11), 1170. https://doi.org/10.3390/land10111170

Zubaidah, A., Vetrita, Y., & Khomarudin, M. R. (2014). Validasi *hotspot* MODIS di Sumatera dan Kalimantan menggunakan SPOT-4. *Jurnal Penginderaan Jauh, 11*(1), 1–14.