UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MOLEKULER DAN ANALISIS FILOGENETIK BAKTERI YANG BERASOSIASI DENGAN LARVA Bactrocera
carambolae (Diptera: Tephritidae) PADA BERBAGAI TANAMAN INANG
Aulia Diva Surya Putri, Dr. Suputa, S.P., M.P.; Prof. Ir. Jaka Widada, M.P., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Alonso-Pernas, P., E. Arias-Cordero, A. Novoselov, C. Ebert, J. Rybak, M. Kaltenpoth, M. Westermann, U. Neugebauer, and W. Boland. 2017. Bacterial community and PHB-accumulating bacteria associated with the wall and specialized niches of the hindgut of the forest cockchafer (*Melolontha hippocastani*). Frontiers in Microbiology, 291(8): 1-13.

Aluja, M., D. Cerqueda-García, A. Altúzar-Molina, L. Guillén, E. Acosta-Velasco, J. Conde-Alarcón, and A. Moya. 2024. Geographic variation and core microbiota composition of *Anastrepha ludens* (Diptera: Tephritidae) infesting a single host across latitudinal and altitudinal gradients. PeerJ, 12: 1-25.

Ansari, M. S., F. Hasan, and N. Ahmad. 2012. Threats to fruit and vegetable crops: Fruit flies (Tephritidae)-ecology, behaviour, and management. Journal of Crop Science and Biotechnology, 15(3): 169-188.

Bariani, A., C. R. Jesus-Barros, J. P. Carvalho, L. O. Mota Júnior, P. R. Nascimento, K. R. Cruz, and V. S. Facundes. 2016. Técnicas para Criação da Mosca-da-Carambola (*Bactrocera carambolae* Drew & Hancock) em Laboratório para Pesquisa Científica. Documentos 97. Macapá, AP: Embrapa Amapá, p: 1-31.

Behar, A., B. Yuval, and E. Jurkevitch. 2008. Gut bacterial communities in the Mediterranean fruit fly (*Ceratitis capitata*) and their impact on host longevity. Journal of Insect Physiology, 54(9): 1377-1383.

Belo, A. P., L. M. D. S. Rocha, J.M. Corrêa, R.M.D.A. Ferreira, S. Costa-Neto, M. Sousa, R. Adaime, and L. D. N. Lemos. 2020. New host plants records of *Bactrocera carambolae* Drew & Hancock, 1994 and *Anastrepha* spp. (Diptera: Tephritidae) in Brazil. Entomological Communicatons, 2: 2-3.

Ben-Yosef, M., Z. Pasternak, E. Jurkevitch, and B. Yuval. 2014. Symbiotic bacteria enable olive flies (*Bactrocera oleae*) to exploit intractable sources of nitrogen. Journal of evolutionary biology, 27(12): 2695-2705.

CABI. 2021. *Bactrocera carambolae* (carambola fruit fly). https://www.cabidigitallibrary.org/doi/full/10.1079/cabicompendium.8700. Diakses pada 28 Oktober 2025.

Capinera, J. L. 2008. Encyclopedia of Entomology. Springer, Dordrecht.

Castilho, A. P., J. Pasinato, J. E. V. D. Santos, A.E.S.D. Costa, D. E., Nava, C. R. D. Jesus, and R. Adaime. 2019. Biology of *Bactrocera carambolae* (Diptera: Tephritidae) on four hosts. Revista Brasileira de Entomologia, 63(4): 302-307.

Cheng, Z., Q. Liu, and X. Huang. 2024. Partial Correspondence between Host Plant-Related Differentiation and Symbiotic Bacterial Community in a Polyphagous Insect. Animals, 14(2): 1-14.

Costa, J. V. T. A., M. D. S. M. de Sousa, C. R. de Jesus, M. F. de Souza-Filho, V. A. Costa, B. M. D. S. e Silva, J. P. M. Oliveira, and R. Adaime. 2023. New findings on Carambola fruit fly hosts in South America. Florida Entomologist, 106(3): 161-174.

Danjuma, S., N. Thaochan, S. Permkam, and C. Satasook. 2014. Effect of temperature on the development and survival of immature stages of the carambola fruit fly, *Bactrocera carambolae*, and the Asian papaya fruit fly, *Bactrocera papayae*, reared on guava diet. Journal of Insect Science, 14(1): 1-16.

De Cock, M., Virgilio, M., Vandamme, P., Bourtzis, K., De Meyer, M. and Willems, A., 2020. Comparative microbiomics of tephritid frugivorous pests (Diptera: Tephritidae) from the field: a tale of high variability across and within species. Frontiers in Microbiology, 11(1): 1-13.

UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MOLEKULER DAN ANALISIS FILOGENETIK BAKTERI YANG BERASOSIASI DENGAN LARVA Bactrocera
carambolae (Diptera: Tephritidae) PADA BERBAGAI TANAMAN INANG
Aulia Diva Surya Putri, Dr. Suputa, S.P., M.P.; Prof. Ir. Jaka Widada, M.P., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

De Deus, E., J. Passos, A. van Sauers-Muller, C. Jesus, J. G. Silva, and R. Adaime. 2024. Phylogeography of the invasive fruit fly species *Bactrocera carambolae* Drew & Hancock (Diptera: Tephritidae) in South America. Insects, 15(12): 1-14.

Deus, E. G., W. A. C. Godoy, M. S. M. Sousa, G. N. Lopes, C. R. Jesus-Barros, J. G. Silva, and R. Adaime, R., 2016. Co-infestation and spatial distribution of *Bactrocera carambolae* and *Anastrepha* spp.(Diptera: Tephritidae) in common guava in the eastern Amazon. Journal of Insect Science, 16(1): 1-7.

Dewi, B. P. 2021. Effect of Light Intensity and Duration of Light on the Fecundity and Development of the Fruit Fly *Bactrocera carambolae* (Diptera: Tephritidae). Contributions of Central Research Institute for Agriculture, 15(4): 106-111.

Douglas, A. E. 2015. Multiorganismal insects: diversity and function of resident microorganisms. Annual review of entomology, 60: 17-34.

Drew, R. A., S. Raghu, and P. Halcoop. 2008. Bridging the morphological and biological species concepts: studies on the *Bactrocera dorsalis* (Hendel) complex (Diptera: Tephritidae: Dacinae) in South-east Asia. Biological Journal of the Linnean Society, 93(2): 217-226.

Drosopoulou, E., A. Syllas, P. Goutakoli, G. A. Zisiadis, T. Konstantinou, D. Pangea, G. Sentis, A. van Sauers-Muller, S. L. Wee, A. A. Augustinos, and A. Zacharopoulou. 2019. The complete mitochondrial genome of *Bactrocera carambolae* (Diptera: Tephritidae): genome description and phylogenetic implications. Insects, 10(12): 1-14.

Engel, P. and N. A. Moran. 2013. The gut microbiota of insects–diversity in structure and function. FEMS microbiology reviews, 37(5): 699-735.

Fiaboe, K. K., S. Kekeunou, S. N. Nanga, A. F. Kuate, H. E. Tonnang, D. Gnanvossou, and R. Hanna. 2021. Temperature-based phenology model to predict the development, survival, and reproduction of the oriental fruit fly *Bactrocera dorsalis*. Journal of Thermal Biology, 97: 1-12.

Floate, K. D. 2023. Cow Patty Critters: An Introduction to the Ecology Biology and Identification of Insects in Cattle Dug on Canadian Pastures. Agriculture and Agri-Food, Canada, Lethbridge, Alberta, Canada.

Gurung, K., B. Wertheim, and J. Falcao Salles. 2019. The microbiome of pest insects: it is not just bacteria. Entomologia Experimentalis et Applicata, 167(3): 156-170.

Hafsi, A., L. Moquet, W. Hendrycks, M. De Meyer, M. Virgilio, and H. Delatte. 2024. Evidence for a gut microbial community conferring adaptability to diet quality and temperature stressors in phytophagous insects: the melon fruit fly *Zeugodacus cucurbitae* (Diptera: Tephritidae) as a case study. BMC microbiology, 24(3): 1-15.

Hameed, A., M. Shahina, W. A. Lai, S. Y. Lin, L. S. Young, Y. C. Liu, Y. H. Hsu, and C. C. Young. 2015. *Oricola cellulosilytica* gen. nov., sp. nov., a cellulose-degrading bacterium of the family Phyllobacteriaceae isolated from surface seashore water, and emended descriptions of *Mesorhizobium loti* and *Phyllobacterium myrsinacearum*. Antonie van Leeuwenhoek, 107(3): 759-771.

Hassan, B., J. A. Siddiqui, and Y. Xu. 2020. Vertically transmitted gut bacteria and nutrition influence the immunity and fitness of *Bactrocera dorsalis* larvae. Frontiers in microbiology, 11(1): 1-14.

Horiike, T., 2016. An introduction to molecular phylogenetic analysis. Reviews in Agricultural Science, 4: 36-45.

Hosokawa, T., Y. Ishii, N. Nikoh, M. Fujie, N. Satoh, and T. Fukatsu. 2016. Obligate bacterial mutualists evolving from environmental bacteria in natural insect populations. Nature Microbiology, 1(1): 1-7.

UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MOLEKULER DAN ANALISIS FILOGENETIK BAKTERI YANG BERASOSIASI DENGAN LARVA Bactrocera
carambolae (Diptera: Tephritidae) PADA BERBAGAI TANAMAN INANG
Aulia Diva Surya Putri, Dr. Suputa, S.P., M.P.; Prof. Ir. Jaka Widada, M.P., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, H., H. Li, L. Ren, and D. Cheng. 2019. Microbial communities in different developmental stages of the oriental fruit fly, *Bactrocera dorsalis*, are associated with differentially expressed peptidoglycan recognition protein-encoding genes. Applied and environmental microbiology, 85(13): 1-11.

Idris, A. B., H. G. Hassan, M. A. S. Ali, S. M. Eltaher, L. B. Idris, H. N. Altayb, A. M. Abass, M. M. A. Ibrahim, E. A. M. Ibrahim, and M. A. Hassan. 2020. Molecular phylogenetic analysis of 16S rRNA sequences identified two lineages of Helicobacter pylori strains detected from different regions in Sudan suggestive of differential evolution. International Journal of Microbiology, 1(1):1-12.

Johnson, J. S., D. J. Spakowicz, B. Y. Hong, L. M. Petersen, P. Demkowicz, L. Chen, S. R. Leopold, B. M. Hanson, H. O. Agresta, M. Gerstein, and E. Sodergren. 2019. Evaluation of 16S rRNA gene sequencing for species and strain-level microbiome analysis. Nature communications, 10(1): 1-11.

Jones, L. C., M. A. Rafter, and G. H. Walter. 2022. Host interaction mechanisms in herbivorous insects–life cycles, host specialization and speciation. Biological Journal of the Linnean Society, 137(1): 1-14.

Kempraj, V., J. Auth, D. H. Cha, and C. J. Mason. 2024. Impact of larval food source on the stability of the *Bactrocera dorsalis* microbiome. Microbial ecology, 87(1): 1-11.

Kolopaking, B., A. Rizali, A. Affandi, S. Hudiwaku, and T. Himawan. 2023. Population Dynamic and Distribution of *Bactrocera carambolae* and *Bactrocera dorsalis* in Orchard Habitat in Different Geographical Areas. Research Journal of Life Science, 10(1): 1-12.

Koswanudin, D., A. Basukriadi, I. M. Samudra, and R. Ubaidillah. 2018. Host preference fruit flies *Bactrocera carambolae* (Drew & Hancock) and *Bactrocera dorsalis* (Drew and Hancock)(Diptera: Tephritidae). Jurnal Entomologi Indonesia, 15(1): 40-40.

Koswanudin, D., H. Widyanto, D. Hutapea, R. Yuniawati, V. N. O. Subagyo, S. Utami, I. M. Samudra, and W. Darwiati. 2025. Ecological population dynamics, host preferences, and associated parasitoids of *Bactrocera carambolae* and *Bactrocera papayae* on fruits. Global Journal of Environmental Science and Management, 11(2): 631-652.

Lauciello, N., C. G. Mille, A. Hafsi, V. Jacob, and P. F. Duyck. 2024. Comparative adult preference–larval performance relationship between a specialist and a generalist tephritid: Implication for predicting field host-range. Ecology and Evolution, 14(8): 1-17.

Mondal, S., J. Somani, S. Roy, A. Babu, and A. K. Pandey. 2023. Insect microbial symbionts: Ecology, interactions, and biological significance. Microorganisms, 11(11): 1-27.

Putra, N. S. dan Suputa. 2013. Lalat Buah Hama: Bioekologi dan Strategi Tepat Mengelola Populasinya. Smartania Publishing, Yogyakarta.

Raghuvanshi, A. K., S. Satpathy, and D. S. Mishra. 2012. Role of abiotic factors on seasonal abundance and infestation of fruit fly, *Bactrocera cucurbitae* (Coq.) on bitter gourd. Journal of Plant Protection Research, 52(2): 1-4.

Reddy, K. V., Y. K. Devi, and G. Komala. 2020. Management strategies for fruit flies in fruitcrops—A Review. Journal of Emerging Technologies and Innovative Research, 7(12): 1472-1480.

Ren, X., S. Cao, M. Akami, A. Mansour, Y. Yang, N. Jiang, H. Wang, G. Zhang, X. Qi, P. Xu, and T. Guo. 2022. Gut symbiotic bacteria are involved in nitrogen recycling in the tephritid fruit fly *Bactrocera dorsalis*. BMC biology, 20(1): 2-16.

Salem, H., L. Florez, N. Gerardo, and M. Kaltenpoth. 2015. An out-of-body experience: the extracellular dimension for the transmission of mutualistic bacteria in insects. Proceedings of the Royal Society B: Biological Sciences, 282(1): 1-10.

UNIVERSITAS
GADJAH MADA
IDENTIFIKASI MOLEKULER DAN ANALISIS FILOGENETIK BAKTERI YANG BERASOSIASI DENGAN LARVA Bactrocera
carambolae (Diptera: Tephritidae) PADA BERBAGAI TANAMAN INANG
Aulia Diva Surya Putri, Dr. Suputa, S.P., M.P.; Prof. Ir. Jaka Widada, M.P., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Siwi, S. S., P. Hidayat, dan Suputa. 2006. Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera: Tephritidae). Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian.

Tian, Z., L. Chen, G. Chen, J. Wang, C. Ma, Y. Zhang, X. Gao, H. Chen, and Z. Zhou. 2023. Effect of host shift on the gut microbes of *Bactrocera cucurbitae* (Coquillett) (Diptera: Tephritidae). Frontiers in Microbiology, 14(1): 1-13.

Wang, R., L. Dong, Y. Chen, S. Wang, and L. Qu. 2022. Third generation genome sequencing reveals that endobacteria in Nematophagous fungi *Esteya vermicola* contain multiple genes encoding for Nematicidal proteins. Frontiers in microbiology, 13: 1-10.

Yang, B., Y. Wang, and P. Y. Qian. 2016. Sensitivity and correlation of hypervariable regions in 16S rRNA genes in phylogenetic analysis. BMC bioinformatics, 17(1): 2-8.

Yao, Z., Q. Ma, Z. Cai, M. F. Raza, S. Bai, Y. Wang, P. Zhang, H. Ma, and H. Zhang. 2019. Similar shift patterns in gut bacterial and fungal communities across the life stages of *Bactrocera minax* larvae from two field populations. Frontiers in microbiology, 10(1): 1-12.

Yong, H. S., S. L. Song, K. O. Chua, and P. E. Lim. 2017. High diversity of bacterial communities in developmental stages of *Bactrocera carambolae* (Insecta: Tephritidae) revealed by Illumina MiSeq sequencing of 16S rRNA gene. Current microbiology, 74(9): 1076-1082.

Yong, H. S., S. L. Song, K. O. Chua, and P. E. Lim. 2017. Microbiota associated with *Bactrocera carambolae* and *B. dorsalis* (Insecta: Tephritidae) revealed by next-generation sequencing of 16S rRNA gene. Meta Gene, 11(1):189-196.

Yong, H. S., S. L. Song, K. O. Chua, P. E. Lim, and P. Eamsobhana. 2019. Microbiota and potential opportunistic pathogens associated with male and female fruit flies of Malaysian *Bactrocera carambolae* (Insecta: Tephritidae). Meta Gene, 19(1): 185-192.

Zhao, X., X. Zhang, Z. Chen, Z. Wang, Y. Lu, and D. Cheng. 2018. The divergence in bacterial components associated with *Bactrocera dorsalis* across developmental stages. Frontiers in Microbiology, 9(1):1-10.