Desain dan Evaluasi Determinisme Arsitektur Hybrid MCU-FPGA Pada Open-Smartwatch Untuk Sistem
Real-Time
Anjani Maulaya Nunqaf, Prof. Dr. Ir. Jazi Eko Istiyanto, M.Sc. ; Muhammad Husni Santriaji S.Si., M.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abushukor, S.F.K., 2021, FPGA Implementation of IoT-Based Health Monitoring System. *Proceeding of 15th International Conference on Telecommunication Systems, Services, and Applications, TSSA 2021*. [Online]. tersedia di DOI:10.1109/TSSA52866.2021.9768261.

Boutros, A. dan Betz, V., 2021, FPGA Architecture: Principles and Progression, *IEEE Circuits and Systems Magazine*, [Online] 21 (2), 4–29, tersedia di DOI:10.1109/MCAS.2021.3071607.

Castaneda, D., Esparza, A., Ghamari, M., Cinna, S. dan Nazeran, H., 2018, A review on wearable photoplethysmography sensors and their potential future applications in health care, *International Journal of Biosensors & Bioelectronics*, [Online] 4 (4), 195–202, tersedia di DOI:10.15406/ijbsbe.2018.04.00125.

Cortizo, M., Armario, F., López, F. dan Steinfeld, L., 2024, BioZs: An Open Smartwatch Platform for Biomedical Applications, *2024 Ieee Urucon, Urucon 2024*, [Online] 1–5, tersedia di DOI:10.1109/URUCON63440.2024.10850476.

Fadhil, A., Awny, S.N. dan Alameer, A., 2024, Results in Engineering RLS adaptive filter co-design for de-noising ECG signal, *Results in Engineering*, [Online] 24 (December 2023), 103563, tersedia di DOI:10.1016/j.rineng.2024.103563.

Frutuoso, M.I., Neto, H.C., Véstias, M.P. dan Duarte, R.P., 2023, Energy-Efficient and Real-Time Wearable for Wellbeing-Monitoring IoT System Based on SoC-FPGA, *Algorithms*, [Online] 16 (3), 1–16, tersedia di DOI:10.3390/a16030141.

Khan, M.I. dan da Silva, B., 2024, Harnessing FPGA Technology for Energy-Efficient Wearable Medical Devices, *Electronics (Switzerland)*, [Online] 13 (20), tersedia di DOI:10.3390/electronics13204094.

Kos, A., Árpád, B., Hribernik, M., Tomaži˘, S., Umek, A., Fajfar, I. dan Puhan, J., 2025, *Lightweight Periodic Scheduler in Wearable Devices for Real-Time Biofeedback Systems in Sports and Physical Rehabilitation †*, 1–20,

Krishnan, A.K., Supriya, M.H. dan Nalesh, S., 2021, A Hardware-Software Co-design based Approach for Development of a Distributed DAQ System using, *2021 25th International Symposium on VLSI Design and Test (VDAT)*, [Online] 1–6, tersedia di DOI:10.1109/VDAT53777.2021.9600989.

Meddah, K., Kedir-Talha, M. dan Zairi, H., 2017, FPGA-based system for heart rate calculation based on PPG signal, *2017 5th International Conference on Electrical Engineering - Boumerdes, ICEE-B 2017*, [Online] 2017-Janua1–5, tersedia di DOI:10.1109/ICEE-B.2017.8192157.

UNIVERSITAS GADJAH MADA
Desain dan Evaluasi Determinisme Arsitektur Hybrid MCU-FPGA Pada Open-Smartwatch Untuk Sistem Real-Time
Anjani Maulaya Nunqaf, Prof. Dr. Ir. Jazi Eko Istiyanto, M.Sc. ; Muhammad Husni Santriaji S.Si., M.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Moraes, J.L., Rocha, M.X., Vasconcelos, G.G., Vasconcelos Filho, J.E., de Albuquerque, V.H.C. dan Alexandria, A.R., 2018, Advances in photopletysmography signal analysis for biomedical applications, *Sensors (Switzerland)*, [Online] 18 (6), 1–26, tersedia di DOI:10.3390/s18061894.

Open-Smartwatch, 2021, Open-Smartwatch,

Vaithianathan, M., Udkar, S., Reddy, M., Roy, D. dan Rajasekaran, S., 2024, FPGA-Based Smart Health Monitoring Systems for Wearable Devices, *International Journal of INTELLIGENT SYSTEMS AND APPLICATIONS IN ENGINEERING*, 12 (4), 4154–4161,

Valente, G. dan Aquila, L., 2026, *A New HW / SW Co-Design Approach for Monitored A New HW / SW Co-Design Approach for Monitored Systems-on-Chip Development*, [Online] 24 (6), 0–37, tersedia di DOI:10.1145/3769075.

Akshya, M.F., Nuryani, N. dan Wiyono, N., 2023, Sistem Pengukuran Detak Jantung Menggunakan Arduino Dan Android Berbasis Fotopletismogram, *Indonesian Journal of Applied Physics*, [Online] 13 (1), 147, tersedia di DOI:10.13057/ijap.v13i1.73636.

Boutros, A. dan Betz, V., 2021, FPGA Architecture: Principles and Progression, *IEEE Circuits and Systems Magazine*, [Online] 21 (2), 4–29, tersedia di DOI:10.1109/MCAS.2021.3071607.

Casadei, B.C., Gumiero, A., Tantillo, G., Della Torre, L. dan Olmo, G., 2022, Systolic Blood Pressure Estimation from PPG Signal Using ANN, *Electronics (Switzerland)*, [Online] 11 (18), 1–11, tersedia di DOI:10.3390/electronics11182909.

Chen, C.C. dan Tsui, F.R., 2020, Comparing different wavelet transforms on removing electrocardiogram baseline wanders and special trends, *BMC Medical Informatics and Decision Making*, [Online] 20 (11), 1–11, tersedia di DOI:10.1186/s12911-020-01349-x.

Chowdhury, M.H., Shuzan, M.N.I., Chowdhury, M.E.H., Mahbub, Z.B., Monir Uddin, M., Khandakar, A. dan Reaz, M.B.I., 2020, Estimating blood pressure from the photoplethysmogram signal and demographic features using machine learning techniques, *Sensors (Switzerland)*, [Online] 20 (11), tersedia di DOI:10.3390/s20113127.

Cortizo, M., Armario, F., López, F. dan Steinfeld, L., 2024, BioZs: An Open Smartwatch Platform for Biomedical Applications, *2024 Ieee Urucon, Urucon 2024*, [Online] 1–5, tersedia di DOI:10.1109/URUCON63440.2024.10850476.

Farooq, U., Marrakchi, Z. dan Mehrez, H., 2012, *FPGA Architectures: An Overview BT - Tree-based Heterogeneous FPGA Architectures: Application Specific Exploration and Optimization*, Umer Farooq, Zied Marrakchi, dan Habib Mehrez (ed.), [Online], Springer New York, New York, NY., hal. 7–48,

UNIVERSITAS GADJAH MADA
Desain dan Evaluasi Determinisme Arsitektur Hybrid MCU-FPGA Pada Open-Smartwatch Untuk Sistem Real-Time
Anjani Maulaya Nunqaf, Prof. Dr. Ir. Jazi Eko Istiyanto, M.Sc. ; Muhammad Husni Santriaji S.Si., M.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

tersedia di DOI:10.1007/978-1-4614-3594-5_2.

Fine, J., Branan, K.L., Rodriguez, A.J., Boonya-Ananta, T., Ajmal, Ramella-Roman, J.C., McShane, M.J. dan Coté, G.L., 2021, Sources of inaccuracy in photoplethysmography for continuous cardiovascular monitoring, *Biosensors*, [Online] 11 (4), tersedia di DOI:10.3390/bios11040126.

Frutuoso, M.I., Neto, H.C., Véstias, M.P. dan Duarte, R.P., 2023, Energy-Efficient and Real-Time *Wearable* for Wellbeing-Monitoring IoT System Based on SoC-FPGA, *Algorithms*, [Online] 16 (3), 1–16, tersedia di DOI:10.3390/a16030141.

Gon, A. dan Mukherjee, A., 2023, Design and FPGA Implementation of an Efficient Architecture for Noise Removal in ECG Signals Using Lifting-Based Wavelet Denoising, *2023 11th International Symposium on Electronic Systems Devices and Computing, ESDC 2023*, [Online] tersedia di DOI:10.1109/ESDC56251.2023.10149865.

Guo, T., Zhang, T., Lim, E., López-Benítez, M., Ma, F. dan Yu, L., 2022, A Review of Wavelet Analysis and Its Applications: Challenges and Opportunities, *IEEE Access*,[Online] 1058869–58903, tersedia di DOI:10.1109/ACCESS.2022.3179517.

Hemon, M.C. dan Phillips, J.P., 2016, Comparison of foot finding methods for deriving instantaneous pulse rates from photoplethysmographic signals, *Journal of Clinical Monitoring and Computing*, [Online] 30 (2), 157–168, tersedia di DOI:10.1007/s10877-015-9695-6.

Jeniton, S., L S, K., Suganya, A., Paranthaman, A.G., Latha, P. dan Manojkumar, B., 2023, *FPGA Based Compressed Heart Rate Changeability Recoding Algorithm*, 44 (04), 7455–7471,

Meddah, K., Kedir-Talha, M. dan Zairi, H., 2017, FPGA-based system for heart rate calculation based on PPG signal, *2017 5th International Conference on Electrical Engineering - Boumerdes, ICEE-B 2017*, [Online] 2017-Janua1–5, tersedia di DOI:10.1109/ICEE-B.2017.8192157.

Merino-Monge, M., Castro-García, J.A., Lebrato-Vázquez, C., Gómez-González, I.M. dan Molina-Cantero, A.J., 2023, Heartbeat detector from ECG and PPG signals based on wavelet transform and upper envelopes, *Physical and Engineering Sciences in Medicine*, [Online] 46 (2), 597–608, tersedia di DOI:10.1007/s13246-023-01235-6.

Nuryani, N., Utomo, T.P., Wiyono, N., Sutomo, A.D. dan Ling, S., 2023, Cuffless Hypertension Detection using Swarm Support Vector Machine Utilizing Photoplethysmogram and Electrocardiogram, *Journal of Biomedical Physics and Engineering*, [Online] 13 (5), 477–488, tersedia di DOI:10.31661/jbpe.v0i0.2206-1504.

Pascale, R., Tudose, D. dan Turcanu, T., 2024, Open Hardware and Software

UNIVERSITAS
GADJAH MADA
**Desain dan Evaluasi Determinisme Arsitektur Hybrid MCU-FPGA Pada Open-Smartwatch Untuk Sistem
Real-Time**
Anjani Maulaya Nunqaf, Prof. Dr. Ir. Jazi Eko Istiyanto, M.Sc. ; Muhammad Husni Santriaji S.Si., M.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Smartwatch, *Proceedings - RoEduNet IEEE International Conference*, [Online] 1–5, tersedia di DOI:10.1109/RoEduNet64292.2024.10722548.

Ramezani, R., Cao, M., Earthperson, A. dan Naeim, A., 2023, Developing a Smartwatch-Based Healthcare Application: Notes to Consider. *Sensors*. [Online]. 23 (15). tersedia di DOI:10.3390/s23156652.

Tamura, T., Maeda, Y., Sekine, M. dan Yoshida, M., 2014, *Wearable* photoplethysmographic sensors—past and present, *Electronics* , [Online] 3 (2), 282–302, tersedia di DOI:10.3390/electronics3020282.

Tias, R.F. dan Hidayat, M.M., 2018, Analisis dan Desain SiBIOS: Deteksi Dini Kondisi Jantung dan Peningkatan Kualitas Hidup Manusia, *Techno.Com*, [Online] 17 (3), 312–322, tersedia di DOI:10.33633/tc.v17i3.1814.

Utomo, T.P. dan Nuryani, N., 2021, Photoplethysmogram peaks detection based on moving window integration and threshold for heart rate calculation on android smartphone, *Journal of Physics: Conference Series*, [Online] 1825 (1), tersedia di DOI:10.1088/1742-6596/1825/1/012032.

Vaithianathan, M., Udkar, S., Reddy, M., Roy, D. dan Rajasekaran, S., 2024, FPGA-Based Smart Health Monitoring Systems for *Wearable* Devices, *International Journal of INTELLIGENT SYSTEMS AND APPLICATIONS IN ENGINEERING*, 12 (4), 4154–4161,

Yulian, R. dan Suprianto, B., 2017, RANCANG BANGUN PHOTOPLETHYSMOGRAPHY (PPG) TIPE GELANG TANGAN UNTUK MENGHITUNG DETAK JANTUNG BERBASIS ARDUINO, *Teknik Elektro*, 06 (03), 0–230,