UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adar, F. (2022). Use of Raman Spectroscopy to Qualify Carbon Materials. *Spectroscopy*, 11-15,50. https://doi.org/10.56530/spectroscopy.wx3481u2

Aji, M. P., Wati, A. L., Priyanto, A., Karunawan, J., Nuryadin, B. W., Wibowo, E., Marwoto, P., & Sulhadi. (2018). Polymer carbon dots from plastics waste upcycling. *Environmental Nanotechnology, Monitoring & Management*, *9*, 136–140. https://doi.org/10.1016/j.enmm.2018.01.003

Alamdari, N. G., Almasi, H., Moradi, M., & Akhgari, M. (2023). Characterization of Carbon Quantum Dots Synthesized from Vinasse and Date Seeds as Agro-industrial Wastes. *Waste and Biomass Valorization*, *14*(11), 3689–3703. https://doi.org/10.1007/s12649-023-02087-7

Algozeeb, W. A., Savas, P. E., Luong, D. X., Chen, W., Kittrell, C., Bhat, M., Shahsavari, R., & Tour, J. M. (2020). Flash Graphene from Plastic Waste. *ACS Nano*, *14*(11), 15595–15604. https://doi.org/10.1021/acsnano.0c06328

Arpita, Kumar, P., Kataria, N., Narwal, N., Kumar, S., Kumar, R., Khoo, K. S., & Show, P. L. (2023). Plastic Waste-Derived Carbon Dots: Insights of Recycling Valuable Materials Towards Environmental Sustainability. *Current Pollution Reports*, *9*(3), 433–453. https://doi.org/10.1007/s40726-023-00268-5

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bacsik, Z., Mink, J., & Keresztury, G. (2004). FTIR spectroscopy of the atmosphere. I. Principles and methods. *Applied spectroscopy reviews*, *39*(3), 295–363.

Baker, S. N., & Baker, G. A. (2010). Luminescent Carbon Nanodots: Emergent Nanolights. *Angewandte Chemie International Edition*, *49*(38), 6726–6744. https://doi.org/10.1002/anie.200906623

Böke, J. S., Popp, J., & Krafft, C. (2022). Optical photothermal infrared spectroscopy with simultaneously acquired Raman spectroscopy for two-dimensional microplastic identification. *Scientific Reports*, *12*(1), 18785. https://doi.org/10.1038/s41598-022-23318-2

Chan, K., & Zinchenko, A. (2022). Aminolysis-assisted hydrothermal conversion of waste PET plastic to N-doped carbon dots with markedly enhanced fluorescence. *Journal of Environmental Chemical Engineering*, *10*(3), 107749. https://doi.org/10.1016/j.jece.2022.107749

Chaudhary, S., Kumari, M., Chauhan, P., & Ram Chaudhary, G. (2021). Upcycling of plastic waste into fluorescent carbon dots: An environmentally viable transformation to biocompatible C-dots with potential prospective in analytical applications. *Waste Management*, *120*, 675–686. https://doi.org/10.1016/j.wasman.2020.10.038

Chauhan, P., Kumari, M., Chaudhary, S., Chaudhary, G. R., Umar, A., & Baskoutas, S. (2022). Seed germination studies on Chickpeas, Barley, Mung beans and Wheat with natural biomass and plastic waste derived C-dots. *Science of*

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

The Total Environment, *837*, 155593. https://doi.org/10.1016/j.scitotenv.2022.155593

Cirio, M., Shammah, N., Lambert, N., De Liberato, S., & Nori, F. (2019). Multielectron Ground State Electroluminescence. *Physical Review Letters*, *122*(19), 190403. https://doi.org/10.1103/PhysRevLett.122.190403

DeRose, P. C. (2007). *Recommendations and guidelines for standardization of fluorescence spectroscopy*. US Department of Commerce, Technology Admininstration, National Institute of ….

Ding, H., Wei, J., Zhang, P., Zhou, Z., Gao, Q., & Xiong, H. (2018). Solvent-Controlled Synthesis of Highly Luminescent Carbon Dots with a Wide Color Gamut and Narrowed Emission Peak Widths. *Small*, *14*(22), 1800612. https://doi.org/10.1002/smll.201800612

Duan, C., Wang, Z., Zhou, B., & Yao, X. (2024). Global Polyethylene Terephthalate (PET) Plastic Supply Chain Resource Metabolism Efficiency and Carbon Emissions Co-Reduction Strategies. *Sustainability*, *16*(10), 3926. https://doi.org/10.3390/su16103926

El Essawy, N. A., Konsowa, A. H., Elnouby, M., & Farag, H. A. (2017). A novel one-step synthesis for carbon-based nanomaterials from polyethylene terephthalate (PET) bottles waste. *Journal of the Air & Waste Management Association*, *67*(3), 358–370. https://doi.org/10.1080/10962247.2016.1242517

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Evtriyandani, Warmadewanthi, I., Pratama, J. H., & Sekuła, P. M. (2025). Demands and Material Flow of Recycled Polyethylene Terephthalate (PET) in Indonesia. *BIO Web of Conferences*, *157*, 05006. https://doi.org/10.1051/bioconf/202515705006

Fiedler, S., Frenzel, F., Würth, C., Tavernaro, I., Grüne, M., Schweizer, S., Engel, A., & Resch-Genger, U. (2024). Interlaboratory Comparison on Absolute Photoluminescence Quantum Yield Measurements of Solid Light Converting Phosphors with Three Commercial Integrating Sphere Setups. *Analytical Chemistry*, *96*(17), 6730–6737. https://doi.org/10.1021/acs.analchem.4c00372

Gharekhanlou, B., & Khorasani, S. (2011). An overview of tight-binding method for two-dimensional carbon structures. *Graphene Prop. Synth. Appl*, 1–37.

Ghosh, A., & Das, G. (2021). Environmentally benign synthesis of fluorescent carbon nanodots using waste PET bottles: Highly selective and sensitive detection of Pb^{2+} ions in aqueous medium. *New Journal of Chemistry*, *45*(19), 8747–8754. https://doi.org/10.1039/D1NJ00961C

Hagiwara, K., Horikoshi, S., & Serpone, N. (2021). Photoluminescent Carbon Quantum Dots: Synthetic Approaches and Photophysical Properties. *Chemistry – A European Journal*, *27*(37), 9466–9481. https://doi.org/10.1002/chem.202100823

Han, Z., Ni, Y., Ren, J., Zhang, W., Wang, Y., Xie, Z., Zhou, S., & Yu, S. F. (2019). Highly efficient and ultra-narrow bandwidth orange emissive carbon dots

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

for microcavity lasers. *Nanoscale*, *11*(24), 11577–11583. https://doi.org/10.1039/C9NR03448J

Hu, Y., Gao, Z., Yang, J., Chen, H., & Han, L. (2019). Environmentally benign conversion of waste polyethylene terephthalate to fluorescent carbon dots for “on-off-on” sensing of ferric and pyrophosphate ions. *Journal of Colloid and Interface Science*, *538*, 481–488. https://doi.org/10.1016/j.jcis.2018.12.016

Hu, Y., Li, M., Gao, Z., Wang, L., & Zhang, J. (2021). Waste Polyethylene terephthalate Derived Carbon Dots for Separable Production of 5-Hydroxymethylfurfural at Low Temperature. *Catalysis Letters*, *151*(8), Article 8. https://doi.org/10.1007/s10562-020-03484-6

Jones, R. R., Hooper, D. C., Zhang, L., Wolverson, D., & Valev, V. K. (2019). Raman Techniques: Fundamentals and Frontiers. *Nanoscale Research Letters*, *14*(1), 231. https://doi.org/10.1186/s11671-019-3039-2

Jorns, M., & Pappas, D. (2021). A Review of Fluorescent Carbon Dots, Their Synthesis, Physical and Chemical Characteristics, and Applications. 56*Nanomaterials*, *11*(6), 1448. https://doi.org/10.3390/nano11061448

Kaiser, C., Sandberg, O. J., Zarrabi, N., Li, W., Meredith, P., & Armin, A. (2021). A universal Urbach rule for disordered organic semiconductors. *Nature Communications*, *12*(1), 3988. https://doi.org/10.1038/s41467-021-24202-9

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Klement, W. J. N., Leproux, P., Browne, W., & Kano, H. (2024). *CMOS and CCD detection in Raman spectroscopy: A comparison using spontaneous and multiplex coherent anti-Stokes Raman scattering (CARS)*. Chemistry. https://doi.org/10.26434/chemrxiv-2024-vqjlz

Kumar, P., Dua, S., Kaur, R., Kumar, M., & Bhatt, G. (2022). A review on advancements in carbon quantum dots and their application in photovoltaics. *RSC Advances*, *12*(8), 4714–4759. https://doi.org/10.1039/D1RA08452F

Kumari, A., Kumar, A., Sahu, S. K., & Kumar, S. (2018). Synthesis of green fluorescent carbon quantum dots using waste polyolefins residue for Cu2+ ion sensing and live cell imaging. *Sensors and Actuators B: Chemical*, *254*, 197–205. https://doi.org/10.1016/j.snb.2017.07.075

Kumari, M., Chaudhary, G. R., Chaudhary, S., & Umar, A. (2021). Rapid Analysis of Trace Sulphite Ion Using Fluorescent Carbon Dots Produced from Single Use Plastic Cups. *Engineered Science*. https://doi.org/10.30919/es8d556

Kurdekar, A., Chunduri, L. A. A., Bulagonda, E. P., Haleyurgirisetty, M. K., Kamisetti, V., & Hewlett, I. K. (2016). Comparative performance evaluation of carbon dot-based paper immunoassay on Whatman filter paper and nitrocellulose paper in the detection of HIV infection. *Microfluidics and Nanofluidics*, *20*(7), 99. https://doi.org/10.1007/s10404-016-1763-9

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lagos, M., Paredes, R., & Retamal, C. (2018). Fourier Transform Spectrometry with Fourier Analysis of the Interferogram as Just an Optional Tool. *ACS Omega*, *3*(12), 18258–18262. https://doi.org/10.1021/acsomega.8b02914

Lakowicz, J. R. (Ed.). (2006). Instrumentation for Fluorescence Spectroscopy. Dalam *Principles of Fluorescence Spectroscopy* (hlm. 27–61). Springer US. https://doi.org/10.1007/978-0-387-46312-4_2

Lea, M. R., Stavros, V. G., & Maurer, R. J. (2022). Effect of Electron Donating/Withdrawing Groups on Molecular Photoswitching of Functionalized Hemithioindigo Derivatives: A Computational Multireference Study. *ChemPhotoChem*, *6*(7), e202100290. https://doi.org/10.1002/cptc.202100290

Li, D., Liang, C., Ushakova, E. V., Sun, M., Huang, X., Zhang, X., Jing, P., Yoo, S. J., Kim, J., Liu, E., Zhang, W., Jing, L., Xing, G., Zheng, W., Tang, Z., Qu, S., & Rogach, A. L. (2019). Thermally Activated Upconversion Near-Infrared Photoluminescence from Carbon Dots Synthesized via Microwave Assisted Exfoliation. *Small*, *15*(50), 1905050. https://doi.org/10.1002/smll.201905050

Li, L., Wang, J., Jia, C., Lv, Y., & Liu, Y. (2021). Co-pyrolysis of cyanobacteria and plastics to synthesize porous carbon and its application in methylene blue adsorption. *Journal of Water Process Engineering*, *39*, 101753. https://doi.org/10.1016/j.jwpe.2020.101753

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liang, L., Veksha, A., Mohamed Amrad, M. Z. B., Snyder, S. A., & Lisak, G. (2021). Upcycling of exhausted reverse osmosis membranes into value-added pyrolysis products and carbon dots. *Journal of Hazardous Materials*, *419*, 126472. https://doi.org/10.1016/j.jhazmat.2021.126472

Liu, Z. X., Wu, Z. L., Gao, M. X., Liu, H., & Huang, C. Z. (2016). Carbon dots with aggregation induced emission enhancement for visual permittivity detection. *Chemical Communications*, *52*(10), 2063–2066. https://doi.org/10.1039/C5CC08635C

Lu, S., Sui, L., Liu, J., Zhu, S., Chen, A., Jin, M., & Yang, B. (2017). Near-Infrared Photoluminescent Polymer–Carbon Nanodots with Two-Photon Fluorescence. *Advanced Materials*, *29*(15), 1603443. https://doi.org/10.1002/adma.201603443

Ma, C., Jin, G., He, P., Tang, C., Bing, L., Liu, B., Huang, H., Fan, Y., Wang, R., & Wei, J. (2024). Optimization of Preparation Technology for PET-Based Carbon Dots by Response Surface Method and Its Application. *Journal of Fluorescence*, *35*(8), 6875–6885. https://doi.org/10.1007/s10895-024-04037-5

Mehta, A., Rather, R. A., Belec, B., Gardonio, S., Fang, M., & Valant, M. (2022). Plastic Waste Precursor-Derived Fluorescent Carbon and Construction of Ternary FCs@CuO@TiO2 Hybrid Photocatalyst for Hydrogen Production and Sensing Application. *Energies*, *15*(5), 1734. https://doi.org/10.3390/en15051734

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Meiling, T. T., Schürmann, R., Vogel, S., Ebel, K., Nicolas, C., Milosavljević, A. R., & Bald, I. (2018). Photophysics and Chemistry of Nitrogen-Doped Carbon Nanodots with High Photoluminescence Quantum Yield. *The Journal of Physical Chemistry C*, *122*(18), 10217–10230. https://doi.org/10.1021/acs.jpcc.8b00748

Orlando, A., Franceschini, F., Muscas, C., Pidkova, S., Bartoli, M., Rovere, M., & Tagliaferro, A. (2021). A Comprehensive Review on Raman Spectroscopy Applications. *Chemosensors*, *9*(9), 262. https://doi.org/10.3390/chemosensors9090262

Ozyurt, D., Kobaisi, M. A., Hocking, R. K., & Fox, B. (2023). Properties, synthesis, and applications of carbon dots: A review. *Carbon Trends*, *12*, 100276. https://doi.org/10.1016/j.cartre.2023.100276

Pandey, A., & Raikwar, V. (2024). A comprehensive review on luminescent carbon dots and their polymer composites: Synthesis to applications. *Nano-Structures & Nano-Objects*, *40*, 101339. https://doi.org/10.1016/j.nanoso.2024.101339

Perikala, M., & Bhardwaj, A. (2022). Waste to white light: A sustainable method for converting biohazardous waste to broadband white LEDs. *RSC Advances*, *12*(18), 11443–11453. https://doi.org/10.1039/D2RA01146H

Plante, A. F., Fernández, J. M., & Leifeld, J. (2009). Application of thermal analysis techniques in soil science. *Geoderma*, *153*(1–2), 1–10. https://doi.org/10.1016/j.geoderma.2009.08.016

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Prasetya Aji, M., Rahmawati, I., Priyanto, A., & Marwoto, P. (2023). Novel one-step synthesis of solid-state carbonized polymer dots by heating at around melting point of polyethylene terephthalate (PET) bottle plastic waste. *Environmental Nanotechnology, Monitoring & Management*, *20*, 100892. https://doi.org/10.1016/j.enmm.2023.100892

Ramanan, V., Siddaiah, B., Raji, K., & Ramamurthy, P. (2018). Green Synthesis of Multifunctionalized, Nitrogen-Doped, Highly Fluorescent Carbon Dots from Waste Expanded Polystyrene and Its Application in the Fluorimetric Detection of Au^{3+} Ions in Aqueous Media. *ACS Sustainable Chemistry & Engineering*, *6*(2), 1627–1638. https://doi.org/10.1021/acssuschemeng.7b02852

Ru, Y., Waterhouse, G. I. N., & Lu, S. (2022). Aggregation in carbon dots: Special Issue: Emerging Investigators. *Aggregate*, *3*(6), e296. https://doi.org/10.1002/agt2.296

Ru, Y., Waterhouse, G. I. N., & Siyu, L. (2022). *Aggregation in carbon dots*. Preprints. https://doi.org/10.22541/au.166609661.19906129/v1

Sciortino, A., Cannizzo, A., & Messina, F. (2018). Carbon Nanodots: A Review—From the Current Understanding of the Fundamental Photophysics to the Full Control of the Optical Response. *C*, *4*(4), 67. https://doi.org/10.3390/c4040067

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sheka, E. F., Golubev, Y. A., & Popova, N. A. (2020). Graphene Domain Signature of Raman Spectra of sp2 Amorphous Carbons. *Nanomaterials*, *10*(10), 2021. https://doi.org/10.3390/nano10102021

Smith, M. B. (2025). *March's advanced organic chemistry: Reactions, mechanisms, and structure* (Ninth edition). Wiley.

Song, H., Liu, X., Wang, B., Tang, Z., & Lu, S. (2019). High production-yield solid-state carbon dots with tunable photoluminescence for white/multi-color light-emitting diodes. *Science Bulletin*, *64*(23), 1788–1794. https://doi.org/10.1016/j.scib.2019.10.006

Sun, Y.-P., Zhou, B., Lin, Y., Wang, W., Fernando, K. A. S., Pathak, P., Meziani, M. J., Harruff, B. A., Wang, X., Wang, H., Luo, P. G., Yang, H., Kose, M. E., Chen, B., Veca, L. M., & Xie, S.-Y. (2006). Quantum-Sized Carbon Dots for Bright and Colorful Photoluminescence. *Journal of the American Chemical Society*, *128*(24), 7756–7757. https://doi.org/10.1021/ja062677d

Takeuchi, H., Yamamoto, Y., Kamo, Y., Kunii, T., Oku, T., Shirahama, T., Tanaka, H., & Nakayama, M. (2007). Photoluminescence-excitation spectroscopy as a highly sensitive probe for carrier transport processes affected by surface damages in AlxGa1−xN/GaN heterostructures. *Journal of Applied Physics*, *102*(4), 043510. https://doi.org/10.1063/1.2769776

Tong, L., Wang, X., Chen, Z., Liang, Y., Yang, Y., Gao, W., Liu, Z., & Tang, B. (2020). One-Step Fabrication of Functional Carbon Dots with 90% Fluorescence Quantum Yield for Long-Term Lysosome Imaging. *Analytical*

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemistry, *92*(9), 6430–6436. https://doi.org/10.1021/acs.analchem.9b05553

Wang, B., Li, J., Tang, Z., Yang, B., & Lu, S. (2019). Near-infrared emissive carbon dots with 33.96% emission in aqueous solution for cellular sensing and light-emitting diodes. *Science Bulletin*, *64*(17), 1285–1292. https://doi.org/10.1016/j.scib.2019.07.021

Wang, B., & Lu, S. (2022). The light of carbon dots: From mechanism to applications. *Matter*, *5*(1), 110–149. https://doi.org/10.1016/j.matt.2021.10.016

Wang, B., Wang, H., Hu, Y., Waterhouse, G. I. N., & Lu, S. (2023). Carbon Dot Based Multicolor Electroluminescent LEDs with Nearly 100% Exciton Utilization Efficiency. *Nano Letters*, *23*(18), 8794–8800. https://doi.org/10.1021/acs.nanolett.3c02271

Wang, B., Yu, J., Sui, L., Zhu, S., Tang, Z., Yang, B., & Lu, S. (2021). Rational Design of Multi-Color-Emissive Carbon Dots in a Single Reaction System by Hydrothermal. *Advanced Science*, *8*(1), 2001453. https://doi.org/10.1002/advs.202001453

Wang, J., Yang, Y., & Liu, X. (2020). Solid-state fluorescent carbon dots: Quenching resistance strategies, high quantum efficiency control, multicolor tuning, and applications. *Materials Advances*, *1*(9), 3122–3142. https://doi.org/10.1039/D0MA00632G

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, L., Li, W., Yin, L., Liu, Y., Guo, H., Lai, J., Han, Y., Li, G., Li, M., Zhang, J., Vajtai, R., Ajayan, P. M., & Wu, M. (2020). Full-color fluorescent carbon quantum dots. *Science Advances*, *6*(40), eabb6772. https://doi.org/10.1126/sciadv.abb6772

Wang, Z., Yuan, F., Li, X., Li, Y., Zhong, H., Fan, L., & Yang, S. (2017). 53% Efficient Red Emissive Carbon Quantum Dots for High Color Rendering and Stable Warm White-Light-Emitting Diodes. *Advanced Materials*, *29*(37), 1702910. https://doi.org/10.1002/adma.201702910

Wu, Y., Liu, L., Zou, J., Liu, J., Hu, Y., Ban, C., Li, F., Li, Z., Zhang, H., Zhou, Z., Zhao, J., Xiu, F., Huang, X., Zhao, Q., Eginligil, M., & Huang, W. (2022). Confining Carboxylized Carbon Nanotube for Phosphorescence Afterglow with Optical Memory Plasticity. *Advanced Optical Materials*, *10*(6), Article 6. https://doi.org/10.1002/adom.202102323

Wu, Y., Wang, R., Xie, W., Ma, G., Zhang, A., Liu, B., Huang, H., Gao, L., Qu, M., Wei, Y., & Wei, J. (2023). Solvent-thermal preparation of sulfur and nitrogen-doped carbon dots with PET waste as precursor and application in light-blocking film. *Journal of Nanoparticle Research*, *25*(1), 18. https://doi.org/10.1007/s11051-022-05665-3

Xia, C., Zhu, S., Zhang, S.-T., Zeng, Q., Tao, S., Tian, X., Li, Y., & Yang, B. (2020). Carbonized Polymer Dots with Tunable Room-Temperature Phosphorescence Lifetime and Wavelength. *ACS Applied Materials & Interfaces*, *12*(34), Article 34. https://doi.org/10.1021/acsami.0c11867

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, P., Zhu, Z., Li, X., Zhang, T., Zhang, W., Chen, M., & Zhou, X. (2020). Facile synthesis of yellow emissive carbon dots with high quantum yield and their application in construction of fluorescence-labeled shape memory nanocomposite. *Journal of Alloys and Compounds*, *834*, 154399. https://doi.org/10.1016/j.jallcom.2020.154399

Yoo, H. J., Kwak, B. E., & Kim, D. H. (2019). Self-Quenching Origin of Carbon Dots and the Guideline for Their Solid-State Luminescence. *The Journal of Physical Chemistry C*, *123*(44), 27124–27131. https://doi.org/10.1021/acs.jpcc.9b06154

Yuan, B., Guan, S., Sun, X., Li, X., Zeng, H., Xie, Z., Chen, P., & Zhou, S. (2018). Highly Efficient Carbon Dots with Reversibly Switchable Green–Red Emissions for Trichromatic White Light-Emitting Diodes. *ACS Applied Materials & Interfaces*, *10*(18), 16005–16014. https://doi.org/10.1021/acsami.8b02379

Zhang, Y., Liu, X., Fan, Y., Guo, X., Zhou, L., Lv, Y., & Lin, J. (2016). One-step microwave synthesis of N-doped hydroxyl-functionalized carbon dots with ultra-high fluorescence quantum yields. *Nanoscale*, *8*(33), 15281–15287. https://doi.org/10.1039/C6NR03125K

Zheng, M., Xie, Z., Qu, D., Li, D., Du, P., Jing, X., & Sun, Z. (2013). On–Off–On Fluorescent Carbon Dot Nanosensor for Recognition of Chromium(VI) and Ascorbic Acid Based on the Inner Filter Effect. *ACS Applied Materials & Interfaces*, *5*(24), 13242–13247. https://doi.org/10.1021/am4042355

UNIVERSITAS
GADJAH MADA
PENGEMBANGAN CARBONIZED POLYMER DOTS (CPDs) SEBAGAI MATERIAL BERFLUORESENSI BERBASIS LIMBAH
POLIETILEN TEREFTALAT (PET) MELALUI KALSINASI KERING DAN BASAH
RIDHO KURNIAWAN, Dr.Eng. Ahmad Kusumaatmaja, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhou, X., Deng, J., Li, Z., Cheng, Y., Zhou, J., Jiang, M., & Dong, W. (2024). One-Pot Synthesis of Multicolor Carbon Dots from PET Plastic Waste for White Light-Emitting Diodes. *ACS Sustainable Chemistry & Engineering*, *12*(45), 16592–16602. https://doi.org/10.1021/acssuschemeng.4c04580

Zhu, C., Yang, S., Wang, G., Mo, R., He, P., Sun, J., Di, Z., Yuan, N., Ding, J., Ding, G., & Xie, X. (2015). Negative induction effect of graphite N on graphene quantum dots: Tunable band gap photoluminescence. *Journal of Materials Chemistry C*, *3*(34), 8810–8816. https://doi.org/10.1039/C5TC01933H

Zhu, S., Meng, Q., Wang, L., Zhang, J., Song, Y., Jin, H., Zhang, K., Sun, H., Wang, H., & Yang, B. (2013). Highly Photoluminescent Carbon Dots for Multicolor Patterning, Sensors, and Bioimaging. *Angewandte Chemie International Edition*, *52*(14), 3953–3957. https://doi.org/10.1002/anie.201300519

Zhu, S., Song, Y., Wang, J., Wan, H., Zhang, Y., Ning, Y., & Yang, B. (2017). Photoluminescence mechanism in graphene quantum dots: Quantum confinement effect and surface/edge state. *Nano Today*, *13*, 10–14. https://doi.org/10.1016/j.nantod.2016.12.006