UNIVERSITAS
GADJAH MADA
Klasifikasi Motor Imagery Berbasis Functional Connectivity EEG: PLV/wPLI + Graph Features untuk BCI
Indira Adella Ryta, Ir. Noor Akhmad Setiawan, S.T., M.T., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] C. Brunner, R. Leeb, G. R. Müller-Putz, A. Schlögl, and G. Pfurtscheller, "Bci competition 2008 – graz data set a," Institute for Knowledge Discovery (Laboratory of Brain-Computer Interfaces), Graz University of Technology, Tech. Rep. 16, 2008.

[2] V. L. Feigin, M. Brainin, B. Norrving, S. Martins, R. L. Sacco, W. Hacke, M. Fisher, J. Pandian, and P. Lindsay, "World stroke organization (wso): Global stroke fact sheet 2022," *International Journal of Stroke*, vol. 17, no. 1, pp. 18–29, 2022.

[3] J. R. Wolpaw, N. Birbaumer, D. J. McFarland, G. Pfurtscheller, and T. M. Vaughan, "Brain-computer interfaces for communication and control," *Clinical Neurophysiology*, vol. 113, no. 6, pp. 767–791, 2002.

[4] F. Delavari and S. Santaniello, "Role of scalp eeg brain connectivity in motor imagery decoding for bci applications," in *2024 46th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. IEEE, 2024, pp. 2275–2280.

[5] M. J. Antony, B. P. Sankaralingam, R. K. Mahendran, A. A. Gardezi, M. Shafiq, J.-G. Choi, and H. Hamam, "Classification of eeg using adaptive svm classifier with csp and online recursive independent component analysis," *Sensors*, vol. 22, no. 19, p. 7596, 2022.

[6] H. Altaheri, G. Muhammad, M. Alsulaiman, S. U. Amin, G. A. Altuwaijri, W. Abdul, M. A. Bencherif, and M. Faisal, "Deep learning techniques for classification of electroencephalogram (eeg) motor imagery (mi) signals: a review," *Neural Computing and Applications*, vol. 35, no. 20, pp. 14 681–14 722, 2023.

[7] J. Caicedo-Acosta, G. A. Castaño, C. Acosta-Medina, A. Alvarez-Meza, and G. Castellanos-Dominguez, "Deep neural regression prediction of motor imagery skills using eeg functional connectivity indicators," *Sensors*, vol. 21, no. 6, p. 1932, 2021.

[8] Z. Feng, L. Qian, H. Hu, and Y. Sun, "Functional connectivity for motor imaginary recognition in brain-computer interface," in *2020 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*. IEEE, 2020, pp. 3678–3683.

[9] S. Saha and M. Baumert, "Intra- and inter-subject variability in eeg-based sensorimotor brain computer interface: A review," *Frontiers in Computational Neuroscience*, vol. 13, p. 87, 2020.

[10] J. Feng, Y. Li, C. Jiang, Y. Liu, M. Li, and Q. Hu, "Classification of motor imagery electroencephalogram signals by using adaptive cross-subject transfer learning," *Frontiers in Human Neuroscience*, vol. 16, p. 1068165, 2022.

[11] A. W. D. Boernama, N. A. Setiawan, and O. Wahyunggoro, "Multiclass classification of brain computer interface motor imagery system: A systematic literature review," in *2021 International Conference on Artificial Intelligence and Mechatronics Systems (AIMS)*. IEEE, 2021.

UNIVERSITAS
GADJAH MADA
Klasifikasi Motor Imagery Berbasis Functional Connectivity EEG: PLV/wPLI + Graph Features untuk BCI
Indira Adella Ryta, Ir. Noor Akhmad Setiawan, S.T., M.T., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[12] T. Cattai, S. Colonnese, M.-C. Corsi, D. S. Bassett, G. Scarano, and F. De Vico Fallani, "Phase/amplitude synchronization of brain signals during motor imagery bci tasks," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 29, pp. 1168–1177, 2021.

[13] K. Martín-Chinea, J. F. Gómez-González, and L. Acosta, "A new plv-spatial filtering to improve the classification performance in bci systems," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 30, pp. 2275–2285, 2022.

[14] J.-P. Lachaux, E. Rodriguez, J. Martinerie, and F. J. Varela, "Measuring phase synchrony in brain signals," *Human Brain Mapping*, vol. 8, no. 4, pp. 194–208, 1999.

[15] M. Vinck, R. Oostenveld, M. van Wingerden, F. Battaglia, and C. M. A. Pennartz, "An improved index of phase-synchronization for electrophysiological data in the presence of volume-conduction, noise and sample-size bias," *NeuroImage*, vol. 55, no. 4, pp. 1548–1565, 2011.

[16] M. Rubinov and O. Sporns, "Complex network measures of brain connectivity: Uses and interpretations," *NeuroImage*, vol. 52, no. 3, pp. 1059–1069, 2010.

[17] L. Santamaria and C. James, "Use of graph metrics to classify motor imagery based bci," in *2018 International Conference on Intelligent Systems (IS)*. IEEE, 2018.

[18] R. Chatterjee and T. Bandyopadhyay, "Eeg based motor imagery classification using svm and mlp," in *2016 International Conference on Computational Intelligence and Networks (CINE)*. IEEE, 2016, pp. 84–89.

[19] Z. Otarbay and A. Kyzyrkanov, "Svm-enhanced attention mechanisms for motor imagery eeg classification in brain-computer interfaces," *Frontiers in Neuroscience*, vol. 19, p. 1622847, 2025.

[20] I. Siviero, G. Menegaz, and S. F. Storti, "Functional connectivity and feature fusion enhance multiclass motor-imagery brain-computer interface performance," *Sensors*, vol. 23, no. 17, p. 7520, 2023.

[21] M. Miri, V. Abootalebi, H. Saeedi-Sourck, D. Van De Ville, and H. Behjat, "Graphs constructed from instantaneous amplitude and phase of electroencephalogram successfully differentiate motor imagery tasks," *Journal of Medical Signals and Sensors*, vol. 15, p. 7, 2025.

[22] K. K. Ang, Z. Y. Chin, H. Zhang, and C. Guan, "Filter bank common spatial pattern (fbcsp) in brain-computer interface," in *2008 IEEE International Joint Conference on Neural Networks (IJCNN)*. IEEE, 2008, pp. 2390–2397.

[23] N. Leeuwis, S. Yoon, and M. Alimardani, "Functional connectivity analysis in motor-imagery brain computer interfaces," *Frontiers in Human Neuroscience*, vol. 15, p. 732946, 2021.

[24] M. Bentlemsan, E.-T. Zemouri, D. Bouchaffra, B. Yahya-Zoubir, and K. Ferroudji, "Random forest and filter bank common spatial patterns for eeg-based motor

UNIVERSITAS
GADJAH MADA
Klasifikasi Motor Imagery Berbasis Functional Connectivity EEG: PLV/wPLI + Graph Features untuk BCI
Indira Adella Ryta, Ir. Noor Akhmad Setiawan, S.T., M.T., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

imagery classification," in *2014 Fifth International Conference on Intelligent Systems, Modelling and Simulation*. IEEE, 2014, pp. 235–238.

[25] X. Qin, D. Xu, X. Dong, X. Cui, and S. Zhang, "Eeg signal classification based on improved variational mode decomposition and deep forest," *Biomedical Signal Processing and Control*, vol. 83, p. 104644, 2023.

[26] C. Cortes and V. Vapnik, "Support-vector networks," *Machine Learning*, vol. 20, no. 3, pp. 273–297, 1995.

[27] C.-W. Hsu and C.-J. Lin, "A comparison of methods for multiclass support vector machines," *IEEE Transactions on Neural Networks*, vol. 13, no. 2, pp. 415–425, 2002.

[28] J. Cohen, "A coefficient of agreement for nominal scales," *Educational and Psychological Measurement*, vol. 20, no. 1, pp. 37–46, 1960.

[29] D. Öztuna, A. H. Elhan, and E. Tüccar, "Investigation of four different normality tests in terms of type 1 error rate and power under different distributions," *Turkish Journal of Medical Sciences*, vol. 36, no. 3, pp. 171–176, 2006. [Online]. Available: https://journals.tubitak.gov.tr/medical/vol36/iss3/7

[30] H. B. Mann and D. R. Whitney, "On a test of whether one of two random variables is stochastically larger than the other," *The Annals of Mathematical Statistics*, vol. 18, no. 1, pp. 50–60, 1947.

[31] Y. Benjamini and Y. Hochberg, "Controlling the false discovery rate: A practical and powerful approach to multiple testing," *Journal of the Royal Statistical Society: Series B (Methodological)*, vol. 57, no. 1, pp. 289–300, 1995.