UNIVERSITAS
GADJAH MADA
Feasibility Analysis of Conventional Settings for Distance Relay (21) and Line Differential Relay (87L) in an Inverter-Based Resource-Integrated Transmission System
Fatihan Fawwasanie, Dr. Rian Fatah Mochamad, S.T., M.Eng.; Dr. Ir. Mokhammad Isnaeni Bambang Setyonegoro, M
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

CONTENTS

ENDORSEMENT PAGE ii
STATEMENT iii
PAGE OF DEDICATION iv
PREFACE v
CONTENTS vi
LIST OF TABLES ix
LIST OF FIGURES x
NOMENCLATURE AND ABBREVIATION xiv
INTISARI xv
ABSTRACT xvi
CHAPTER I Introduction 1
1.1 Background 1
1.2 Problem Formulation 3
1.3 Research Objectives 3
1.4 Research Scope 3
1.5 Research Benefits 4
1.6 Thesis Organization 4
CHAPTER II Literature Review and Theoretical Foundation 6
2.1 Conventional Power Systems and IBR Integration 6
2.2 Characteristics of WT Type 3, WT Type 4, and Photovoltaic During Faults 6
2.2.1 Wind Turbine Type 3 7
2.2.2 Wind Turbine Type 4 7
2.2.3 Photovoltaic 8
2.2.4 Implications for This Study 8
2.3 Theoretical Foundation of Transmission Line Protection 9
2.4 Operating Principle of Relay 21 10
2.5 Operating Principle of Relay 87L 13
2.6 Impact of IBRs on Transmission Protection Performance 15
2.7 Review of Previous Studies 15
2.8 Research Position and Contribution 17
CHAPTER III Research Methodology 18
3.1 Research Flowchart 18
3.2 System Model and Study Assumptions 19
3.2.1 Basis for Selecting the Protection Object and Relays 21
3.2.2 Short-Circuit Current Contribution Assumptions among IBR Types 21
3.2.2.1 Wind Turbine Type 3 22

UNIVERSITAS
GADJAH MADA
Feasibility Analysis of Conventional Settings for Distance Relay (21) and Line Differential Relay (87L) in an Inverter-Based Resource-Integrated Transmission System
Fatihan Fawwasanie, Dr. Rian Fatah Mochamad, S.T., M.Eng.; Dr. Ir. Mokhammad Isnaeni Bambang Setyonegoro, M
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

3.2.2.2 Wind Turbine Type 4 24
3.2.2.3 Photovoltaic 26
3.3 Conventional Source and IBR Modeling 27
3.4 Relay 21 and Relay 87L Modeling 28
3.5 Test Scenario Determination 29
3.6 Evaluation Parameters and Indicators 30
3.7 Simulation and Data Acquisition Procedure 31
3.8 Result Analysis Method 31
CHAPTER IV Results and Discussion 37
4.1 Base System Condition and Initial Verification 37
4.1.1 Relay Response to an Internal Double Line-to-Ground (DLG) Fault 37
4.1.2 Relay Response to an External Three-Phase Fault 45
4.1.3 Relay Response to an External Single Line-to-Ground (SLG) Fault 53
4.1.4 Relay Response to an External Double Line-to-Ground (DLG) Fault 57
4.2 Current Sequence Component Decomposition for Each Scenario 65
4.2.1 Condition Without IBR Integration 65
4.2.1.1 Internal Double Line-to-Ground Fault 66
4.2.1.2 External 3-Phase Fault 67
4.2.1.3 External Single Line-to-Ground Fault 68
4.2.1.4 External Double Line-to-Ground Fault 69
4.2.2 Scenario 1: WT Type 3 Internal DLG Fault 70
4.2.3 Scenario 2: WT Type 4 External DLG Fault 70
4.2.4 Scenario 3: WT Type 3 External DLG Fault 71
4.2.5 Scenario 4: WT Type 3 External 3P Fault 72
4.2.6 Scenario 5: WT Type 3 External SLG Fault 73
4.2.7 Scenario 6: Photovoltaic External DLG Fault 74
4.3 Relay 21 Response in the System with WT Type 3 75
4.3.1 Scenario 1: Wind Turbine Type 3 Internal DLG Fault 75
4.3.2 Scenario 3: Wind Turbine Type 3 External DLG Fault 80
4.3.3 Scenario 4: Wind Turbine Type 3 External 3P Fault 86
4.3.4 Scenario 5: Wind Turbine Type 3 External SLG Fault 92
4.4 Relay 21 Response in the System with WT Type 4 95
4.4.1 Scenario 2: Wind Turbine Type 4 External DLG Fault 95
4.5 Relay 21 Response in the System with Photovoltaic 101
4.5.1 Scenario 6: Photovoltaic External DLG Fault 102
4.6 Comparison of Relay 21 Characteristics Across IBR Types 108
4.7 Implications of Using Conventional Settings for Relay 21 111
4.8 Relay 87L Response in the System with WT Type 3 112

UNIVERSITAS
GADJAH MADA
Feasibility Analysis of Conventional Settings for Distance Relay (21) and Line Differential Relay (87L) in an Inverter-Based Resource-Integrated Transmission System
Fatihan Fawwasanie, Dr. Rian Fatah Mochamad, S.T., M.Eng.; Dr. Ir. Mokhammad Isnaeni Bambang Setyonegoro, M
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

4.8.1 Scenario 1: Wind Turbine Type 3 Internal DLG Fault 112
4.8.2 Scenario 3: Wind Turbine Type 3 External DLG Fault 114
4.8.3 Scenario 4: Wind Turbine Type 3 External 3P Fault 116
4.8.4 Scenario 5: Wind Turbine Type 3 External SLG Fault 118
4.9 Relay 87L Response in the System with WT Type 4 120
4.9.1 Scenario 2: Wind Turbine Type 4 External DLG Fault 120
4.10 Relay 87L Response in the System with Photovoltaic 122
4.10.1 Scenario 6: Photovoltaic External DLG Fault 122
4.11 Comparison of Relay 87L Characteristics Across IBR Types 124
4.12 Implications of Using Conventional Settings for Relay 87L..... 125
4.13 Comparison of Research Results with the Reference Paper 126
4.14 Summary of Relay Feasibility in an IBR-Integrated System 127
CHAPTER V Conclusions and Recommendations 129
5.1 Conclusions 129
5.2 Recommendations 130
REFERENCES 132