UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] International Diabetes Federation, *IDF Diabetes Atlas*, 11th ed. International Diabetes Federation, 2025. [Online]. Available: https://diabetesatlas.org/

[2] M. Kropp, O. Golubnitschaja, A. Mazurakova, L. Koklesova, N. Sargheini, T.-T. K. S. Vo, E. de Clerck, J. Polivka Jr, P. Potuznik, J. Polivka *et al.*, "Diabetic retinopathy as the leading cause of blindness and early predictor of cascading complications—risks and mitigation," *Epma Journal*, vol. 14, no. 1, pp. 21–42, 2023.

[3] T.-E. Tan and T. Y. Wong, "Diabetic retinopathy: Looking forward to 2030," *Frontiers in endocrinology*, vol. 13, p. 1077669, 2023.

[4] Z. Yang, T.-E. Tan, Y. Shao, T. Y. Wong, and X. Li, "Classification of diabetic retinopathy: Past, present and future," *Frontiers in endocrinology*, vol. 13, p. 1079217, 2022.

[5] S. Haneda and H. Yamashita, "International clinical diabetic retinopathy disease severity scale," *Nihon rinsho. Japanese journal of clinical medicine*, vol. 68, pp. 228–235, 2010.

[6] S. A. Kumar and J. S. Kumar, "Retinal lesions classification for diabetic retinopathy using custom resnet-based classifier," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 33, no. 1, pp. 405–415, 2024.

[7] U. Bhimavarapu and G. Battineni, "Automatic microaneurysms detection for early diagnosis of diabetic retinopathy using improved discrete particle swarm optimization," *Journal of Personalized Medicine*, vol. 12, no. 2, p. 317, 2022.

[8] V. Mayya, S. Kamath, and U. Kulkarni, "Automated microaneurysms detection for early diagnosis of diabetic retinopathy: A comprehensive review," *Computer Methods and Programs in Biomedicine Update*, vol. 1, p. 100013, 2021.

[9] Y. Sun, Y. He, J. Jia, J. Wang, R. Ge, C. Wang, and H. Xu, "Wdt-md: Wavelet diffusion transformers for microaneurysm detection in fundus images," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 40, no. 11, 2026, pp. 9242–9250.

[10] M. Z. Atwany, A. H. Sahyoun, and M. Yaqub, "Deep learning techniques for diabetic retinopathy classification: A survey," *IEEE Access*, vol. 10, pp. 28 642–28 655, 2022.

[11] M. Herrero-Tudela, R. Romero-Oraa, R. Hornero, G. C. G. Tobal, M. I. Lopez, and M. Garcia, "An explainable deep-learning model reveals clinical clues in diabetic retinopathy through shap," *Biomedical Signal Processing and Control*, vol. 102, p. 107328, 2025.

[12] Y. Zhou, B. Wang, L. Huang, S. Cui, and L. Shao, "A benchmark for studying diabetic retinopathy: Segmentation, grading, and transferability," *IEEE Transactions on Medical Imaging*, vol. 40, no. 3, pp. 818–828, 2020.

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[13] Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, "A survey of convolutional neural networks: analysis, applications, and prospects," *IEEE transactions on neural networks and learning systems*, vol. 33, no. 12, pp. 6999–7019, 2021.

[14] W. L. Alyoubi, W. M. Shalash, and M. F. Abulkhair, "Diabetic retinopathy detection through deep learning techniques: A review," *Informatics in medicine unlocked*, vol. 20, p. 100377, 2020.

[15] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2016, pp. 770–778.

[16] R. R. Selvaraju, M. Cogswell, A. Das, R. Vedantam, D. Parikh, and D. Batra, "Grad-CAM: Visual explanations from deep networks via gradient-based localization," in *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, 2017, pp. 618–626.

[17] B. Zhou, A. Khosla, A. Lapedriza, A. Oliva, and A. Torralba, "Learning deep features for discriminative localization," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 2921–2929.

[18] M. B. Muhammad and M. Yeasin, "Eigen-CAM: Class activation map using principal components," in *Proceedings of the International Joint Conference on Neural Networks (IJCNN)*, 2020, pp. 1–7.

[19] Z. Said, F.-E. Ben-Bouazza, and M. Mekkour, "Towards interpretable diabetic retinopathy detection: Combining multi-cnn models with grad-cam," *International Journal of Advanced Computer Science and Applications*, vol. 15, no. 10, 2024.

[20] Y. Xie, Y. Zhang, J. Long, N. Que, and Y. Chen, "Mplnet: Multi-task supervised progressive learning network for diabetic retinopathy grading," *Computers and Electrical Engineering*, vol. 120, p. 109746, 2024.

[21] S. Woo, J. Park, J.-Y. Lee, and I. S. Kweon, "Cbam: Convolutional block attention module," in *Proceedings of the European conference on computer vision (ECCV)*, 2018, pp. 3–19.

[22] M. M. Farag, M. Fouad, and A. T. Abdel-Hamid, "Automatic severity classification of diabetic retinopathy based on densenet and convolutional block attention module," *IEEE Access*, vol. 10, pp. 38 299–38 308, 2022.

[23] X. Li, H. Xia, and L. Lu, "ECA-CBAM: Classification of diabetic retinopathy by cross-combined attention mechanism," in *Proc. 6th Int. Conf. Innovation in Artificial Intelligence (ICIAI)*, 2022, pp. 1–8.

[24] F. Laakom, K. Chumachenko, J. Raitoharju, A. Iosifidis, and M. Gabbouj, "Learning to ignore: Rethinking attention in CNNs," in *32nd British Machine Vision Conference (BMVC)*, 2021. [Online]. Available: https://arxiv.org/abs/2111.05684

[25] Y. Zhou, X. He, L. Huang, L. Liu, F. Zhu, S. Cui, and L. Shao, "Collaborative learning of semi-supervised segmentation and classification for medical images," in *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, 2019, pp. 2079–2088.

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[26] L. Dai, L. Wu, H. Li, C. Cai, Q. Wu, H. Kong, R. Liu, X. Wang, X. Hou, Y. Liu *et al.*, "A deep learning system for detecting diabetic retinopathy across the disease spectrum," *Nature communications*, vol. 12, no. 1, p. 3242, 2021.

[27] V. Gulshan, L. Peng, M. Coram, M. C. Stumpe, D. Wu, A. Narayanaswamy *et al.*, "Development and validation of a deep learning algorithm for detection of diabetic retinopathy in retinal fundus photographs," *JAMA*, vol. 316, no. 22, pp. 2402–2410, 2016.

[28] L. Zhang, S. Feng, G. Duan, Y. Li, and G. Liu, "Detection of microaneurysms in fundus images based on an attention mechanism," *Genes*, vol. 10, no. 10, p. 817, 2019.

[29] V. Raudonis, A. Kairys, R. Verkauskiene, J. Sokolovska, G. Petrovski, V. J. Balciuniene, and V. Volke, "Automatic detection of microaneurysms in fundus images using an ensemble-based segmentation method," *Sensors*, vol. 23, no. 7, p. 3431, 2023.

[30] A. G. Persada, I. Ardiyanto, M. B. Sasongko, and H. A. Nugroho, "A review of cam-based visual explanation on diabetic retinopathy," *IEEE Access*, 2026.

[31] P. Kaur and E. Kumar, "Attention-based models for multiclass classification of diabetic retinopathy," in *2025 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE)*. IEEE, 2025, pp. 46–51.

[32] J. Cao, J. Chen, X. Zhang, Q. Yan, and Y. Zhao, "Attentional mechanisms and improved residual networks for diabetic retinopathy severity classification," *Computational Intelligence and Neuroscience*, vol. 2022, p. 9585344, 2022.

[33] N. Novely, S. M. Shuvo, and M. F. Faruk, "Improving pre-trained CNNs with CBAM and skip connections for multi-class retinal diseases classification using OCT images," in *Proc. 3rd Int. Conf. Computing Advancements (ICCA)*. ACM, 2024.

[34] W. Li, L. Bian, B. Ma *et al.*, "Interpretable detection of diabetic retinopathy, retinal vein occlusion, age-related macular degeneration, and other fundus conditions," *Diagnostics*, vol. 14, no. 2, p. 121, 2024.

[35] H. Bhanbhro, Y. K. Hooi, M. N. B. Zakaria, W. Kusakunniran, and Z. H. Amur, "MCBAN: A small object detection multi-convolutional block attention network," *Computers, Materials & Continua*, vol. 81, no. 2, pp. 2243–2259, 2024.

[36] G. Ning, P. Liu, C. Dai, M. Sun, Q. Zhou, and Q. Li, "RGAM: A refined global attention mechanism for medical image segmentation," *IET Computer Vision*, vol. 18, no. 8, pp. 1362–1375, 2024.

[37] C.-Y. Lee, S. Xie, P. Gallagher, Z. Zhang, and Z. Tu, "Deeply-supervised nets," in *Proceedings of the Eighteenth International Conference on Artificial Intelligence and Statistics*, ser. Proceedings of Machine Learning Research, vol. 38. PMLR, 2015, pp. 562–570. [Online]. Available: https://proceedings.mlr.press/v38/lee15a.html

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[38] C. Szegedy, W. Liu, Y. Jia, P. Sermanet, S. Reed, D. Anguelov, D. Erhan, V. Vanhoucke, and A. Rabinovich, "Going deeper with convolutions," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2015, pp. 1–9.

[39] H. Zhao, J. Shi, X. Qi, X. Wang, and J. Jia, "Pyramid scene parsing network," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 2881–2890.

[40] A. Dzieniszewska, P. Garbat, and R. Piramidowicz, "Deep pixel-wise supervision for skin lesion classification," *Computers in Biology and Medicine*, vol. 193, p. 110352, 2025.

[41] S. Mishra, Y. Zhang, L. Zhang, T. Zhang, X. S. Hu, and D. Z. Chen, "Data-driven deep supervision for skin lesion classification," in *Medical Image Computing and Computer Assisted Intervention – MICCAI 2022*, ser. Lecture Notes in Computer Science, vol. 13431. Springer, 2022, pp. 721–731.

[42] A. Foo, W. Hsu, M. L. Lee, G. Lim, and T. Y. Wong, "Multi-task learning for diabetic retinopathy grading and lesion segmentation," in *Proc. AAAI Conf. Artificial Intelligence*, vol. 34, no. 8, 2020, pp. 13 267–13 272.

[43] Z. Liu *et al.*, "Multi-lesion segmentation guided deep attention network for automated detection of diabetic retinopathy," *Computers in Biology and Medicine*, vol. 183, p. 109379, 2024.

[44] A. Jithesh, C. Karumuri, V. K. R. Kotha, M. Doddapuneni, and T. Jeong, "Diabetic retinopathy lesion segmentation through attention mechanisms," in *Proc. IEEE-/CVF Winter Conf. Applications of Computer Vision (WACV) Workshops*, 2025.

[45] H. Nguyen, D. T. Huynh, M. Won *et al.*, "DRG-Net: Interactive joint learning of multi-lesion segmentation and classification for diabetic retinopathy grading," *IEEE Transactions on Medical Imaging*, 2024.

[46] T. Van Craenendonck, B. Elen, N. Gerrits, and P. De Boever, "Systematic comparison of heatmapping techniques in deep learning in the context of diabetic retinopathy lesion detection," *Translational Vision Science & Technology*, vol. 9, no. 2, p. 64, 2020.

[47] M. S. Jamil, S. P. Banik, G. M. A. Rahaman, and S. Saha, "Advanced GradCAM++: Improved visual explanations of CNN decisions in diabetic retinopathy," in *Computer Vision and Image Analysis for Industry 4.0*. CRC Press, 2023.

[48] P. N. Chowdhury, Y. Akter, P. Chowdhury, A. Kaur, M. Uddin, A. Chowdhury, P. K. Chowdhury, and M. Muqit, "Development and validation of a lesion-supervised deep learning system for diabetic retinopathy grading according to UK national screening criteria," *medRxiv*, 2026, preprint.

[49] K. Preechakul, S. Sriswasdi, B. Kijsirikul, and E. Chuangsuwanich, "Improved image classification explainability with high-accuracy heatmaps," *IScience*, vol. 25, no. 3, 2022.

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ad.id/

[50] S. Muntaha, S. S. Salam, and N. Mustakim, "An explainable AI-based deep learning model for classification of diabetic retinopathy stages using retinal fundus images," in *Proc. 27th Int. Conf. Computer and Information Technology (ICCIT)*. IEEE, 2024.

[51] L. F. Nakayama *et al.*, "Heatmap analysis for AI explainability in diabetic retinopathy detection," *Annals of Translational Medicine*, vol. 12, no. 5, p. 89, 2024.

[52] A. Watanabe, S. Ketabi, K. Namdar, and F. Khalvati, "Improving disease classification performance and explainability of deep learning models in radiology with heatmap generators," *Frontiers in Radiology*, vol. 2, p. 991683, 2022.

[53] J. M. Tarr, K. Kaul, M. Chopra, E. M. Kohner, and R. Chibber, "Pathophysiology of diabetic retinopathy," *ISRN Ophthalmology*, vol. 2013, p. 343560, 2013.

[54] T. Y. Wong, C. M. G. Cheung, M. Larsen, S. Sharma, and R. Simó, "Diabetic retinopathy," *Nature Reviews Disease Primers*, vol. 2, p. 16012, 2016.

[55] M. Z. Tahir, M. Nasir, and S. Zhang, "Advances in retinal microaneurysms detection, segmentation and datasets for the diagnosis of diabetic retinopathy: a systematic literature review," *Multimedia Tools and Applications*, vol. 83, no. 30, pp. 74 897–74 935, 2024.

[56] M. M. Nentwich and M. W. Ulbig, "Diabetic retinopathy-ocular complications of diabetes mellitus," *World journal of diabetes*, vol. 6, no. 3, p. 489, 2015.

[57] V. M. Kanukollu and S. S. Ahmad, "Retinal hemorrhage," in *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing, 2023. [Online]. Available: https://www.ncbi.nlm.nih.gov/books/NBK560777/

[58] T. Y. Wong, J. Sun, R. Kawasaki, P. Ruamviboonsuk, R. Mathur, P. Bobrow, J. Cavanagh, C. Campa, M. Finkelstein *et al.*, "Guidelines on diabetic eye care: the international council of ophthalmology recommendations for screening, follow-up, referral, and treatment based on resource settings," *Ophthalmology*, vol. 125, no. 10, pp. 1608–1622, 2018.

[59] I. Goodfellow, Y. Bengio, and A. Courville, *Deep learning*. MIT press Cambridge, 2016, vol. 1, no. 2.

[60] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436–444, 2015.

[61] D. E. Rumelhart, G. E. Hinton, and R. J. Williams, "Learning representations by back-propagating errors," *Nature*, vol. 323, no. 6088, pp. 533–536, 1986.

[62] V. Nair and G. E. Hinton, "Rectified linear units improve restricted boltzmann machines," in *Proceedings of the 27th international conference on machine learning (ICML-10)*, 2010, pp. 807–814.

[63] S. Ioffe and C. Szegedy, "Batch normalization: Accelerating deep network training by reducing internal covariate shift," in *International conference on machine learning*. pmlr, 2015, pp. 448–456.

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[64] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2278–2324, 2002.

[65] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," *Advances in neural information processing systems*, vol. 25, 2012.

[66] K. W. Goh, S. Surono, M. F. Afiatin, K. R. Mahmudah, N. Irsalinda, M. Chaimanee, and C. W. Onn, "Comparison of activation functions in convolutional neural network for poisson noisy image classification," *Emerg Sci J*, vol. 8, no. 2, pp. 592–602, 2024.

[67] X. Zhao, L. Wang, Y. Zhang, X. Han, M. Deveci, and M. Parmar, "A review of convolutional neural networks in computer vision," *Artificial Intelligence Review*, vol. 57, no. 4, p. 99, 2024.

[68] Y. Dogan, "A new global pooling method for deep neural networks: Global average of top-k max-pooling," *Traitement du signal*, vol. 40, no. 2, pp. 577–587, 2023.

[69] L. Bottou, "Large-scale machine learning with stochastic gradient descent," in *Proceedings of COMPSTAT'2010*. Physica-Verlag HD, 2010, pp. 177–186.

[70] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," in *Proceedings of the 3rd International Conference on Learning Representations (ICLR)*, San Diego, CA, USA, 2015, arXiv:1412.6980.

[71] X. Glorot and Y. Bengio, "Understanding the difficulty of training deep feedforward neural networks," in *Proceedings of the 13th International Conference on Artificial Intelligence and Statistics (AISTATS)*, 2010, pp. 249–256.

[72] K. He, X. Zhang, S. Ren, and J. Sun, "Delving deep into rectifiers: Surpassing human-level performance on ImageNet classification," in *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, 2015, pp. 1026–1034.

[73] R. Caruana, "Multitask learning," *Machine learning*, vol. 28, no. 1, pp. 41–75, 1997.

[74] J. M. Johnson and T. M. Khoshgoftaar, "Survey on deep learning with class imbalance," *Journal of big data*, vol. 6, no. 1, p. 27, 2019.

[75] M. Buda, A. Maki, and M. A. Mazurowski, "A systematic study of the class imbalance problem in convolutional neural networks," *Neural Networks*, vol. 106, pp. 249–259, 2018.

[76] C. H. Sudre, W. Li, T. Vercauteren, S. Ourselin, and M. Jorge Cardoso, "Generalised Dice overlap as a deep learning loss function for highly unbalanced segmentations," in *Deep Learning in Medical Image Analysis and Multimodal Learning for Clinical Decision Support (DLMIA)*, ser. LNCS, vol. 10553. Springer, 2017, pp. 240–248.

[77] C. Shorten and T. M. Khoshgoftaar, "A survey on image data augmentation for deep learning," *Journal of Big Data*, vol. 6, no. 1, p. 60, 2019.

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[78] Y. Huang, L. Lin, P. Cheng, J. Lyu, R. Tam, and X. Tang, "Identifying the key components in ResNet-50 for diabetic retinopathy grading from fundus images: A systematic investigation," *Diagnostics*, vol. 13, no. 10, p. 1664, 2023.

[79] Z. Zhong, L. Zheng, G. Kang, S. Li, and Y. Yang, "Random erasing data augmentation," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, no. 07, 2020, pp. 13 001–13 008.

[80] P. Goyal, P. Dollár, R. Girshick, P. Noordhuis, L. Wesolowski, A. Kyrola, A. Tulloch, Y. Jia, and K. He, "Accurate, large minibatch sgd: Training imagenet in 1 hour," *arXiv preprint arXiv:1706.02677*, 2017.

[81] I. Loshchilov and F. Hutter, "Decoupled weight decay regularization," in *Proceedings of the 7th International Conference on Learning Representations (ICLR)*, 2019, arXiv:1711.05101.

[82] L. Prechelt, "Early stopping — but when?" in *Neural Networks: Tricks of the Trade*, ser. Lecture Notes in Computer Science, G. Montavon, G. B. Orr, and K.-R. Müller, Eds. Springer, 2012, vol. 7700, pp. 53–67.

[83] A. Chattopadhyay, A. Sarkar, P. Howlader, and V. N. Balasubramanian, "Grad-CAM++: Generalized gradient-based visual explanations for deep convolutional networks," in *Proc. IEEE Winter Conf. Applications of Computer Vision (WACV)*, 2018, pp. 839–847.

[84] R. L. Draelos and L. Carin, "Use HiResCAM instead of Grad-CAM for faithful explanations of convolutional neural networks," *arXiv preprint arXiv:2011.08891*, 2021.

[85] P.-T. Jiang, C.-B. Zhang, Q. Hou, M.-M. Cheng, and Y. Wei, "LayerCAM: Exploring hierarchical class activation maps for localization," *IEEE Transactions on Image Processing*, vol. 30, pp. 5875–5888, 2021.

[86] S. Karmani, T. Sivakaran, G. Prasad, M. Ali, W. Yang, and S. Tang, "KPCA-CAM: Visual explainability of deep computer vision models using kernel PCA," in *Proc. IEEE Int. Workshop on Multimedia Signal Processing (MMSP)*, 2024, arXiv:2410.00267.

[87] EyePACS, "Diabetic retinopathy detection," https://www.kaggle.com/c/diabetic-retinopathy-detection, 2015.

[88] Asia Pacific Tele-Ophthalmology Society, "Aptos 2019 blindness detection," https://www.kaggle.com/c/aptos2019-blindness-detection, 2019.

[89] P. Porwal, S. Pachade, R. Kamble, M. Kokare, G. Deshmukh, V. Sahasrabuddhe, and F. Meriaudeau, "Indian diabetic retinopathy image dataset (idrid): A database for diabetic retinopathy screening research," *Data*, vol. 3, no. 3, p. 25, 2018.

[90] T. Li, Y. Gao, K. Wang, S. Guo, H. Liu, and H. Kang, "Diagnostic assessment of deep learning algorithms for diabetic retinopathy screening," *Information Sciences*, vol. 501, pp. 511–522, 2019.

UNIVERSITAS
GADJAH MADA
Integrasi Convolutional Block Attention Module dan Auxiliary Segmentation Branch pada ResNet-50 untuk Klasifikasi Biner Microaneurysm dan Lokalisasi Class Activation Map pada Citra Fundus
Muhammad Dzaki Zhafiri, Anugerah Galang Persada, S.T., M.Eng.; Prof. Ir. Hanung Adi Nugroho, S.T., M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[91] J. R. Landis and G. G. Koch, "The measurement of observer agreement for categorical data," *Biometrics*, vol. 33, no. 1, pp. 159–174, 1977.

[92] J. Zhang, S. A. Bargal, Z. Lin, J. Brandt, X. Shen, and S. Sclaroff, "Top-down neural attention by excitation backprop," *International Journal of Computer Vision*, vol. 126, pp. 1084–1102, 2018.