UNIVERSITAS GADJAH MADA
Desain Instrumentation Amplifier pada Teknologi CMOS 45 nm untuk Aplikasi Low-Side Current Sensing pada Power Management IC
Muhammad Luqman, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM.; Dzuhri Radityo Utomo, S.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] Y. Liu, L. Cui, J. Deng, C. Xu, P.-H. Huang, and X. Cheng, "Precise current sensing circuit for li-battery power management system," in *2023 8th International Conference on Integrated Circuits and Microsystems (ICICM)*, 2023, pp. 264–268.

[2] H. P. Forghani-Zadeh and G. A. Rincón-Mora, "Current-sensing techniques for DC-DC converters," in *Proceedings of the IEEE Midwest Symposium on Circuits and Systems*, 2002, pp. 577–580.

[3] E. M. Spinelli and M. A. Mayosky, "Two-electrode biopotential measurements: Power line interference cancellation using a driven-right-leg circuit," *IEEE Transactions on Biomedical Engineering*, vol. 52, no. 4, pp. 731–734, Apr. 2005.

[4] M. Konar, R. Sahu, and S. Kundu, "Improvement of the gain accuracy of the instrumentation amplifier using a very high gain operational amplifier," in *2019 Devices for Integrated Circuit (DevIC)*, 2019, pp. 408–412.

[5] S. S. Mahato, P. Chakraborty, T. K. Maiti, M. K. Bera, C. Mahata, M. Sengupta, A. Chakraborty, S. K. Sarkar, and C. K. Maiti, "Dibl in short-channel strained-si n-mosfet," in *2008 15th International Symposium on the Physical and Failure Analysis of Integrated Circuits*, 2008, pp. 1–4.

[6] B. Razavi, *Design of Analog CMOS Integrated Circuits*, 2nd ed. New York, NY: McGraw-Hill, 2017.

[7] M. Tan and Q. Zhou, "A two-stage amplifier with active miller compensation," in *2011 IEEE International Conference on Anti-Counterfeiting, Security and Identification*, 2011, pp. 201–204.

[8] C. P. Portella, G. F. C. Gouveia, G. De Melo Andrade Ribeiro, R. De Deus Lopes, M. K. Zuffo, and L. C. Costa De Biase, "Programmable power management integrated circuit for iot devices powered by multiple energy harvesting sources," in *2025 IEEE International Conference on Consumer Electronics (ICCE)*, 2025, pp. 1–4.

[9] N. Mohan, T. M. Undeland, and W. P. Robbins, *Power Electronics: Converters, Applications, and Design*, 3rd ed. Hoboken, NJ: Wiley, 2003.

[10] A. I. Hussein, A. N. Mohieldin, F. Hussien, and A. Eladawy, "Fully integrated high accuracy continuous current sensor for switching voltage circuits," in *2014 IEEE 23rd International Symposium on Industrial Electronics (ISIE)*, 2014, pp. 497–502.

[11] T. Denison, K. Consoer, W. Santa, A.-T. Avestruz, J. Cooley, and A. Kelly, "A 2 μW 100 nV/$\sqrt{\text{Hz}}$ chopper-stabilized instrumentation amplifier for chronic measurement of neural field potentials," *IEEE Journal of Solid-State Circuits*, vol. 42, no. 12, pp. 2934–2945, Dec. 2007.

[12] Y. Tsividis and C. McAndrew, *Operation and Modeling of the MOS Transistor*, 3rd ed. New York, NY: Oxford University Press, 2011.

UNIVERSITAS
GADJAH MADA
**Desain Instrumentation Amplifier pada Teknologi CMOS 45 nm untuk Aplikasi Low-Side Current Sensing
pada Power Management IC**
Muhammad Luqman, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM.; Dzuhri Radityo Utomo, S.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[13] G. V. R, S. Singh, and D. Dubey, "Design of an instrumentation amplifier using bulk-driven op-amp," in *2021 5th International Conference on Trends in Electronics and Informatics (ICOEI)*, 2021, pp. 131–136.

[14] Y. H K, S. K, S. Biyani, and R. Seethur, "Design of a 90nm instrumentation amplifier for high precision signal acquisition applications," in *2023 IEEE 9th International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA)*, 2023, pp. 116–120.

[15] S. Reich, M. Sporer, and M. Ortmanns, "A flexible power management system-on-chip for implantable brain-machine-interfaces," in *2023 21st IEEE Interregional NEWCAS Conference (NEWCAS)*, June 2023, pp. 1–5.

[16] G. Guérin and G. A. Rincón-Mora, "Power-conversion efficiency: Loss dominance, optimization, & design insight," *IEEE Transactions on Power Electronics*, vol. 36, no. 10, pp. 11 585–11 598, 2021.

[17] Texas Instruments, *INA111 High Speed FET-Input Instrumentation Amplifier*, Texas Instruments Incorporated, 1998, datasheet, revised March 1998; accessed 2026-06-20. [Online]. Available: https://www.ti.com/lit/ds/symlink/ina111.pdf

[18] S. Moench, R. Reiner, P. Waltereit, R. Quay, O. Ambacher, and I. Kallfass, "Integrated current sensing in gan power ics," in *2019 31st International Symposium on Power Semiconductor Devices and ICs (ISPSD)*, 2019, pp. 111–114.

[19] J. Lin, H. Cheng, and J. Xing, "A high side current sensing circuit with high psrr based on bcd process," in *2011 IEEE International Conference on Anti-Counterfeiting, Security and Identification*, 2011, pp. 177–179.

[20] T. F. Tardani, A. Gambero, S. Rossi, A. Aprile, E. Moisello, G. Ricotti, E. Bonizzoni, and P. Malcovati, "A 50-ns response time high-side current sense with a novel analog level-shifting technique for a 100-v monolithic 1-μm gan-on-si half bridge," in *2026 IEEE International Symposium on Circuits and Systems (ISCAS)*, 2026, pp. 435–438.

[21] P. Varecha, P. Makys, M. Pacha, and S. Zossak, "Effect of mosfet lifetime on reliability of low-side mosfet current sensing technique," in *2020 ELEKTRO*, 2020, pp. 1–6.

[22] M. Nourani, S. R. Nassif, and K. T. Cheng, "Ground bounce in digital vlsi circuits," *IEEE Transactions on Circuits and Systems II: Analog and Digital Signal Processing*, vol. 48, no. 8, pp. 757–767, 2001.

[23] R. W. Erickson and D. Maksimović, *Fundamentals of Power Electronics*, 3rd ed. Cham, Switzerland: Springer, 2020.

[24] R. Spetik, J. Yerger, L. Seliga, F. Kudrna, S. Menon, and B. Greenwood, "On precise current sensors for low voltage trench mosfets," in *2021 33rd International Symposium on Power Semiconductor Devices and ICs (ISPSD)*, 2021, pp. 295–298.

[25] C. Yang, M. Zhu, Y. Xu, X. Liu, Y. Jiang, L. Wang, Y. Pei, H. Zhang, and Y. Gan, "A low-cost high-bandwidth easy-to-design current sensing circuit for sic mosfets,"

UNIVERSITAS GADJAH MADA
Desain Instrumentation Amplifier pada Teknologi CMOS 45 nm untuk Aplikasi Low-Side Current Sensing
pada Power Management IC
Muhammad Luqman, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM.; Dzuhri Radityo Utomo, S.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

in *2020 IEEE 9th International Power Electronics and Motion Control Conference (IPEMC2020-ECCE Asia)*, 2020, pp. 3138–3142.

[26] A. Worapishet, A. Demosthenous, and X. Liu, "A CMOS instrumentation amplifier with 90-dB CMRR at 2-MHz using capacitive neutralization: Analysis, design considerations, and implementation," *IEEE Transactions on Circuits and Systems I: Regular Papers*, vol. 58, no. 4, pp. 699–710, 2011.

[27] T. Rahul, B. Sahoo, S. Arya, S. Parvathy, and V. B. Vulligaddala, "A wide dynamic-range low-power signal conditioning circuit for low-side current sensing application," in *2015 28th International Conference on VLSI Design*, 2015, pp. 265–270.

[28] G. M. Leandro and I. Barbi, "Dc-dc hybrid switched-capacitor llc resonant converter: All switches with vds = vin/2," in *2019 IEEE PES Innovative Smart Grid Technologies Conference - Latin America (ISGT Latin America)*, 2019, pp. 1–6.

[29] E. Adib and H. Farzanehfard, "Family of soft-switching pwm converters with current sharing in switches," *IEEE Transactions on Power Electronics*, vol. 24, no. 4, pp. 979–984, 2009.

[30] Y. Jang, M. Jovanovic, and D. L. Dillman, "Soft-switched pfc boost rectifier with integrated zvs two-switch forward converter," *IEEE Transactions on Power Electronics*, vol. 21, no. 6, pp. 1600–1606, 2006.

[31] Texas Instruments, "Understanding operational amplifier specifications," Texas Instruments Incorporated, Dallas, Texas, Tech. Rep. SLOA011B, 2021, revised July 2021.

[32] P. E. Allen and D. R. Holberg, *CMOS Analog Circuit Design*, 3rd ed. New York, NY: Oxford University Press, 2011.

[33] A. S. Sedra and K. C. Smith, *Microelectronic Circuits*, 6th ed. New York: Oxford University Press, 2009.

[34] H. Li, X. Zhang, and Y. Wang, "Study on cmos operational transductance amplifiers," in *Proceedings of 2011 International Conference on Electronic & Mechanical Engineering and Information Technology*, vol. 4, 2011, pp. 2168–2171.

[35] H. H. Radamson, H. Zhu, Z. Wu, X. He, H. Lin, J. Liu, J. Xiang, Z. Kong, W. Xiong, J. Li *et al.*, "State of the art and future perspectives in advanced CMOS technology," *Nanomaterials*, vol. 10, no. 8, p. 1555, 2020.

[36] V. Urankar, C. R. Patel, B. A. Vivek, and V. K. Bharadwaj, "45nm CMOS 4-bit flash analog to digital converter," in *2020 Fourth International Conference on Computing Methodologies and Communication (ICCMC)*. IEEE, 2020, pp. 27–32.

[37] S. Lee, B. Jagannathan, S. Narasimha, A. Chou, N. Zamdmer, J. Johnson, R. Williams, L. Wagner, J. Kim, J.-O. Plouchart, J. Pekarik, S. Springer, and G. Freeman, "Record rf performance of 45-nm soi cmos technology," in *2007 IEEE International Electron Devices Meeting*, 2007, pp. 255–258.

UNIVERSITAS
GADJAH MADA
**Desain Instrumentation Amplifier pada Teknologi CMOS 45 nm untuk Aplikasi Low-Side Current Sensing
pada Power Management IC**
Muhammad Luqman, Ir. Prapto Nugroho, S.T., M.Eng., D.Eng., IPM.; Dzuhri Radityo Utomo, S.T., M.S., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[38] M. H. Aung and T. T. Hla, "A comparative study of D-type flip-flop architecture using 90-nm and 45-nm CMOS technology for high-performance and low-power systems," in *2024 IEEE Conference on Computer Applications (ICCA)*. IEEE, 2024, pp. 1–6.

[39] M. U. Khan, A. Arshad, S. Ume, R. Bukhari, A. Samer, and F. Tariq, "Nanoscale CMOS scaling trends, challenges and their solutions," in *ICAME21, International Conference on Advances in Mechanical Engineering*, Pakistan, 2021, pp. 1–10.

[40] M. Z. A. Emon, K. M. Salim, and M. I. B. Chowdhury, "Design and analysis of a high-gain, low-noise, and low-power analog front end for electrocardiogram acquisition in 45 nm technology using g_m/i_d method," *Electronics*, vol. 13, no. 11, p. 2190, 2024.

[41] M. J. M. Pelgrom, A. C. J. Duinmaijer, and A. P. G. Welbers, "Matching properties of MOS transistors," *IEEE Journal of Solid-State Circuits*, vol. 24, no. 5, pp. 1433–1439, Oct. 1989.

[42] W. Sansen, *Analog Design Essentials*. Dordrecht, Netherlands: Springer, 2006.

[43] T. Claycomb, "Low-side current sensing for high-performance cost-sensitive applications," *Texas Instruments Technical Article*, no. SSZT822, January 2018. [Online]. Available: https://www.ti.com