UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agustarini, R., Heryati, Y., Adalina, Y., Adinugroho, W. C., Yuniati, D., Fambayun, R. A., Sbastian, G. E., Hidayat, A., Tata, H. L., Ingram, W., & Perdana, A. (2022). The Development of Indigofera spp. as a Source of Natural Dyes to Increase Community Incomes on Timor Island, Indonesia. *Economies*, *10*(49).

Ariyanti, M., & Asbur, Y. (2018). TANAMAN TARUM (Indigofera tinctoria Linn.) SEBAGAI PENGHASIL ZAT PEWARNA. *JURNAL HUTAN PULAU-PULAU KECIL*, *2*(1), 109–122. https://doi.org/10.30598/jhppk.2018.2.1.109

Asuntha, G., Prasannaraju, Y., & Prasad, K. (2010). Effect of Ethanol Extract of <i>Indigofera tinctoria</i> Linn (Fabaceae) on Lithium/Pilocarpine-Induced Status Epilepticus and Oxidative Stress in Wistar Rats. *Tropical Journal of Pharmaceutical Research*, *9*(2). https://doi.org/10.4314/tjpr.v9i2.53702

Awoyale, A. A., Lokhat, D., & Eloka-Eboka, A. C. (2021). Experimental characterization of selected Nigerian lignocellulosic biomasses in bioethanol production. *International Journal of Ambient Energy*, *42*(12), 1343–1351. https://doi.org/10.1080/01430750.2019.1594375

Baeza, J., & Freer, J. (2001). Chemical Characterization o f Wood and Its Components. In D. N.-S. Hon & N. Shiraishi (Eds.), *Wood and cellulosic chemistry* (2nd ed., pp. 275–284). Marcel Dekker.

Bajpai, P. (2018). Wood-Based Products and Chemicals. In *Biermann's Handbook of Pulp and Paper* (3rd ed., Vol. 1). Elsevier. https://doi.org/10.1016/b978-0-12-814240-0.01001-6

Baluarsi, A. L. (2020a). *Pengaruh Umur dan Bagian Tanaman Gamal (Gliricedia sepium) sebagai Bahan Baku Bioetanol*. Universitas Gadjah Mada.

Baluarsi, A. L. (2020b). *Pengaruh Umur dan Bagian Tanaman Gamal (Gliricedia sepium) sebagai Bahan Baku Bioetanol* [Universitas Gadjah Mada]. http://dx.doi.org/10.1016/j.biochi.2015.03.025%0Ahttp://dx.doi.org/10.1038/nature10402%0Ahttp://dx.doi.org/10.1038/nature21059%0Ahttp://journal.stainkudus.ac.id/index.php/equilibrium/article/view/1268/1127%0Ahttp://dx.doi.org/10.1038/nrmicro2577%0Ahttp://

Browning, B. (1967). *Methods of Wood Chemistry Vol I*. Interscience Publisher.

Budiastuti, M. T. S., Purnomo, D., Setyaningrum, D., Pujiasmanto, B., & Ramadhan, R. N. (2023). Potential of Indigofera tinctoria Natural Dyes Compost on Maize Vegetative Growth. *IOP Conference Series: Earth and*

UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Environmental Science, *1162*(1), 012015. https://doi.org/10.1088/1755-1315/1162/1/012015

Bulal, I., Mandik, Y. I., & Maryuni, A. E. (2021). Produksi Gula Pereduksi dari Ampas Sagu (Metroxylon sp.) Menggunakan Metode Hidrolisis Asam Selama 30 Menit. *Avogadro Jurnal Kimia*, *5*(2), 71–79.

Cristianti, El. (2021). *Pengaruh Umur dan Bagian Pohon Jati Klonal (Tectona grandis L.f) sebagai Bahan Baku Bioetanol*. Universitas Gadjah Mada.

Demirbaş, A. (2005). Bioethanol from cellulosic materials: A renewable motor fuel from biomass. *Energy Sources*, *27*(4), 327–337. https://doi.org/10.1080/00908310390266643

Duke, J. A. (1981). Handbook of LEGUMES of World Economic Importance. In *Handbook of LEGUMES of World Economic Importance*. Springer US. https://doi.org/10.1007/978-1-4684-8151-8

Fan, L. T., Lee, Y.-H., & Beardmore, D. H. (1980). Mechanism of the enzymatic hydrolysis of cellulose: effects of major structural features of cellulose on enzymatic Hydrolysis. *Biotechnology and Bioengineering*, *22*(1), 177–199.

Fatriasari, W., Masruchin, N., & Hermiati, E. (2019). *Selulosa Karakteristik dan Pemanfaatannya* (1st ed.). Lembaga Ilmu Pengetahuan Indonesia Press.

Fengel, D., & Wegener, G. (1989a). *Wood: Chemistry, Ultrastructure, Reactions*. Walter de Gruyter.

Fengel, D., & Wegener, G. (1989b). *Wood: Chemistry, Ultrastructure, Reactions*. Walter de Gruyter.

Fengel, D., & Wegener, G. (1995). *Kayu; Kimia Ultra Struktur. Reaksi-reaksi (Terjemahan)*. Gadjah Mada University Press.

Fernandes, E. M., Pires, R. A., Mano, J. F., & Reis, R. L. (2013). Bionanocomposites from lignocellulosic resources: Properties, applications and future trends for their use in the biomedical field. *Progress in Polymer Science*, *38*(10–11), 1415–1441. https://doi.org/10.1016/j.progpolymsci.2013.05.013

Fromm, J. (2013). *Cellular Aspects of Wood Formation* (Vol. 20). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-36491-4

Fujita, M., & Harada, H. (2001). Ultrastructure and Formation of Wood Cell. In D. N.-S. Hon & N. Shiraishi (Eds.), *Wood and Cellulosic Chemistry* (2nd ed., pp. 1–50). Marcel Dekker.

Garrity, D. P., Bantilan, R. T., Bantilan, C. C., Tin, P., & Mann, R. (1994). Indigofera tinctoria: farmer-proven green manure for rainfed riceland. In J.

UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

K. Ladha & D. P. Garrity (Eds.), *Green Manure Production System for Asian Riceland*. International Rice Research Institue.

Gümüşkaya, E., Usta, M., & Kirei, H. (2003). The effects of various pulping conditions on crystalline structure of cellulose in cotton linters. *Polymer Degradation and Stability*, *81*(3), 559–564.

Hall, M., Bansal, P., Lee, J. H., Realff, M. J., & Bommarius, A. S. (2010). Cellulose crystallinity - A key predictor of the enzymatic hydrolysis rate. *FEBS Journal*, *277*(6), 1571–1582. https://doi.org/10.1111/j.1742-4658.2010.07585.x

Huang, H. J., Ramaswamy, S., Al-Dajani, W., Tschirner, U., & Cairncross, R. A. (2009). Effect of biomass species and plant size on cellulosic ethanol: A comparative process and economic analysis. *Biomass and Bioenergy*, *33*(2), 234–246. https://doi.org/10.1016/j.biombioe.2008.05.007

Irawati, D. (2017). Hidrolisis Media Sisa Budidaya Jamur Kuping Menggunakan Tiga Jenis Enzim Selulase. *Jurnal Ilmu Kehutanan*, *11*(1), 52. https://doi.org/10.22146/jik.24900

Irawati, D., Yokota, S., Niwa, T., Takashima, Y., Ueda, C., Ishiguri, F., Iizuka, K., & Yoshizawa, N. (2012). Enzymatic saccharification of spent wood-meal media made of 5 different tree species after cultivation of edible mushroom Auricularia polytricha. *Journal of Wood Science*, *58*(2), 180–183. https://doi.org/10.1007/s10086-011-1229-3

Jansen, P. C. M., & Cordon, D. (2005). Dyes and tannins. In *Plant Resources of Tropical Africa* (Vol. 3, pp. 95–99). PORTA Foundation.

Jansson, M. B., & Nilvebrant, N.-O. (2009). Wood Extractives. In *Wood Chemistry and Wood Biotechnology*. De Gruyter.

Johnsy Mary, F., Senthil Kumar, M., Dinesh Kumar, T., Divya, R., Nandakumar, M., & Pooja, B. (2020). Etnobotanical & pharmacological review on I. tinctoria. *Scienztech*, *10*(1), 1–6.

Kementerian Energi dan Sumberdaya Mineral. (2022). *LAPORAN KINERJA KEMENTERIAN ESDM 2021*. https://www.esdm.go.id/assets/media/content/content-laporan-kinerja-kementerian-esdm-2021.pdf

Kumanan, E. (2009). *Induction of Variability through Mutagenesis in Neelayamari (Indigofera tinctoria L.)*. Kerala Agricultural University.

Leelahawonge, C., Nuntagij, A., Teaumroong, N., Boonkerd, N., & Pongsilp, N. (2010). Characterization of root-nodule bacteria isolated from the medicinal

UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

legume Indigofera tinctoria. *Annals of Microbiology*, *60*(1), 65–74. https://doi.org/10.1007/s13213-009-0005-8

Lemmens, R. H. M. J. (1992). *Plant Resources of South-East Asia 3: Dye and tannin-producing plants* (N. Wulijarni-Soetjipto, Ed.; Vol. 3). Prosea Foundation.

Malherbe, S., & Cloete, T. E. (2002). Lignocellulose biodegradation: Fundamentals and applications. *Reviews in Environmental Science and Biotechnology*, *1*(2), 105–114. https://doi.org/10.1023/A:1020858910646

Muzzazinah. (2016). Etnobotani Indigofera di Indonesia. *Bioedukasi*, *9*(2), 7–13.

Nuringtyas, T. R. (2010). *Karbohidrat*. Gajah Mada University Press.

Pattanaik, L., Naik, S. N., & Hariprasad, P. (2019a). Valorization of waste Indigofera tinctoria L. biomass generated from indigo dye extraction process—potential towards biofuels and compost. *Biomass Conversion and Biorefinery*, *9*(2), 445–457. https://doi.org/10.1007/s13399-018-0354-2

Pattanaik, L., Naik, S. N., & Hariprasad, P. (2019b). Valorization of waste Indigofera tinctoria L. biomass generated from indigo dye extraction process—potential towards biofuels and compost. *Biomass Conversion and Biorefinery*, *9*(2), 445–457. https://doi.org/10.1007/s13399-018-0354-2

Pattanaik, L., Naik, S. N., & Hariprasad, P. (2019c). Valorization of waste Indigofera tinctoria L. biomass generated from indigo dye extraction process—potential towards biofuels and compost. *Biomass Conversion and Biorefinery*, *9*(2), 445–457. https://doi.org/10.1007/s13399-018-0354-2

Philippidis, G. (1996). Cellulose bioconversion technology. In C. Wyman (Ed.), *Handbook on bioethanol: Production and utilization* (pp. 253–285). Taylor Francis.

Poejiadi. (2006). *Basics of Biochemistry*. UI Press.

Rajan, A. K., & Cindrella, L. (2019). Studies on new natural dye sensitizers from Indigofera tinctoria in dye-sensitized solar cells. *Optical Materials*, *88*, 39–47. https://doi.org/10.1016/j.optmat.2018.11.016

Ramli, M., & Nurmiyati, N. (2018). Morphological characterization of dye producing tom Java (Indigofera Tinctoria, L.) in three Islands of Indonesia. *Malaysian Applied Biology*, *47*(3), 91–99. https://www.researchgate.net/publication/326683665

Rasat, M. S. M., Ahmad, M. I., Wahab, R., Elham, PuadAmini, M. H. M., Wan, W. M. N. A. R., & Ramle, N. H. (2017). Chemical composition of small

UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

diameter wild leucaena leucocephala species. *ARPN Journal of Engineering and Applied Sciences*, *12*(10), 3169–3173.

Rasat, M. S. M., Amin, M. F. M., Ahmad, M. I., Noor, A. M., Sobri, S. A., Hermawan, A., Amini, M. H. M., Geng, B. J., Amin, M. A. M., & Chotikhan, A. (2021). Comparison of Chemical Compositions between Two Fast Growing Species: Acacia mangium and Leucaena leucochephala. *IOP Conference Series: Earth and Environmental Science*, *842*(1). https://doi.org/10.1088/1755-1315/842/1/012079

Rowell, R. M. (2013a). Chapter 3 Cell Wall Chemistry. In R. M. Rowell (Ed.), *Handbook of Wood Chemistry and Wood Composites* (2nd ed., pp. 33–72). CRC Press.

Rowell, R. M. (2013b). Chapter 3 Cell Wall Chemistry. In R. M. Rowell (Ed.), *Handbook of Wood Chemistry and Wood Composites* (2nd ed., pp. 33–72). CRC Press.

Rowell, R. M., Pattersen, R., Han, J. S., Rowell, J. S., & Tshabalala, M. A. (2005). Preparation of alpha-cellulosa (determination of hemicellulose). In *Handbook of Wood Chemistry and Wood Composites*. CRC Press.

Saka, S. (2001). Chemichal Composition and Distribution. In D. N.-S. Hon & D. N.-S. Hon (Eds.), *Wood and Cellulosic Chemistry* (2nd ed., pp. 51–82). Marcel Dekker.

Samariha, A., Branch, R., & Kiaei, M. (2011a). Chemical Composition Properties of Stem and Branch in Alianthus altissima Wood. *Middle-East Journal of Scientific Research*, *8*(5), 967–970.

Samariha, A., Branch, R., & Kiaei, M. (2011b). Chemical Composition Properties of Stem and Branch in Alianthus altissima Wood. *Middle-East Journal of Scientific Research*, *8*(5), 967–970.

Sattler, W., Esterbauer, H., Glatter, O., & Steiner, W. (1989). The effect of enzyme concentration on the rate of the hydrolysis of cellulose. *Biotechnology and Bioengineering*, *33*(10), 1221–1234. https://doi.org/10.1002/bit.260331002

Setyaningrum, D., Budiastuti, M. T. S., Pujiasmanto, B., Purnomo, D., & Supriyono, S. (2021). Morphological and Physiological Responses of Indigofera tinctoria L. to Light Intensity. *E3S Web Conferences*, *226*(13).

Sjostrom, E. (1991). *Wood Chemistry, Fundamentals and Application*. Academic Press.

Sjöström, E., & Alen, R. (1999). *Analytical Methods in Wood Chemistry, Pulping, and Papermaking*.

UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Soccol, C. R., Pandey, A., Zorov, I. N., Permaul, K., Yusup, S., Research, T., Bhd, S., & Kajang, M. (2022a). *Biofuel and Biorefinery Technologies Volume 12 Series Editor*. Springer.

Soccol, C. R., Pandey, A., Zorov, I. N., Permaul, K., Yusup, S., Research, T., Bhd, S., & Kajang, M. (2022b). *Biofuel and Biorefinery Technologies Volume 12 Series Editor*. Springer.

Sokanandi, A., Pari, G., Setiawan, D., & Saepuloh, S. (2014a). Komponen Kimia Sepuluh Jenis Kayu Kurang Dikenal : Kemungkinan Penggunaan Sebagai Bahan Baku Pembuatan Bioetanol. *Jurnal Penelitian Hasil Hutan*, *32*(3), 209–220. https://doi.org/10.20886/jphh.2014.32.3.209-220

Sokanandi, A., Pari, G., Setiawan, D., & Saepuloh, S. (2014b). Komponen Kimia Sepuluh Jenis Kayu Kurang Dikenal : Kemungkinan Penggunaan Sebagai Bahan Baku Pembuatan Bioetanol. *Jurnal Penelitian Hasil Hutan*, *32*(3), 209–220. https://doi.org/10.20886/jphh.2014.32.3.209-220

Sudharsan, S. V., Böhlenius, H., Öhman, M., & Umeki, K. (2026). Influence of forest management on chemical composition in 18-year-Old second-rotation poplar plantations. *Biomass and Bioenergy*, *208*(October 2025). https://doi.org/10.1016/j.biombioe.2025.108856

Sudiyani, Y., & Aiman, S. (2019). *Perkembangan Bioethanol G2: Teknologi dan Perpektif*. Lembaga Ilmu Pengetahuan Indonesia Press.

Suharyati, Pambudi, S. H., Wibowo, J. L., & Pratiwi, N. I. (2019). *ENERGI INDONESIA 2019 SEKRETARIAT JENDERAL DEWAN ENERGI NASIONAL*.

Sutikno, S., & Kismurtono, M. (2018). Pretreatment Empty Fruit Bunch of Oil Palm Tree for Improving Enzymatic Saccharification. In *Biofuels - State of Development*. InTechOpen. https://doi.org/10.5772/intechopen.76587

Suyitno, Juwana, W. E., & Muqoffa, M. (2025). Enhancing Biogas Production through the Co-Digestion of Indigofera and Cow Manure for Electricity Generation. *Journal of Engineering and Technological Sciences*, *57*(3), 291–302. https://doi.org/10.5614/j.eng.technol.sci.2025.57.3.1

USDA Gov. (n.d.). *https://plants.usda.gov/home/plantProfile?symbol=INTI*. Diakses 27 Juli 2023.

Usmadi, D., Sutomo, Hanum, S. F., Darma, I. D. P., & Wibawa, I. P. A. H. (2021). Predicting Species Distribution for True Indigo (Indigofera tinctoria L.) in Citarum Watershed, West Java, Indonesia. *Journal of Tropical Biodiversity and Biotechnology*, *6*(3).

UNIVERSITAS
GADJAH MADA
PENGARUH DIAMETER DAN BAGIAN TANAMAN Indigofera tinctoria L. SEBAGAI BAHAN BAKU BIOETANOL
Steven Juan Ivana, Prof. Ir. Denny Irawati, S.Hut., M.Si., Ph.D. IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Uthari, S., & Manadian. (2024). SIFAT KIMIA DUA JENIS KAYU CEPAT TUMBUH BERDASARKAN POSISI AKSIAL Chemical Properties of Two Fast-Growing Species on Axial Position. *Jurnal Industri Furnitur & Pengolahan Kayu*, *2*(1), 1–6.

Wu, J., Dong, Y., Zhang, H., Liu, J., Renneckar, S., & Saddler, J. (2023). Reduced cellulose accessibility slows down enzyme-mediated hydrolysis of cellulose. *Bioresource Technology*, *371*(January), 128647. https://doi.org/10.1016/j.biortech.2023.128647

Yeh, A.-I., Huang, Y.-C., & Chen, S. H. (2010). Effect of particle size on the rate of enzymatic hydrolysis of cellulose. *Carbohydrate Polymers*, *79*(1), 192–199. https://doi.org/10.1016/j.carbpol.2009.07.049