UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullah, A., T. Nurhayat and F. A. Nugroho. 2021. Antioxidant Activity of Trypsin and Pepsin-Hydrolyzed Fish Collagen. IOP Conference Series: Earth and Environmental Science 1033 (012066): 1-8. 10.1088/1755-1315/1033/1/012066

Abedinia, A., A. M. Nafchi, M. Sharifi, P. Ghalambor, N. Oladzadabbasabadi, F. Ariffin, and N. Huda. 2020. "Poultry gelatin: Characteristics, developments, challenges and future outlooks as a sustainable alternative for mammalian gelatin". Trends Food Sci Technol. 104(1): 14-26. https://doi.org/10.1016/j.tifs.2020.08.001

Abedinia, A., F. Ariffin, N. Huda and A. F. Nafchi. 2017. Extraction and characterization of gelatin from the feet of Pekin duck (*Anas platyrhynchos domestica*) as affected by acid, alkaline, and enzyme pretreatment. Int. J. Biol. Macromo. 98(1): 586–594. https://doi.org/10.1016/j.ijbiomac.2017.01.139

Agrawal, P., P. Nikhade, A. Patel, N. Mankar and S. Sedani. 2022. Bromelain: A Potent Phytomedicine. Cureus 1(1): 1-10. https://doi.org/10.7759/cureus.27876

Agustin, R., D. R. Arta, dan R. Nofita. 2023. Pengecilan ukuran partikel dan karakterisasi kolagen dari kulit ikan gabus (*Channa striata*) dengan metode ball milling. Jurnal Sains Farmasi & Klinis. 10(1): 44–53.

Ahmad, M. dan S. Benjakul. 2010. Extraction and characterisation of pepsin-solubilised collagen from the skin of unicorn leatherjacket (*Aluterus monoceros*). Food Chem. 120: 817–824.

Ahmad, T., A. Ismail, S. A. Ahmad, K. A. Khalil, Y. Kumar, K. D. Adeyemi and A. Q. Sazili. 2017. Recent advances on the role of process variables affecting gelatin yield and characteristics with special reference to enzymatic extraction: A review. In Food Hydrocolloids 63: 85–96. https://doi.org/10.1016/j.foodhyd.2016.08.007

Alemán, A., M. C. Gómez-Guillén and P. Montero. 2013. Identification of ace-inhibitory peptides from squid skin collagen after in vitro gastrointestinal digestion. Food Res. Int. 54(1): 790–795. https://doi.org/10.1016/j.foodres.2013.08.027

Amanah, R. M., D. P. T. Putri, M. Z. Abidin and Y. Erwanto. 2025. Isolation and Characterization of Collagen from Indonesia Local Duck Feet Using bromelain Enzyme. Am. J. Anim. Vet. Sci. 20(2): 97–102. https://doi.org/10.3844/ajavsp.2025.97.102

Amirrah, I. N., Y. Lokanathan, I. Zulkiflee, M. F. R. Wee, A. Motta and M. B. Fauzi. 2022. A Comprehensive Review on Collagen Type I Development of Biomaterials for Tissue Engineering: From Biosynthesis to Bioscaffold. In Biomedicines 10(9): 1-10. https://doi.org/10.3390/biomedicines10092307

Astiana, I., Nurjanah and T. Nurhayati. 2016. Characterization of acid soluble collagen from redbelly yellowtail fusilier fish skin (*Caesio cuning*). JPHPI. 19(1): 79–93. 10.17844/jphpi.v19i1.11699.

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bachrudin, Z., Astuti, dan Y. S. Dewi. 2000. Isolasi dan seleksi mikroba penghasil laktat dan aplikasinya pada fermentasi limbah industri tahu. Prosiding Seminar Nasional Industri Enzim dan Bioteknologi. Mikrobiologi Enzim dan Bioteknologi 1(1): 1-10.

Baehaki, A., R. Nopianti, and S. Anggraeni. (2015). Antioxidant activity of skin and bone collagen hydrolyzed from striped catfish (*Pangasius pangasius*) with papain enzyme. Available Online Www.Jocpr.Com. J. Chem. Pharm. Res. 7(11): 131–135. www.jocpr.com

Baehaki A., R. Nopianti R and L. T. Wati. 2019 Pengaruh hidrolisat kolagen dari kulit ikan patin (*Pangasius pangasius*) terhadap umur simpan pempek ikan gabus (*Channa striata*). JAH. 5(1): 67-74.

Baehaki, A., S. D. Lestari and I. Desliani. 2016. Collagen Hydrolysis from skin and bone of Pangasius catfish Prepared by bromelain Enzyme and Antioxidant Activity of Hydrolysate. Der Pharma Chemica. 8(4): 155-158. http://repository.unsri.ac.id/id/eprint/30265

Bahriul, P., Nurdin, R., dan Anang, W. M. D. 2014. Uji aktivitas antioksidan ekstrak daun salam (*Syzygium polyanthum*) dengan menggunakan 1,1 difenil-2-pikrilhidrazil. Juenal Akadmik Kimia. 3(3): 143–149.

Bandzerewicz, A and A. Gadomska-Gajadhur. 2022. Into the Tissues: Extracellular Matrix and Its Artificial Substitutes: Cell Signalling Mechanisms. In Cells 11(5): 1-10. https://doi.org/10.3390/cells11050914

Biškauskaitė, R., W. C. Lee and V. Valeika. 2024. “Crude proteolytic enzyme from *Bacillus halodurans* BCRC 910501 and its application in leather processing,” Heliyon 10(16): 1-10. https://doi.org/10.1016/j.heliyon.2024.e35842.

Brodkorb, A. 2019. “INFOGEST static in vitro simulation of gastrointestinal food digestion,” Nature Protocols 14(4): 991–1014. https://doi.org/10.1038/s41596-018-0119-1.

Brunelle, J. L., and R. Green. (2014). One-dimensional SDS-polyacrylamide gel electrophoresis (1D SDS-PAGE). In Methods in Enzymology 541: 151–159). https://doi.org/10.1016/B978-0-12-420119-4.00012-4

Benjakul, S., W. Visessanguan, C. Thongkaew, and M. Tanaka. 2005. Effect of frozen storage on chemical and gel-forming properties of fish commonly used for surimi production in Thailand. Food Hydrocolloids 19(2): 197–207. https://doi.org/10.1016/j.foodhyd.2004.05.004.

Bintang, M. 2010. Biokimia Teknik Penelitian. Erlangga. Jakarta.

BioRad Laboratories, 2011. A Guide to Polyacrylamide Gel Electrophoresis and Detection. Life Science Group. US/EG.

Bradford, M. M. 1976. A Rapid and Sensitive Method for the Quantification of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding. Analytical Biochemistry 72: 248–254. 10.1016/0003-2697(76)90527-3

Bravo, F. I., A. M. Capdevila, M. Margalef, A. A. Arnal and B. Muguerza. 2019. Novel Antihypertensive Peptides Derived from Chicken Foot Proteins.

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Adv. Sci. News. 63(1801176): 1-8. https://doi.org/10.1002/mnfr.201801176

Buruuj, E. M. A. 2024. Isolasi dan hidrolisis ovomucoid putih telur angsa (*Cygnus olor*) sebagai potensi antioksidan dan antiinflamasi. Universitas Gadjah Mada. Yogyakarta.

Caballero, J. (2020) "Considerations for docking of selective angiotensin-converting enzyme inhibitors," Molecules 25(295): 1-19. https://doi.org/10.3390/molecules25020295

Cai, S., N. Pan, M. Xu, Y. Su, K. Qiao, B. Chen, B. Zheng, M. Xiao and Z. Liu. 2021. Ace inhibitory peptide from skin collagen hydrolysate of takifugu bimaculatus as potential for protecting huvecs injury. Marine Drugs 19(12): 1-10. https://doi.org/10.3390/md19120655

Cheng, F.-Y., Hsu, F.-W., Chang, H.-S., Lin, L.-C., Sakata, R., 2009. Effect of different acids on the extraction of pepsin-solubilised collagen containing melanin from silky fowl feet. Food Chemistry 113, 563–567.

Cha, S. R., N. K. Jang and H. Kuk. 2014. Inflammatory response effect of duck's feet derived collage scaffolds for bone tissue engineering. Int. J. Tissue Regen. 5: 84–89. https://pure.jbnu.ac.kr/en/publications/inflammatory-response-effect-of-ducks-feet-derived-collagen-scaff/

Chasanah, N. R., Y. D. Rahmawati and M. Hasdar. (2021). Efektivitas Hcl dan Naoh sebagai Pretreatment Kolagen Kulit Kaki Ayam. JIGK. 3(01): 17–25. https://doi.org/10.46772/jigk.v3i01.562

Cheng, F.-Y., Hsu, F.-W., Chang, H.-S., Lin, L.-C., Sakata, R., 2009. Effect of different acids on the extraction of pepsin-solubilised collagen containing melanin from silky fowl feet. Food Chemistry 113, 563–567.

Chen, X., Ru, Y., Chen, F., Wang, X., Zhao, X and Q. Ao. 2013. FTIR spectroscopic characterization of soy proteins obtained through AOT reverse micelles. Food Hydrocoll. 31(2): 435–437. https://doi.org/10.1016/j.foodhyd.2012.11.017

Devita, L., Nurilmala, M. Lioe and M.T. Suhartono. 2021. Chemical and Antioxidant Characteristics of Skin-Derived Collagen Obtained by Acid-Enzymatic Hydrolysis of Bigeye Tuna (*Thunnus obesus*). Marine Drugs 19(4): 222-210. https://doi.org/10.3390/md19040222

DGLAHS. 2020. Livestock and Animal Health Statistics 2020. Directorate General of Livestock and Animal Health Services. Ministry of Agriculture, Jakarta, Indonesia.

Dhakal, D., Koomsap, P., Lamichhane, A., Sadiq, M. B and A. K. Anal. 2018. Optimization of collagen extraction from chicken feet by papain hydrolysis and synthesis of chicken feet collagen based biopolymeric fibres. Food Biosci. 23: 23–30. *https://doi.org/10.1016/j.fbio.2018.03.003*

Ding D, Yu T, Du B and Y. Huang. 2019. Collagen hydrolysate from *Thunnus orientalis* bone induces osteoblast proliferation and differentiation Chemical Engineering Science. 205(1): 143-150. https://doi.org/10.1016/j.ces.2019.04.040

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Djailani, F., W. Trilaksani, dan T. Nurhayati. 2016. Optimasi ekstraksi dan karakterisasi kolagen dari gelembung renang ikan cunang dengan metode asam-hidro-ekstraksi. JPHPI. 19(2): 156-167. http://repository.ipb.ac.id/handle/123456789/83404

Duconseille, A., T. Astruc, N. Quintana, F. Meersman, and V. SanteLhoutellier. 2015. "Gelatin structure and composition linked to hard capsule dissolution: A review". Food Hydrocoll. 43(1): 360-376. https://doi.org/10.1016/j.foodhyd.2014.06.006

Dwiloka, B., F. T. Rahman dan S. Mulyani. 2021. Nilai pH, Viskositas dan Hedonik Sari Buah Jeruk Manis dengan Penambahan Gelatin Tulang Ikan Bandeng. AgriHealth J. Agri-food Nutr. Public Health. 2(2) : 107-113. https://doi.org/10.20961/agrihealth.v2i2.59482

EBSCO-Metadata-11_18_2025. (n.d.).

Eden, W. T and C. O. Rumambarsari. (2020). Proximate analysis of soybean and red beans cookies according to the Indonesian National Standard. Journal of Physics: Conference Series 1567(2): 1-10. https://doi.org/10.1088/1742-6596/1567/2/022033

Elisha, C., P. Bhagwat, A. Amobonye and S. Pillai. 2026. ACE inhibitory and DPP-IV inhibitory activity of collagen peptides derived from the snapper salmon (*Otolithes rube*r) skin collagen via papain and pepsin-trypsin hydrolysis. Collagen and Leather 8(1): 1-10. https://doi.org/10.1186/s42825-026-00248-7

Eslami, P., V. Haritos, S. Crawfod and L. V. Hag. 2025. Enhancing Rheological and Textural Properties of Pea Protein-Collagen Gels Via Transglutiminase Crosslinking. Food Structure 43(1): 1-11. https://doi.org/10.1016/j.foostr.2025.100409

Fabiani A., A. Versari, GP. Parpinello, M. Castellari, and S. Galassi. 2002. Highperformance liquid chromatographic analysis of free amino acids in fruit juices using derivatization with 9-fluorenylmethyl-chloroformate. J Chromatagr Sci. 40(1): 14–8. https://doi.org/10.1093/chromsci/40.1.14

FAOSTAT. (2016) *http://faostat3.fao.org/browse/Q/QA/E. Accessed 23.5.25.*

Febriansyah, R., A. Pratama dan J. Gumilar. 2019. Pengaruh Konsentrasi NaOH terhadap Rendemen, Kadar Air dan Kadar Abu Gelatin Ceker Itik (*Anas platyrhynchos javanica*). JITEK. 14(1): 1-10. https://doi.org/10.21776/ub.jitek.2019.014.01.1

Feng, M. and Betti, M. (2017). Transepithelial transport efficiency of bovine collagen hydrolysates in a human Caco-2 cell line model. Food Chem. 1 (1): 1-34. 10.1016/j.foodchem.2016.12.044

Gomez-Guillen, M. C. M. E. Lopez-Caballero, A. Aleman, A Lopez de Lecey, B. Ginenez, P. Montero. 2010. Antioxidant and antimicroba peptide fractions from squid and tuna skin gelatin. In: Sea by-product as real material: new ways of application. India: Transworld research network 1(10): 89-115. https://fileserver-az.core.ac.uk/download/pdf/36050741.pdf

Gonapinuwala, S. T., Kirk, S., Jones, J. R., de Croos, M. D. S. T and J. E. Bronlund. 2025. Collagen with Native Triple-Helical Structure from

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Representative Cold-Water and Warm-Water Fish Skins Using a Modified Protocol. Food Bioprocess Technol. 18(9): 7993–8007. https://doi.org/10.1007/s11947-025-03912-8

Gumilar, J., N. Hasanah dan K. Suradi. 2022. Kualitas Gelatin dari Ceker Itik yang Diberikan Berbagai Konsentrasi Asam Asetat pada Proses Demineralisasi. Jurnal Peternakan 19(2): 111-115. http://dx.doi.org/10.24014/jupet.v19i2.14590

Guillén MC, G., B. Giménez, L. M.E. Caballero and M.P. Montero. 2011. Functional and bioactive properties of collagen and gelatin from alternative sources: a review. Food Hydrocoll 25 (10): 1813–27. https://doi.org/10.1016/j.foodhyd.2011.02.007

Han, Y., Ahn, J.-R., Woo, J.-W., Jung, C.-K., Cho, S.-M., Lee, Y.-B and Kim, S.-B. 2010. Processing Optimization and Physicochemical Characteristics of Collagen from Scales of Yellowfin Tuna (*Thunnus albacares*). In Fish Aqua Sci. 13(2): 102-111. DOI:10.5657/fas.2010.13.2.102

Hartog, A., Cozijnsen, M., de Vrij, G and J. Garssen. 2013. Collagen hydrolysate inhibits zymosaninduced inflammation. Exp. Biol. Med. 238(7): 798–802. https://doi.org/10.1177/1535370213480740

Haryati, S., Budijanto, S and E. Prangdimurti. 2021. Bioactive peptides from hydrolysates of Indonesian catfish protein isolate: characterization and properties of its antioxidant capacity 14(1): 1-10. http://www.bioflux.com.ro/aacl

Hashim, P., Ridzwan, M. M and J. Bakar. 2014. Isolation and characterization of collagen from chicken feet. Int. J. Biol. Vet. Agric. Food Eng. 8(3): 238-242.

Haverkamp RG, Sizeland KH, Wells HC and C. Kamma-Lorger. 2022. Collagen dehydration. Int J Biol Macromol. 1(216): 140-147. doi: 10.1016/j.ijbiomac.2022.06.180.

Herlina, L., A. Fitriani, M. Sulistyati, K. N. Salsabilah and A. Firman. 2025. Evaluation of Duck Farming and its Development Startegy: The Case of Smallholder Farmers in Indramayu District, Indonesia. Adv. Anim. Vet. Sci. 13(3): 474-483. https://dx.doi.org/10.17582/journal.aavs/2025/13.3.474.483

Hernandez-Briones, A., Velazquez, G., Vazquez, M. and J. A. Ramirez. 2009. Effects of adding shy gelatin on Allaskapollocksurimi gels. *Food Hydrocoll.* 23(8): 2446-2449. https://doi.org/10.1016/j.foodhyd.2009.07.002

Hidayati A, Santoso J and Desniar. 2019. Aktivitas antioksidan hidrolisat protein miofibril belut (*Synbranchus bengalensis*) yang dihidrolisis dengan enzim papain. JIP. 29(3): 24-29. http://repository.ipb.ac.id/handle/123456789/98677

Huda, N., E. K. Seow, M. N. Normawati and N. M. Nik Aisyah. 2013. Preliminary Study on Physicochemical Properties of Duck Feet Collagen. Int. J. Poult. Sci. 12(10): 615-621. *https://doi.org/10.3923/ijps.2013.615.621*

Huda, N., Seow, E. K., Normawati, M. N., Nik Aisyah, N. M., Fazilah, A., and A. M. Easa. (2013b) Effect of duck feet collagen addition on physicochemical

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

properties of surimi. Int. Food Res. J. 20(1): 537-544. http://www.ifrj.upm.edu.my

Hou, Y. 2023 “Bioactivity of collagen peptides derived from commercial animals: In silico investigation,” LWT 187. https://doi.org/10.1016/j.lwt.2023.115381.

Hutahaean, L., E. Sirnawati, E. S. Rohaeni and B. Bakrie. 2022. Duck Business Development Strategy in Duck Farming Center Area of Indramayu Regency, West Java Province of Indonesia. IConARD. 361(01014): 1-10. https://doi.org/10.1051/e3sconf/202236101014

Hwang, S. J., Kim, S. H., Seo, W. Y., Jeong, Y., Shin, M. C., Ryu, D., Lee, S. B., Choi, Y. J and K.J. Kim. 2021. Effects of human collagen α-1 type I-derived proteins on collagen synthesis and elastin production in human dermal fibroblasts. BMB Reports 54(6): 329–334. https://doi.org/10.5483/BMBRep.2021.54.6.038

Iwaniak, A., P. Minkiewicz, M. Pliszka, D. Mogut and M. Darewicz. 2020. Characteristics of biopeptides released in silico from collagens using quantitative parameters. Foods 9(7): 1–29. https://doi.org/10.3390/foods9070965.

Ivanovic, J., Meyer, F., Stamenic, M., Jaeger, P., Zizovic, I and R. Eggers. 2014. Pretreatment of natural materials used for supercritical fluid extraction of commercial phytopharmaceuticals. Chem. Eng. Technol. 37(9): 1606–1611. https://doi.org/10.1002/ceat.201300715.

Jafari, H., A. Lista, M. M. Siekapen, P. Ghaffari-Bohlouli, L. Nie, H. Alimoradi, dan A. Shavandi. 2020. Fish collagen: extraction, characterization, and applications for biomaterials engineering. Polymers. 12(10): 2230.

Jain, S., and Anal, A. K. 2016. Optimization of extraction of functional protein hydrolysates from chicken egg shell membrane (ESM) by ultrasonic assisted extraction (UAE) and enzymatic hydrolysis. LWT - Food Science and Technology 69: 295-302.

Jamilah, B., U. M. R. Hartina and M. D. Hashim. 2013. Properties of Collagen from Patin (*Lates calcarifer*) Skin. Int. Food Res. J. 20(2): 835 – 842. http://www.ifrj.upm.edu.my.

Jaya, F.M., L.P. Sari, R.L. Utpalasari, R. Liuhartana, R. Wahyuni, dan Y.F. Sari. 2024. Produksi hidrolisat protein kepala ikan gabus secara enzimatis dengan variasi waktu hidrolisis. JIPBP. 19(1): 76-87. https://doi.org/10.31851/jipbp.v19i1.16255.

Jaziri, A. A., Shapawi, R. Azli, R. Mokhtar, M. Norhana, W. Noordin, M. Balqis Zulfigar, S and N. Huda. 2023. Evaluating the Physicochemical and Structural Properties of Collagen from Lizardfish (*Saurida tumbil Bloch*, 1795) Skin Prepared with the Optimal Enzymatic Process: in Comparison with Recent Studies. Indonesian Food Science and Technology Journal is licensed under a Creative Commons Attribution 4.0 International License I. INTRODUCTION. IFSTJ. 7(1): 138-146. DOI:10.18517/ijaseit.15.1.20265

Jeon, Y. J., H. G. Byun and S. K. Kim. 1999. Improvement of functional properties of cod frame protein hydrolysates using

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ultrafiltrationmembranes. Process Biochem 35(1): 471−478. doi:10.1016/S0032-9592(99)00098-9

Just, G., E.-J. Langrock, Arguedas, V. H. Chanto, S. Kussmaul, W. D. Fromm. 1988. "Computer aided INAA measurements and geochemical classification of various basaltic rocks from Costa Rica," Geophysikalische Veroffentlichungen - Karl-Marx-Universitat Leipzig, Serie Geophysik und Geologie 4(1): 61–74. https://doi.org/10.1080/10256018808623883.

Karim, A. A., and R. Bhat. 2009. Fish Gelatins: Properties, Challenges, and Prospects as an Alternative to Mammalian Gelatins. Food Hydrocoll. 23: 563 – 576. https://doi.org/10.1016/j.foodhyd.2008.07.002

Kendler, S., Sasidharan, A and T. Rustad. (2023). Extraction of proteinaceous components and biominerals from cold water fish fileting side streams: a review. Front. Sustain. Food Syst. 7(1): 1-10. https://doi.org/10.3389/fsufs.2023.1331113

Khirzin, M H., Sukarno, N. D. Yuliana, Y. N. Fawzya and E. Chasanah. 2015 Aktivitas inhibitor enzim pengubah angiotensin (ACE) dan antioksidan peptida kolagen dari teripang gama (*Stichopus variegatus*). JIPBP. 10(1): 27-35. DOI: 10.15578/jpbkp.v10i1.242

Kim, S. H., H. S. Park, O. J. Lee, J. R. Chao, H. J. Park , J. M. Lee, H. W. Ju, B. M. Moon, Y. R. Park, J. E. Song, G. Khang and C. H. Park. 2016. Fabrication of Duck's Feet Collagen-Silk Hybrid Biomaterial for Tissue Engineering. Int. J. Biol. Macromol. 85(1): 442-450. http://dx.doi.org/10.1016/j.ijbiomac.2015.12.086

Kim, H. W., I. J. Yeo, K. E. Hwang, D. H. Song, Y. J. Kim, Y. K. Ham, T. J. Jeong, Y. S. Choi and C. J. Kim. 2016. Isolation and Characterization of Pepsin-soluble Collagens from Bones, Skins, and Tendons in Duck Feet. Korean J. Food Sci. An. 36 (5) : 665-67*0. DOI http://dx.doi.org/10.5851/kosfa.2016.36.5.665*

Kittiphattanabawon. P., S. Benjakul., W. Visessanguan., T. Nagai., and M. Tanaka. 2005. Characterisation of acid-soluble collagen from skin and bone of bigeye snapper (*Priacanthus tayenus*). Food Chem. 89: 363-372. doi:10.1016/j.foodchem.2004.02.042

Ko, H. A., H. M. Kim and H. J. Ha. 2012. Extraction of collagen from livestock waste of duck's foot and its application of scaffold materials for tissue engineering. Int. J. Tissue Regen. 3(1): 103–109.

Koide, T. 2013. Triple Helical Collagen-Like Peptides: Engineering and Applications in Matrix Biology. The Pharmaceutical Society of Japan 133(3): 387-392. DOI: 10.1080/03008200591008518

Kokoszyński, D. 2020. "Carcass characteristics, chemical composition, physicochemical properties, texture, and microstructure of meat from spent Pekin ducks," Poultry Science 99(2): 1232–1240. https://doi.org/10.1016/j.psj.2019.09.003.

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kramer, R. Z., J. Bella, P. Mayville, B. Brodsky and H. M. Berman. 1999. Sequence dependent conformational variations of collagen triple-helical structure. Nat. Struct. Biol. 6: 454–457. DOI: 10.1038/8259

Kuan, Y. H., A. M. Nafchi, N. Huda, F. Ariffin, and A. A. Karim. 2017. "Comparison of physicochemical and functional properties of duck feet and bovine gelatins". J. Sci. Food Agric. 97(5): 1663–1671.

Kusumawinahyu, C. A., Abidin, S. A., Patmawati, Pudjiastuti, D. Y., Nirmala, D., Alamsjah, M. A., Sulmartiwi, L and R.V.S. Manikam. 2022. Effects of Different Acetic Acid Immersion Time on the Properties of Collagen from Pangasius Skin. JIPK. 14(2): 411–417. https://doi.org/10.20473/jipk.v14i2.33532

Laemmli, U.K. 1970. Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4. Nature. 227(5259): 680–685.

Lee, C. H., A, A. Singla and Y. Lee. 2001. Biomedical applications of collagen. *I*nt. J. Pharmac. 221(1): 1–22. doi: 10.1016/s0378-5173(01)00691-3

León-López, A. et al. (2019) "Hydrolyzed collagen-sources and applications," Molecules. MDPI AG. Available at: https://doi.org/10.3390/molecules24224031.

Lee, S. J., K. H. Kim, Y. S. Kim, E. K. Kim, J. W. Hwang, B. O. Lim, S. H. Moon, B. T. Jeon, Y. J. Jeon, C. B. Ahn and P. J. Park. 2012. Biological Activity from the Gelatin Hydrolysates of Duck Skin by-Products. Process Biochemistry 47(1): 1150-1154. https://doi.org/10.1016/j.procbio.2012.04.009

Lee, S. J., Y. S. Kim, S. E. Kim, E. K. Kim, J. W. Hwang, T. K. Park, B. K. Kim, S. H. Moon, B. T. Jeon, C. B. Ahn, J. Y. Je and P. J. Park. 2012. Purification and Characterization of a Novel AngiotensinI-Converting Enzyme Inhibitory Peptide Derived from an EnzymaticHydrolysate of Duck Skin Byproducts. J. Agric. Food Chem. 60: 10035−10040. http://dx.doi.org/10.1016/j.jff.2013.03.008

Lioe, H. N and B. Tamam. 2022. Bioactive Peptides from Soybeans and Derived Products. Taylor and Francis Group. CRC Press. https://doi.org/10.1201/9781003030294

Li, Y., C. Qiao, L. Shi, Q. Jiang and T. Li. 2014. Viscosity of Collagen Solutions: Influence of Concentration, Temperature, Adsorption, and Role of Intermolecular Interactions. J. Macromol. Sci., Part B. 53(1): 893-901. https://doi.org/10.1080/00222348.2013.852059

Lowry, O., H., N. J. Rosebrough, A. L. Farr, dan R. J. Randall. 1951. Protein measurement with the Folin phenol reagent. J. Biol. Chem. 193 (1): 265-275.

Liu, D., G. Wei., T. Li., J. Hu., N. Lu., J. M. Regenstein., and P. Zhou. 2015. Effects of Alkaline Pretreatments and Acid Extraction Condition on The Acid Soluble Collagen from Grass Carp (*Ctenopharyngodon idella*) Skin. J. Food. Chem. 172: 836–843.

Lu, Y., Zhang, S., Wang, Y., Ren, X and J. Han. 2019. Molecular mechanisms and clinical manifestations of rare genetic disorders associated with type I

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

collagen. In Intractable and Rare Diseases Research. IACMHR. 8(2): 98–107). https://doi.org/10.5582/irdr.2019.01064

Maeda, N., D. Dulko, A. Macierzanka and C. Jungnickel. 2022. Analysis of the Factors Affecting Static In Vitro Pepsinolysis of Food Proteins. Molecules. 27(1260): 1-17. https://doi.org/10.3390/molecules27041260

Malahayati, N and T. W. Widowati. 2024. Characterization of Collagen Extracted from Chicken and Duck Eggshell Membrane. J. Res. Innov. Food Sci. Technol. 13(4): 235–242. https://doi.org/10.22101/JRIFST.2024.425085.1535

Manns, J. M. 2011. SDS-polyacrylamide gel electrophoresis (SDS-PAGE) of proteins. Curr. Protoc. Microbiol. SUPPL. 22. https://doi.org/10.1002/9780471729259.mca03ms22

Manohar, J., R. Gayathri and V. Vishnupriya. 2016. Tenderisation of Meat Using Bromelain from Pineapple Extract. Int. J. Pharm. Sci. Rev. Res. 17: 81-85.

González-Masís, J., Cubero-Sesin, J. M., Guerrero, S., González-Camacho, S., Corrales-Ureña, Y. R., Redondo-Gómez, C., Vega-Baudrit, J. R., and Gonzalez-Paz, R. J. 2020. Self-assembly study of type I collagen extracted from male Wistar Hannover rat tail tendons. Biomater. Res. 24(1): 1-10. https://doi.org/10.1186/s40824-020-00197-0

Matinong, A.M.E., Y. Chisti, K. L. Pickering and R. G. Haverkamp. 2022 "Collagen Extraction from Animal Skin," Biology 11(905): 1-15. https://doi.org/10.3390/biology11060905

Matsuhira, T., T. Kure, K. Yamamoto, and H. Sakai. 2018. Analysis of Dimeric αβ Subunit Exchange between PEGylated and Native Hemoglobins (*α2β2 Tetramer*) in an Equilibrated State by Intramolecular ββ-Cross-Linking. Biomacromolecules 19(8): 3412–3420. https://doi.org/10.1021/acs.biomac.8b00728

Matsumoto, H., Haniu, H and N. Komori. 2019. Determination of Protein Molecular Weights on SDS-PAGE. Methods Mol. Biol. 1855(1): 101–105. DOI: 10.1007/978-1-4939-8793-1_10

Migüéns-Gómez, A., Casanova-Martí, À., Blay, M.T., Terra, X., Beltrán-Debón, R., Rodríguez-Gallego, E., Ardèvol, A. and Pinent, M. (2021) 'Glucagon-like peptide-1 regulation by food proteins and protein hydrolysates'. Nutr. Res. Rev. 34(2): 259–275. doi:10.1017/S0954422421000019.

Morais, H.A., Silvestre, M.P.C., Silva, V.D.M., Silva, M.R., Simões e Silva, A.C. and Silveira, J.N. 2013. Correlation between the degree of hydrolysis and the peptide profile of whey protein concentrate hydrolysates: effect of the enzyme type and reaction time. Am. J. Food Technol. 8(1): 1–16. https://doi.org/10.3923/ajft.2013.1.16

M. Starčević, H. Mahmutović, N. Glamočlija, M. Bašić, R. Andjelković, R. Mitrović, R. Marković, J. Janjić, M. Bošković and M.Ž. Baltić. 2021. RETRACTED: Growth performance, carcass characteristics, and selected meat quality traits of two strains of Pekin duck reared in intensive vs semi-intensive housing systems. animal 15(2): 1-8. DOI: 10.1016/j.animal.2020.100087

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mulyani, S., Antonius, H., Neisya, N.A., dan Iwan, F.P. 2021. Ekstraksi kolagen dari kulit kerbau menggunakan asam asetat. Majalah Kulit Karet dan Plastik 37(2): 51-58. DOI: 10.20543/mkkp.v37i2.7025

Munmun, S. A., Rashid, T. U and Rahman, M. M. 2024. Optimization of enhanced collagen extraction from tannery rawhide trimming waste using pineapple peel-derived bromelain enzyme through response surface methodology. J. Clean. Prod. 438. https://doi.org/10.1016/j.jclepro.2024.140774

Nakchum, L and Kim, S. M. 2016. Preparation of squid skin collagen hydrolysate as an antihyaluronidase, antityrosinase, and antioxidant agent. Prep. Biochem. Biotechnol. 46(2): 123–130. https://doi.org/10.1080/10826068.2014.995808

Nassar, F.S. 2026. “Chicken feet reimagined: A strategic platform for nutritional innovation, industrial valorization, and academic-industry synergies,” Poultry Science 105(7): 1-10.

Nguyen, T.C., Vu, Q.M., Vu, Q.T., Tran, D.L., Mai, D.H., Nguyen, Q.T., Nguyen, D.T. and Thai, H. 2019. Characterization of collagen derived from tropical freshwater carp fish scale wastes and its amino acid sequence. Natural Product Communications 14(7): 1–10. 10.1177/1934578X19866288.

Nurdiani, R., Firdaus, M., Prihanto, A. A., Jaziri, A. A., Jati, M. R., Abdurrahman, T. R., Ifilah, S., Debataraja, E. R and Huda, N. 2024. Enzymatic Hydrolysis of Protein Hydrolysate from Pangasius sp. by-Product using Bromelain. Curr. Res. Nutr. Food Sci. 12(1): 125–136. https://doi.org/10.12944/CRNFSJ.12.1.10

Nurwantoro, S. Susanti dan H. Rizqiati. 2019. Rendemen, Kadar Abu, Kadar Lemak, dan Total Khamir Kefir Bubuk Susu Kambing dengan Metode Pengeringan yang Berbeda. Prosiding Seminar Nasional dan Call for Paper. 19-20.

N. A. Nik Muhammad, N. Huda, A. A. Karim, and. A. M. Nafchi. 2018. “Effects of acid type extraction on characterization and sensory profile of duck feet gelatin: towards finding bovine gelatin alternative”. J. Food Meas. Charact. 12(1): 480–486. DOI : https://doi.org/10.18517/ijaseit.11.6.16715

Ogawa, M., R. J. Portier, M. W. Moody, J. Bell, M. A. Schexnayder, and J. N. Losso. 2004. Biochemical Properties of Bone and Scale Collagens Isolated from The Subtropical Fish Black Drum (*Pogonia cromis*) and Sheepshead Seabrem (*Archosargus probatocephalus*). Food Chem. 88(4): 495 – 501. doi:10.1016/j.foodchem.2004.02.006

Ogori, A., A. Girgih, J. Abu and M. Eke. 2019. Food derived bioactive peptides for health enhancement and management of some chronic diseases. Asian Food Sci. J. 8(1): 1–11. DOI: 10.9734/afsj/2019/v8i130011

Ondetti M. A, N. J. Williams, E. F. Sabo, J. Pluscec, E. R. Weaver and O. Kocy. 2025. Angiotensinconverting enzyme inhibitors from the venom of Bothrops jararaca. Isolation, elucidation of structure and synthesis. Biochemistry 10(1): 4–8. DOI: 10.1021/bi00798a004

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ong, C. J. N., M. L. C. Obligai, T. DC. Arrieta and O. R. Alaijos. 2021. Analysis of rbcL (Ribulose-1,5-Biphosphate carboxylase) gene sequences of identified noxious weed species (*Poaceae*). J. Biodivers. Environ. Sci. 19 (4): 37-47.

Pascoal, M. E., Sahelangi, O and I. N. Ranti. (2023). Effect of Chicken Claw Broth Extract Consumption on Height Growth of 12-48 Months Child. 33(3): 1-10. DOI: 10.34011/jmp2k.v33i3.1759

Pires, C., Leitão, M., Sapatinha, M., Gonçalves, A., Oliveira, H., Nunes, M. L., Teixeira, B., Mendes, R., Camacho, C., Machado, M., Pintado, M., Ribeiro, A. R., Vieira, E. F., Delerue-Matos, C., Lourenço, H. M and Marques, A. 2024. Protein Hydrolysates from Salmon Heads and Cape Hake By-Products: Comparing Enzymatic Method with Subcritical Water Extraction on Bioactivity Properties. Foods 13(15): 1-26. https://doi.org/10.3390/foods13152418

Prastyo, D. T., W. Trilaksani., dan Nurjanah. 2020. Aktivitas antioksidan hidrolisat kolagen ikan nila (*Oreochromis niloticus*). JPIPI, 23(3): 423–433.

Pratiwi, A., Erwanto, Y. and Agus Fitriyanto, N. 2023. Protein Kolagen Kulit Kambing Sebagai Pencegah Hipertensi. Grup Penerbitan CV BUDI UTAMA : Yogyakarta.

Putra, A.Y.T., D.F. Rosida, and A.D. Priyanto. 2021. Influence of enzyme concentration and hydrolysis time on soluble protein content of protein hydrolysate prepared from apple snail (*Pila ampullacea*). IJEISE. 2(2): 26–30. https://doi.org/10.4186/ijeise.upnjatim.ac.id/E-ISSN.

Rahmawati, H., Agustini, T. W., Dewi, E. N and Trianto, A. 2024. The Characteristics of Spanish Mackerel Dry Skin Collagen Hydrolisate with Papain Enzyme. JPHPI. 27(12): 1156–1171. https://doi.org/10.17844/jphpi.v27i12.55831

Rahmasari, D., M. W. Sasongko, M. R. Zulfahmi, A. A. Abdan, B. D. Rohhadi dan M. S. Anam. 2025. Pengaruh Suplementasi Spirulina (*Arthospira plantesis*) Terhadap Produktivitas, Metabolit Serum, dan Kolesterol Daging Bebek Peking. JIPT. 13(1): 161-178. DOI: 10.23960/jipt.v13i1.p161-178

Rana, D., Desai, N., Salave, S., & Kommineni, N. (2023). Collagen-based hydrogels for the eye: A comprehensive review. Gels, 9(8), 643. https://doi.org/10.3390/gels9080643

Regnier, F. E. 1987. *Chromatographia* 24 : 241–251.

Rezaeivandchali, N., Hebbard, L. and McFarlane, C. (2026) “Collagen Biomaterials: From Traditional Animal Sources to Marine and Recombinant Alternatives,” International Journal of Biomaterials 1(1): https://doi.org/10.1155/ijbm/7969177

Riyadi, PH.2017.Peptida Bioaktif Untuk Penurunan Tekanan Darah Dari Hidrolisa Limbah Perikanan:Kajian Pustaka. JPBHP. 7(1): 1-6.

Rodziewicz, M. S., A. Sladewska and E. Mulkiewicz. 2008. Isolation and Characterization of a Thermal Collagen Preparation from the Other Skin of Silver Carp. Agriculture 285: 130-134.

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rowan AD, D. J. Buttle and A. J. Barrett. 1990. The cysteine proteinases of the pineapple plant. Biochem J. 266(3): 869-75.

Rutherfurd SM. 2010. Methodology for determining degree of hydrolysis of protein hydrolysates: a review. Journal AOAC International. 93(5): 1515–1522.

Saenmuang, S., Phothiset, S C. and Chumnanka, 2020. Extraction and characterization of gelatin from black-bone chicken by-products. Food Sci. Biotechnol. 29(4): 469–478. https://doi.org/10.1007/s10068-019-00696-4

Safithri, M., K. Tarman, P. Suptijah, S. N. Sagita. 2020. Karakteristik kolagen larut asam teripang gama (*Stichopus variegatus*). JPHPI. 23(1): 166-177. Available online: journal.ipb.ac.id/index.php/jphpi

Said, M. I., Burha and Haerati. 2018. Synthesis of Collagen from Bali Cattle's Hide Using a Combination of Acid and Alkali on the Extracting Process. *J.* Indones. Trop. Anim. Agric*.* 43(3): 247-256. DOI: https://doi.org/10.14710/jitaa.43.3.247-256

Saiga, A., Iwai, K., Hayakawa, T., Takahata, Y., Kitamura, S., Nishimura, T. and Morimatsu, F., 2008. Angiotensin I-converting enzyme-inhibitory peptides obtained from chicken collagen hydrolysate. J. Agric. Food Chem. 56(20): 9586–9591. doi:10.1021/jf072669w.

Selvaraj, V., S. Sekaran, A. Dhanasekaran and S. Warrier. 2024. Type 1 Collagen: Synthesis, Structure and Key Functions in Bone Mineralization. Differentiation 136: 1-10. DOI: 10.1016/j.diff.2024.100757

Shen, Y., X. Shao, K. O'Neill, Jerald, S. Bradshaw and M. L. Lee. 2000. Reversed-phase liquid chromatography of proteins and peptides using multimodal copolymer-encapsulated silica. J. Chromatogr. A*.* 866(1): 1–14. DOI: 10.1016/S0021-9673(99)01043-2

Shyni, K., G. S. Hema, G. Ninan, S. Mathew, C. G. Joshy and P.T. Laksamanan. 2014. Isolation and characterization of gelatin from the skins of skipjack tuna (*Katsuwonus pelamis*), dog shark (*Scoliodon sorrakowah*), and rohu (*Labeo rohita*). Food Hydrocoll*.* 39(1): 68-76. https://doi.org/10.1016/j.foodhyd.2013.12.008

Shoulders, D. M. R. T. 2009. Rainess, Collagen structure and stability. Annu. Rev. Biochem. 78(1): 929–958. DOI: 10.1146/annurev.biochem.77.032207.120833

Silvestre MPC, H.A. Morais, V.D Silva, M.R Silva and Grau. 2013. Degree of hydrolysis and peptide profile of whey proteins using pancreatin.J. Braz. Chem. Soc. 38(1): 278-290. DOI: 10.4322/nutrire.2013.026

Srinivasan, S and B. Durairaj. 2021. Collagen Isolation and Characterization from Sardinella longiceps. J. Adv. Vet. Anim. Res. 8(4): 679-686. DOI: 10.5455/javar.2021.h560

Stauß, A.C., Fuchs, C., Jansen, P., Repert, S., Alcock, K., Ludewig, S. and Rozhon, W. 2024. 'The Ninhydrin Reaction Revisited: Optimisation and Application for Quantification of Free Amino Acids'. Molecules 29(14): 3262. https://doi.org/10.3390/molecules29143262

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sun S, Yang F, Tan G, Costanzo M, Oughtred R, Hirschman J, Theesfeld CL, Bansal P, Sahni N, Yi S, Yu A, Tyagi T, Tie C, Hill DE, Vidal M, Andrews BJ, Boone C, Dolinski K and Roth FP. 2016. An extended set of yeast-based functional assays accurately identifies human disease mutations. Genome Res. 26(5): 670-80. doi: 10.1101/gr.192526.115.

Suptijah, P., D. Indriani, dan S. E. Wardoyo. 2018. Isolasi dan karakterisasi kolagen dari kulit ikan patin (*Pangasius sp*.). JSN. 8(1): 8-23. DOI: https://doi.org/10.31938/jsn.v8i1.106

Vertiprakhov, V. G., Grozina, A. A and Dolgorukova, A. M. 2016. Agricultural Biology, The Activity Of Pancreatic Enzymes On Different Stages Of Metabolism In Broiler Chicks. 1(1): https://doi.org/10.15389/agrobiology.2016.4.509rus

Wahyuni, R. 2019. Ekstraksi dan karakterisasi kolagen dari kulit kambing lokal Indonesia sebagai agen antioksidan. Universitas Gadjah Mada. Yogyakarta.

Wang, B., Z. Yu, W. Yokoyama, B.-S. Chiou, M. Chen, F. Liu and F. Zhong. 2021. Collagen peptides with DPP-IV inhibitory activity from sheep skin and their stability during in vitro gastrointestinal digestion. Food Biosci. 1(1): 42:101161.DOI: 10.1016/j.fbio.2021.101161

Wang, L., Q. Liang, T. Chen, Z. Wang, J. Xu and H. Ma. 2014. Characterization of collagen from the skin of Amur sturgeon (Acpenser schrenckii). Food Hydrocoll. 38: 104-109. https://doi.org/10.1016/j.foodhyd.2013.12.002

Włodarczyk, M. G., L. Kubisz and D. Włodarczyk. 2017. Amino Acid Composition in Determination of Collagen Origin and Assessment of Physical Factors Effect. Int. J. Biol. Macromol. 104(1): 987-991. http://dx.doi.org/10.1016/j.ijbiomac.2017.07.013

Wolf, P. 1983. “A critical reappraisal of Waddell's technique for ultraviolet spectrophotometric protein estimation.” Anal. Biochem. 129(1): 145-155.

Woo, J.-W., S. J. Yu, S. M. Cho, Y. B. Lee, and S. B. Kim. 2008. Extraction optimization and properties of collagen from yellowfin tuna (*Thunnus albacares*) dorsal skin. Food Hydrocolloids. 22: 879–887.

Wulandari, P. Suptijah and K. Tarman. 2015 Effectivity of alkali pre-treatment and acetic acid hydrolysis on the characteristics of collagen from cork fish skin. JPHPI. 18(3): 287-302. DOI: 10.17844/jphpi.2015.18.3.287

Yamamoto, S., K. Deguchi, M. Onuma, N. Numata and Y. Sakai. 2016. Absorption and urinary excretion of peptides after collagen tripeptide ingestion in humans. Biol. Pharm. Bull. 39(3): 428–434. DOI: 10.1248/bpb.b15-00624

Yan, L., S. A. Chattha, X. Zhang, M. Gao, C. Zhang and B. Peng. 2022. Effects of Alkali and Acid on the Solubility and Molecular Weight of Collagen Hydrolysates Extracted from Bovine Hide. JALCA. 117 (1) : 412-422. DOI: 10.34314/jalca.v117i10.6181

Ye T, Xiang Q, Yang Y and Huang Y. 2023. [Research, development and application of collagen: a review]. 39(3): 942-960. Chinese. doi: 10.13345/j.cjb.220454. PMID: 36994564.

UNIVERSITAS
GADJAH MADA
Pengembangan Peptida Bioaktif Melalui Fraksinasi Hidrolisat Kolagen Ceker Bebek Afkir serta Potensinya Sebagai Agen Antihipertensi
SULARSO, Prof. Ir. Yuny Erwanto, S.Pt., M.P., Ph.D., IPM ; Dr. Ir. Mohammad Zainal Abidin, S.Pt., M. Biotech., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yong, B., X. Fei, H. Shao, P. Xu, Y. Hu, W. Ni, Q. Xiao, X. Tao, X. He and H. Feng. 2020. Recombinant expression and biochemical characterization of a novel keratinase BsKER71 from feather degrading bacterium *Bacillus subtilis* S1-4. AMB Express 10(9): 1-10. doi: 10.1186/s13568-019-0939-6

Yousefi, M., F. Ariffin and N. Huda. 2017. An Alternative Source of Type I Collagen Based on by-product with Higher Thermal Stability. Food Hydrocoll. 63: 382-472. https://doi.org/10.1016/j.foodhyd.2016.09.029

Yuliatmo, R., Udkhiyati, D.M. and Penulis, K. 2020. The Application of Bacterial Enzyme in Tannery: Future Trend Review in Leather Making. 184-190.

Zain, F. A. M., N. Shahidan, A. W. Septama, H. Hashim, F. Adzitey, N. Julmohammad and N. Huda. 2021. Physicochemical Properties of Duck Feet Gelatin Powder Extracted with Acetic Acid. IJASEIT. 11(6): 217-219. DOI: 10.18517/ijaseit.11.6.16715

Zang, Y., W. Liu., G. Li., B. Shi., Y. Miao and X. Wu. 2007. Isolation and Partial Characterization of Pepsin-Soluble Collagen from The Skin of Grass Carp (Ctenopharyngodon idella). Food Chem. 102(1): 906–912. DOI: 10.1016/j.foodchem.2006.09.053

Zhang, L., X. Yang, K. Xiao, Y. Lu, C. Li, and Z. Zhang. 2019. Immobilization of alkaline collagenase from *Bacillus subtilis* onto sulfonated polystyrene nanospheres for hydrolysis of tilapia collagen. J. Food Qual. 1(1): 1-14. https://doi.org/10.1155/2019/7521895

Zhou, P., and J. M. Regenstein. 2005. Effects of Alkaline and Acid Pretreatments on Alaska Pollock Skin Gelatin Extraction. J. Food Sci.. 70(6): 392 – 396. https://doi.org/10.1111/j.1365-2621.2005.tb11435.x