

DAFTAR PUSTAKA

- Abrams, B., Carmichael, S. & Selvin, S., 1995. Factors Associated with the Pattern of Maternal Weight Gain During Pregnancy. *Obstetrics and Gynecology*, 86(2), pp. 170-176.
- Ali, A. & Crowther, N., 2009. Factors Predisposing to Obesity: A Review of The Literature. *JEMDSA*, 14(2), pp. 81-84.
- Ananth, C. V., Keyes, K. M. & Wapner, R. J., 2013. Preeclampsia rates in the United States, 1980-2010: Age-period-cohort analysis. *Bio Medical Journal*, Volume 347, p. f6564.
- Andriani, C., Lipoeto, N. I. & Utama, B. I., 2016. Hubungan Iandeks Massa Tubuh dengan Kejadian Preeklampisa di RSUP Dr. Djamil Padang. *Jurnal Kesehatan Andalas*, 5(1).
- Angsar, M., 2010. Hipertensi dalam Kehamilan. In: *Ilmu Kebidanan* . 3rd ed. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo.
- Anon., n.d. *Statistic by Country of Preeclampsia*. [Online] Available at: <http://www.wrongdiagnosis.com/p/preeclampsia/stats-country.htm>.
- Arikunto, 2010. *Prosedur Penelitian Suatu Pendekatan Praktik*. Jakarta: Rineka Cipta.
- Athukorala, C., Rumbold, A., Willson, K. & Crowther, C., 2010. The risk of adverse pregnancy outcomes in women who are overweight or obese. *BMC Pregnancy and Childbirth*, Volume 10, p. 56.
- Bahadoran, P., Zendejdel, M., Movahedian, A. & Zahraee, R., 2015. The relationship between serum zinc level and preeclampsia. *Iran J Nurs Midwifery Res*, III(13).
- Barton, J. & Sibai, B., 2008. Prediction and prevention of recurrent preeclampsia. *Obstet Gynecol*, 112(2 Pt 1), pp. 359-372.
- Bartsch, E., Medcalf, K. E., Park, A. L. & Ray, J. G., 2016. Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies. *BMJ*, Volume 353, p. i1753.
- Ben-zion Taber, M., 1994. *Kapita selekta. Kedaruratan Obstetri & Ginecologi*. Jakarta: EGC.
- Berg, A. & Scherer, P., 2005. Adipose tissue, inflammation, and cardiovascular disease. *Circulation Research*, Volume 96 , p. 939-49.



- Bhattacharya, S., Campbell, D., Liston, W. & Bhattacharya, S., 2007. Effect of Body Mass Index on pregnancy outcomes in nulliparous women delivering singleton babies. *BMC Public Health*, Volume 7, p. 168.
- Biro, F. M. *et al.*, 2001. Impact of timing of pubertal maturation on growth in black and white female adolescents: The National Heart, Lung, and Blood Institute Growth and Health Study. *J Pediatr*, Volume 138, pp. 636-643.
- Björntorp, P., 1993. Endocrine insufficiency and nutrition in aging. *Aging*, Volume 5, pp. 45-49.
- Blissett, J., Meyer, C. & Haycraft, E., 2006. Maternal and paternal controlling feeding practices with male and female children. *Appetite*, Volume 47, pp. 212-219.
- Boghossian, N. S. *et al.*, 2014. Risk factors differ between recurrent and incident preeclampsia: a hospital-based cohort study. *Annals of Epidemiology Journals*, 24(12), pp. 871-7e3.
- Briana, D. & Malamitsi-Puchner, A., 2009. Adipocytokines in Normal and Complicated Pregnancies. *Reproductive Sciences*, Volume 16, p. 921–937.
- Budiharto, 2008. *Metodologi Penelitian Kesehatan dengan Contoh Bidang Ilmu Kesehatan Gigi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Burns, N. & Grove, S., 2010. *Understanding Nursing Research: Building an Evidence-Based Practice*. s.l.:Elsevier Health Sciences.
- Butte, N. & Hopkinson, J., 1998. Body composition changes during lactation are highly variable among women. *journal of nutrition*, Volume 128, p. 381S–385S.
- Carmichael S., B. A. a. S. S., 1997. The Pattern of Maternal Weight Gain In Women with Good Pregnancy Outcomes. *American Journal of Public Health*, 87(12), pp. 1984-1988.
- Cavazos-Rehg, P. A. *et al.*, 2015. Maternal age and risk of labor and delivery complications. *Maternal Child Health Journal*, 19(6), p. 1202–1211.
- CDC, 2010. *About Adult BMI*. [Online] Available at: https://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/
- CEMACH, 2007. *Saving Mother Live's : Reviewing maternal deaths to make motherhood safer 2003-2005*, London: Confidential Enquiry into Maternal and Child Health (CEMACH).



- Chernick, M., 2011. *The Essentials of Biostatistics for Physicians, Nurses, and Clinicians*. s.l.:Wiley.
- Conde-Agudelo, A., Villar, J. & Lindheimer, M., 2004. World Health Organization Systematic Review of Screening Tests for Preeclampsia. *Obstet Gynecol*, 104(6), pp. 1367-1391.
- Cordain, L. & Eaton, S., 2005. Origins and evolution of the western diet: Health implications for the 21st century. *Am J Clin Nutr*, Volume 81, pp. 341-354.
- Cormick, G. *et al.*, 2016. Inter-pregnancy interval and risk of recurrent pre-eclampsia: systematic review and meta-analysis. *Reproductive Health*, 13(83).
- Cosford, R., 1999. Insulin resistance, obesity and diabetes: the connection. *J Aus Coll Nutr Environ Med*, Volume 18, pp. 3-10.
- Cunningham, F., 2012. *Obstetri Williams edisi 23*. Jakarta: EGC.
- Cunningham, F. G. *et al.*, 2014. *Williams Obstetrics*. 24 ed. New York: Mc Graw Hill.
- Cunningham, F. G., MacDonald, P. C. & Gant, N. F., 1995. *William Obstetrics*. 18 ed. United States: Norwalk, Conn. : Appleton & Lange, c1989.
- Dahlan, S. D., 2014. *Statistik Untuk Kedokteran dan Kesehatan*. Jakarta: Epidemiologi Indonesia.
- Dallman, M. F. *et al.*, 2003. Chronic stress and obesity: A new view of “comfort food”. *Proc Natl Acad Sc*, Volume 100, pp. 11696-11701.
- Dekker, G. & Robillard, P., 2003. The birth interval hypothesis-does it really indicate the end of the primipaternity hypothesis. *Journal of Reproductive Immunology*, 59(2), pp. 245-251.
- Dekker, G. & Sibai, B., 1998. Etiology and pathogenesis of preeclampsia: current concepts.. *Am J Obstet Gynecol*, 179(5), pp. 1359-1375.
- Del Parigi, A. *et al.*, 2002. Sex differences in the human brain's response to hunger and satiation. *Am J Clin Nutr*, Volume 75, pp. 1017-1022.
- Dennedy, M. & Dunne, F., 2012. Maternal Obesity in Pregnancy. In: *Maternal Obesity and Pregnancy*. 7 ed. Berlin: Springer Berlin Heidelberg, pp. 100-112.
- Derek, L.-j., 2001. *Dasar-dasar Obstetric dan Ginekologi*. 6 ed. Jakarta: s.n.
- Dietl, A. *et al.*, 2015. Pregnancy and Obstetrical Outcomes in Women Over 40 Years of Age. *Geburtshilfe und Frauenheilkunde*, 75(8), pp. 827-832.



- Dinkes Jogja, 2015. *Profil Kesehatan Tahun 2015 Kota Yogyakarta*, Yogyakarta: Dinas Kesehatan Yogyakarta.
- Dinkes Kabupaten Bantul, 2016. *Profil Kesehatan Kabupaten Bantul*, Bantul: Dinas Kesehatan Kabupaten Bantul.
- Dinkes Kabupaten Kulon Progo, 2016. *Profil Kesehatan Kabupaten Kulon Progo Tahun 2016 (Data 2015)*, Kulon Progo: Dinas Kesehatan Kabupaten Kulon Progo.
- Dinkes Kota Jogja, 2015. *Profil Kesehatan Tahun 2015 Kota Yogyakarta*, Yogyakarta: Dinas Kesehatan Yogyakarta.
- Dinkes Provinsi DIY, 2016. *Profil Kesehatan DIY 2015*, Yogyakarta: Dinas Kesehatan Provinsi Daerah Istimewa Yogyakarta.
- Djannah, S. N. & Arianti, I. S., 2010. Gambaran Epidemiologi Kejadian Preeklampsia/Eklampsia di RSUD Muhammadiyah Yogyakarta Tahun 2007-2009. *Buletin Penelitian Sistem Kesehatan*, 13(2), pp. 378-385.
- Doll, H., Petersen, S. & Stewart-Browan, S., 2000. Obesity and physical and emotional well-being: associations between body mass index, chronic illness, and the physical and mental components of the SF-36 Questionnaire. *Obesity Res*, Volume 8, p. 160–170..
- Ducarme, G. *et al.*, 2007. Pregnancy in obese patients. *Gynécologie, Obstétrique & Fertilité*, 35(1), pp. 19-24.
- Duckitt, K. H. D., 2005. Risk Factors for Preeclampsia at Antenatal Booking: Systematic Review of Controlled Studies. *BMJ*, pp. 549-550.
- Duley, L., Henderson-Smart, D. J. & Meher, S., 2005. Altered dietary salt for preventing pre-eclampsia, and its complications. *Cochrane Database of Syteic Review*, Volume 4.
- English, F. A., Kenny, L. C. & McCarthy, F. P., 2015. Risk Factors and Effective Management of Preeclampsia. *Dove Press Journal*, Volume 8, pp. 7-12.
- Farooqi, I. & O'Rahilly, S., 2000 . Recent advances in the genetics of severe childhood obesity. *Archieve of Disease in Childhood*, 83(1), pp. 31-34.
- Fatriani, M., 2014. *Pengaruh Pertambahan Berat Badan Pada Trimester III terhadap Kejadian Preeklamsia Berat dan Eklamsia pada Ibu Hamil (Skripsi)*, Yogyakarta: Universitas Gadjah Mada.



- Frayling, T. M. *et al.*, 2007. A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. *Science Journal*, Volume 316, p. 889–894.
- Freedman, D. *et al.*, 2003. The relation of menarcheal age to obesity in childhood and adulthood: the Bogalusa heart study. *BMC Pediatr*, Volume 30, pp. 3-12.
- Garn, S., LaVelle, M., Rosenberg, K. & Hawthorne, V., 1986. Maturation timing as a factor in female fatness and obesity. *Am J Clin Nutr*, Volume 879-883, p. 43.
- Greenberg, A. & Obin, M., 2006. Obesity and the role of adipose tissue in inflammation and metabolism. *American Journal of Clinical Nutrition*, Volume 83, p. 461S–465S.
- Green, L., Houlden, R., Buck, L. & Mackillop, 2015. *Reducing the risk of Preeclampsia*. Oxford, Oxford University Hospitals.
- Guyton, M., C., A. & Hall, J. E., 2006. *Textbook of Medical Physiology*. 11th ed. Philadelphia: Elsevier Saunders.
- Hanifa, W., Saifudin, A. B. & Rochimhadhi, T., 1994. *Ilmu Kebidanan*. 3 ed. Jakarta: s.n.
- Harrison, 2007. *Prinsip-prinsip Ilmu Penyakit Dalam*. Jakarta: EGC.
- Hayes, E. *et al.*, 2014. Trophoblast invasion and blood vessel remodeling are altered in a rat model of lifelong maternal obesity. *Reprod Sci.*, 21(5), pp. 648-657.
- Henderson, C. & Jones, K., 2016. *Buku Ajar Konsep Kebidanan*. Jakarta: EGC.
- Hernawati, I., 2011. *Analisis Kematian Ibu di Indonesia Tahun 2010 Berdasarkan Data SDKI, Riskesdas dan Laporan Rutin KIA*, s.l.: s.n.
- Indriani, N., 2011. *Analisis faktor-faktor yang Berhubungan dengan Preeklampsia/ Eklampsia pada Ibu Bersalin [skripsi]*. Jakarta: Program Studi Kebidanan Komunitas Fakultas Kesehatan Masyarakat Universitas Indonesia.
- Infodatin, 2014. *Infodatin: Pusat Data dan Informasi Kementerian Kesehatan RI*, Jakarta: Kementerian kesehatan RI.
- Institute of Medicine, 2009. *Weight Gain During Pregnancy: Reexamining the Guidelines*. Washington DC: The National Academies Press.
- Istijanto, 2010. *Riset Sumber Daya Manusia*. Jakarta: Penerbit PT Gramedia Pustaka Utama.



- Jateng, D., 2015. *Profil Kesehatan Provinsi Jawa Tengah 2014*. Jawa Tengah: Dinas Kesehatan Provinsi Jateng.
- Jevitt, C. M., 2013. Obesity. In: R. G. Jordan, J. L. Engstrom, J. A. Marfell & C. L. Farley, eds. *Prenatal and Postnatal Care: A Woman-centered Approach*. s.l.:Wiley Blackwell, p. 549.
- Johannsen, D., Johannsen, N. & Specker, B., 2006. Influence of parents' eating behaviours and child feeding practices on children's weight status. *Obesity (Silver Spring)*, Volume 14, pp. 431-439.
- Kac, G., Benicio, M., Velasquez-Melendez, G. & Valente, J., 2004. Nine months postpartum weight retention predictors for Brazilian women. *Public Health Nutr*, Volume 7, pp. 621-628.
- Kalantaridou, S. *et al.*, 2010. *Corticotropin-Releasing Hormone, Stress and Human*. Ireland: Elsevier.
- Karlsson, T. *et al.*, 2015. Lower vitamin D status in obese compared with normal-weight women despite higher vitamin D intake in early pregnancy. *Clinical Nutrition Journal*, 34(5), pp. 892-898.
- Kemenkes RI, 2015. *Profil Kesehatan Indonesia Tahun 2014*, Jakarta: Kemenkes RI.
- Koga, K. *et al.*, 2009. Elevated serum soluble fms-like tyrosine kinase 1 (sFlt1) level in women with hydatidiform mole. *Fertil. Steril.* .
- Korkmaz, L., Baştuğ1, O. & Kurtuğlu, S., 2016. Maternal Obesity and its Short- and Long-Term Maternal and Infantile Effects. *Journal of Clinical Research in Pediatric Endocrinology*, 8(2), pp. 114-124.
- Kusuma, A., 2012. *Kadar Low Density Lipoprotein sebagai Faktor Risiko Terjadinya Preeklampsia: Studi Kasus Kontrol*, Denpasar: Bagian / SMF Obstetri Dan Ginekologi Fakultas Kedokteran Universitas Udayana RSUP Sanglah Denpasar.
- Lahmann, P., Lissner, L., Gullberg, B. & G, B., 2000. Sociodemographic factors associated with longterm weight gain, current body fatness and central adiposity in Swedish women. *Int J Obes Relat Metab Diord*, Volume 2000, pp. 685-694.
- Laksmi, A. T., 2016. *Hubungan Preeklampsia Dengan Berat Bayi Lahir Rendah Di Rsud Wonosari (Skripsi)*, Yogyakarta: Universitas Gadjah Mada.
- Lamminpää, R., Vehviläinen-Julkunen, K., Gissler, M. & Heinonen, S., 2012. Preeclampsia complicated by advanced maternal age: a registry-based



- study on primiparous women in Finland 1997–2008. *BMC Pregnancy and Childbirth*, 12(47).
- Lapau, B., 2013. *Metode Penelitian Kesehatan: Metode Ilmiah Penulisan Skripsi Thesis dan Disertasi*. Jakarta: Yayasan Pustaka Obor Indonesia.
- Lemeshow, S. e. a., 1990. *Adequacy of Sample Size in Health Studies*. New York: John Wiley & Sons.
- Lindeimer, M. D., Taler, S. J. & Cunningham, F. G., 2008. Hypertention in Pregnancy. *Journal of The American Society of Hypertention*.
- Lipowicz, A., 2003. Effect of husbands' education on fatness of wives. *Am J Human Biol*, Volume 15, pp. 1-7.
- Liu, S. *et al.*, 2003. Relation between changes in intakes of dietary fiber and grain products and changes in weight and development of obesity among middle-aged women. *Am J Clin Nutr*, Volume 78, pp. 920-927.
- Loos, R. B. C., 2003. Obesity: Is it a genetic disorder?. *J Intern Med*, Volume 254, pp. 401-425.
- Lugwig, D., 2000. Dietary glycemic index and obesity. *J Nutr*, Volume 130, pp. 280S-283S.
- Lusiana, N., Andriyani, R. & Miratu, M., 2015. *Metodologi Penelitian Kebidanan*. Yogyakarta: Deepublish.
- Lynch, A. *et al.*, 2012. Prepregnancy obesity and complement system activation in early pregnancy and the subsequent development of preeclampsia. *Am J Obstet Gynecol.*, 206(5), pp. 428.e1-428.e8.
- Manuaba, I., 2010. *Ilmu Kebidanan, Penyakit Kandungan, dan KB untuk Pendidikan Bidan*. 2 ed. Jakarta: EGC.
- Martikainen, P. & Marmot, M., 1999. Socioeconomic differences in weight gain and determinants and consequences of coronary risk factors. *Am J Clin Nutr*, Volume 69, p. 719–726.
- Matsuo, K. *et al.*, 2007. Late postpartum eclampsia: report of two cases managed by uterine curettage and review of the literature. *Am. J. Perinatol*, Volume 24, pp. 257-266.
- Maynard, S. *et al.*, 2003. Excess placental soluble fms-like tyrosine kinase 1 (sFlt1) may contribute to endothelial dysfunction, hypertension, and proteinuria in preeclampsia. *J. Clin. Investig.*, 11(649-658).
- Montague, C. *et al.*, 1997. Congenital leptin deficiency is associated with severe early-onset obesity in human. *Nature*, Volume 387, p. 903–908.



- New York State Departement of Health, 2013. *Guideline Summary: Hipertensive Disorder in Pregnancy*. New York: New York State Departement of Health.
- NICE, 2013. *Hipertention in Pregnancy*. Manchester, National Institute for Health and Care Excellence.
- Niswah, U. K., 2016. *Hubungan Peningkatan Berat Badan Ibu Hamil dengan Preeklampsia di RSUD Panembahan Senopati Bantul (Skripsi)*, Yogyakarta: Universitas Gadjah Mada.
- North, R. *et al.*, 1994. Uterine artery Doppler flow velocity waveforms in the second trimester for the prediction of preeclampsia and fetal growth retardation. *Obstet. Gynecol.*, Volume 83, p. 378–386.
- Novianti, H., 2016. Pengaruh Usia dan Paritas terhadap Kejadian Preeklampsia di RSUD Sidoharjo. *jurnal Ilmiah Kesehatan*, 9(1), pp. 25-31.
- O'Brien, T., Ray, J. & Chan, W., 2003. *Epidemiology. Maternal Body Mass Index and The Risk of Preeclampsia: A Systemmatic Overview*. s.l.:s.n.
- Ohlin, A. & Rossner, S., 1990. Maternal body weight development after pregnancy. *Int J Obes Relat Metab Disord*, Volume 14, pp. 159-173.
- Ong, K. *et al.*, 2000. The ALSPAC Study Team. Association between postnatal catch-up growth and obesity in childhood: prospective cohort study. *BMJ*, Volume 320, pp. 967-971.
- Oxorn, H. & Forte, W. R., 2010. *Ilmu Kebidanan: Patologi & Fisiologi Kebidanan*. Yogyakarta: ANDI Yogyakarta.
- Paknia, H., Fatemehmohammadi & FatemehRanjesh, 2015. The Impact of Body Mass Index on Pregnancy Outcome. 3(2), pp. 361-367.
- Parker, J. & Abrams, B., 1993. Differences in postpartum weight retention between black and white mothers. *Obstet Gynecol*, Volume 81, pp. 768-774.
- Poehlman, E., Toth, M. & Gardner, A., 1995. Changes in energy balance and body composition at menopause: a controlled longitudinal study. *Ann Intern Med*, Volume 123, p. 673–675.
- POGI, 2016. *Pedoman Nasional kedokteran: Diagnosis dan Tata Laksana Preeklampsia*. Jakarta: POGI.
- Polonski, K., Given, B. & Van Cauter, E., 1988. Twenty-four hour profiles and pulsatile patterns of insulin secretion in normal and obese subjects. *J Clin Invest*, Volume 81, p. 442–448.



- Preeclampsia Foundation, 2010. *A Decade of Perspective, Building a Global Call to Action*. [Online]
Available at: <https://www.preeclampsia.org/es/noticias?id=235:our-first-decade&catid=51> : abou
- Preeclampsia Foundation, 2015. *Cause of Preeclampsia*. [Online]
Available at: <http://www.preeclampsia.org/healthinformatian/cause-of-preeclampsia>
- Primarini, S., 2018. *Perbandingan Luaran Maternal dan Perinatal pada Preeklampsia Berat dengan Preeklampsia Superimposed di RSUD Sleman (Tesis)*, Yogyakarta: Universitas Gadjah Mada.
- Puoane, T., Steyn, K. & Bradshaw, D., 2002. Obesity in South Africa: the South African demographic and health survey. *Obest Res*, Volume 10, p. 1038–1048.
- Quedarusmas, H., Wantania, J. & Kaeng, J. K., 2013. Hubungan Indeks Massa Tubuh dan Peningkatan Berat Badan saat Kehamilan dengan Preeklampsia. *Jurnal e-Biomedik*, 1(1), pp. 305-311.
- Rajala, M. & Scherer, P., 2003. Minireview: The adipocyte—at the crossroads of energy homeostasis, inflammation, and atherosclerosis. *Endocrinology*, p. 144.
- Redinger, R. N., 2007. The Pathophysiology of Obesity and Its Clinical Manifestations. *Gastroenterol Hepatol* , 3(11), pp. 856-863.
- Rippe, J. M., Crossley, S. & Ringer, R., 1998. Obesity as a chronic disease. *Journal of the Academy of Nutrition ang Dietetics*, 98(10), pp. S9-S15.
- Riskesdas, 2013. *Riset Kesehatan Dasar*, Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan, Republik Indonesia.
- Roberts, K.A., et al, 2011. *Placental Structure and Inflammation in Pregnancies Associated with Obesity*. 32 ed. s.l.:Elsevier.
- Rolland-Cachera, M. *et al.*, 1984. Adiposity rebound in children: a simple indicator for predicting obesity. *Am J Clin Nutr*, Volume 39, pp. 129-135.
- Rukiyah, Y., 2010. *Asuhan Kebidanan 4 (Patologi)*. Jakarta: CV Trans Info Media.
- Sari, K., 2015. Faktor Resiko Dominan terhadap Obesitas pada Perempuan Usia Subur di Indonesia. *Health Science Journal of Indonesia*, pp. 1:63-8.
- Sastroasmoro, S. & Ismael, S., 2011. *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.



- Shachar, B. & Lyell, D., 2012. Interpregnancy interval and obstetrical complications. *Obstet Gynecol Surv*, 67(9), pp. 584-596.
- Sharma, S., Norris, W. & Kalkunte, S., 2010. Beyond the Threshold: an etiological bridge between Hypoxia and Immunity in Preeclampsia. *Journal Reproduction Immunology* .
- Shembrey, M. & Noble, A., 1995. An instructive case of abdominal pregnancy. *Aust. N.Z. J. Obstet. Gynaecol.*, Volume 35, p. 220–221.
- Sherwood, L., 2012. *Fisiologi Manusia dari Sel ke Sistem. Edisi 6*. Jakarta: EGC.
- Sibai, B., Dekker, G. & Kupferminc, M., 2005. *Preeclampsia: The Lancet*. s.l.:s.n.
- Siega-Riz, A. M., Adair, L. S. & Hobel, C. J., 1994. Institute of Medicine Maternal Weight Gain Recommendations and Pregnancy Outcome In A Predominantly Hispanic Population. *Obstetrics and Gynecology*, 84(4), pp. 565-573.
- Skjaerven, R., Wilcox, A. & Lie, R., 2002. The interval between pregnancies and the risk of preeclampsia. *N. Engl. J. Med*, Volume 346, pp. 33-38.
- Sohlberg, S., Stephansson, O., Cnattingius, S. & Wikström, A., 2012. Maternal body mass index, height, and risks of preeclampsia. *American Journal of Hypertension*, 25(1), pp. 120-125.
- Spradley, F. T., Palei, A. C. & Granger, J. P., 2015. Immune Mechanisms Linking Obesity and Preeclampsia. *Biomolecules Journal*, Volume 5, pp. 3142-3176.
- Sugondo, S., 2009. Obesitas. In: *Buku Ajar Ilmu Penyakit Dalam Jilid ke-3 Edisi ke-6*. Jakarta: Pusat Penerbit Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.
- Supriandono, A., 2001. Faktor risiko terjadinya Preeklampsia Berat di RSUP Dr. Sardjito Yogyakarta.
- Suwoto, S., 2017. *Faktor Prognosis Kejadian Eklampsia Pada Pasien Preeklampsia Di Rsup Dr. Sardjito Yogyakarta Tahun 2013-2015 (Tesis)*, Yogyakarta: Umiversitas Gadjah Mada.
- Sween, L., Althouse, A. & Roberts, J., 2015. Early-pregnancy percent body fat in relation to preeclampsia risk in obese women. *American Journal of Obstetrics and Gynecology*, 212(1), pp. 84.e1-7.
- Taddei, S. *et al.*, 2006. Endothelium, aging, and hypertension. *Current Hypertension Reports*, 8(1), pp. 84-89.



- Torloni, M. *et al.*, 2009. Pre-pregnancy BMI and the risk of gestational diabetes: a systematic review of the literature with meta-analysis. *Obesity Reviews*, 10(2), pp. 194-203.
- Trupin, L., Simon, L. & Eskenazi, B., 1996. Change in paternity: a risk factor for preeclampsia in multiparas. *Epidemiology*, 7(3), pp. 240-244.
- Tubbergen, P. *et al.*, 1999. Change in paternity: a risk factor for preeclampsia in multiparous women?. *J. Reprod. Immunol.*, Volume 45, pp. 81-88.
- Tubbergen, P. *et al.*, 1999. Change in paternity: a risk factor for preeclampsia in multiparous women?. *Journal of Reproductive Immunology*, 45(1), pp. 81-88.
- Vangaal LF, Z. A. S. M. D. I., 1995. Human obesity: From lipid abnormalities to lipid oxidation.. *International Journal of Obesity*, Volume 19, p. S21–S26.
- Venkatesha, S. *et al.*, 2006. Soluble endoglin contributes to the pathogenesis of preeclampsia. *Nat. Med. Journal*, Volume 12, pp. 642-649.
- Wahba, I. M. & Mak, R. H., 2007. Obesity and Obesity-Initiated Metabolic Syndrome: Mechanistic Links to Chronic Kidney Disease. *Clin J Am Soc Nephrol*, Volume 2, pp. 550-562.
- Wang, Y., Tanbo, T., Abyholm, T. & Henriksen, T., 2011. The impact of advanced maternal age and parity on obstetric and perinatal outcomes in singleton gestations. *Arch Gynecol Obstet*, Volume 284, pp. 31-37.
- Weinsier, R. L. *et al.*, 1998. The etiology of obesity: relative contribution of metabolic factors, diet, and physical activity. *The American Journal of Medicine*, 105(2), pp. 145-150.
- Weiss, J., Malone, M. & Emig, D., 2004. *Obesity, Obstetric Complications and Caesarean Delivery Rate - A Population Based Screening Study.* s.l.:ObstetGynwcol.
- WHO, 2014. *Mean Body Mass Index Trends*, UK: WHO.
- WHO, 2016. *BMI Classification.* [Online] Available at: http://apps.who.int/bmi/index.jsp?introPage=intro_3.html
- Willer, C. *et al.*, 2009. Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. *Nature Genetics*, Volume 41, pp. 25-34.
- Willett, W., 2002. Dietary fat plays a major role in obesity. *Obesity Rev*, Volume 3, pp. 59-68.



- William, P. J. & Fiona, P. F. B., 2011. The genetics of pre-eclampsia and other hypertensive disorders of pregnancy. *Best Practice & Research Clinical Obstetrics and Gynaecology*, Volume 25, pp. 405-417.
- Wolf, M. *et al.*, 2001. Obesity and preeclampsia: the potential role of inflammation. *Obstetrics & Gynecology*, Volume 98, p. 757-62.
- Wolf, M. *et al.*, 2009. *First Trimester Insulin Resistance and Subsequent Preeclampsia: A Prospective Study*. s.l.:J Clin Endocrinol Metab.
- Young, B. C., Levine, R. J. & Karumanchi, S. A., 2010. Pathogenesis of Preeclampsia. *Annual Review of Pathology: Mechanisms of Disease*, Volume 5, p. 173-192.
- Zellner, D. A. *et al.*, 2006. Food selection changes under stress. *Physiology & Behavior*, Volume 87, p. 789-793.
- Zhang, Y. *et al.*, 1994. Positional cloning of the mouse obese gene and its human homologue. *Nature*, Volume 377, p. 527-529.