UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akbarimehr, M., Solka, M., Nosrati, M., Rasouli, B., Vahabi-Asil, O., Seidavi, A., Hosseintabar-Ghasemabad, B., Marchewka, J., Sztandarski, P., Jaszczyk, A., Horbańczuk, K., Petrykowski, S., Siwiec, D., & Horbańczuk, J. O. 2023. Multi-strain probiotic improved feed conversion ratio and selected health indicators in Japanese quail. *Animal Science Papers and Reports*, 41(4):345–358. https://doi.org/10.2478/aspr-2023-0016.

Akerina, A. 2021. Analisis kandungan kolesterol telur burung puyuh (*Coturnix japonica*) yang diberikan pakan komersial dengan penambahan tepung rumput laut. *Agrinimal Jurnal Ilmu Ternak dan Tanaman*, 9(2):92-100.

Alagawany, M., Elnesr, S. S., Farag, M. R., El-Hack, M. E. A., Khafaga, A. F., Taha, A. E., Tiwari, R., Yatoo, M. I., Bhatt, P., Khurana, S. K., and Dhama, K. 2019. Omega-3 and omega-6 fatty acids in Poultry Nutrition: Effect on production performance and health. *Animals,* 9(8):573. https://doi.org/10.3390/ani9080573.

Al-Daraji, H. J., Al-Hassani, A. S., Al-Mashada, H., Al-Hayani, W., and Mirza, H. 2010. Effect of dietary supplementation with sources of omega-3 and omega-6 fatty acids on certain blood characteristics of laying quail. *International Journal of Poultry Science,* 9(7):689–694. https://doi.org/10.3923/ijps.2010.689.694.

Ali, A., Khiok, A. L. P., Fahmi, Dharmadi, and Krajangdara, T. 2014. *Field Guide to Rays, Skates and Chimaeras of The Southeast Asian Region.* Perpustakaan Negara Malaysia. p. 182-183.

Allen, W.K., and Schwartz. 1981. Effect of aging on the protein requirement of mature female Javanese quail for egg production. *Journal Poultry Science*, 60:342-348. https://doi.org/10.3382/ps.0600342.

AOAC. 1995. *Official Methods of Analysis of the Association of Official Analytical Chemists*. Washington, DC: Association of Official Analytical Chemists.

Attia, Y. A., Al-Harthi, M. A., Al-Sagan, A. A., Hussein, E. O., Alhotan, R. A., Suliman, G. M., Abdulsalam, N. M., and Olal, M. J. 2022. Responses of egg quality sustainability, sensory attributes and lipid profile of eggs and blood to different dietary oil supplementations and storage conditions. *Italian Journal of Animal Science*, 21(1):1160–1169. https://doi.org/10.1080/1828051x.2022.2101390.

Aziz Z., Cyriac S., Beena V., and Philomina P.T. 2012. Comparison of cholesterol content in chicken, duck and quail eggs. *Journal of Veterinary and Animal Science*, 43: 64-66.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Banaszak, M., Dobrzyńska, M., Kawka, A., Górna, I., Woźniak, D., Przysławski, J., and Drzymała-Czyż, S. 2024. Role of Omega-3 fatty acids eicosapentaenoic (EPA) and docosahexaenoic (DHA) as modulatory and anti-inflammatory agents in noncommunicable diet-related diseases – Reports from the last 10 years. *Clinical Nutrition ESPEN*, 63:240–258. https://doi.org/10.1016/j.clnesp.2024.06.053.

Bandarra, N., Batista, I., Nunes, M., Empis, J., and Christie, W. 1997. Seasonal Changes in Lipid Composition of Sardine (*Sardina pilchardus*). *Journal of Food Science,* 62(1):40–42. https://doi.org/10.1111/j.1365-2621.1997.tb04364.x.

Bech-Larsen, T., and Grunert, K. G. 2003. The perceived healthiness of functional foods. *Appetite,* 40(1):9–14. https://doi.org/10.1016/s0195-6663(02)00171-x.

Berkowitz, L., Araneda, P., Cofré, G., Sara, D., Olsen, M., Urzúa, I., Pérez, D., and Rigotti, A. 2026. The controversial role of linoleic acid in cardiometabolic health: from molecular pathways to human studies. *Frontiers in Nutrition*, 12. https://doi.org/10.3389/fnut.2025.1728865.

Bovšková, H., Míková, K., and Panovská, Z. 2014. Evaluation of egg yolk colour. *Czech Journal of Food Sciences*, 32(3):213–217. https://doi.org/10.17221/47/2013-cjfs.

Calder, P.C. 2025. N-3 fatty acids (EPA and DHA) and cardiovascular health - updated review of mechanisms and clinical outcomes. *Current Atherosclerosis Reports*, 27(1), p. 116. https://doi.org/10.1007/s11883-025-01363-2.

Carver, J. D., Benford, V. J., Han, B., and Cantor, A. B. 2001. The relationship between age and the fatty acid composition of cerebral cortex and erythrocytes in human subjects. *Brain Research Bulletin,* 56(2):79– 85. https://doi.org/10.1016/S0361 - 9230(01)00551 – 2.

Chen, W., Jiang, Y., Wang, J., Huang, Y., and Wang, Z. 2014. Effects of dietary flaxseed meal on production performance, egg quality, and hatchability of Huoyan geese and fatty acids profile in egg yolk and thigh meat from their offspring. *Livestock Science*, 164:102–108. https://doi.org/10.1016/j.livsci.2014.03.010.

Deko, M. K., Djunaidi, I. H., dan Natsir, M. H. 2018. Efek penggunaan tepung umbi dan kulit bawang putih (*Allium sativum* Linn) sebagai feed additive terhadap penampilan produksi ayam petelur. *Jurnal Ilmu-Ilmu Peternakan*, 28(3):192 - 202. https://doi.org/10.21776/ub.jiip.2018.028.03.02.

Destia, M., Sudrajat, D., and Dihansih, D. E. 2017. Pengaruh rasio panjang dan lebar kandang terhadap produktivitas burung puyuh (*Coturnix japonica*) periode produksi. *Jurnal Peternakan Nusantara*, 3(2):57-64.

Dewansyah, A. 2010. Efek suplementasi vitamin a dalam ransum terhadap produksi dan kualitas telur burung puyuh (Unpublished undergraduate thesis). Universitas Sebelas Maret, Surakarta.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Direktorat Jenderal Peternakan dan Kesehatan Hewan. 2023. *Statistik Peternakan dan Kesehatan Hewan*. Jakarta: Direktorat Jenderal Peternakan dan Kesehatan Hewan.

Djulardi, A. 1995. Respons burung puyuh petelur (*Coturnix japonica*) terhadap pemberian ransum dengan berbagai kandungan fosfor dan imbangan energi-protein. Disertasi. Program Pascasarjana UNPAD, Bandung.

Djulardi, A. 2022. *Nutrisi Puyuh: Konsep dan Aplikasinya*, edn. 1, Minangkabau Press, Sumatera Barat, Indonesia.

Ebeid, T., Fayoud, A., El-Soud, S. A., Eid, Y., and El-Habbak, M. 2011. The effect of omega-3 enriched meat production on lipid peroxidation, antioxidative status, immune response and tibia bone characteristics in Japanese quail. *Czech Journal of Animal Science,* 56(7):314–324. https://doi.org/10.17221/1293-cjas.

El-Tarabany, M. S. 2016. Effect of thermal stress on fertility and egg quality of Japanese quail. *Journal of Thermal Biology*, 61, 38–43. https://doi.org/10.1016/j.jtherbio.2016.08.004.

El Yamany, A. T., El Allawy, H. M. H., Abd El-Samee, L. D., and El-Ghamry, A. A. 2008. Evaluation of using different levels and sources of oil in growing Japanese quail diets. *American-Eurasian Journal of Agricultural & Environmental Sciences,* 3(4):577-582.

Englmaierová, M., Bubancová, I., and Skřivan, M. 2014. Carotenoids and egg quality. *Acta Fytotechnica Et Zootechnica/Acta Fytotechnica Et Zootechnica,* 17(02):55–57. https://doi.org/10.15414/afz.2014.17.02.55-57.

Eynaudi, A., Díaz-Castro, F., Bórquez, J. C., Bravo-Sagua, R., Parra, V., and Troncoso, R. 2021. Differential effects of oleic and palmitic acids on lipid Droplet-Mitochondria interaction in the hepatic cell line HEPG2. *Frontiers in Nutrition*, 8, 775382. https://doi.org/10.3389/fnut.2021.775382.

Fadila, U., Kardaya, D., and Dihansih, E. 2018. Kualitas telur puyuh (*Coturnix japonica*) yang diberi pakan komersial dengan penambahan tepung bawang putih dan tepung jintan. *Jurnal Peternakan Nusantara,* 4(1):19-24.

Fatima, T., Snyder, C. L., Schroeder, W. R., Cram, D., Datla, R., Wishart, D., Weselake, R. J., and Krishna, P. 2012. Fatty acid composition of developing sea buckthorn *(Hippophae rhamnoides* L.) berry and the transcriptome of the mature seed. *PLoS ONE*, 7(4), e34099. https://doi.org/10.1371/journal.pone.0034099.

Febriani, W. 2018. Efek pemberian simvastatin terhadap kadar kolesterol telur puyuh. *Biosfer: Jurnal Tadris Biologi*, 8(2):158-170. https://doi.org/10.24042/biosf.v8i2.2304.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Feng, Y., Ding, Y., Liu, J., Tian, Y., Yang, Y., Guan, S., and Zhang, C. 2015. Effects of dietary omega-3/omega-6 fatty acid ratios on reproduction in the young breeder rooster. *BMC Veterinary Research*, 11(1):73. https://doi.org/10.1186/s12917-015-0394-9.

Fraeye, I., Bruneel, C., Lemahieu, C., Buyse, J., Muylaert, K., and Foubert, I. 2012. Dietary enrichment of eggs with omega-3 fatty acids: A review. *Food Research International,* 48(2):961–969. https://doi.org/10.1016/j.foodres.2012.03.014.

Froese, R., and Pauly, D. (Eds.). 2025. *Himantura uarnacoides* (Bleeker, 1852). FishBase. World Register of Marine Species. Retrieved October 14, 2025, from https://www.marinespecies.org/aphia.php?p=taxdetails&id=271471.

Gámez-Meza, N., Higuera-Ciapara, I., De La Barca, A. M. C., Vázquez-Moreno, L., Noriega-Rodríguez, J., and Angulo-Guerrero, O. 1999. Seasonal variation in the fatty acid composition and quality of sardine oil from *Sardinops sagax caeruleus* of the gulf of California. *Lipids*, 34(6): 639–642. https://doi.org/10.1007/s11745-999-0409-1.

Garrett, R., and Young, R. 1975. Effect of micelle formation on the absorption of neutral fat and fatty acids by the chicken. *Journal of Nutrition*, 105(7):827–838. https://doi.org/10.1093/jn/105.7.827.

GBIF. 2023. *Coturnix japonica* Temminck and Schlegel, 1848). GBIF Backbone Taxonomy. Checklist database https://doi.org/10.15468/39omei accessed via GBIF.org on 2023-11-23 at 20.30 WIB.

Goyal, K., Singh, N., Jindal, S., Kaur, R., Goyal, A., and Awasthi, R. 2022. Kjeldahl Method. *In Bentham Science Publishers eBooks*. Pp. 105–112. https://doi.org/10.2174/9789815050233122010011.

Hannah, V. C., Ou, J., Luong, A., Goldstein, J. L., and Brown, M. S. 2001. Unsaturated fatty acids down-regulate SREBP isoforms 1a and 1c by two mechanisms in HEK-293 cells. *Journal of Biological Chemistry*, 276(6):4365–4372. https://doi.org/10.1074/jbc.m007273200.

Hashemi, S. M. B., Pourmohammadi, K., Gholamhosseinpour, A., Es, I., Ferreira, D. S., and Khaneghah, A. M. 2019. *Fat-soluble vitamins.* In Elsevier eBooks (pp. 267–289). https://doi.org/10.1016/b978-0-12-814174-8.00009-3.

Hasibuan, N. H., R. Karolina, M. Irma, dan M. Martinni. 2022. Kromatografi Gas. PT. Pena Persada Kerta Utama. Banyumas.1-67.

Hernández, A., Ordaz, G., Pérez, R. E., Juárez, A., and Ortiz, R. 2025. Characterisation and schematic modelling of physiological and nutritional regulation of cholesterol in the hen's egg and its implications in fertility. *World S Poultry Science Journal,* 81(4):1231–1258. https://doi.org/10.1080/00439339.2025.2540289.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hossain, M. A., Mahbub, A., and Belal, S. A. 2024. Housing and dietary effects on production performance, quality index, and chemical composition of Japanese quail eggs. *Veterinary and Animal Science*, 23, 100340. https://doi.org/10.1016/j.vas.2024.100340.

Jameel, Y. J., and Sahib, A. M. 2014. Study of some blood parameters of broilers fed on ration containing fish oil. *Journal of Biology Agriculture and Healthcare,* 4(7):67–71. https://iiste.org/Journals/index.php/JBAH/article/viewFile/11818/12159.

Jo, Y., and DeBose-Boyd, R. A. 2022. Post-Translational Regulation of HMG COA reductase. *Cold Spring Harbor Perspectives in Biology*, 14(12), a041253. https://doi.org/10.1101/cshperspect.a041253.

Kabeya, N., Fonseca, M. M., K. Ferrier, D. E., Navarro, J. C., Bay, L. K., Francis, D. S., Tocher, D. R., C. Castro, L. F., and Monroig, Ó. 2018. Genes for de novo biosynthesis of omega-3 polyunsaturated fatty acids are widespread in animals. *Science Advances*, 4(5):1-8.

Khoddami, A., Ariffin, A.A, Bakar, J., and Ghazali, H.M. 2009. Fatty acid profile of the oil extracted from fish waste (head, intestine, and liver) (*Sardinella lemuru*). *World Applied Science Journal*, 7(1):127-131.

Kuang, H., Yang, F., Zhang, Y., Wang, T., and Chen, G. 2018. The impact of egg nutrient composition and its consumption on cholesterol homeostasis. *Cholesterol, 2018*, 1–22. https://doi.org/10.1155/2018/6303810.

Kumar, C., Inbakandan, D., Sridhar, J., Thirugnanasambandam, R., Subashni, B., Dharani, G., Moovendhan, M., and Khan, S. A. 2021. Proximate composition and fatty acid profile of *Himantura marginata* (Blackedge whipray) liver oil. *Biomass Conversion and Biorefinery*, 13(12):11167–11173. https://doi.org/10.1007/s13399-021-01984-y.

Lee, S. A., Whenham, N., and Bedford, M. R. 2018. Review on docosahexaenoic acid in poultry and swine nutrition: Consequence of enriched animal products on performance and health characteristics. *Animal Nutrition*, 5(1), 11–21. https://doi.org/10.1016/j.aninu.2018.09.001.

Leeson, S., Summers, J., and Caston, L. 1993. Response of Brown-Egg strain layers to dietary calcium or phosphorus. *Poultry Science,* 72(8):1510–1514. https://doi.org/10.3382/ps.0721510.

Le Néchet, S., Dubois, N., Gouygou, J. P., and Bergé, J. P. 2007. Lipid composition of the liver oil of the ray, *Himantura bleekeri*. *Food Chemistry*, 104(2):559-564.

Li, J., Pora, B. L. R., Dong, K., and Hasjim, J. 2021. Health benefits of docosahexaenoic acid and its bioavailability: A review. *Food Science & Nutrition*, 9(9):5229–5243. https://doi.org/10.1002/fsn3.2299.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, Y., Davis, C., Schmaelzle, S., Rocheford, T., Cook, M., and Tanumihardjo, S. 2012. β-Cryptoxanthin biofortified maize *(Zea mays*) increases β-cryptoxanthin concentration and enhances the color of chicken egg yolk ,. *Poultry Science*, 91(2): 432–438. https://doi.org/10.3382/ps.2011-01719.

Maguire, L. S., O'Sullivan, S. M., Galvin, K., O'Connor, T. P., and O'Brien, N. M. 2004. Fatty acid profile, tocopherol, squalene and phytosterol content of walnuts, almonds, peanuts, hazelnuts and the macadamia nut. *International Journal of Food Sciences and Nutrition,* 55(3):171–178. https://doi.org/10.1080/09637480410001725175.

Maknun, L., K. Sri, & M. Isna. 2015. Performans produksi puyuh (*Coturnix coturnix japonica*) dengan perlakuan tepung limbah penetasan telur puyuh. *Jurnal Ilmu Peternakan*, 25(3): 53-58.

Matthan, N. R., Dillard, A., Lecker, J. L., Ip, B., and Lichtenstein, A. H. 2008. Effects of dietary palmitoleic acid on plasma lipoprotein profile and aortic cholesterol accumulation are similar to those of other unsaturated fatty acids In the F1B Golden Syrian hamster. *Journal of Nutrition*, 139(2): 215–221. https://doi.org/10.3945/jn.108.099804.

Maulana, I. T., Sukraso, and Damayanti, S. 2014. Kandungan asam lemak dalam minyak ikan Indonesia. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 6(1):121–130. https://journal.ipb.ac.id/index.php/jurnalikt/article/download/8635/6754.

Meisyahputri, B. dan Ardiaria, M. 2017. Pengaruh pemberian kombinasi minyak rami dengan minyak wijen terhadap kadar kolesterol *high density lipoprotein* (HDL) pada tikus *Sprague dawley* dislipidemia. *Journal of Nutrition College,* 6(1):35-42. https://doi.org/10.14710/jnc.v6i1.16890.

MNHN, Chagnoux S. 2025. *The fishes collection (IC) of the Muséum national d'Histoire naturelle (MNHN - Paris).* Version 57.423. MNHN - Museum national d'Histoire naturelle. Occurrence dataset https://doi.org/10.15468/tm7whu accessed via GBIF.org on 2025-10-14.

Mousa, S. A., Abdel-Rahe, S. M., Abdel-Rahe, H. A., and Sadeek, A. L. S. 2017. Effect of dietary fat sources and antioxidant types on growth performance and carcass quality of Japanese quails. *International Journal of Poultry Science,* 16(11):443–450. https://doi.org/10.3923/ijps.2017.443.450.

Mozaffarian, D., Katan, M. B., Ascherio, A., Stampfer, M. J., and Willett, W. C. 2006. Trans fatty acids and cardiovascular disease. *New England Journal of Medicine,* 354(15):1601–1613. https://doi.org/10.1056/nejmra054035.

Naim, M. R., Sulastri, S., and Hadi, S. 2019. Gambaran hasil pemeriksaan kadar kolesterol pada penderita hipertensi di RSUD Syekh Yusuf Kabupaten Gowa. *Jurnal Media Laboran*, 9(2):33-38.

Natali, F., Siculella, L., Salvati, S., and Gnoni, G. V. 2007. Oleic acid is a potent inhibitor of fatty acid and cholesterol synthesis in C6 glioma cells. *Journal of Lipid Research*, 48(9):1966–1975. https://doi.org/10.1194/jlr.m700051-jlr200.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5280590, Metil elaidate.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-elaidate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5284421, Metil linoleate*. Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-linoleate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 530333, Metil4,7,10,13,16,19-docosahexaenoate.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-4_7_10_13_16_19-docosahexaenoate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5319706, Metil Linolenate*. Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-Linolenate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5363092, Metildihomo-gamma-linolenate*. Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-dihomo-gamma-linolenate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5364509, Metil Oleate.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-Oleate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5364841, Metil(Z)-tetracos-15-enoate*. Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-_Z_-tetracos-15-enoate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5365566, 11,14-Eicosadienoic acid, metilester.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/11_14-Eicosadienoic-acid_-methyl-ester.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5367326, Metil11,14,17-eicosatrienoate.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-11_14_17-eicosatrienoate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5367365, 5,8,11,14-Eicosatetraenoic acid, metilester.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/5_8_11_14-Eicosatetraenoic-acid_-methyl-ester.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 5463047, cis-11-Eicosenoic acid metilester.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/cis-11-Eicosenoic-acid-methyl-ester.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 60150218, Metil cis-13,16-docosadienoate.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-cis-13_16-docosadienoate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 6439889, 6,9,12-Octadecatrienoic acid, metilester, (6Z,9Z,12Z)-.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/Methyl-gamma-linolenate.

National Center for Biotechnology Information. 2025. *PubChem Compound Summary for CID 87183903, metil(5Z)-icosa-5,8,11,14,17-pentaenoate.* Retrieved December 28, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/87183903.

Navara, K. J., Graden, K., & Mendonça, M. T. 2022. Dietary yolk supplementation decreases rates of yolk deposition in Japanese quail. *Journal of Experimental Zoology Part a Ecological and Integrative Physiology*, 339(1):63–73. https://doi.org/10.1002/jez.2653.

Newman, R. E., Bryden, W. L., Fleck, E., Ashes, J. R., Buttemer, W. A., Storlien, L. H., and Downing, J. A. 2002. Dietary n-3 and n-6 fatty acids alter avian metabolism: metabolism and abdominal fat deposition. *British Journal of Nutrition*, 88(1):11–18. https://doi.org/10.1079/bjn2002580.

Nobakht, A., Tabatbaei, S., & Khodaei, S. (2011). Effects of different sources and levels of vegetable oils on performance, carcass traits and accumulation of Vitamin E in breast meat of broilers. *Current Research Journal of Biological Sciences,* 3(6):601–605. http://www.maxwellsci.com/print/crjbs/v3-601-605.pdf.

Ortiz, D., Lawson, T., Jarrett, R., Ring, A., Scoles, K. L., Hoverman, L., Rocheford, E., Karcher, D. M., and Rocheford, T. 2021. Biofortified orange corn increases xanthophyll density and yolk pigmentation in egg yolks from laying hens. *Poultry Science*, 100(7):101117. https://doi.org/10.1016/j.psj.2021.101117.

Ou, J., Tu, H., Shan, B., Luk, A., DeBose-Boyd, R. A., Bashmakov, Y., Goldstein, J. L., and Brown, M. S. 2001. Unsaturated fatty acids inhibit transcription of the sterol regulatory element-binding protein-1c (SREBP-1c) gene by antagonizing ligand-dependent activation of the LXR. *Proceedings of the National Academy of Sciences,* 98(11):6027–6032. https://doi.org/10.1073/pnas.111138698.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pal, D., Banerjee, D., Patra, T. K., Patra, A., and Ghosh, A. 1998. Liver lipids and fatty acids of the stingray *Dasyatis bleekeri* (Blyth). *Journal of the American Oil Chemists' Society*, 75:1373-1378.

Palupi, R., Sahara, E., & Purwoto. (2016). Level Tepung Kulit Ubi Kayu Fermentasi dalam Ransum terhadap Performa Produksi Puyuh Umur 1 - 8 minggu. *Jurnal Peternakan Sriwijaya*, 5(1):10-17. https://doi.org/10.33230/jps.5.1.2016.3915.

Panaite, T. D., Nour, V., Saracila, M., Turcu, R. P., Untea, A. E., and Vlaicu, P. A. 2021. Effects of linseed meal and carotenoids from different sources on egg characteristics, yolk fatty acid and carotenoid profile and lipid peroxidation. *Foods*, 10(6):1246. https://doi.org/10.3390/foods10061246.

Pandiangan, M., Daniela, C., Sihombing, D. R., and Daeli, W. K. 2023. Komposisi Kandungan Asam Lemak Pada Minyak Ikan Sarden (*Sardinella* sp.). *Jurnal Riset Teknologi Pangan Dan Hasil Pertanian (RETIPA),* 4(1):1–7. https://doi.org/10.54367/retipa.vi.3170.

Panpipat, W., Limsuwanmanee, J., Cheong, L., and Chaijan, M. 2023. Role of stingray (*Himantura signifier*) non-protein nitrogenous fraction on the oxidative stability of lipid and myoglobin. *Foods*, 12(2):274. https://doi.org/10.3390/foods12020274.

Patted, P. G., Masareddy, R. S., Patil, A. S., Kanabargi, R. R., and Bhat, C. T. 2024. Omega-3 fatty acids: a comprehensive scientific review of their sources, functions and health benefits. *Future Journal of Pharmaceutical Sciences,* 10(94). https://doi.org/10.1186/s43094-024-00667-5.

Pavan-Kumar, A., Kumar, R., Pitale, P., Shen, K.-N., and Borsa, P. 2018. *Neotrygon indica* sp. nov., the Indian Ocean blue-spotted maskray (Myliobatoidei, Dasyatidae). *Comptes Rendus. Biologies*, 341(2):120–130.

Poorghasemi, M., Seidavi, A., Qotbi, A. a. A., Laudadio, V., and Tufarelli, V. 2013. Influence of dietary fat source on growth performance responses and carcass traits of broiler chicks. *Asian-Australasian Journal of Animal Sciences*, 26(5):705–710. https://doi.org/10.5713/ajas.2012.12633.

Priore, P., Gnoni, A., Natali, F., Testini, M., Gnoni, G. V., Siculella, L., and Damiano, F. 2017. Oleic acid and hydroxytyrosol inhibit cholesterol and fatty acid synthesis in C6 glioma cells. *Oxidative Medicine and Cellular Longevity,* 2017(1): 9076052. https://doi.org/10.1155/2017/9076052.

Qurniawan, A., Ananda, S., Hifizah, A., Irmawaty, I., and Baharuddin, N. 2022. Perbandingan kualitas telur ayam ras di berbagai negara. *Jurnal Peternakan (Jurnal of Animal Science),* 6(2):72-78.

Rahbari, S., Salehi, A., Sharifi, S. D., and Honarbakhsh, S. 2024. Dietary omega-3 fatty acids affect the growth performance of broiler chickens reared at high stocking density. *Poultry Science,* 104(1):104468. https://doi.org/10.1016/j.psj.2024.104468.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Renner, R., and Hill, F. 1961. Factors affecting the absorbability of saturated fatty acids in the chick. *Journal of Nutrition*, 74(3):254–258. https://doi.org/10.1093/jn/74.3.254.

Rohman, F., Handarini, R., and Nur, H. 2018. Performa burung puyuh (*Coturnix japonica*) periode pertumbuhan yang diberi larutan daun kelor. *Jurnal Peternakan Nusantara*, 4(2):75-82.

Safamehr, A., Aghaei, N., Mehmannavaz, Y., and Branch, M. 2008. The influence of different levels of dietary fish oil on the performance. *Research Journal of Biological Sciences,* 3(10): 1202-1207.

Sahin, N., Sahin, K., Onderci, M., Karatepe, M., Smith, M. O., and Kucuk, O. 2006. Effects of dietary lycopene and vitamin E on egg production, antioxidant status and cholesterol levels in Japanese quail. *Asian-Australasian Journal of Animal Sciences,* 19(2):224–230. https://doi.org/10.5713/ajas.2006.224.

Sahin, N., K. Sahin, and O. Kukuk. 2001. Effects of vitamin E and vitamin A supplementation on performance, thyroid status and serum concentrations of some metabolites and minerals in broilers reared under heat stress (32°C). *Vet. Med*., 46: 286-292.

Sahito, H. A., Soomro, R. N., Memon, A., Abro, M. R., Ahmed, N., and Rahman, A. 2012. Effect of fat supplementation on the growth, body temperature and blood cholesterol level of broiler. *Global Advanced Research Journal of Chemistry and Material Science,* 1(2):023–034. https://www.researchgate.net/profile/Hakim_Sahito/publication/260368583_Effect_of_fat_supplementation_on_the_growth_body_temperature_and_blood_cholesterol_level_of_broiler/links/02e7e530ef64ea63e9000000.pdf?origin=publication_detail.

Saravanan, P., Davidson, N. C., Schmidt, E. B., and Calder, P. C. 2010. Cardiovascular effects of marine omega-3 fatty acids. *The Lancet,* 376(9740):540–550. https://doi.org/10.1016/s0140-6736(10)60445-x.

Sellami, M., Rebah, F. B., Gargouri, Y., and Miled, N. 2018. Lipid composition and antioxidant activity of liver oils from ray species living in Tunisian Coasts. *Arabian Journal of Chemistry*, 11(2):233-239.

Sheakh, S. R., Sultana, J., Sarkar, D., Mahreen, K. F., and Pramanik, P. 2025. Antioxidant activity of fish liver oil: A review. *Journal of Current Research in Food Science,* 6(1):188–191. https://doi.org/10.22271/foodsci.2025.v6.i1c.201.

Simopoulos, A. P. 2008. The importance of the Omega-6/Omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. *Experimental Biology and Medicine*, 233(6):674–688. https://doi.org/10.3181/0711-mr-311.

Simopoulos, A. 2016. An increase in the Omega-6/Omega-3 fatty acid ratio increases the risk for obesity. *Nutrients,* 8(3):128. https://doi.org/10.3390/nu8030128.

UNIVERSITAS
GADJAH MADA
Pengaruh Ekstrak Hati Ikan Pari Himantura uarnacoides (Bleeker, 1852) terhadap Kualitas dan Kuantitas Telur Puyuh (Coturnix japonica Temminck & Schlegel, 1848)
Laela Safitri Khasanah, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Trautwein, E. A. 2001. N−3 fatty acids—Physiological and technical aspects for their use in food. *European Journal of Lipid Science and Technology*, 103:45–55.

Utami, M. N. S., Redjeki, S., and Jaya, N. T. S. P. 2014. Studi biologi ikan pari (*Dasyatis* sp.) di TPI Tasik Agung Rembang. *Journal of Marine Research*, 3(2):79-85.

Wallace, R.A. 1985. *Vitellogenesis and Oocyte Growth in Nonmammalian Vertebrates.* In: Browder, L.W. (eds) Oogenesis. Developmental Biology, vol 1. Springer, Boston, MA. https://doi.org/10.1007/978-1-4615-6814-8_3.

Ward, A. T., and Marquardt, R. R. 1983. The effect of saturation, chain length of pure triglycerides, and age of bird on the utilization of rye diets. *Poultry Science,* 62(6):1054–1062. https://doi.org/10.3382/ps.0621054.

Wijayanti, F., Abrari, M. P., and Fitriana, N. 2018. Keanekaragaman dan status konservasi ikan pari di Tempat Pelelangan Ikan Muara Angke Jakarta Utara. *Journal Biodjati,* 3 (1):23-35.

Wiseman, J., & Lessire, M. 1987. Interactions between fats of differing chemical content: Apparent metabolisable energy values and apparent fat availability. *British Poultry Science*, 28(4):663–676. https://doi.org/10.1080/00071668708417003.

Wiseman, J., Salvador, F., and Craigon, J. 1991. Prediction of the apparent metabolizable energy content of fats fed to broiler chickens. *Poultry Science,* 70(7): 1527–1533. https://doi.org/10.3382/ps.0701527.

Wolfgang, J. 2016. Lipid transport to avian oocytes and to the developing embryo. *Journal of Biomedical Research*, *30*(3), 174. https://doi.org/10.7555/jbr.30.20150048

Xiong, Q., Wilson, W. K., and Pang, J. 2007. The Liebermann–Burchard reaction: sulfonation, desaturation, and rearrangement of cholesterol in acid. *Lipids*, *42*(1):87–96. https://doi.org/10.1007/s11745-006-3013-5.

Yair, R., and Uni, Z. 2011. Content and uptake of minerals in the yolk of broiler embryos during incubation and effect of nutrient enrichment. *Poultry Science*, 90(7):1523–1531. https://doi.org/10.3382/ps.2010-01283.