Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens
(italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdel-Aal, Young, J. C., & Rabalski, I. (2006). Anthocyanin composition in black, blue, pink, purple, and red cereal grains. *Journal of Agricultural and Food Chemistry*, *54*(13), 4696–4704. DOI: https://doi.org/10.1021/jf0606609

Abdoli, S., Ghassemi-Golezani, K., & Alizadeh-Salteh, S. (2020). Responses of ajowan (Trachyspermum ammi L.) to exogenous salicylic acid and iron oxide nanoparticles under salt stres. DOI: https://doi.org/10.1007/s11356-020-09453-1/Published

Ahanger, M. A., Wani, M. R., & Ahmad, P. (2014). Physiological mechanisms and adaptation strategies in plants under changing environment: *Springer*. DOI: https://doi.org/10.1007/978-1-4614-8591-9

Ahmed, K., Qadir, G., Nawaz, M. Q., Riaz, M. A., Rizwan, M., Hussain, S. S., Irfan, M., & Nawaz, M. F. (2021). Synergistic effect of phytoharmones and gypsum on alleviation of salt stres in rice plants. *Pakistan Journal of Agricultural Sciences*, *58*(6), 1749–1757. DOI: https://doi.org/10.21162/PAKJAS/21.7592

Alam, P., Balawi, T. Faizan, M. (2023). Salicylic acid's impact on growth, photosynthesis, and antioxidant enzyme activity of *Triticum aestivum* when exposed to salt. *Molecules* 28 (100): 1-10.

Alamri, S. A., Siddiqui, M. H., Al-khaishani, M. Y., & Ali, H. M. (2018). Response of salicylic acid on seed germination and physio-biochemical changes of wheat under salt stres. *Acta Scientific Agriculture*, *2*(5), 36–42.

Alboresi, A., Ballottari, M. Hienerwadel, R., Giacometti G.M., Morosinotto, T. (2008). Antenna complexes protect photosystem I from photoinhibition. *BMC Plant Biology* 9 : 1-14.

Ali, M. P., Rahman, M. S., Nowrin, F., Haque, S. S., Qin, X., Haque, M. A., Uddin, M. M., Landis, D. A., & Howlader, M. T. H. (2021). Salinity influences plant-pest-predator tritrophic interactions. *Journal of Economic Entomology*, *114*(4), 1470–1479. DOI: https://doi.org/10.1093/jee/toab133

Almeida, D. M., Margarida Oliveira, M., & Saibo, N. J. M. (2017). Regulation of Na^+ and K^+ homeostasis in plants: Towards improved salt stres tolerance in crop plants. *Genetics and Molecular Biology*, *40*(1), 326–345. DOI: https://doi.org/10.1590/1678-4685-gmb-2016-0106

Alonso-Ramírez, A., Rodríguez, D., Reyes, D., Jiménez, J. A., Nicolás, G., López-Climent, M., et al. (2009). Cross-talk between gibberellins and salicylic acid in early stress responses in Arabidopsis thaliana seeds. Plant Signal. *Behav*. 4, 750–751.

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DOI: 10.4161/psb.4.8.9175

Ambavaram, M. M. R., Basu, S., Krishnan, A., Ramegowda, V., Batlang, U., Rahman, L., Baisakh, N., & Pereira, A. (2014). Coordinated regulation of photosynthesis in rice increases yield and tolerance to environmental stres. *Nature Communications*, *5*. DOI: https://doi.org/10.1038/ncomms6302

Amirjani, M.R. (2010). Effect of salinity stress on growth, mineral composition, proline content, antioxidant enzymes of soybean. *American Journal of Plant Physiology* 5 (6): 350-360. DOI: 10.3923/ajpp.2010.350.360

Arif, Y., Singh, P., Siddiqui, H., Bajguz, A., & Hayat, S. (2020). Salinity induced physiological and biochemical changes in plants: An omic approach towards salt stres tolerance. *Plant Physiology and Biochemistry*, 56: 64–77. DOI: https://doi.org/10.1016/j.plaphy.2020.08.042

Arruda, T. F. de L., Lima, G. S. de, Silva, A. A. R. da, Azevedo, C. A. V. de, Souza, A. R. de, Soares, L. A. dos A., Gheyi, H. R., Lima, V. L. A. de, Fernandes, P. D., Silva, F. de A. da, Dias, M. dos S., Chaves, L. H. G., & Saboya, L. M. F. (2023). Salicylic acid as a salt stres mitigator on chlorophyll fluorescence, photosynthetic pigments, and growth of precocious-dwarf cashew in the post-grafting phase. *Plants*, *12*(15). DOI: https://doi.org/10.3390/plants12152783

Ashraf, M., Akram, N. A., Al-Qurainy, F., & Foolad, M. R. (2011). Drought tolerance: Roles of organic osmolytes, growth regulators, and mineral nutrients. *Advances in Agronomy*, 1(11). DOI: https://doi.org/10.1016/B978-0-12-387689-8.00002-3

Badan Pusat Statistik. (2022). *Impor Beras Menurut Negara Asal Utama, 2000-2021*. https://www.bps.go.id/statictable/2014/09/08/1043/impor-beras-menurut-negara-asal-utama-2000-2019.html. Diakses pada 2 April 2023 pukul 09.00 WIB.

Bareke, T. (2018). Biology of seed development and germination physiology. *Advances in Plants & Agriculture Research*, *8*(4). DOI: https://doi.org/10.15406/apar.2018.08.00335

Barrs, H. D., & Weatherley, P. E. (1962). A re-examination of the relative turgidity technique for estimating water deficits in leaves. *Australian Journal Biological Science,15*(3):413–428.DOI: https://doi.org/10.1071/BI9620413

Bates, L.S., Waldren, R.P. & Teare, I.D. (1973). Rapid determination of free proline for water-stress studies. *Plant Soil* **39**: 205–207. DOI: https://doi.org/10.1007/BF00018060

Boussora, F., Triki, T., Bennani, L., Bagues, M., Ali, S.B., Ferchichi A., Ngaz, K. Guasmi, F. (2024). Mineral accumulation, relative water content and gas exchange

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

are the main physiological regulating mechanisms to cope with salt stress in barley. Scientific reports, 14: 14931.

BBPOPT (2024). Kementerian pertanian lakukan gerakan pengendalian hama wereng, petani Kulon . Organisme Pengganggu Tumbuhan, Kementerian Pertanian RI. Berita - KEMENTERIAN PERTANIAN LAKUKAN GERAKAN PENGENDALIAN HAMA WERENG, PETANI KULON PROGO: KAMI SANGAT TERBANTU. Diakses pada 20 Februari 2026 pukul 09.00 WIB.

Boussora, F., Triki, T., Bennani, L., Bagues, M., Ben. A.S., Ngaz, K., Guasmi, F. (2024). Mineral accumulation, relative water content and gas exchange are the main physiological regulating mechanisms to cope with salt stress in barley. *Scientific reports* 14 : 14931. DOI: 10.1038/s41598-024-65967-5

Bukhat, S., Manzoor, H., Athar, H.R., Zafar, Z.U., Azeem, F., Rasul, S. (2020). Salicylic acid induced photosynthetic adaptability of *Raphanus sativus* to salt stress is associated with antioxidant capacity. *Journal of Plant Growth Regulation* 39: 809-822.

Carsono, N., Prayoga, G. I., Dono, D., Sari, S., & Toriyama, K. (2021). Resistance of DB1 transgenic rice line and others against *Nilaparvata lugens*, brown planthopper. *International Journal of Agriculture and Biology*, *26*(1), 125–130. DOI: https://doi.org/10.17957/IJAB/15.1816

Cartagena, J. A., Yao, Y., Mitsuya, S., & Tsuge, T. (2021). Comparative transcriptome analysis of root types in salt tolerant and sensitive rice varieties in response to salinity stres. *Physiologia Plantarum*, *173*(4), 1629–1642. DOI: https://doi.org/10.1111/ppl.13553

Çelik, Ö., Çakır, B. C., & Atak, Ç. (2019). Identification of the antioxidant defense genes which may provide enhanced salt tolerance in *Oryza sativa* L. *Physiology and Molecular Biology of Plants*, *25*(1), 85–99. DOI: https://doi.org/10.1007/s12298-018-0618-0

Chanda, S. V, & Singh, Y. D. (2002). Estimation of leaf area in wheat usiang linear measurements. *Plant Breeding and Seed Science*, *46*(2), 75–79.

Chandramohanan, K. T. (2014). A study on the effect of salinity stress on the chlorophyll content of certain rice cultivars of kerala State of India. *Agriculture, Forestry and Fisheries*, *3*(2), 67. DOI: https://doi.org/10.11648/j.aff.20140302.13

Chaudhary, A., Bala, K., Thakur, S., Kamboj, R., & Dumra, N. (2018). Plant defenses against herbivorous insects: A Review. *International Journal of Chemical Studies*, *6*(5), 681–688. https://www.researchgate.net/publication/327703671

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, S., Zhao, C. B., Ren, R.-M., & Jiang, J.-H. (2023). Salicylic acid had the potential to enhance tolerance in horticultural crops against abiotic stres. *Frontiers in Plant Science*, *14*. DOI: https://doi.org/10.3389/fpls.2023.1141918

Chen, T., Shabala, S., Niu, Y., Chen, Z. H., Shabala, L., Meinke, H., Venkataraman, G., Pareek, A., Xu, J., & Zhou, M. (2021). Molecular mechanisms of salinity tolerance in rice. In *Crop Journal*, 9(3): 506–520. Institute of Crop Sciences. DOI: https://doi.org/10.1016/j.cj.2021.03.005

Chen, Y. E., Cui, J. M., Li, G. X., Yuan, M., Zhang, Z. W., Yuan, S., & Zhang, H. Y. (2016). Effect of salicylic acid on the antioxidant system and photosystem II in wheat seedlings. *Biologia Plantarum*, *60*(1), 139–147. DOI: https://doi.org/10.1007/s10535-015-0564-4

Choi, N.J., Kang, I., & Nam, K. (2025). Genomic analysis reveals annual variation in the migratory pathways to east Asia in the brown planthopper (*Nilaparvata lugens*). Evolutionary Applications.18: 1-9.

Chunthaburee, S., Sakuanrungsirikul, S., Wongwarat, T., Sanitchon, J., Pattanagul, W., & Theerakulpisut, P. (2016). Changes in anthocyanin content and expression of anthocyanin synthesis genes in seedlings of black glutinous rice in response to salt stres. *Asian Journal of Plant Sciences*, *15*(3–4), 56–65. DOI: https://doi.org/10.3923/ajps.2016.56.65

Chutipaijit, S., Cha-um, S., & Sompornpailin, K. (2011). High contents of proline and anthocyanin increase protective response to salinity in *Oryza sativa* L. spp. indica. *Australian Journal of Crop Science*, *5*(10), 1191–1198.

Dalal VK, Tripathy BC (2012) Modulation of chlorophyll biosynthesis by water stress in rice seedlings during chloroplast biogenesis. *Plant Cell Environ* 35: 1685–1703

Davies, P. J. (2010). Plant hormones: Biosynthesis, signal transduction, action! In *Plant Hormones: Biosynthesis, Signal Transduction, Action*. DOI: https://doi.org/10.1007/978-1-4020-2686-7

Decsi, K., Ahmed, M., Abdul-Hamid, D., Toth, Z. (2025). The role of salicylic acid in activating plant stress responses—results of the past decade and future perspectives. *International Journal of Molecular Sciences* 26: 1-46.

Dehghan, S., Sadeghi, M., Oppel, A., Fischer, R., Lakes-Harlan, R., Kavousi H., Vilcinskas, A., Rahnamaeian, M. (2014). Differential inductions of phenylalanine ammonia-lyase and chalcone synthase during wounding, salicylic acid treatment, and salinity stress in safflower, *Carthamus tinctorius*. *Bioscience Reports*. 34(3): 273-282, DOI: art:e00114.doi:10.1042/BSR20140026

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Demidchik, V., and Tester, M. (2003). Sodium fluxes through non-selective cation channels in the plasmamembrane of protoplasts from Arabidopsis roots. Plant Physiol. 128, 379–387.

Dewi, I., Purwoko, B., Putri, R.K., Lubis, I. (2025). Brown planthopper resistance in promising doubled haploid rice lines selected by MGIDI and FAI-BLUP Index. *Pertanika Journal of Tropical Agricultural Science*, 48(3). DOI: 10.47836/pjtas.48.3.20

Dionisio-Sese ML, Tobita S. 2000. Effects of salinity on sodium content and photosynthetic responses of rice seedlings differing in salt tolerance. *Journal of Plant Physiology*,157: 54–58.

Dubey, R. S. (1982). Biochemical changes in germinating rice seeds under saline stress. *Biochemie Und Physiologie Der Pflanzen*, *177*(6), 523–535. DOI: https://doi.org/10.1016/s0015-3796(82)80045-0

Dunna, V., Roy, B., Banga, U., & Vishwavidyalaya, K. (2013). *Rice (Oryza sativa L.) Enhancing forage seed quality through coating and pelleting view project Stoke marketing data analysis View project*. https://www.researchgate.net/publication/281152980

Dustgeer, Z., Seleiman, M. F., Khan, I., Chattha, M. U., Ali, E. F., Alhammad, B. A., Jalal, R. S., Refay, Y., & Hassan, M. U. (2021). Glycine-betaine induced salinity tolerance in maize by regulating the physiological attributes, antioxidant defense system and ionic homeostasis. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, *49*(1), 1–17. DOI: https://doi.org/10.15835/nbha49112248

Dwiningsih, Y., & Alkahtani, J. (2023). *Potential of Pigmented Rice Variety Cempo Ireng in Rice Breeding Program for Improving Food Sustainability*. DOI: https://doi.org/10.20944/preprints202302.0039.v1

El-Esawi, M. A., Elansary, H. O., El-Shanhorey, N. A., Abdel-Hamid, A. M. E., Ali, H. M., & Elshikh, M. S. (2017). Salicylic acid-regulated antioxidant mechanisms and gene expression enhance rosemary performance under saline conditions. *Frontiers in Physiology*, *8*(9). DOI: https://doi.org/10.3389/fphys.2017.00716

El-Taher, A. M., Abd El-Raouf, H. S., Osman, N. A., Azoz, S. N., Omar, M. A., Elkelish, A., & Abd El-Hady, M. A. M. (2022). Effect of salt stres and foliar application of salicylic acid on morphological, biochemical, anatomical, and productivity characteristics of cowpea (*Vigna unguiculata* L.) plants. *Plants*, *11*(1). DOI: https://doi.org/10.3390/plants11010115

Eraslan F, Inal A, Gunes A, Alpaslan M. 2007. Impact of exogenous salicylic acid on the

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

growth, antioxidant activity and physiology of carrot plants subjected to combined salinity and boron toxicity. *Science Horticulture*, 113, 120–128.

Eryılmaz, F. (2006). The relationships between salt stres and anthocyanin content in higher plants. *Biotechnology and Biotechnological Equipment*, *20*(1), 47–52. https://doi.org/10.1080/13102818.2006.10817303

Faisal, F., Mustafa, M., & Yusuf, Y. (2019). A review of technology innovation in increasing rice production. *Agrotech Journal*, *4*(2), 75–82. DOI: https://doi.org/10.31327/atj.v4i2.1095

Farhangi-Abriz, S., & Ghassemi-Golezani, K. (2018). How can salicylic acid and jasmonic acid mitigate salt toxicity in soybean plants? *Ecotoxicology and Environmental Safety*, *147*, 1010–1016. DOI: https://doi.org/10.1016/j.ecoenv.2017.09.070

Farooq, M., Hussain, M., Wakeel, A., Siddique, K.H.M. (2015). Salt stress in maize: effects, resistance mechanisms, and management. A review. *Agronomy Sustainable Development.* DOI: 10.1007/s13593-015-0287-0

Farshid, A., & Hassan, E. R. (2012). Physiological characterization of rice under salinity stress during vegetative and reproductive stages. *Indian Journal of Science and Technology*, 5, 2578–2586.

Farzana, S., Rasel, M., Tahjib-Ul-Arif, M., Galib, A. Al, Sarker, K. K., & Hossain, M. A. (2020). Exogenous salicylic acid and thiourea ameliorate salt stress in wheat by enhancing photosynthetic attributes and antioxidant defense. *Journal of Bangladesh Agricultural University*, *18*(2), 272–282. DOI: https://doi.org/https://doi.org/10.5455/JBAU.86574

Fedriansya, D.F., & Rahman, B. (2025). Analisis tren perubahan spasial fungsi lahan di kawasan pesisir. *Jurnal Plano Buana*, 6(1), 19-27.

Gamage, V., Lim, G., & Choo, W. (2021). Anthocyanins from *Clitoria ternatea* flower: biosynthesis, extraction, stability, antioxidant activity, and applications. *Frontiers in Plant Science*, 12: 1-17. DOI: doi: 10.3389/fpls.2021.792303

Gao, F., Guo, J., & Shen, Y. (2024). Advances from chlorophyll biosynthesis to photosynthetic adaptation, evolution and signaling. *Plant Stres*, 12. DOI: https://doi.org/10.1016/j.stres.2024.100470

Garg, B. K., Kathju, S. & Burman, U. (2001). Influence of water stress on water relations, photosynthetic parameters and nitrogen metabolism of moth bean genotypes. *Biology Plantarum* 44, 289–292.

Gao, R., Yuan, Z., Zhao, Z., & Gao, X. (1998). Mechanism of pyrogallol autoxidation

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

and determination of superoxide dismutase enzyme activity. In *Bioelectrochemistry and Bioenergetics* (Vol. 45).

Ghaffar, A.B., M. B., Pritchard, J., & Ford-Lloyd, B. (2011). Brown planthopper (*N. lugens* Stal) feeding behaviour on rice germplasm as an indicator of resistance. *PLoS One*, *6*(7), e22137.

Ghaleb, W., Ahmed, L. Q., Wagner, M. H., Eprinchard-Ciesla, A., Olivares-Rodríguez, W. E., Perrot, C., Chenu, K., Norton, M., & Escobar-Gutiérrez, A. J. (2022). The concepts of seed germination rate and germinability: A re-evaluation for cool-season grasses. *Agronomy*, *12*(6). DOI: https://doi.org/10.3390/agronomy12061291

Goufo, P., & Trindade, H. (2014). Rice antioxidants: phenolic acids, flavonoids, anthocyanins, proanthocyanidins, tocopherols, tocotrienols, c-oryzanol, and phytic acid. *Food Science and Nutrition*, *2*(2),75–104. DOI: https://doi.org/10.1002/fsn3.86

Gupta, A., & Shaw, B. P. (2020). Biochemical and molecular characterisations of salt tolerance components in rice varieties tolerant and sensitive to NaCl: The relevance of Na^+ exclusion in salt tolerance in the species. *Functional Plant Biology*, *48*(1), 72–87. DOI: https://doi.org/10.1071/FP20089

Hanif, S., Mahmood, A., Javed, T., Bibi, S., Zia, M. A., Asghar, S., Naeem, Z., Ercisli, S., Rahimi, M., & Ali, B. (2024). Exogenous application of salicylic acid ameliorates salinity stres in barley (*Hordeum vulgare* L.). *BMC Plant Biology*, *24*(1). DOI: https://doi.org/10.1186/s12870-024-04968-y

Hariadi, Y. C., Nurhayati, A. Y., Soeparjono, S., & Arif, I. (2015). Screening six varieties of rice (*Oryza sativa*) for salinity tolerance. *Procedia Environmental Sciences*, *28*, 78–87. DOI: https://doi.org/10.1016/j.proenv.2015.07.012

Hariyati, D. & Dewi, K. (2019). Efek asam salisilat terhadap pertumbuhan dan ketahanan oksidatif Oryza sativa L. 'Cempo Ireng' pada cekaman salinitas. Thesis Magister Biologi Universitas Gadjah Mada. Diakses pada 10 April 2023 pukul 09.30 WIB.

Hasanuzzaman, M., Nahar, K., Bhuiyan, T. F., Anee, T. I., Inafuku, M., Oku, H., & Fujita, M. (2017). Salicylic acid: An all-rounder in regulating abiotic stres responses in plants. In *Phytohormones - Signaling Mechanisms and Crosstalk in Plant Development and Stres Responses*. DOI: https://doi.org/10.5772/intechopen.68213

Hayat, Q., Hayat, S., Irfan, M., Ahmad, A., (2010). Effect of exogenous salicylic acid under changing environment: a review. *Environmental Experimental Botany*, 68, 14–25.

He, Y., Zhang, J., Chen, J., Wu, Q., Chen, L., Chen, L., & Cheng Zhu, Y. (2011). Influence of pymetrozine on feeding behaviors of three rice planthoppers and

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

a rice leafhopper using electrical penetration graphs. *Journal of economic entomology*, *104*(6), 1877-1884.

Hoober, J.K., Sery, TW., & Yamamoto, N. (1988). Photodynamic sensitizers from chlorophyll: purpurin-18 and chlorin p6. Photochemistry and Photobiology 48(5):579-582. DOI: https://doi.org/10.1111/j.1751-1097.1988.tb02867.x

Hopmans, J. W., Qureshi, A. S., Keren, I., Segura, P. L., & Shani, U. (2021). Critical knowledge gaps and research priorities in global soil salinity. *Advances in Agronomy*, 169, 1-191. https://doi.org/10.1016/bs.agron.2021.03.001

Horton, P., & Ruban. (2005). A: Molecular design of the photosystem II light-harvesting antenna: photosynthesis and photoprotection. *Journal of Experimental Botany*, 56:365-373.

Hu, Y., Zhi, L., Li, P., Hancock, J. T., & Hu, X. (2022). The role of salicylic acid signal in plant growth, development and abiotic stres. *Phyton-International Journal of Experimental Botany*, 91(12): 2591–2605. Tech Science Press. DOI: https://doi.org/10.32604/PHYTON.2022.023733

Hua-long, L., Han-jing, S., Jing-guo, W., Yang, L., De-tang, Z., & Hong-wei, Z. (2014). Effect of seed soaking with exogenous proline on seed germination of rice under salt stres. *Journal of Northeast Agricultural University*, *21*(3), 1–6. DOI: https://doi.org/10.1016/s1006-8104(14)60062-3

Hussain, M., Ahmad, S., Hussain, S., Lal, R., Ul-Allah, S., & Nawaz, A. (2018). Rice in saline soils: physiology, biochemistry, genetics, and management. *Advances in Agronomy*, 148:231–287. DOI: https://doi.org/10.1016/bs.agron.2017.11.002

Hussain, S., Liu, S., Zhang, R., Chen, Y., Adil, A., & Dai, Q. (2022). Germination and early seedling growth attributes of rice (*Oryza sativa* L.) cultivars under different salinity (NaCl) streses. *Philippina Agriculture Scientist*, *105*(4), 404–412. https://pas.cafs.uplb.edu.ph

Hussain, S., Zhang, J., Zhong, C., Zhu, L., Cao, X., Yu, S., Allen, J., Hu, J., & Jin, Q. (2017). Effects of salt stres on rice growth, development characteristics, and the regulating ways: A review. In *Journal of Integrative Agriculture*, 16(11): 2357–2374). *Chinese Academy of Agricultural Sciences*. DOI: https://doi.org/10.1016/S2095-3119(16)61608-8

Iamba, K., & Dono, D. (2021). A Review on brown planthopper (*Nilaparvata lugens* Stål), a major pest of rice in Asia and Pacific. *Asian Journal of Research in Crop Science*, 7–19. DOI: https://doi.org/10.9734/ajrcs/2021/v6i430122

Idrees, M., Naeem, M., Khan, M. N., Aftab, T., Khan, M. M. A., & Moinuddin. (2012).

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Alleviation of salt stres in lemongrass by salicylic acid. *Protoplasma*, *249*(3), 709–720. DOI: https://doi.org/10.1007/s00709-011-0314-1

IPCC. (2023). *Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* [Core Writing Team, H. Lee and J. Romero (eds.)]. IPCC, Geneva, Switzerland, 184 pp. doi: 10.59327/IPCC/AR6-9789291691647.

Ismail, A. M., Heuer, S., Thomson, M. J., & Wissuwa, M. (2007). Genetic and genomic approaches to develop rice germplasm for problem soils. In *Plant Molecular Biology*, 65(4): 547–570). DOI: https://doi.org/10.1007/s11103-007-9215-2

Issak, M., Khatun, M. M., & Sultana, A. (2017). Role of salicylic acid as foliar spray on hydride rice (BRRI Hybrid dhan3) cultivation in Bangladesh. *Research in Agriculture Livestock and Fisheries*, *4*(3), 157–164. DOI: https://doi.org/10.3329/ralf.v4i3.35092

ITIS. (2022). *Oryza sativa L.* https://itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976&print_version=PRT#null

ITIS. (2023, May 1). *Nilaparvata lugens (Stal, 1854)*.

Jangra, M., Kumar, N., Devi, S., & Goyal, V. (2019). Effect of salicylic acid on growth and plant water status of sorghum genotype under salt stres. *International Journal of Chemical Studies*, *7*(2), 1180–1184.

Jansson, S. (1999). A guide to the Lhc genes and their relatives in Arabidopsis. Trends Plant Sciences, 4:236-240.

Jayakannan, M., Bose, J., Babourina, O., Rengel, Z., & Shabala, S. (2015). Salicylic acid in plant salinity stres signalling and tolerance. *Plant Growth Regulation*, *76*(1), 25–40. DOI: https://doi.org/10.1007/s10725-015-0028-z

Jiamyangyuen, S., Nuengchamnong, N., & Ngamdee, P. (2017). Bioactivity and chemical components of Thai rice in five stages of grain development. *Journal of Cereal Science*, *74*, 136–144. DOI: https://doi.org/10.1016/j.jcs.2017.01.021

Jini, D., & Joseph, B. (2017). Physiological mechanism of salicylic acid for alleviation of salt stress in rice. *Rice Science*, *24*(2), 97–108. DOI: https://doi.org/10.1016/j.rsci.2016.07.007

Johnson, M. P. (2016). Photosynthesis. *Essays in Biochemistry*, *60*(3), 255–273. DOI: https://doi.org/10.1042/EBC20160016

Juan, M., Rivero, R.M., Romero, L., Rviz, J.M. (2005) Evaluation of some nutritional and biochemical indicators in selecting salt resistant tomato cultivars. *Environmental*

Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens
(italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Experimental Botany 54:193–201

Kannangara, C.G., & Schouboe, A. (1985) Biosynthesis of δ-ALA in greening barley leaves. VII. Glutamate-1-semialdehyde accumulation in gabaculine treated leaves. *Carlsberg Res Commun* 50: 179–191

Karolinoerita, V., & Annisa, W. (2020). Salinisasi Lahan dan Permasalahannya di Indonesia. *Jurnal Sumberdaya Lahan*, *14*(2), 91. DOI: https://doi.org/10.21082/jsdl.v14n2.2020.91-99

Kazemi, K., & Eskandari, H. (2011). Effects of salt stress on germination and early seedling growth of rice (*Oryza sativa* L.) cultivars in Iran. *African Journal of Biotechnology*, 10 (77):17789–17792.

Kementerian Pertanian RI. (2019). Deskripsi Padi Varietas Sembada Hitam. Padi Varietas Sembada HItam - Website Resmi DPKP DIY. Diakses pada 23 Februari 2023 pukul 13.00 WIB.

Khan, M. I. R., Fatma, M., Per, T. S., Anjum, N. A., & Khan, N. A. (2015). Salicylic acid-induced abiotic stres tolerance and underlying mechanisms in plants. *Frontiers in Plant Science*, *6*(JUNE). DOI: https://doi.org/10.3389/fpls.2015.00462

Khan, M. S., Akther, T., Mubarak Ali, D., & Hemalatha, S. (2019). An investigation on the role of salicylic acid alleviate the saline stres in rice crop (*Oryza sativa* (L)). *Biocatalysis and Agricultural Biotechnology*, *18*, 1–6. DOI: https://doi.org/10.1016/j.bcab.2019.101027

Khanam, T., Akhtar, N., Halim, M., & Hossain, F. (2018). Effect of irrigation salinity on the growth and yield of two Aus rice cultivars of Bangladesh. *Jahangirnagar University Journal Biological Sciences*, 7: 1–12

Khattab, S., Yap. Y., Sherif. F. (2022). Salicylic acid foliar spray enhanced silybum marianum growth and yield, as well as its chemical constituents and chalcone synthase gene activity. *Horticulturae*, 8: 556. DOI: https://doi.org/10.3390/horticulturae8060556

Khare, T., Kumar, V., & Kishor, P. B. K. (2015). Na^+ and Cl^- ions show additive effects under NaCl stres on induction of oxidative stres and the responsive antioxidative defense in rice. *Protoplasma*, *252*(4), 1149–1165. DOI: https://doi.org/10.1007/s00709-014-0749-2

Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food and Nutrition Research*, *61*(1). DOI: https://doi.org/10.1080/16546628.2017.1361779

Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens
(italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, B.G., Kim, J.H., Min, S.Y., Shin, K., Kim, j.h., Kim, H.Y., Ryu, S.N., Ahn, J. (2007). Anthocyanin content in rice is related to expression levels of anthocyanin biosynthetic genes. *Journal of Plant Biology*, 50(2): 156-160.

Kim, Y., Mun, B. G., Khan, A. L., Waqas, M., Kim, H. H., Shahzad, R., Imran, M., Yun, B. W., & Lee, I. J. (2018). Regulation of reactive oxygen and nitrogen species by salicylic acid in rice plants under salinity stres conditions. *PLoS ONE*, *13*(3). https://doi.org/10.1371/journal.pone.0192650

Kim, J., Lee, W.J., Vu, T.T., Jeong, C.Y., Hong, S. Lee, H. (2023). High accumulation of anthocyanins via the ectopic expression of *AtDFR* confers significant salt stress tolerance in Brassica napus. Plant Cell Reports, 36: 1215-1224.

Klimmek, F., Ganeteg, U., Ihalainen, J.A., van Roon, H., Jensen, P.E., Scheller, H.V., Dekker, J.P., & Jansson, S. (2005). Structure of the higher plant light harvesting complex I: in vivo characterization and structural interdependence of the Lhca proteins. *Biochemistry*, 44:3065-3073.

Kristamtini. (2011). *Study of rice and chrysanthenum seed production system in DIY*. BPTP.

Kristamtini., Taryono., Basunanda, P., Murti, R. H., & Supriyanta. (2012). Morphological of genetic relationships among black rice landraces from Yogyakarta and surrounding areas. *ARPN Journal of Agricultural and Biological Science*, *7*(12), 982–989.

Kronzucker, J. K., Britto, T. D., (2011). Sodium transport in plants: Acritical review. New Phytologist, 189, 54–81.

Kumar, S., Abass Ahanger, M., Alshaya, H., Latief Jan, B., & Yerramilli, V. (2022). Salicylic acid mitigates salt induced toxicity through the modifications of biochemical attributes and some key antioxidants in *Capsicum annuum*. *Saudi Journal of Biological Sciences*, *29*(3), 1337–1347. DOI: https://doi.org/10.1016/j.sjbs.2022.01.028

Kushwaha, U. K. S. (2016). *Black Rice Research, History, and Development*. Springer.

Lee, N., Ozaki, Y., Hempton, A.K., Takagi, H., Purusuwashi, S., Song, Y.H., Endo. M., Kubota, A., & Imaizumi, T. (2023). The flowering locus Tgene expression is controlled by high-irradiance response and external coincidence mechanism in long days in *Arabidopsis*. *New Phytologist*. 239: 208-221.

Li, K., Hu, G., Yu, S., Tang, Q., & Liu, J. (2018). Effect of the iron biofortification on enzymes activities and antioxidant properties in germinated brown rice. *Journal of Food Measurement and Characterization*, *12*(2), 789–799. DOI:

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1007/s11694-017-9693-0

Li, Q., Wang, G., Wang, Y., Dan Yang, Guan, C., & Ji, J. (2019). Foliar application of salicylic acid alleviate the cadmium toxicity by modulation the reactive oxygen species in potato. *Ecotoxicology and Environmental Safety*, *172*, 317–325. https://doi.org/10.1016/j.ecoenv.2019.01.078

Li, H., Xu, Liping, Wu, Weiping, Peng, W., Lou, Y., Lu, J. (2023). Infestation by the piercing-sucking herbivore *Nilaparvata lugens* systemically triggers JA- and SA-dependent defense responses in rice. *Biology* 12:1-13.

Lichtenthaler, H. K. (1987). Chlorophylls and Carotenoids: Pigments of Photosynthetic Biomembranes. *Methods in Enzymology*, *148*(C), 350–382. DOI: https://doi.org/10.1016/0076-6879(87)48036-1

Listihani, L., Ariati, P.E.P., Yuniti, I.G..A.D., Selangga, D.G.W. (2022). The brown planthopper (*Nilaparvata lugens*) attack and its genetic diversity on rice in Bali, Indonesia. *Biodiversitas*, 23 (9): 4696-4704. DOI: 10.13057/biodiv/d230936

Liu, C., Mao, B., Yuan, D., Chu, C., & Duan, M. (2022). Salt tolerance in rice: Physiological responses and molecular mechanisms. *Crop Journal*, 10(1): 13–25. *Institute of Crop Sciences*. DOI: https://doi.org/10.1016/j.cj.2021.02.010

Liu, H., Wang, C., Qiu, C. L., Shi, J. H., Sun, Z., Hu, X. J., & Wang, M. Q. (2021). A salivary odorant-binding protein mediates Nilaparvata lugens feeding and host plant phytohormone suppression. *International Journal of Molecular Sciences*, *22*(9), 4988.

Liu, Y., Tikunov, Y., Schouten, R. E., Marcelis, L. F. M., Visser, R. G. F., & Bovy, A. (2018). Anthocyanin biosynthesis and degradation mechanisms in Solanaceous vegetables: A review. *Frontiers in Chemistry*, *6*(3). DOI: https://doi.org/10.3389/fchem.2018.00052

Liu, Y., Wang, B., Li, J., Song, Z., Lu, B., Chi, M., Yang, B., Liu, J., Lam, Y. W., Li, J., & Xu, D. (2017). Salt-response analysis in two rice cultivars at seedling stage. *Acta Physiologiae Plantarum*, *39*(10). DOI: https://doi.org/10.1007/s11738-017-2514-6

Liu, Z., Ma, C., Hou, L., Wu, X., Wang, D., Zhang, L., & Liu, P. (2022). Exogenous SA affects rice seed germination under salt stres by regulating Na^+/K^+ balance and endogenous GAs and ABA homeostasis. *International Journal of Molecular Sciences*, *23*(6), 1–18. DOI: https://doi.org/10.3390/ijms23063293

Lokstein, H., Renger, G., Gotze J. (2021). Photosynthetic light-harvesting (antenna) complexes-structures and functions. *Molecules* 26:1-24. DOI: https://doi.org/10.3390/molecules26113378

Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens
(italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lösel, P. M., & Goodman, L. J. (1993). Effects on the feeding behaviour of Nilaparvata lugens (Stål) of sublethal concentrations of the foliarly applied nitromethylene heterocycle 2-nitromethylene-1, 3-thiazinan-3-yl-carbamaldehyde.

Ma, Y., Yuan, Z., Wei, Z., Yan, F., Liu, X., Li, X., Hou, J., Hao, Z., & Liu, F. (2025). Stomatal and non-stomatal regulations of photosynthesis in response to salinity, and K and Ca fertigation in cotton (Gossypium hirsutum L cv.). *Environmental and Experimental Botany*, *230*. https://doi.org/10.1016/j.envexpbot.2025.106092

Mackon, E., Jeazet Dongho Epse Mackon, G. C., Ma, Y., Kashif, M. H., Ali, N., Usman, B., & Liu, P. (2021). Recent insights into anthocyanin pigmentation, synthesis, trafficking, and regulatory mechanisms in rice (Oryza sativa l.) caryopsis. *Biomolecules*, *11*(3), 1–26. https://doi.org/10.3390/biom11030394

Mahajan, M., Yadav, S.K., (2014). Overexpression of a tea flavanone 3-hydroxylase gene confers tolerance to salt stress and *Alternaria solani* in transgenic tobacco. *Plant Molecular Biology*. 85, 551–573. DOI: 10.1016/j.jplph.2016.07.014.

Mahdavian, K. (2023). Application of salicylic acid on chlorophyll, carotenoids, and proline in radish under salinity stress. *Proceedings of the National Academy of Sciences India Biological Sciences*, *93*(4), 809–818. DOI: https://doi.org/10.1007/s40011-023-01484-1

Mahendran, S. (2018). *Effect of Salinity on Plant Height, Shoot and Root Dry Weight of Selected Rice Cultivarses*. DOI: https://doi.org/10.13140/RG.2.2.10540.72322

Mahi, H., El, Hormaeche., J. P., Luca, A. De, Villalta, I., Espartero, J., Arjona, F. G., Fernández, J. L., Bundó, M., Mendoza, I., Mieulet, D., Lalanne, E., Lee, S. Y., Yun, D. J., Guiderdoni, E., Aguilar, M., Leidi, E. O., Pardo, J. M., & Quintero, F. J. (2019). A critical role of sodium flux via the plasma membrane Na^+/H^+ exchanger sos1 in the salt tolerance of rice. *Plant Physiology*, *180*(2), 1046–1065. DOI: https://doi.org/10.1104/pp.19.00324

Maksimović, J. D., Zhang, J., Zeng, F., Živanović, B. D., Shabala, L., Zhou, M., & Shabala, S. (2013). Linking oxidative and salinity stres tolerance in barley: Can root antioxidant enzyme activity be used as a measure of stres tolerance? *Plant and Soil*, *365*(1–2), 141–155. DOI: https://doi.org/10.1007/s11104-012-1366-5

Mannino, G.; Di Stefano, V.; Lauria, A.; Pitonzo, R.; Gentile, C. (2020). *Vaccinium macrocarpon* (Cranberry)–based dietary supplements: Variation in mass uniformity, proanthocyanidin dosage and anthocyanin profile demonstrates quality control standard needed. *Nutrients*, 12, 992.

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mathpal, B., Srivastava, P. C., Pachauri, S. P., Shukla, A. K., & Shankhdhar, S. C. (2023). Role of gibberellic acid and cytokinin in improving grain Zn accumulation and yields of rice (*Oryza sativa* L.). *Journal of Soil Science and Plant Nutrition*, *23*(4), 6006–6016. DOI: https://doi.org/10.1007/s42729-023-01459-1

Methenni, K., Abdallah, M. Ben, Nouairi, I., Smaoui, A., Ammar, wided Ben, Zarrouk, M., & Youssef, N. Ben. (2018). Salicylic acid and calcium pretreatments alleviate the toxic effect of salinity in the *Oueslati olive* variety. *Scientia Horticulturae*, *233*, 349–358. DOI: https://doi.org/10.1016/j.scienta.2018.01.060

Mishra, A., Barik, S. R., Pandit, E., Yadav, S. S., Das, S. R., & Pradhan, S. K. (2022). Genetics, mechanisms and deployment of Brown Planthopper Resistance genes in rice. *Critical Reviews in Plant Sciences*, *41*(2), 91–127. DOI: https://doi.org/10.1080/07352689.2022.2062906

Miura, K. & Tada, Y. (2014). Regulation of water, salinity, and cold stress responses by salicylic acid. Frontiers in Plant Science 5(4): 1-12. DOI: 10.3389/fpls.2014.00004

Mock HP., & Grimm, B. (1997). Reduction of uroporphyrinogen decarboxylase by antisense RNA expression affects activities of other enzymes involved in tetrapyrrole biosynthesis and leads to light dependent necrosis. *Plant Physiology* 113: 1101–1112

Mohanty, S., Grimm, B., Tripathy, B.C. (2006) Light a; nd dark modulation of chlorophyll biosynthetic genes in response to temperature. *Planta* 224: 692–699

Moghaddam, S. S., Rahimi, A., Pourakbar, L., & Jangjoo, F. (2020). Seed priming with salicylic acid improves germination and growth of lathyrus sativus L. under salinity stres. *Yuzuncu Yil University Journal of Agricultural Sciences*, *30*(1), 68–79. DOI: https://doi.org/10.29133/yyutbd.624649

Movaghatian, A., & Khorsandi, F. (2013). Effects of salicylic acid on wheat germination parameters under drought stres. *American-Eurasian Journal of Agricultural and Environmental Sciences*, *13*(12), 1603–1608. DOI: https://doi.org/10.5829/idosi.aejaes.2013.13.12.12268

Mukhopadhyay, R., Sarkar, B., Jat, H. S., Sharma, P. C., & Bolan, N. S. (2021). Soil salinity under climate change: Challenges for sustainable agriculture and food security. *Journal of Environmental Management*, 280, 111736. DOI: https://doi.org/10.1016/j.jenvman.2020.111736

Munns, R., & Tester, M. (2008). Mechanisms of salinity tolerance. In *Annual Review of Plant Biology* 59, pp. 651–681). DOI:

Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens
(italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1146/annurev.arplant.59.032607.092911

Mushtaq, N.U., Saleem, S., Rasool, A., Shah, W.H., Tahir, I., Seth, C.S., Rehman, R.U. (2025). Proline tagging for stress tolerance in plants. *International Journal of Genomics*. 4(2): 1-17. DOI: https://doi.org/10.1155/ijog/9348557

Naeem, M., Basit, A., Ahmad, I., Mohamed, H. I., & Wasila, H. (2020). Effect of salicylic acid and salinity stress on the performance of tomato plants. *Gesunde Pflanzen*, *72*(4), 393–402. DOI: https://doi.org/10.1007/s10343-020-00521-7

Nakano, Y., & Asada, K. (1981). Hydrogen peroxide is scavenged byascorbate specific peroxidase in spinach chloroplasts. *Plant Cell Physiol.*, *22*, 867–880.

Nam, K. H., Kim, Y. J., Moon, Y. S., Pack, I. S., & Kim, C. G. (2017). Salinity affects metabolomic profiles of different trophic levels in a food chain. *Science of the Total Environment*, *599–600*, 198–206. DOI: https://doi.org/10.1016/j.scitotenv.2017.05.003

Naseer, S., Nisar, A., & Ashraf, M. (2001). Effect of Salt Stres on Germination and Seedling Growth of Barley (Hordeum vulgare L.). In *Pakistan Journal of Biological Sciences* (Vol. 4, Issue 3).

Nazar, R., Iqbal, N., Syeed, S., & Khan, N. A. (2011). Salicylic acid alleviates decreases in photosynthesis under salt stres by enhancing nitrogen and sulfur assimilation and antioxidant metabolism differentially in two mungbean cultivars. *Journal of Plant Physiology*, *168*(8), 807–815. DOI: https://doi.org/10.1016/j.jplph.2010.11.001

Nazar, R., Umar, S., Khan, N.A., (2015). Exogenous salicylic acid improves photosynthesis and growth through increase in ascorbate-glutathione metabolism and S assimilation in mustard under salt stress. *Plant Signal. Behavior* 10, e1003751. DOI: https://doi.org/10.1080/15592324.2014.1003751.

Netondo GW, Onyango JC, Beck E. 2004. Sorghum and salinity: II. Gas exchange and chlorophyll fluorescence of sorghum under salt stress. *Crop Science* 44: 806–811.

Nguyen, H. T. T., Bhowmik, S. Das, Long, H., Cheng, Y., Mundree, S., & Hoang, L. T. M. (2021). Rapid accumulation of proline enhances salinity tolerance in australian wild rice oryza australiensis domin. *Plants*, *10*(10). https://doi.org/10.3390/plants10102044

Nguyen, V. T., & Bharali, B. (2019). Salinity stres on rice (Oryza sativa L.) crop and its amelioration. *Journal of Pharmacognosy and Phytochemistry*, *8*(6), 1435–1441. https://www.researchgate.net/publication/340023638

Nounjan, N., & Theerakulpisut, P. (2021). Physiological evaluation for salt tolerance in green and purple leaf color rice cultivars at seedling stage. *Physiology Molecular*

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Biology Plants 27(12):2819-2832. DOI: \https://doi.org/10.1007/s12298-021-01114-y

Ochiai, K., & Matoh, T. (2002). Characterization of the Na+ delivery from roots to shoots in rice under saline stress: Excessive salt enhances apoplastic transport in rice plants. *Soil Science and Plant Nutrition*, 48, 371–378.

Oraei, M., Panahirad, S., Zaare-Nahandi, F., & Gohari, G. (2019). Pre-véraison treatment of salicylic acid to enhance anthocyanin content of grape (*Vitis vinifera* L.) berries. *Journal of the Science of Food and Agriculture*, *99*(13), 5946–5952. DOI: https://doi.org/10.1002/jsfa.9869

Oxborough, K.; Lee, P.; Horton, P. (1987). Regulation of thylakoid protein phosphorylation by high-energy-state quenching. FEBS Lett., 221, 211–214.

Palheta de Sousa, D. J., Marcelina da Silva, T., Costa Carmona Junior, M. A., Dos Santos Nogueira, G. A., De Araújo Brito, A. E., Castro de Souza, L., Ferreira de Oliveira Neto, C., & Pamplona Albuquerque, G. D. (2023). Effect of salicylic acid on cowpea seedlings under saline stres. *Plant Science Today*. DOI: https://doi.org/10.14719/pst.2237

Pandey, R., Paul, V., & Singh, M. P. (2017). Physiological Techniques to Analyze the Impact of Climate Change on Crop Plants. *Division of Plant Physiology*, 16–25. DOI: https://doi.org/10.13140/RG.2.2.29626.90561

Panuccio, M. R., Jacobsen, S. E., Akhtar, S. S., & Muscolo, A. (2014). Effect of saline water on seed germination and early seedling growth of the halophyte quinoa. *AoB PLANTS*, *6*. DOI: https://doi.org/10.1093/aobpla/plu047

Parris, C., Shock, C. C., Feibert, E. B. G., & Shaw, N. L. (2010). Sulphur-flower Buckwheat - Eriogonum umbellatum (ERUM). Oregon State University - Malheur Extension Office: EM 9017.

Park, J., Kim, Y. S., Kim, S. G., Jung, J. H., Woo, J. C., & Park, C. M. (2011). Integration of auxin and salt signals by the NAC transcription factor NTM2 during seed germination in arabidopsis. *Plant Physiology*, *156*(2), 537–549. DOI: https://doi.org/10.1104/pp.111.177071

Paz, A. M. M Amezketa, E., Canfora, L., Castanheira, N., Falsone, G., Goncalves, M.C., Gould, I., Hristov. B., Mastrorilli, M., Ramos, T., Thompson, R., Costantini. E.A.C. (2023). Salt-affected soils: field-scale strategies for prevention, mitigation, and adaptation to salt accumulation. Italian Journal of Agronimy 18(1), 2188

Poor, P., Gemes, K., Szepesi, A., Horvath, F., Simon, L.M., Tari, I. (2011). Salicylic acid treatment via the rooting medium interferes with the stomatal response, CO_2 fixation

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

rate and carbohydrate metabolism in tomato and decreases the harmful effects of subsequent salt stress. - Plant Biol. 13: 105-114.

Pörtner, H. O., Roberts, D. C., Poloczanska, E. S., Mintenbeck, K., Tignor, M., Alegría, A., Craig, M., Langsdorf, S., Löschke, S., Möller, V., Okem, A., & Rama, B. (Eds.). (2022). *Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press. Cambridge, UK and New York, NY, USA.

Prakash, D., & Gupta, C. (2016). Carotenoids: Chemistry and Health Benefits. *Phytochemicals of Nutraceutical Importance*.

Pratap, M., Saini, K., Tripathi, K., Yadav, R. K., Kumar, M., & Yadav, V. (2018). Effect of Foliar Application of PGRs on Growth and Biochemical Changes of Rice (Oryza sativa L.) under Salt Stres Condition. In *International Journal Current Microbiology Applied Science*.

Qiu, N. W., Jiang, D. C., Wang, X. S., Wang, B. S., & Zhou, F. (2019). Advances in the members and biosynthesis of chlorophyll family. *Photosynthetica*, 57(4): 974–984. *Institute of Experimental Botany,* ASCR. DOI: https://doi.org/10.32615/ps.2019.116

Qiu, Y., Guo, J., Jing, S., Tang, M., Zhu, L., & He, G. (2012). Identification of antibiosis and tolerance in rice varieties carrying brown planthopper resistance genes. *Entomologia Experimentalis et Applicata*, *141*(3), 224–231. DOI: https://doi.org/10.1111/j.1570-7458.2011.01192.x

Qiu, Y., Li, R.-B., Qiu, Y.-F., Cheng, L., Zhou, P., & Liu, F. (2012). Identification of Antixenosis and Antibiosis in Two Newly Explored Brown Planthopper-resistance Rice Lines. *Article in Advance Journal of Food Science and Technology*, *4*(5), 299–303. https://www.researchgate.net/publication/288207407

Quais, M. K., Ansari, N. A., Wang, G. Y., Zhou, W. W., & Zhu, Z. R. (2019). Host plant salinity stress affects the development and population parameters of *Nilaparvata lugens* (Hemiptera: Delphacidae). *Environmental entomology*, *48*(5), 1149-1161.

Quais, M. K., Ansari, N. A., Wang, G. Y., Zhou, W. W., Zhu, Z. R., & Ali, J. (2020). Host Plant Salinity Stres Affects the Development and Population Parameters of *Nilaparvata lugens* (Hemiptera: Delphacidae). *Environmental Entomology*, *48*(5), 1149–1161. DOI: https://doi.org/10.1093/ee/nvz084

Quais, M. K., Munawar, A., Ansari, N. A., Zhou, W. W., & Zhu, Z. R. (2022). Interactions between brown planthopper (*Nilaparvata lugens*) and salinity stresed

Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens
(italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

rice (*Oryza sativa*) plant are cultivar-specific. *Scientific Reports*, *10*(1), 1–14. DOI: https://doi.org/10.1038/s41598-020-64925-1

Radi, A. A., Farghaly, F. A., & Hamada, A. M. (2013). Physiological and biochemical responses of salt-tolerant and salt-sensitive wheat and bean cultivars to salinity. *Journal of Biology and Earth Sciences*, *1*, 72–88. http://www.journals.tmkarpinski.com/index.php/jbes

Rajput, V.D., Harish, Singh, R.K., Verma, K.K., Sharma, L., Quiroz-Figueroa F.R., Meena, M., Gour, V.S., Minkina, T., Sushkova, S., Mandzhieva, S. (2021). Recent Developments in Enzymatic Antioxidant Defence Mechanism in Plants with Special Reference to Abiotic Stress. Biology, 10: 267.

Rao, Y., Peng, T., & Xue, S. (2023). Mechanisms of plant saline-alkaline tolerance. In *Journal of Plant Physiology* (Vol. 281). Elsevier GmbH. DOI: https://doi.org/10.1016/j.jplph.2023.153916

Rao, Y. R., Ansari, M. W., Sahoo, R. K., Wattal, R. K., Tuteja, N., & Kumar, V. R. (2021). Salicylic acid modulates ACS, NHX1, sos1 and HKT1;2 expression to regulate ethylene overproduction and Na+ ions toxicity that leads to improved physiological status and enhanced salinity stres tolerance in tomato plants cv. Pusa Ruby. *Plant Signaling and Behavior*, *16*(11). DOI: https://doi.org/10.1080/15592324.2021.1950888

Ratseewo, J., Warren, F.J., Siriamornpun, S. (2019). The influence of starch structure and anthocyanin content on the digestibility of Thai pigmented rice. Food Chemistry 298: 1-7. DOI: https://doi.org/10.1016/j.foodchem.2019.06.016

Rashid, M.M., Jahan, M., Islam, K.S., Laif, M.A. (2017). Ecological fitness of brown planthopper, Nilaparvata lugens (Stal), to rice nutrient management. Ecological Processes 6(15): 1-10. DOI 10.1186/s13717-017-0080-x

Rashid, M., Kim, H., Yeom S., Yu, H., Manir, M.M., Moon, S., Kang, Y.K., Chung, Y.R. (2018). B*acillus velezensis* YC7010 Enhances Plant Defenses Against Brown Planthopper Through Transcriptomic and Metabolic Changes in Rice. Frontiers Plant Science, 9: 1-15 DOI: https://doi.org/10.3389/fpls.2018.01904

Raza, A., Mehmood, S. S., Tabassum, J., & Batool, R. (2019). Targeting Plant Hormones to Develop Abiotic Stres Resistance in Wheat. In *Wheat Production in Changing Environments* (pp. 557–577). DOI: https://doi.org/10.1007/978-981-13-6883-7_22

Refli, R., Muljopawiro, S., Dewi, K., Rachmawati, D. Expression analysis of antioxidant genes in response to drought stress in the flag of two Indonesian rice cultivars.

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Indonesia Journal of Biotechnology. 19 (1): 43-55

Rossi, L., Monica Borghi, Alessandra Francini, Xiuli Lin, De-Yu Xie, Luca Sebastiani. (2016). Salt stress induces differential regulation of the phenylpropanoid pathway in Olea europaea cultivars Frantoio (salt-tolerant) and Leccino (salt-sensitive), *Journal of Plant Physiology*, 204: 8-15, DOI: https://doi.org/10.1016/j.jplph.2016.07.014.

Ryu, H., & Cho, Y. G. (2015). Plant hormones in salt stres tolerance. In *Journal of Plant Biology* (Vol. 58, Issue 3, pp. 147–155). Springer New York LLC. https://doi.org/10.1007/s12374-015-0103-z

Saad, K. R., Kumar, G., Mudliar, S. N., Giridhar, P., & Shetty, N. P. (2021). Salt stres-induced anthocyanin biosynthesis genes and MATE transporter involved in anthocyanin accumulation in *Daucus carota* cell culture. *ACS Omega*, *6*(38), 24502–24514. DOI: https://doi.org/10.1021/acsomega.1c02941

Saini, S., Kaur, N., & Pati, P. K. (2018). Reactive oxygen species dynamics in roots of salt sensitive and salt tolerant cultivars of rice. *Analytical Biochemistry*, *550*, 99–108. DOI: https://doi.org/10.1016/j.ab.2018.04.019

Sairam, R. K., Deshmukh, P. S., & Shukla, D. S. (1997). Tolerance of drought and temperature stress in relation to increased antioxidant enzyme activity in wheat. *Journal Agronomy Crop Science.*, *178*(3), 171–178.

Salim, M., Saxena, R. C., & Akbar, M. (1990). Salinity stress and varietal resistance in rice: Effects on Whitebacked Planthopper. *Crop Science*, *30*(1), 654–659.

Sampangi-Ramaiah, M. H., Jagadheesh, Dey, P., Jambagi, S., Vasantha Kumari, M. M., Oelmüller, R., Nataraja, K. N., Venkataramana Ravishankar, K., Ravikanth, G., & Uma Shaanker, R. (2020). An endophyte from salt-adapted Pokkali rice confers salt-tolerance to a salt-sensitive rice variety and targets a unique pattern of genes in its new host. *Scientific Reports*, *10*(1). DOI: https://doi.org/10.1038/s41598-020-59998-x

Sathasivam, R., Radhakrishnan, R., Kim, J. K., & Park, S. U. (2021). An update on biosynthesis and regulation of carotenoids in plants. *South African Journal of Botany*, *140*, 290–302. DOI: https://doi.org/10.1016/j.sajb.2020.05.015

Sawant, Konkan Krishi Vidyapeeth, B., Ramesh Kunkerkar Head, I., Sonone, M., Mane, A., Sawardekar, S., & Kunkerkar, R. (2023). *The Pharma Innovation Journal 2023; 12(6): 3272-3275 Consequences of salt stres on chlorophyll pigments of rice genotypes*. www.thepharmajournal.com

Sekido, S., & SõGAwA, K. (1976). Effects of salicylic acid on probing and oviposition of the rice plant-and leafhoppers (Homoptera: Delphacidae and

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Deltocephalidae). *Applied Entomology and Zoology*, *11*(2), 75-81.

Sekmen, A.H., Turkan, I., Tanyolac, Z.O., Ozfidan, C., Dinc, A., (2012) Different antioxidant defense responses to salt stress during germination and vegetative stages of endemic halophyte *Gypsophila oblanceolata* Bark. Environment Experiment Botany ,77:63-76.

Shahid, M. A., Balal, R. M., Pervez, M. A., Abbas, T., Ashfaq, M., Ghazanfar, U., Afzal, M., Rashid, A., Garcia-Sanchez, F., & Mattson, N. S. (2012). Differential response of pea (*Pisum sativum* L.) genotypes to salt stres in relation to the growth, physiological attributes antioxidant activity and organic solutes. In *AJCS*, 6(5).

Shahzad, B., Shabala, L., Zhou, M., Venkataraman, G., Solis, C. A., Page, D., Chen, Z. H., & Shabala, S. (2022). Comparing essentiality of *SOS1*-Mediated Na^+ exclusion in salinity tolerance between cultivated and wild rice species. *International Journal of Molecular Sciences*, *23*(17). DOI: https://doi.org/10.3390/ijms23179900

Shan, L., Xu, Y., Wu, D., Hu, J., Yu, T., Dang, C., Fang, Y., Zhang, X., Tian, Q., & Xue, D. (2024). Effects of salicylic acid on growth, physiology, and gene expression in rice seedlings under salt and drought stres. *Plant Stres*, *11*. https://doi.org/10.1016/j.stres.2024.100413

Shalata A, Neumann PM. (2001). Exogenous ascorbic acid (vitamin C) increases resistance to salt stress and reduces lipid peroxidation. *Journal of Experimental Botany*, 52: 2207–2211.

Sharipova, G., Ivanov, R., Veselov, D., Akhiyarova, G., Seldimirova, O., Galin, I., Fricke, W., Vysotskaya, L., & Kudoyarova, G. (2022). Effect of salinity on stomatal conductance, leaf hydraulic conductance, *HvPIP2* aquaporin, and abscisic acid abundance in barley leaf cells. *International Journal of Molecular Sciences*, *23*(22). DOI: https://doi.org/10.3390/ijms232214282

Sharma, M., Gupta, S. K., Majumder, B., Maurya, V. K., Deeba, F., Alam, A., & Pandey, V. (2017). Salicylic acid mediated growth, physiological and proteomic responses in two wheat varieties under drought stres. *Journal of Proteomics*, *163*, 28–51. DOI: https://doi.org/10.1016/j.jprot.2017.05.011

Shatpathy, P., Kar, M., Dwibedi, S. K., & Dash, A. (2018). Seed priming with salicylic acid improves germination and seedling growth of rice (*Oryza sativa* L.) under PEG-6000 induced water stress. *International Journal of Current Microbiology and Applied Sciences*,*7*(10),907–924.DOI: https://doi.org/10.20546/ijcmas.2018.710.101

Shivani, S., Ghosh, R., Mitra, A., Das, A., Banerjee, J. (2025). Typical tetra-mediated signaling and plant architectural changes regulate salt-stress tolerance in indica rice

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

genotypes. *Protoplasma* 262:837-855. DOI: 10.1007/s00709-025-02035-3

Shyfa, C. B. A., & Dewi, K. (2021). Growth, oxalate and vitamin c content of red amaranth (Amaranthus tricolor l.) treated with salicylic acid. *HAYATI Journal of Biosciences*, *28*(1), 23–30. DOI: https://doi.org/10.4308/hjb.28.1.23

Sianipar, M. S. (2018). Fluktuasi populasi serangga wereng batang cokelat (*Nilaparvata lugens*) pada lahan sawah di Kabupaten Kerawang Jawa Barat. *Agrologia*, *7*(2), 90–98.

Simkin, A. J. (2021). Carotenoids and apocarotenoids in planta: Their role in plant development, contribution to the flavour and aroma of fruits and flowers, and their nutraceutical benefits. *Plants*. 10: 11. DOI: https://doi.org/10.3390/plants10112321

Singh, A., & Sengar, R. S. (2014). Salinity stres in rice: An overview. *Plant Archives*, *14*(2), 643–648.

Singh, U. P., Dadrwal, B. K., Babu, A., & Meena, R. (2020). Effect of soil salinity stres on crops and their management. In *Current Research in Soil Science*. AkiNik Publications. DOI: https://doi.org/10.22271/ed.book.929

Souri, M.K., & G. Tohidloo. (2019). Effectiveness of different methods of salicylic acid application on growth characteristics of tomato seeedlings under salinity. *Chemical and Biological Technologies in Agriculture*. 6(26): 1-7.

Stella de Freitas, T. F., Stout, M. J., & Sant'Ana, J. (2018). Effects of exogenous methyl jasmonate and salicylic acid on rice resistance to *Oebalus pugnax*. *Pest Management Science*, *75*(3), 744–752. DOI: https://doi.org/10.1002/ps.5174

Sulistyo, A., & Inayati, A. (2016). Mechanisms of antixenosis, antibiosis, and tolerance of fourteen soybean genotypes in response to whiteflies (*Bemisia tabaci*). *Biodiversitas*, *17*(2), 447–453. https://doi.org/10.13057/biodiv/d170207

Sumarno, Suyamto, A. Widjono, Hermanto, & H. Kasim. (2007). *Kedelai: Teknik Produksi dan Pengembangan*. Badan Litbang Pertanian.

Sun, Y., Xia, X.L., Jiang, J.F., Chen, S.M., Chen, F.D., Lv, G.S. (2016). Salicylic acid-induced changes in physiological parameters and genes of the flavonoid biosynthesis pathway in *Artemisia vulgaris* and *Dendranthema nankingense* during aphid feeding. *Genetics and Molecular Research* 15 (1): 1-15.

Surmaini, E., Sarvina, Y., Susanti, E., Widiarta, I.N., Misnawati, M., Scuiantini, S., Fanggidae, Y.R., Rahmini, R., Dewi, E.R. (2024). Climate change and the future distribution of Brown Planthopper in Indonesia: A projection study. *Journal of the Saudi Society of Agricultural Sciences*, 23: 130-141.

Susanti, N.L. & Dewi, K. (2023). The effect of rice husk biochar on the growth and

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

phytohormone profile of Chinese gabbage under drought conditions. *Transactions of the Chinese Society of Agricultural Machiney*. 54 (7): 15-29.

Tahjib-Ul-Arif, M., Siddiqui, M. N., Sohag, A. A. M., Sakil, M. A., Rahman, M. M., Polash, M. A. S., Mostofa, M. G., & Tran, L. S. P. (2018). Salicylic acid-mediated enhancement of photosynthesis attributes and antioxidant capacity contributes to yield improvement of maize plants under salt stres. *Journal of Plant Growth Regulation*, *37*(4), 1318–1330. DOI: https://doi.org/10.1007/s00344-018-9867-y

Tan, Y., Zhu, M., Xu, W., Zhou, W., Lu, D., Shang, H., & Zhu, Z. (2017). Influence of water-stresed rice on feeding behavior of brown planthopper, *Nilaparvata lugens* (Stål). *Journal of Asia-Pacific Entomology*, *20*(2), 665–670. DOI: https://doi.org/10.1016/j.aspen.2017.03.012

Tanaka, Y., Brugliera, F., and Chandler, S. (2009). Recent progress offlower colour modification by biotechnology. Int. J. Mol. Sci. 10, 5350–5369.

Telfer, A., Frolov, D., Barber, J., Robert, B., and Pascal, A. (2002). Oxidation of the two β-carotene molecules in the photosystem II reaction center. *Biochemistry* 42, 1008–1015. DOI: 10.1021/bi026206p

Tewari, A.K., Tripathy, B.C., (1998). Temperature-stress-induced impairment of chlorophyll biosynthetic reactions in cucumber and wheat. *Plant Physiology* 117: 851–858

Torun, H., Novák, O., Mikulík, J., Strnad, M., & Ayaz, F. A. (2022). The effects of exogenous salicylic acid on endogenous phytohormone status in *Hordeum vulgare* L. under salt stres. *Plants*, *11*(5). DOI: https://doi.org/10.3390/plants11050618

Tripathy, B. C., & Bhat, B. P. (2012). Chlorophyll biosynthesis and its regulation. In *Photosynthesis* (pp. 53-70). InTech Publishers. (Atau sering disitir dalam artikel review: Tripathy, B. C. (2012). Chlorophyll biosynthetic pathways in higher plants. *Current Science*).

Tsai, Y. C., Chen, K. C., Cheng, T. S., Lee, C., Lin, S. H., & Tung, C. W. (2019). Chlorophyll fluorescence analysis in diverse rice varieties reveals the positive correlation between the seedlings salt tolerance and photosynthetic efficiency. *BMC Plant Biology*, *19*(1), 403. DOI: https://doi.org/10.1186/s12870-019-1983-8

Tsegay, B. A., & Andargie, M. (2018). Seed priming with gibberellic acid (GA_3) alleviates salinity induced inhibition of germination and seedling growth of *Zea mays* L., *Pisum sativum* Var. abyssinicum A. Braun and *Lathyrus sativus* L. *Journal of Crop Science and Biotechnology*, *21*(3), 261–267. DOI: https://doi.org/10.1007/s12892-018-0043-0

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Turan, S., & Tripathy, B. C. (2015). Salt-stres induced modulation of chlorophyll biosynthesis during de-etiolation of rice seedlings. *Physiologia Plantarum*, *153*(3), 477–491. DOI: https://doi.org/10.1111/ppl.12250

Vibhuti., Shahi, C., Bargali, K., & Bargali, S.S. (2015). Seed germination and seedling growth parameters of rice (*Oryza sativa*) varieties as affected by salt and water stress. *Indian Journal of Agricultural Sciences* 85 (1): 102-108.

Vicente, R., M., & Plasencia, J. (2011). Salicylic acid beyond defence: its role in plant growth and development. J. Exp. Bot. 62, 3321–3338. doi: 10.1093/jxb/err031

Vijay, D., & Roy, B. (2013). Breeding, Biotechnology and Seed Production of Field Crops. In *Breeding, Biotechnology and Seed Production of Field Crops* (Issue December). New India Publishing Agency.

Vothknecht, U.C., Kannangara, C.G., von Wettstein, D. (1998). Barley glutamyl-tRNAGlu reductase: mutations affecting haem inhibition and enzyme activity. *Phytochemistry* 47: 513–519

Wang, H., Wang, W., Huang, W., Xu, H. (2017). Effect of salicylic acid on the gene transcript and protein accumulation of flavonoid biosynthesis-related enzymes in *Vitis vinifera* cell suspension cultures. *Horticulture Science* 52(12): 1772-1779. DOI: 10.21273/HORTSCI12515-17

Wang, Z., Dong, S., Teng, K., Chang, Z., Zhang, X. (2022). Exogenous salicylic acid optimizes photosynthesis, antioxidant metabolism, and gene expression in perennial ryegrass subjected to salt stress. *Agronomy*, 12: 1-16.

Wang, J., Yuan, Z., Li, D., Cai, M., Liang, Z., Chen, Q., Du, X., Wang, J., Gu, R., Li. Li. (2023). Transcriptome analysis revealed the potential molecular mechanism of anthocyanidins' improved salt tolerance in maize seedlings. *Plants* 12, 2793: 1-20.

Wani, A. B., Chadar, H., Wani, A. H., Singh, S., & Upadhyay, N. (2017). Salicylic acid to decrease plant stres. In *Environmental Chemistry Letters*, 15(1): 101–123. DOI: https://doi.org/10.1007/s10311-016-0584-0

Wijayanti, R., Sholahuddin, Supriyadi, & Poromarto, S. H. (2018). Population of brown planthopper in local rice varieties. *AIP Conference Proceedings*, *2014*. DOI: https://doi.org/10.1063/1.5054439

Witjaksono, W., Aldawood, A. S., Kristamtini, K., Sumarno, S., Andriyanto, R., & Soffan, A. (2024). Feeding behavior of brown planthopper (*Nilaparvata lugens*) on pigmented rice monitored by electrical penetration graph (EPG). *Jurnal Perlindungan Tanaman Indonesia*, *28*(2), 96. DOI: https://doi.org/10.22146/jpti.96909

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wulansari, D. A. (2022). *Pengaruh Pupuk Kotoran Jangkrik Terhadap Preferensi Makan dan Pertumbuhan Populasi Wereng Batang Cokelat (Nilaparvata lugens) pada Tanaman Padi*. Universitas Gadjah Mada.

Xu, Y., Bu, W., Xu, Y., Fei, H., Zhu, Y., Ahmad, I., Nimir, N. E. A., Zhou, G., & Zhu, G. (2024). Effects of salt stres on physiological and agronomic traits of rice genotypes with contrasting salt tolerance. *Plants*, *13*(8). DOI: https://doi.org/10.3390/plants13081157

Yang, Y., & Guo, Y. (2018). Elucidating the molecular mechanisms mediating plant salt-stres responses. *New Phytologist* (Vol. 217, Issue 2, pp. 523–539). DOI: https://doi.org/10.1111/nph.14920

Youssef, S. M., Abd Elhady, S. A., Aref, R. M., & Riad, G. S. (2018). Salicylic acid attenuates the adverse effects of salinity on growth and yield and enhances peroxidase isozymes expression more competently than proline and glycine betaine in cucumber plants. *Gesunde Pflanzen*, *70*(2), 75–90. DOI: https://doi.org/10.1007/s10343-017-0413-9

Youssef, S. M. S., El-Hady, S. A. A., El-Azm, N. A. I. A., & El-Shinawy, M. Z. (2017). Foliar application of salicylic acid and calcium chloride enhances growth and productivity of Lettuce (*Lactuca sativa*). *Egyptian Journal of Horticulture*, *44*(1), 1–16. DOI: https://doi.org/10.21608/ejoh.2019.18463.1119

Yu, X.P., Wu, G.R., Tao, L.Y., Wang, C.L., Xu, Q.Q. (1993) Effects of rice resistant varieties on population growth of brown planthopper and whitebacked planthopper. *Chinese Journal Rice Science* 7:88–94

Yuliastini, L.F., Zainuri, M. & Widiaratih, R. (2023). Analisis kerentanan pesisir di Kabupaten Kendal. *Indonesia Journal of Oceanography*, 5(1), 80-89.

Yun, P., Kaya C, Shabala, S. (2024). Hormonal and epigenetic regulation of root responses to salinity stress. *The Crop Journal* 12: 1309-1320.

Yuvaraj, M., Subash Chandra Bose, K., Elavarasi, P., & Tawfik, E. (2021). Soil Salinity and Its Management. In *Soil Moisture Importance*. IntechOpen. https://doi.org/10.5772/intechopen.93329

Zahra, N., Hinai, A., Hafeez M., Rehman A., Wahid, A., Siddique, K., Frooq M. (2022). Regulation of photosynthesis under salt stress and associated tolerance mechanisms. Plant Physiology and Biochemistry 1: 55-69

Zeng, J., Zhang, T., Huangfu, J., Li, R., & Lou, Y. (2021). Both allene oxide synthases genes are involved in the biosynthesis of herbivore-induced jasmonic acid and herbivore resistance in rice. *Plants*, *10*(3), 1–14.

UNIVERSITAS GADJAH MADA
Mekanisme Asam Salisilat dalam Induksi Toleransi Tanaman Padi Hitam (Oryza sativa (italic) L. 'Sembada Hitam') pada Cekaman Salinitas dan Pengaruhnya Terhadap Aktivitas Makan Nilaparvata lugens (italic) Stal (Hemiptera: Delphacidae)
Hana Widiawati, Prof. Dr. Kumala Dewi, M.Sc.St; Sukirno, S.Si., M.Sc., Ph.D; Dr. Ir. Sri Koerniati, M.Sc; Prof. Dr. Ir. A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.3390/plants10030442

Zhang, Q., Li, T., Gao, M., Ye, M., Lin, M., Wu, Di., Guo, J., Guan, W., Wang, J., Yang, K., Zhu, L., Cheng, Y., Du, B., He, D. (2022). Transcriptome and Metabolome Profiling Reveal the Resistance

Mechanisms of Rice against Brown Planthopper. International Journal of Moleular Sciences. 23: 1-20. DOI: https://doi.org/10.3390/ijms23084083

Zhang, X. yun, Tang, L. hui, Nie, J. wei, Zhang, C. rui, Han, X., Li, Q. yu, Qin, L., Wang, M. hua, Huang, X., Yu, F., Su, M., Wang, Y., Xu, R. ming, Guo, Y., Xie, Q., & Chen, Y. hang. (2023). Structure and activation mechanism of the rice Salt Overly Sensitive 1 (SOS1) Na+/H+ antiporter. *Nature Plants*, *9*(11), 1924–1936. https://doi.org/10.1038/s41477-023-01551-5

Zheng, J., Ma, X., Zhang, X., Hu, Q., & Qian, R. (2018). Salicylic acid promotes plant growth and salt-related gene expression in Dianthus superbus L. (Caryophyllaceae) grown under different salt stres conditions. *Physiology and Molecular Biology of Plants*, *24*(2), 231–238. https://doi.org/10.1007/s12298-017-0496-x

Zheng, S., Ye, C., Lu, J., Liufu, J., Lin, L., Dong, Z., Li, J., & Zhuang, C. (2021). Improving the rice photosynthetic efficiency and yield by editing oshxk1 via crispr/cas9 system. *International Journal of Molecular Sciences*, *22*(17). https://doi.org/10.3390/ijms22179554

Zuo, G., Huo, J., Yang, X., Mei, W., Zhang, R., Khan, A., Feng, N., & Zheng, D. (2024). Photosynthetic mechanisms underlying NaCl-induced salinity tolerance in rice (Oryza sativa). *BMC Plant Biology*, *24*(1). https://doi.org/10.1186/s12870-024-04723-3