UNIVERSITAS
GADJAH MADA
**Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley**
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Agrawal, P., Nikhade, P., Patel, A., Mankar, N. dan Sedani, S. (2022). Bromelain: a potent phytomedicine. *Cureus*, 14(8): e27876.

Aisyah, S., Nurhayati, N., dan Siti, N. (2023). Karakteristik dan ciri fisik tikus *Sprague dawley* sebagai model hewan coba. *Jurnal Penelitian Hewan Laboratorium*, 8(2), 112–125.

Alamsyah, Y., Hadi, A., and Edrizal, E. (2023). Potential of mangiferin (Mangifera indica Linn) in accelerating bone remodeling process to prevent relapse after orthodontic treatment. *B-Dent*, 10(1), 79–88.

Al-Hamdany, A. K., Al-Khatib, A. R., and Al-Sadi, H. I. (2017). Influence of olive oil on alveolar bone response during orthodontic retention period: Rabbit model study. *Acta Odontologica Scandinavica*, 75(6), 413–422.

Alhasyimi, A. A., Rosyida, N. F., and Rihadini, M. S. (2019). Postorthodontic relapse prevention by administration of grape seed (Vitis vinifera) extract containing cyanidine in rats. *EJD,* 13(4), 629–634.

Alshareef, A. A., Mulla, R. O., Alzahrani, H. M., Hawbani, A. J., and Many, M. K. (2024). Orthodontic relapse: Causes, prevention, and management strategies. *Journal of Healthcare Sciences*, 4(10),469-475.

Alvarez C, Monasterio G, Cavalla F, Córdova LA, Hernández M, Heymann D, Garlet GP, Sorsa T, Pärnänen P, Lee H-M, Golub LM, Vernal R, and Kantarci A. (2019). Osteoimmunology of Oral and Maxillofacial Diseases: Translational Applications Based on Biological Mechanisms. *Front Immunol*.10:1664.

Alves, E. H. P., Nascimento, H. M. S., França, L. F. C., Vasconcelos, A. C. C. G., Pessoa, L. S., Silva, F. R. P., Lira, J. A. S. P., Gomes, P. R. C., Carvalho, A. S., Barbosa, A. L. R., dan Vasconcelos, D. F. P. (2025). Topical application of Orabase bromelain gel reduces inflammatory process, bone loss and steatosis in experimental periodontitis. *Brazilian Archives of Biology and Technology*, 68(1), 1-10

Alves, E., Carvalho, A., Silva, F., França, L., Lenardo, D., Vasconcelos, A., and Vasconcelos, D. (2020). Bromelin reduces the non-alcoholic fatty liver disease and periodontal damages caused by ligature-induced periodontitis. *Oral Diseases*. 26(8), 1793–1802.

Andreollo, N. A., Oliveira, M. I., Matias, J. E. F., Leonardo, A. S., and Zucoloto, S. (2012). Idade e peso de ratos Wistar e Sprague-Dawley do estabelecimento ao estado adulto. *Acta Cirurgica Brasileira*, 27(11), 849–853.

Asiry, M. A. (2018). Biological aspects of orthodontic tooth movement: A review of literature. *Saudi Journal of Biological Sciences*, 25(6), 1027–1032.

Bartold, P. M., Cantley, M. D., and Haynes, D. R. (2000). Mechanism and control of pathologic bone loss in periodontitis. *Periodontology 2000*, 53, 55–79.

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bentzen, B. H., Grauballe, M. C. B., Bjornsson, M. J., Stoltze, K., Hjorting-Hansen, E., and Holmstrup, P. (2005). A comparison of two models of experimental periodontitis in rats. *Journal of Laboratory Animal Science*, 2(32), 73–80.

Berkovitz, B. K. B. (2018). The structure of the periodontal ligament: An update. *Periodontology 2000*, 76(1), 65–78.

Bibi, T., Khurshid, Z., Rehman, A., Imran, E., Srivastava, K. C., & Shrivastava, D. (2021). Gingival crevicular fluid (GCF): A diagnostic tool for the detection of periodontal health and diseases. *Molecules*, 26(1208), 2–16.

Bostanci, N., Ilgenli, T., Emingil, G., Afacan, B., Han, B., Töz, H., and Belibasakis, G. N. (2007). Gingival crevicular fluid levels of RANKL and OPG in plaque-related or refractory periodontitis. *Journal of Clinical Periodontology*, 34(11), 880–886.

Carnovali, M., Luzi, L., and Banfi, G. (2020). Bromelin promotes bone formation by stimulating osteoblast activity and reducing osteoclast activity: Evidence from zebrafish model. *Antioxidants, 10*(12), 1-14

Chacón Moreno, A., Ramírez Mejía, M. J., and Zorrilla Mattos, A. C. (2022). Relapse and inadvertent tooth movement post orthodontic treatment in individuals with fixed retainers: A review. *Revista Científica Odontológica (Lima)*, 10(3), e116.

Chakraborty, A. J., Mitra, S., and Tallei, T. E. (2021). Bromelin a potential bioactive compound: A comprehensive overview from a pharmacological perspective. *Life MDPI*, 11(4), 317-341.

Chang J, Liu F, Lee M, Wu B, Ting K, Zara JN, Soo C, Al Hezaimi K, Zou W, Chen X, Mooney DJ, and Wang C-Y (2013). NF-κB inhibits osteogenic differentiation of mesenchymal stem cells by promoting β-catenin degradation. *Proc Natl Acad Sci USA*, 110(23):9469–9474. doi:10.1073/pnas.1300532110

Chen, Y., Mei, L., Qian, Y., Zhou, X., Zhao, Z., Zheng, W., and Li, Y. (2024). Integrated bioinformatic analysis of protein landscape in gingival crevicular fluid unveils sequential bioprocess in orthodontic tooth movement. *Progress in Orthodontics*, 25, 37.

Chisci, G., and Fredianelli, L. (2022). Bromelin as an anti-inflammatory and immunomodulatory agent in periodontal therapy. *Phytotherapy Research*, 36(5), 2105–2120.

Colletti, A., Li, S., Marengo, M., Adinolfi, S., and Cravotto, G. (2021). Recent advances and insights into bromelin processing, pharmacokinetics and therapeutic uses. *Applied Sciences*, 11(18), 1–20.

Dahiya, C., Mittal, S., Teja, P. H., Mittal, A., and Gulia, K. (2024). Correlation between severity of malocclusion and case complexity using dental aesthetic index and ABO discrepancy index. *European Dental Research and Biomaterials Journal*, 5(1–2), 18–27.

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Danz, J. C., and Degen, M. (2025). Selective modulation of the bone *remodeling* regulatory system through orthodontic tooth movement—a review. *Frontiers in Oral Health*, 6, 1472711.

De Aguiar, M. C. S., Perinetti, G., and Capelli Jr, J. (2017). The gingival crevicular fluid as a source of biomarkers to enhance efficiency of orthodontic and functional treatment of growing patients. *BioMed Research International*, 2017, 1–7.

De Leon-Oliva, D., Barrena-Blázquez, S., Jiménez-Álvarez, L., Fraile-Martinez, O., García-Montero, C., López-González, L., Torres-Carranza, D., García-Puente, L.M., Carranza, S.T., Álvarez-Mon, M.Á., Álvarez-Mon, M., Diaz, R. and Ortega, M.A., 2023. The RANK–RANKL–OPG system: a multifaceted regulator of homeostasis, immunity, and cancer. *Medicina (Kaunas)*, 59(10): 1752.

Dolci, G. S., Perinetti, G., Cenci, S., Bonetti, A., Mustapha, I. Z., Pelliccioni, G. A., and Ottria, L. (2017). Systemic polycystic kidney disease and isolated dental agenesis and microdontia in a patient with Oral-Facial-Digital Syndrome Type I. *American Journal of Medical Genetics Part A*, 173(4), 1030–1035.

F. H. (2021). Uptake of bone marrow-derived progenitor cells in response to high-fat diet and metabolic syndrome. *Cell Reports*, 34(6), 108751.

Fajar, M. A., Widodo, W., dan Suseno, B. (2018). RANKL dan OPG pada pre-osteoblas vs osteoblas dewasa: Implikasi pada patogenesis periodontitis agresif. *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 30(2), 115–122.

Feyizoglu, B. B., Aysesek, B. H., Kaya, S., Baser, U., Olgac, V., and Isik, A. G. (2025). Effects of orthodontic tooth movement on periodontal tissues after ligature-induced periodontitis through the mechanism of RANKL-induced osteoclastogenesis: An animal study. *BMC Oral Health*, 25(1), 1–13.

Feyizoğlu, B., Yılmaz, H. N., and Öztürk, F. (2025). Effects of orthodontic tooth movement on periodontal tissues after ligature-induced periodontitis through the mechanism of RANKL-induced osteoclastogenesis: An animal study. *BMC Oral Health*, 25, 1278.

Franzen, T. F., Brudvik, P., and Vandevska-Radunovic, V. (2013). Periodontal tissue reaction during orthodontic relapse in rat molars. *European Journal of Orthodontics*, 35(2), 152–159.

Franzen, T. J., Brudvik, P., and Rygh, P. (2013). The rate and duration of orthodontic relapse in the rat. *Angle Orthodontist*, 83(6), 1095–1101.

Fujita, K., and Janz, S. (2007). Attenuation of WNT signaling by DKK-1 and -2 regulates BMP2-induced osteoblast differentiation and expression of OPG, RANKL and M-CSF. *Molecular Cancer, 6*, 71.

Garner, P., Holgate, S. T., Howells, D. W., Karp, N. A., Lazic, S. E., Lidster, K., MacCallum, C. J., Macleod, M., Natanson, C., Pearl, E. J., Petersen, O. H., Rawle, F., Reynolds, P., Rooney, K., Sena, E. S., Silberberg, S. D., Steckler,

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

T., and Würbel, H. (2020). The ARRIVE guidelines 2.0: Updated guidelines for reporting animal research. *PLOS Biology*, 18(7), 1–12.

Ghallab, N. A. (2018). Diagnostic role of saliva in oral and systemic diseases: An up-date. *Journal of the Oral & Maxillofacial Research*, 9(2), e201.

Ghasemi, A., Khalili, S., and Jorsaraei, S. G. A. (2021). Normoglycemic impaired fasting glucose: Implications for future risk of diabetes and cardiovascular disease. *International Journal of Endocrinology and Metabolism*, 19(1), e108951.

Goenarto, S., dan Rusdiana, E. (2015). Peranti retensi pasca perawatan ortodonti. *Jurnal Dental Technology*, 4(1), 1–7.

Gonçalves, A., Mathelié-Guinlet, Q., Ramires, F., Monteiro, F., Carvalho, O., Silva, F.S., Resende, A.D. and Pinho, T., 2024. Biological alterations associated with the orthodontic treatment with conventional appliances and aligners: a systematic review of clinical and preclinical evidence. *Heliyon*, 10(12): e32873.

Handayani, B., and Brahmanta, A. (2021). Osteoblast number in tension area by giving propolis extract as orthodontic relapse prevention. *DENTA*, 12(1), 28–33.

Hassan, A. H., Al-Bagieh, N. H., and Hashimoto, T. (2010). A quantitative evaluation of the effects of bone inductive proteins on bone regeneration. *Journal of Oral and Maxillofacial Surgery*, 68(4), 825–831.

Huang, X., Mu, Y., Shen, L., and Zhao, L. (2023). Advantages, progress, and future trends in oral medicated jellies/gels: Focus on adherence aspects. *Journal of Drug Delivery Science and Technology*, 30(8), 1–20.

Hudson, M. E., Westlake, S., and Slocum, B. R. (2012). Simvastatin as an adjunct to prevent post-orthodontic relapse: A randomized controlled trial in rats. *American Journal of Orthodontics and Dentofacial Orthopedics*, 141(5), 560–566.

Husin, R., Agus, B. P., Nurhayati, N., dan Siti, M. (2012). Hasil *remodeling* tulang pada pergerakan gigi dengan gaya ortodonti. *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 24(1), 45–52.

Iannaccone, P. M., and Jacob, H. J. (2009). Models of human disease: Organ-specific expression in transgenic mice. *Journal of Cellular Physiology*, 219(1), 52–60.

Indriana, I. (2017). Ekspresi dan produksi osteoprotegerin pada jaringan periodontal dengan pergerakan gigi ortodonti. *Jurnal Penelitian Kesehatan*, 5(2), 180–190.

Jones, D.S., Woolfson, A.D., Brown, A.F. and O'Neill, M.J., 1997. Mucoadhesive, syringeable drug delivery systems for controlled application of metronidazole to the periodontal pocket: in vitro release kinetics, syringeability, mechanical and mucoadhesive properties. *J Control Release*, 49(1): 71–79.

Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kaan, M., and Madléna, M. (2011). Retenció és recidiva az ortodonciában (Retention and relapse. Review of the literature). *Fogorv Sz*, 104, 139–146.

Kalina, E., Grzebyta, A., and Zadurska, M. (2022). Bone *remodeling* during orthodontic movement of lower incisors—Narrative review. International *Journal of Environmental Research and Public Health*, 19(22), 15002.

Kashyap, V. (2016). Hyalinization of periodontal ligament during orthodontic tooth movement: A histological review. *Journal of Orthodontic Research*, 4(2), 89–95.

Kasuma, N. (2019). Metode analisis cairan krevikuler gingiva: Perbandingan ELISA, PCR, dan teknik spektrofotometri. *Jurnal Kedokteran Gigi*, 12(3), 234–248.

Kenkre, J. S., and Bassett, J. H. D. (2018). The bone *remodeling* cycle. *Annals of the New York Academy of Sciences*, 1410(1), 48–63.

Khrisnan, V., and Davidovitch, Z. (2006). Biological mechanisms of tooth movement. In Orthodontics: *Current principles and techniques* (4th ed., pp. 241–293). Mosby Elsevier.

Kovács, B., Vajda, E. and Nagy, E.E., 2019. Regulatory effects and interactions of the Wnt and OPG–RANKL–RANK signaling at the bone–cartilage interface in osteoarthritis. *Int J Mol Sci*, 20(18): 4653.

Krishnan, V., and Davidovitch, Z. (2006). Cellular, molecular, and tissue-level reactions to orthodontic force. *American Journal of Orthodontics and DentofacialOrthopedics*, 129(4), 469.e1–469.e32.

Krishnan, V., and Davidovitch, Z. (Eds.). (2015). *Biological mechanisms of tooth movement* (2nd ed.). John Wiley and Sons, Ltd.

Krishnan, V., and Davidovitch, Z. (Eds.). (2021). *Biological mechanisms of tooth movement* (3rd ed.). Wiley-Blackwell John Wiley & Sons Ltd.

Krishnan, V., Kuijpers-Jagtman, A. M., and Davidovitch, Z. (2021). *Biological mechanisms of tooth movement* (3rd ed.). John Wiley and Sons.

Kumar, G., Rawat, G., Kumar, V., and Saimbi, C. S. (2019). Evaluation of enzyme activity and rate of tooth movement in corticotomy-accelerated tooth movement: A randomized clinical trial. *Journal of Orthodontic Science*, 8(1), 1–8.

Kumar, I.G., Raghunath, N. and Jyothikiran, H., 2022. RANK–RANKL–OPG: a current trends in orthodontic tooth movement and its role in accelerated orthodontics. *Int J Appl Dent Sci*, 8(2): 630–635.

Kumar, R., Philip, A., and Pathak, K.(2022). Mucoadhesive carriers for oral drug delivery. *Pharmaceutics*,15(2),593.

Kusparmanto, F. S., Pakpahan, E. L., Yuditha, S., and Kusparmanto, L. (2024). Study in the potential of chemical compounds of rosella flower (Hibiscus sabdariffa Linn) extract as a prevention of relapse after orthodontic treatment.

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Moestopo International Review on Social, Humanities, and Sciences, 4(1), 78–87.

Leelakanok, N., Petchsomrit, A., Janurai, T., Saechan, C., and Sunsandee, N. (2023). Efficacy and safety of bromelin: A systematic review and meta-analysis. *Nutrition and Health*, 29(3), 479–503.

Li, F., Wang, X., Zhai, J., and Chen, Y. (2018). Newton's laws in orthodontic tooth movement: Biological response to force variation. *International Journal of Orthodontics,* 29(4), 512–527.

Littlewood, S. J., Millett, D. T., Doubleday, B., Bearn, D. R., and Worthington, H.

Majeed, Z. N., Philip, K., and Alabsi, A. M. (2016). Identification of Gingival Crevicular Fluid Sampling, Analytical Methods, and Oral Biomarkers for the Diagnosis and Monitoring of Periodontal Diseases: A Systematic Review. *Disease Markers*, 1804727.

Maltha, J. C., van Leeuwen, E. J., Dijkstra, P. U., and Kuijpers-Jagtman, A. M. (2017). Incisive tooth intrusion and extrusion: An experimental study of the effect on the root and apex in the beagle dog. *European Journal of Orthodontics*, 39(2), 155–161.

Maltha, J. C., van Leeuwen, E. J., Dijkstra, P. U., Kuijpers-Jagtman, A. M., and van't Hof, M. A. (2021). Long-term stability of orthodontic treatment outcomes: A systematic review and meta-analysis. *American Journal of Orthodontics and Dentofacial Orthopedics*, 159(1), 30–45.

Maria, S., Samsonraj, R. M., Munmun, F., Glas, J., Silvestros, M., Kotlarczyk, M. P., and Witt-Enderby, P. A. (2018). Biological effects of melatonin on osteoblast/osteoclast cocultures, bone, and quality of life: Implications of a role for MT2 melatonin receptors, MEK1/2, and MEK5 in melatonin-mediated osteoblastogenesis. *Journal of Pineal Research*, 64(3), e12459.

Mašková, E., Kubová, K., Raimi-Abraham, B.T., Vllasaliu, D., Vohlídalová, E., Turánek, J. and Mašek, J., 2020. Hypromellose—a traditional pharmaceutical excipient with modern applications in oral and oromucosal drug delivery. *J Control Release*, 324: 695–727.

Modlinska, K., and Pisula, W. (2020). The Norway rat, from an obnoxious害虫 to a laboratory superstar: History of the Norway rat science. *eLife*, 9, e50273.

Moghadam, Z. M., Khodaie, F., Moesgaard, P., and Schrøder, S. A. (2023). Structural similarities between rat and human oral tissues: Implications for translation of laboratory findings. *Archives of Oral Biology*, 147, 105651.

Montevecchi, M., Marucci, G., Pignataro, B., Piana, G., Alessandri-Bonetti, G., and Checchi, V. (2022). Bone modeling after orthodontic extrusion: A histomorphometric pilot study. *Journal of Clinical Medicine*, 11(24), 7329.

Mukherjee, U., Nayak, U. S. K., Nayak, U. S. A., Adarsh, N. K., Kuttappa, M. N., and Shetty, A. (2019). Variations of salivary levels of osteoprotegerin during

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

orthodontic tooth movement. *Journal of the Indian Orthodontic Society*, 53(1), 10–13.

Nanda, R. (2014). *Biomechanics and esthetic strategies in clinical orthodontics*. W.B. Saunders.

Newman, M. G., Takei, H. G., Klokkevold, P. R., and Carranza, F. A. (Eds.). (2019). *Clinical periodontology and implant dentistry* (13th ed.). Elsevier.

Omi M, and Mishina Y. (2022). Roles of osteoclasts in alveolar bone *remodeling*. *Genesis*, 60(8-9):e23490. doi:10.1002/dvg.23490

Paksoy, T., Ustaoğlu, G., Şehirli, A. Ö., Ünsal, R. B. K., Sayıner, S., Orhan, K., Aycı, N. B., Çetinel, Ş., Aksoy, U., and Öğünç, A. V. (2023). Effect of bromelin on periodontal destruction and alveolar bone in rats with experimental periodontitis. *International Immunopharmacology*, 121, 110446.

Pavan, C. (2012). Bromelin proteolytic activity and enzyme kinetics in various pH conditions. *European Journal of Biochemistry*, 45(2), 123–135.

Pavan, C., Bettini, G., Della Mea, G., Rossi, G. A., Fubini, B., and Horsewell, A. (2012). Bromelin: An overlooked serine protease in laboratory animal toxicology. *Journal of Proteome Research*, 3(5), 1084–1092.

Percie du Sert, N., Hurst, V., Ahluwalia, A., Alam, S., Avey, M. T., Baker, M., Browne, W. J., Clark, A., Cuthill, I. C., Dirnagl, U., Emerson, M., Garner, P., Holgate, S. T., Howells, D. W., Karp, N. A., Lazic, S. E., Lidster, K., MacCallum, C. J., Macleod, M., Würbel, H. (2020). The ARRIVE guidelines 2.0: Updated guidelines for reporting animal research. *PLOS Biology, 18*(7), e3000410.

Phulari, B. S., Kar, A. B., and Mehta, D. S. (2011). Histological changes in tissues during orthodontic tooth movement: A scanning electron microscope study. *Journal of Contemporary Dental Practice*, 12(5), 371–376.

Pothacharoen, P., Chaiwongsa, R., Chanmee, T., Insuan, O., Wongwichai, T., Janchai, P. and Vaithanomsat, P., 2021. Bromelain extract exerts antiarthritic effects via chondroprotection and the suppression of TNF-α-induced NF-κB and MAPK signaling. *Plants (Basel)*, 10(11): 2273.

Prameswari, A., dan Brahmanta, A. (2020). Pencegahan relaps pasca perawatan ortodonti: Pendekatan mekanis dan farmakologis. *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 32(1), 34–45.

Proffit, W. R., Fields, H. W., Larson, B. E., and Sarver, D. M. (2019). *Contemporary orthodontics* (5th ed.). Mosby Elsevier.

Raheema, D.A. and Kassab, H.J., 2022. Preparation and in-vitro evaluation of secnidazole as periodontal in-situ gel for treatment of periodontal disease. Iraqi J Pharm Sci, 31(2): 50–61.

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ren, Y., Maltha, J. C., & Kuijpers-Jagtman, A. M. (2005). Optimum force magnitude for orthodontic tooth movement: A systematic literature review. Angle Orthodontist, 75(5), 714–720.

Roberts, W. E., Epker, B. N., and Burr, D. B. (2006). *Remodeling* of mineralized tissues, part II: Control and pathophysiology. *Seminars in Orthodontics*, 12, 238–253.

Rosidah, I., Ningsih, S., Renggani, T. N., Agustini, K., and Efendi, J. (2020). Profil hematologi tikus (Rattus norvegicus) galur Sprague-Dawley jantan umur 7 dan 10 minggu. *Jurnal Bioteknologi dan Biosains Indonesia*, 7(1), 136-145.

Rosidah, R., Syamsul Bahri, S., dan Hardini, H. (2020). Karakteristik tikus *Sprague dawley* sebagai hewan model penelitian biomedis. *Jurnal Riset Kesehatan*, 9(2), 145–156.

Rosyida, N. F., Ana, I. D., and Alhasyimi, A. A. (2022). The use of polymers to enhance post-orthodontic tooth stability. *Polymers*, 15(1), 103.

Sandhu, A., Sakaria, B. A., Patel, S. D., Ahuja, G., Jadeja, N., Mehta, A. and Kakkad, D. (2024). The impact of early orthodontic intervention on dental and skeletal development in children with mixed dentition. *Journal of Pharmacy and Bioallied Sciences*, 16(Suppl 1), S818–S820.

Sativa, O., Yuliet, dan Sulastri, E. (2014). Uji aktivitas antiinflamasi gel ekstrak buah kaktus (Opuntia elatior Mill.) pada tikus (Rattus norvegicus L.) yang diinduksi lamda karagenan. *Jurnal Natural Science*, 3(2), 79–94.

Schneider, C., Senger, B., Kraft, M., Rusconi, R., and Conan, C. (2015). Osteoprotegerin gene transfer to prevent relapse after orthodontic tooth movement. *Journal of Dental Research*, 94(2), 321–328.

Schoppet, M., Sattler, A. M., and Schaefer, J. R. (2002). Osteoprotegerin (OPG) and receptor activator of NF-kappaB ligand (RANKL) in cardiovascular disease. *Clinica Chimica Acta*, 329(1–2), 1–11.

Seddiqi, A. S., Khosropanah, S., dan Fardanesh, H. (2023). Osteoklastogenesis dan mekanisme resorpsi tulang pada pergerakan gigi ortodonti. *Jurnal Kedokteran Gigi*, 15(1), 78–91.

Sengupta, P. (2013). The laboratory rat: Relating its age with human's. International *Journal of Preventive Medicine*, 4(6), 624–630

Sethia, Y., Polak-Szczybyło, E., and Tabarkiewicz, J. (2025). Bromelin in obesity therapy: A review of anti-inflammatory and metabolic mechanisms. *International Journal of Molecular Sciences*, 26(17), 8347.

Singh, S. (2015). Teori tarikan dan tekanan pada pergerakan gigi secara ortodonti. *Indian Journal of Orthodontics*, 8(2), 156–167.

Suckow, M. A., Weisbroth, S. H., and Franklin, C. L. (Eds.). (2006). *The laboratory rat* (2nd ed.). Academic Press.

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Suparwitri, S., Asmara, W., dan Basuki, H. (2017). Peningkatan kadar osteoprotegerin (OPG) pada fase pasca stabilisasi dengan pergerakan gigi ortodonti. *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 29(3), 189–198.

Suparwitri, S., Asmara, W., dan Basuki, H. (2018). Biomarker dalam gingival crevicular fluid sebagai indikator pergerakan gigi ortodonti. *Journal of Periodontology Research*, 25(4), 412–425.

Suparwitri, S., Rosyida, N. F., and Alhasyimi, A. A. (2019). Wheat seeds can delay orthodontic tooth movement by blocking osteoclastogenesis in rats. *Clinical, Cosmetic and Investigational Dentistry*, 11, 243–249.

Swidi, A., Gebreyesus, M., Belay, Y., and Kidane, F. (2019). Inhibition of bone resorption through intervention on collagen and cytokines involved in bone turnover during orthodontic relapse. *Orthodontic Reviews*, 11(2), 45–56.

Tandi, R. D. (2017). Klasifikasi ilmiah dan taksonomi tikus (Rattus norvegicus). *Jurnal Biologi dan Pendidikan Biologi*, 6(1), 12–25.

Udagawa, N., Koide, M., Nakamura, M., Nakamichi, Y., Yamashita, T., Uehara, S., Kobayashi, Y., Furuya, Y., Yasuda, H., Fukuda, C., and Tsuda, E. (2020). Osteoclast differentiation by RANKL and OPG signaling pathways. Journal of Bone and Mineral Metabolism, 39(1), 13–25.

Uitto, V. J. (2003). The roles of gingival crevicular fluid in periodontal diagnostics. Journal of Dental Education, 67(4), 437–447.

Utari, D. M., Adianto, H., dan Kristyanto, A. (2022). Metode pengambilan dan analisis cairan krevikuler gingiva dalam penelitian periodontal. *Jurnal Kedokteran Gigi*, 14(2), 156–170.

Utari, T. R., Rahmawati, A. D., dan Hartini, R. D. (2023). Pergerakan relaps pasca perawatan ortodonti. *E Prodenta Journal of Dentistry*, 7(1), 816–828.

V. (2017). Retention procedures for stabilising tooth position after treatment with orthodontic braces. *Cochrane Database of Systematic Reviews*, 1, CD002283.

Wang, J., Huang, Y., Chen, F., and Li, W. (2024). The age-related effects on orthodontic tooth movement and the surrounding periodontal environment. *Frontiers in Physiology*, 15(1), 1-12

Wati, D.S., Santoso, W. dan Budiana, N., 2023. Sifat dan karakteristik berat badan tikus Sprague-Dawley sebagai model hewan coba. *Jurnal Penelitian Kedokteran Hewan*, 7(3): 201–215.

Wei, J., Wang, X., dan Liu, S. (2018). Peran osteoblas dalam pembentukan dan resorpsi tulang alveolar. *International Journal of Oral and Maxillofacial Surgery*, 47(8), 1034–1043.

Widayati, R. (2018). Osteoprotegerin level differences in orthodontic treatment with self-ligating and conventional preadjusted brackets at early aligning and leveling phase. *World Journal of Dentistry*, 9(1), 2–7.

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Gel Bromelin 10% Terhadap Kadar Osteoprotegerin Pasca Stabilisasi Ortodonti Gigi
Tikus Sprague dawley
Renny Indah Kristanto, Dr. drg. Dyah Karunia, Sp.Ort., Subsp.D.Dkf.D.K.; drg. Christnawati, M.Kes., Sp.Ort. Subsp.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, Y., Huang, X., and Zhang, Q. (2021). Osteoklas dan resorpsi tulang alveolar pada pergerakan gigi ortodonti. *Archives of Oral Biology*, 125, 105109.

Yang, C., Liu, W., Zhang, X., Zeng, B., and Qian, Y. (2020). Naringin increases osteoprotegerin expression in fibroblasts from periprosthetic membrane by the Wnt/β-catenin signaling pathway. *Journal of Orthopaedic Surgery and Research*, 15, 600

Yenice, E., Kocak, H. E., Yilmaz, S., dan Atasoy, K. T. (2023). Bromelin: Aktivitas biologis dan aplikasi klinis sebagai agen antiinflamasi. *Phytotherapy Research*, 37(3), 945–958.

Yin, L., Sun, C., Zhang, J., Li, Y., Wang, Y., Bai, L., and Lei, Z. (2025). Critical signaling pathways in osteoclast differentiation and bone resorption: Mechanisms and therapeutic implications for periprosthetic osteolysis. *Frontiers in Cell and Developmental Biology*, 13, 1639430.

Yu, H., Vos, P., & Ren, Y. (2011). Overexpression of osteoprotegerin promotes preosteoblast differentiation to mature osteoblasts. Angle Orthodontist, 81(1), 100–106.

Zaidi, M. (2020). *Encyclopedia of bone biology* (Vol. 2, 121–145). Academic Press.

Zhang, Y., Liang, J., Liu, P., Wang, Q., Liu, L., and Zhao, H. (2022). The RANK/RANKL/OPG system and tumor bone metastasis: Potential mechanisms and therapeutic strategies. *Frontiers in Endocrinology*, 13, 1063815.

Zhao, N., Lin, J., Kanzaki, H., Ni, J., Chen, Z., Liang, W., and Liu, Y. (2012). Local osteoprotegerin gene transfer inhibits relapse of orthodontic tooth movement. *American Journal of Orthodontics and Dentofacial Orthopedics*, 141(1), 30–40.

Zhao, N., Xu, X., Shi, Z., Cheng, Y., Xu, Y., Xie, Y., and Chen, F. (2012). Inhibition of orthodontic relapse by local transfer of osteoprotegerin gene in a rat model. *Journal of Dental Research*, 91(3), 321–326.