UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aghdamifar, E., Sharabiani, V. R., Taghinezhad, E., Fanaei, A. R., and Szymanek, M. (2023a). Non-destructive method for identification and classification of varieties and quality of coffee beans based on soft computing models using vis/nir spectroscopy. *European Food Research and Technology*, 249:1599–1612.

Aghdamifar, E., Sharabiani, V. R., Taghinezhad, E., Szymanek, M., and Dziwulska-Hunek, A. (2023b). E-nose as a non-destructive and fast method for identification and classification of coffee beans based on soft computing models. *Sensors and Actuators B: Chemical*, 393.

Andri, K. B. (2025). Berita brmp perkebunan - kiprah indonesia di panggung kopi global di era specialty coffee.

ASMPT (2025). Wavelenght.

Astuti, S. D., Wicaksono, I. R., Soelistiono, S., Permatasari, P. A. D., Yaqubi, A. K., Susilo, Y., Putra, C. D., and Syahrom, A. (2024). Electronic nose coupled with artificial neural network for classifying of coffee roasting profile. *Sensing and Bio-Sensing Research*, 43.

Baggenstoss, J., Poisson, L., Kaegi, R., Perren, R., and Escher, F. (2008). Coffee roasting and aroma formation: Application of different time-temperature conditions. *Journal of Agricultural and Food Chemistry*, 56:5836–5846.

Bolka, M. and Emire, S. (2020). Effects of coffee roasting technologies on cup quality and bioactive compounds of specialty coffee beans. *Food Science and Nutrition*, 8:6120–6130.

Botero-Valencia, J. S. and Mejia-Herrera, M. (2021). Modular system for uv–vis-nir radiation measurement with wireless communication. *HardwareX*, 10.

Bottazzi, D., Farina, S., Milani, M., and Montorsi, L. (2012). A numerical approach for the analysis of the coffee roasting process. *Journal of Food Engineering*, 112:243–252.

Canales-Fiscal, M. R. and Tamez-Peña, J. G. (2023). Hybrid morphological-convolutional neural networks for computer-aided diagnosis. *Frontiers in Artificial Intelligence*, 6.

UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Caray, I. M. G., Ditchon, K. P. R., and Arboleda, E. R. (2023). Smart coffee aromas: A literature review on electronic nose technologies for quality assessment. *World Journal of Advanced Research and Reviews*, 21:506–514.

Chan, K. Y., Abu-Salih, B., Qaddoura, R., Al-Zoubi, A. M., Palade, V., Pham, D. S., Ser, J. D., and Muhammad, K. (2023). Deep neural networks in the cloud: Review, applications, challenges and research directions.

Chen, C. L., Liao, Y. C., and Fang, M. (2024). Freshness evaluation of grouper fillets by inexpensive e-nose and spectroscopy sensors. *Microchemical Journal*, 198.

Chen, H., Huo, D., and Zhang, J. (2022). Gas recognition in e-nose system: A review.

Chen, Z., He, C., Chen, C., Liao, X., Liu, X., and Liang, T. (2025). Dual branch network by fusing standard convolution and dilated convolution for plant leaf diseases classification. In *2025 IEEE 7th International Conference on Communications, Information System and Computer Engineering, CISCE 2025*, pages 711–714. Institute of Electrical and Electronics Engineers Inc.

Chollet, F. (2021). Deep learning with python second edition. Technical report.

Deng, F., Pu, S., Chen, X., Shi, Y., Yuan, T., and Shengyan, P. (2018). Hyperspectral image classification with capsule network using limited training samples. *Sensors (Switzerland)*, 18.

Fitzgerald, J. and Fenniri, H. (2017). Cutting edge methods for non-invasive disease diagnosis using e-tongue and e-nose devices.

Fryder, M., Holmberg, M., Winquist, F., and Lundstrom, I. (1995). A calibration technique for an electronic nose. Technical report.

Govindaraju, P., Prasath, M. M. A., Nandakumar, R., Dhanuja, R., Sowmiya, K., and Vignesh, R. (2025). Deep learning-driven health monitoring system integrated with wi-fi technology. In *Proceedings of 8th International Conference on Trends in Electronics and Informatics, ICOEI 2025*, pages 1517–1521. Institute of Electrical and Electronics Engineers Inc.

Hassanzadeh, H., Qadir, J. A., Omer, S. M., Ahmed, M. H., and Khezri, E. (2024). Deep learning for speaker recognition: A comparative analysis of 1d-cnn and lstm

UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

models using diverse datasets. In *Interdisciplinary Conference on Electrics and Computer, INTCEC 2024*. Institute of Electrical and Electronics Engineers Inc.

Huang, L., Liu, M., Li, B., Chitrakar, B., and Duan, X. (2024). Terahertz spectroscopic identification of roast degree and variety of coffee beans. *Foods*, 13.

Jiang, T., Ding, J., Du, Y., Yuan, S., Yu, H., and Yao, W. (2025). Deep learning-driven vis/nir spectroscopic devices for fruit quality assessment: A comprehensive review.

Jinzhe, W., Junping, Z., Qingle, G., and Tong, L. (2019). Fusion of hyperspectral and lidar data based on dual-branch convolutional neural network.

Jlassi, O. and Dixon, P. C. (2024). The effect of time normalization and biomechanical signal processing techniques of ground reaction force curves on deep-learning model performance. *Journal of Biomechanics*, 168.

Joy, K. (2017). Home roasted coffee beans (air popper method) -.

Kalprajsinh, R., Chaudhari, N., and Satapathy, S. (2026). Multimodal data fusion of image and sensor data for precision fruit quality evaluation. In *Proceedings of the 4th IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation, IATMSI 2026*. Institute of Electrical and Electronics Engineers Inc.

Khobragade, V., Nirma, J., and Chedda, S. (2022). Revaluating pretraining in small size training sample regime. *International Journal of Electrical and Electronics Research*, 10:694–704.

Kim, C.-H., Jung, D., Choi, S.-H., Choi, S., and Lee, S. (2025). Gas classification using time-series-to-image conversion and cnn-based analysis on array sensor. *IEEE Sensors Journal*, 25(21):40690–40702.

Kim, H., Chae, H., Kwon, S., and Lee, S. (2023). Optimization of deep learning parameters for magneto-impedance sensor in metal detection and classification. *Sensors*, 23.

Kodati, P., Chiplunkar, R., and Huang, B. (2026). Robust multimodal sensor fusion using variational autoencoder. *IEEE Transactions on Instrumentation and Measurement*.

UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kurek, J., Świderska, E., and Szymanowski, K. (2024). Tool wear classification in chipboard milling processes using 1-d cnn and lstm based on sequential features. *Applied Sciences (Switzerland)*, 14.

Kuruppuarachchi, C., Sher, M., Roman, M., Maimaitijiang, M., Zahid, A., and Amaratunga, K. S. P. (2026). Grading of specialty-grade *Coffea arabica* beans using digital imaging and machine learning. *Food Analytical Methods*, 19(62).

Lei, H., Zhao, J., Tong, G., Zhang, L., Su, H., and Lei, B. (2023). Dual branch cnn and transformer for cardiac atherosclerotic plaque classification. In *Proceedings - 2023 2023 IEEE International Conference on Bioinformatics and Biomedicine, BIBM 2023*, pages 2007–2010. Institute of Electrical and Electronics Engineers Inc.

Liu, Y., Li, H., Lin, J., Li, H., Lei, H., Xia, C., Xiao, C., and Lei, B. (2023). Gated cnn-transformer network for automatic cardiovascular diagnosis using 12-lead electrocardiogram. In *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*. Institute of Electrical and Electronics Engineers Inc.

Munyendo, L., Njoroge, D., and Hitzmann, B. (2022). The potential of spectroscopic techniques in coffee analysis—a review.

Mutz, Y. S., Maroum, S. M., Tessaro, L. L., de Oliveira Souza, N., de Bem, M. M., Alves, L. S., Figueiredo, L. P., do Rosario, D. K., Bernardes, P. C., and Nunes, C. A. (2025). Effectiveness of an e-nose based on metal oxide semiconductor sensors for coffee quality assessment. *Chemosensors*, 13.

Nicolaï, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., and Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of nir spectroscopy: A review.

Oh, Y. K. and Kim, S. (2021). Multi-channel convolution neural network for gas mixture classification. In *IEEE International Conference on Data Mining Workshops, ICDMW*, volume 2021-December, pages 1094–1095. IEEE Computer Society.

UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pampuri, A., Tugnolo, A., Giovenzana, V., Casson, A., Guidetti, R., and Beghi, R. (2021). Design of cost-effective led based prototypes for the evaluation of grape (vitis vinifera l.) ripeness. *Computers and Electronics in Agriculture*, 189.

Pham, H. L., Tran, T. D., Le, V. T. D., Vu, T. H., and Nakashima, Y. (2025). A fast and memory-efficient cnn accelerator for ecg classification in remote healthcare systems. In *22nd International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology, ECTI-CON 2025*. Institute of Electrical and Electronics Engineers Inc.

Praiphui, A., Lopin, K. V., and Kielar, F. (2023). Construction and evaluation of a low cost nir-spectrometer for the determination of mango quality parameters. *Journal of Food Measurement and Characterization*, 17:4125–4139.

Pratter (2024). Menjelajahi istilah-istilah penting dalam roasting kopi.

Putro, N. A. S., Leu, J.-S., Ananto, N., Avian, C., Mahali, M. I., and Prakosa, S. W. (2025). Developing compact models using regression confidence forge knowledge distillation for imu-based indoor positioning system. *IEEE Embedded Systems Letters*, 17(2):99–103.

Ren, G., Wu, R., Yin, L., Zhang, Z., and Ning, J. (2024). Description of tea quality using deep learning and multi-sensor feature fusion. *Journal of Food Composition and Analysis*, 126.

Sagita, D., Mardjan, S. S., Suparlan, Purwandoko, P. B., and Widodo, S. (2024). Low-cost iot-based multichannel spectral acquisition systems for roasted coffee beans evaluation: Case study of roasting degree classification using machine learning. *Journal of Food Composition and Analysis*, 133.

Sanger, J. B., Sitanayah, L., and Ahmad, I. (2021). A sensor-based garbage gas detection system. In *2021 IEEE 11th Annual Computing and Communication Workshop and Conference, CCWC 2021*, pages 1347–1353. Institute of Electrical and Electronics Engineers Inc.

Sepp, H. and Jürgen, S. (1997). Long short-term memory. *Neural Computation*, 9:1735–1780.

Sparkfun (2018). Datasheet as7265x smart 18-channel vis to nir spectral id 3-sensor chipset with electronic shutter. Technical report.

UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Su, C., Deng, S., He, Z., Tan, J., and Liu, G. (2023). Short term gas load prediction based on cnn-lstm hybrid model. In *2023 11th International Conference on Intelligent Computing and Wireless Optical Communications, ICWOC 2023*, pages 76–80. Institute of Electrical and Electronics Engineers Inc.

SUKATMO, S., NUGROHO, H. A., RUSANTO, B. H., and SOEKIRNO, S. (2025). Performance comparison of 1d-cnn and lstm deep learning models for time series-based electric power prediction. *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, 13:44.

Tran, N. T. and Fukuzawa, M. (2020). A portable spectrometric system for quantitative prediction of the soluble solids content of apples with a pre-calibrated multispectral sensor chipset. *Sensors (Switzerland)*, 20:1–11.

Wit, J. D. (2005). The coffee roast process citation for published version (apa): De wit the coffee roast process. Technical report.

Xia, H., Chen, W., Hu, D., Miao, A., Qiao, X., Qiu, G., Liang, J., Guo, W., and Ma, C. (2024). Rapid discrimination of quality grade of black tea based on near-infrared spectroscopy (nirs), electronic nose (e-nose) and data fusion. *Food Chemistry*, 440.

Yang, X., Li, M., Ji, X., Chang, J., Deng, Z., and Meng, G. (2023). Recognition algorithms in e-nose: A review. *IEEE Sensors Journal*, 23:20460–20472.

Yi, Z., Sun, W., Wang, H., Han, G., and Wang, J. (2026). Interpretable deep learning for sewer network water level forecasting in a northern chinese city: Implications for enhancing real-time assessment of system operational conditions. *Journal of Hydrology: Regional Studies*, 64:103116.

Zanaj, E., Balliu, L., Basha, G., Gjata, E., and Meçe, E. K. (2024). Studying the behavior of a modified deep learning model for disease detection through x-ray chest images. Technical report.

Zhang, W., Kasun, L. C., Wang, Q. J., Zheng, Y., and Lin, Z. (2022). A review of machine learning for near-infrared spectroscopy.

Zhang, Y., Wang, Z., Huang, M., Li, M., Zhang, J., Wang, S., Zhang, J., and Zhang, H. (2025). S2dbft: Spectral–spatial dual-branch fusion transformer for hyperspectral image classification. *IEEE Transactions on Geoscience and Remote Sensing*, 63.

UNIVERSITAS
GADJAH MADA
Klasifikasi Tingkat Roasting Biji Kopi Melalui Fusi Data Sensor Spektral dan Gas Berbasis Deep Learning
Rahman Maulana Jundika, Dr. Danang Lelono, S.Si., M.T.;Nur Achmad Sulistyo Putro, S.Si., M.Cs., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhao, Y., He, Y., Xing, Z., Fu, Y., Chen, J., Du, B., and Wang, L. (2022). Multibranch 1-d cnn based on attention mechanism for the dab converter fault diagnosis. *IEEE Transactions on Instrumentation and Measurement*, 71.

Zhou, K. and Liu, Y. (2021). Early-stage gas identification using convolutional long short-term neural network with sensor array time series data. *Sensors*, 21(14):4826.

Zhu, F., Yao, H., Shen, Y., Zhang, Y., Li, X., Shi, J., and Zhao, Z. (2025). Information fusion of hyperspectral imaging and self-developed electronic nose for evaluating the degree of black tea fermentation. *Journal of Food Composition and Analysis*, 137.