

DAFTAR PUSTAKA

- Albright, J. L. 1997. Feeding behavior of dairy cattle. *Journal of Dairy Science*, 80(11): 3123–3136.
- Allen, J. D., Hall, L. W., Collier, R. J., and Smith, J. F. 2015. Effect of core body temperature, time of day, and climate conditions on behavioral patterns of dairy cattle experiencing heat stress. *Journal of Dairy Science*, 98(2): 1185–1198.
- Altmann, J. 1974. Observational study of behavior: sampling methods. *Behaviour*, 49(3–4): 227–267.
- Ammer, S., Lambertz, C., & Gauly, M. 2016. Comparison of different measuring methods for body temperature in lactating cows under different climatic conditions. *J Dairy Res.* 83(2): 165–172.
- Antanaitis, R., Džermeikaitė, K., Šimkutė, A., Girdauskaitė, A., Ribelytė, I., & Anskienė, L. 2023. Use of innovative tools for the detection of the impact of heat stress on reticulorumen parameters and cow walking activity levels. *Animals*. 13(11): 1852.
- Arthur, P. F. 2016. Genetic improvement of feed efficiency in beef cattle. *Animal Production Science*, 56(10): 1435–1448.
- Astuti, M. 2004. Potensi dan keragaman sumberdaya genetik sapi Peranakan Ongole (PO). *Wartazoa*. 14(3): 98-106.
- Battini, M., Agostini, A., Mattiello, S., & Cozzi, G. (2019). Understanding cows' emotions on farm: Are eye white and ear posture reliable indicators? *Animals*, 9(8), 477.
- Becker, C. A., Stone, A. E., & Bewley, J. M. (2020). Heat stress in dairy cattle: Physiological and behavioral responses. *Frontiers in Veterinary Science*, 7, 590.
- Bellinge, R. H. S., Liberles, D. A., Iaschi, S. P. A., O'Brien, P. A., & Tay, G. K. 2005. Myostatin and its implications on animal breeding: A review. *Animal Genetics*. 36(1): 1–6.
- Berwegen, J. (2003). Ongolisasi and cattle improvement in Indonesia. *Indonesian Journal of Animal Science*, 8(2), 45–53.
- Bittante G, Cecchinato A, Tagliapietra F, Verdiglione R, Simonetto A, Schiavon S (2018). Crossbred young bulls and heifers sired by double-musced Piemontese or Belgian Blue bulls exhibit different effects of sexual dimorphism on fattening performance and muscularity but not on meat quality traits. *Meat Sci.*, 137: 24–33.
- Brown-Brandl, T.M., Eigenberg, R.A., Nienaber, J.A., & Hahn, G.L. 2005. Dynamic response indicators of heat stress in shaded and non-shaded feedlot cattle, Part 1: Analyses of indicators. *Biosystems Engineering*.
- Cook, N. B., Mentink, R. L., Bennett, T. B., & Burgi, K. 2007. The effect of heat stress and lameness on time budgets of lactating dairy cows. *Journal of dairy science*. 90(4): 1674-1682.

- Coopman, F. (2008). Belgian Blue cattle breed development and production characteristics. *Animal Genetic Resources Information*, 42, 89–96.
- Dahl, G.E., S. Tao, and J. Laporta. 2020. Heat Stress Impacts Immune Status in Cows Across the Life Cycle. *Front Vet Sci*. 7: 1–15.
- De Smet, S. (2003). Genetic effects of double muscling in Belgian Blue cattle. *Meat Science*, 63(3), 387–394.
- De Smet, S. (2014). Belgian Blue cattle and double muscling. *Animal Genetics and Breeding Reviews*, 12(1), 22–31.
- Dikmen, S., Cole, J. B., Null, D. J., & Hansen, P. J. (2013). Genome-wide association mapping for identification of quantitative trait loci for rectal temperature during heat stress in Holstein cattle. 8(7).
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. (2018). *Pengembangan sapi Belgian Blue di Indonesia*. Kementerian Pertanian Republik Indonesia.
- Dong, G., Liu, S., & Wang, Y. (2018). Accuracy of scan sampling intervals for cattle behavior observation. *Applied Animal Behaviour Science*, 204, 15–22.
- Druet, T., Ahariz, N., Cambisano, N., Tamma, N., Michaux, C., Coppieters, W., Charlier, C. and Georges, M., 2014. Selection in action: dissecting the molecular underpinnings of the increasing muscle mass of Belgian Blue Cattle. *BMC genomics*, 15(1), 796.
- Ebinghaus, A., & Knierim, U. 2025. Welfare of dairy cows in open-sided loose housing systems under temperate conditions—A review of potential challenges. *Journal of Dairy Science*. 108(6): 6034-6051.
- Ferreira, J. P., et al. (2026). Anatomical posture indicators in cattle welfare assessment. *Frontiers in Animal Science*, 3, 112.
- Fiems, L. O. (2003). Double muscling in cattle: Meat production and carcass quality. *Animal Research*, 52(6), 509–521.
- Frandsen, R. D., Wilke, W. L., & Fails, A. D. 2020. *Anatomy and physiology of farm animals* (8th ed.). Wiley-Blackwell.
- Fraser, A. F., & Broom, D. M. (1996). *Farm animal behaviour and welfare* (No. Ed. 3, pp.437).
- Fraser, D. (2008). *Understanding animal welfare: The science in its cultural context*. Wiley-Blackwell.
- Freetly, H. C., Kuehn, L. A., & Cundiff, L. V. (2011). Growth and carcass characteristics of Belgian Blue crossbred cattle. *Journal of Animal Science*, 89(12), 3980–3988.
- Fournel, S., Ouellet, V., & Charbonneau, É. (2017). Practices for alleviating heat stress of dairy cows in humid continental climates: A literature review. *Animals*, 7(5), 37.
- Giannone, C., Bovo, M., Ceccarelli, M., Torreggiani, D., & Tassinari, P. 2023. Review of the heat stress-induced responses in dairy cattle. *Animals*. 13(22): 3451.

- Grobet, L., Martin, L. J. R., Poncelet, D., Pirottin, D., Brouwers, B., Riquet, J., Schoeberlein, A., Dunner, S., Ménéssier, F., Massabanda, J., Fries, R., Hanset, R., & Georges, M. (1997). A deletion in the bovine myostatin gene causes the double-muscled phenotype in cattle. *Nature Genetics*, 17(1), 71–74.
- Haley, D. B., de Passille, A. M., & Rushen, J. 2001. Assessing cow comfort: Effects of two floor types and two tie stall designs on the behaviour of lactating dairy cows. *Applied animal behaviour science*. 71(2): 105-117.
- Hansen, P. J. (2004). Physiological and cellular adaptations of zebu cattle to thermal stress. *Animal Reproduction Science*, 82–83, 349–360.
- Irianto, A., Muladno, & Gunawan. Evaluasi Program Pemuliaan Berdasarkan Parameter Genetik dan Fenotipik Pada Sapi Peranakan Ongole. *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 9(3), 144-150.
- Idris, M., Sullivan, M., Gaughan, J. B., & Phillips, C. J. 2024. Behavioural responses of beef cattle to hot conditions. *Animals* 14(16): 2444.
- Jakaria, J., Noor, R. R., Muladno, M., & Sumantri, C. (2019). Growth performance of Belgian Blue × Ongole Grade crossbred cattle. *Media Peternakan*, 42(3), 165–172.
- Jensen, M. B., Pedersen, L. J., & Munksgaard, L. 2005. The effect of reward duration on demand functions for rest in dairy heifers and lying requirements as measured by demand functions. *Applied Animal Behaviour Science*. 90(3-4): 207-217.
- Jurkovich, V., Hejel, P., & Kovács, L. 2024. A review of the effects of stress on dairy cattle behaviour. *Animals*. 14(14): 2038.
- Keeling, L. J., et al. (2021). Tail posture as an indicator of welfare in cattle. *Applied Animal Behaviour Science*, 236, 105243.
- Kementerian Pertanian Republik Indonesia. 2012. Keputusan Menteri Pertanian Nomor 2841/Kpts/LB.430/8/2012 tentang Penetapan Rumpun Sapi Peranakan Ongole. Jakarta.
- Kligour, D. M. (2012). Normal lying behavior in cattle. *Veterinary Clinics of North America: Food Animal Practice*, 28(1), 1–14.
- Kostusiak, P., Slósarz, J., Gołębiewski, M., Grodkowski, G., & Puppel, K. 2023. Polymorphism of Genes and Their Impact on Beef Quality. *Current Issues in Molecular Biology*. 45(6): 4749–4762.
- Ledgerwood, D.N., Winckler, C., & Tucker, C.B. 2010. Evaluation of data loggers, sampling intervals, and editing techniques for measuring the lying behavior of dairy cattle. *Journal of dairy science*. 93(11): 5129-5139.
- Lehner, P. N. (1992). *Sampling methods in behavior research*. Poultry Science Association.
- Lekeux, P., et al. (2009). Cardiopulmonary limitations in double-muscled cattle. *Veterinary Journal*, 181(2), 123–130.

- Leliveld, L. M. C., et al. (2022). Daily rhythms in cattle behavior and welfare indicators. *Animals*, 12(3), 340.
- Mader, T. L., Davis, M. S., & Brown-Brandl, T. 2006. Environmental factors influencing heat stress in feedlot cattle. *Journal of animal science*. 84(3): 712-719.
- Manfrè, C., Battini, M., Simonetto, A., Contiero, B., Serva, L., Mattiello, S., Ntalampiras, S., Normando, S. and Brscic, M., 2024. A methodological approach to compare continuous and instantaneous sampling and two methods to deal with animals out of sight on dairy cattle behavior and interaction with their calf in the first hours post-partum. *Frontiers in Veterinary Science*, 11, 1360239.
- McPherron, A. C., & Lee, S. J. (1997). Double muscling in cattle due to mutations in the myostatin gene. *Proceedings of the National Academy of Sciences*, 94(23), 12457–12461.
- Mitlohner, F. M., Morrow, J. L., Dailey, J. W., Wilson, S. C., Galyean, M. L., Miller, M. F., & McGlone, J. J. (2001). Shade and water misting effects on behavior, physiology, performance, and carcass traits of heat-stressed feedlot cattle. *Journal of Animal Science*, 79(9), 2327–2335.
- Ninomiya, S., Goto, Y., Onishi, H., Kurachi, M., & Ito, A. 2023. Lying posture as a behavioural indicator of heat stress in dairy cows. *Applied Animal Behaviour Science*. 265: 105981.
- Nugroho, T., Hantari, D.E., Insani, G.A., Agus, A., Panjono and Widi, T.S.M., 2025. Behavioral ethogram of Belgian Blue crossbred calves under an open loose house in a tropical environment.
- Nuryadi, N., & Wahjuningsih, S. (2011). Penampilan reproduksi sapi Peranakan Ongole dan persilangannya. *Ternak Tropika*, 12(1), 76–81.
- Payne, W. J. A. 1990. An introduction to animal husbandry in the tropics.
- Popescu, S., Borda, C., Diugan, E. A., Spinu, M., Groza, I. S., & Sandru, C. D. (2014). Dairy cows welfare quality in tie-stall housing system with or without access to exercise. *Acta Veterinaria Scandinavica*, 56(1), 43.
- Porter, V. (2020). *Mason's world dictionary of livestock breeds, types and varieties*. CABI.
- Rushen, J., de Passillé, A. M., & von Keyserlingk, M. A. G. 2008. The welfare of cattle. *Journal of Dairy Science*. 91(2): 433–444.
- Santosa, S., et al. (2025). Comparative reproductive performance of Ongole Grade and subtropical cattle breeds under tropical conditions. *Jurnal Ilmu Ternak dan Veteriner*, 30(1), 15–23.
- Shephard, R. W., & Maloney, S. K. 2023. A review of thermal stress in cattle. *Australian veterinary journal*. 101(11): 417-429.
- Shu, H., et al. (2021). Open-mouth breathing and panting behavior in heat-stressed cattle. *Animals*, 11(9), 2523.

- Sumiyanti, N. L., & Paputungan, U. 2023. Penampilan reproduksi sapi betina peranakan Ongole di Kecamatan Dimembe Kabupaten Minahasa Utara. *Zootec*. 43: 280-290.
- Sutarno, S., & Setyawan, A. D. (2016). The diversity of local cattle in Indonesia and the efforts to develop superior indigenous cattle breeds.
- Tagliapietra, F., Simonetto, A. and Schiavon, S., 2018. Growth performance, carcass characteristics and meat quality of crossbred bulls and heifers from double-muscled Belgian Blue sires and Brown Swiss, Simmental and Rendena dams. *Italian Journal of Animal Science*, 17(3), 565-573.
- Tucker, C. B., Jensen, M. B., de Passillé, A. M., Hänninen, L., & Rushen, J. 2021. Invited review: Lying time and the welfare of dairy cows. *Journal of Dairy Science*. 104(1): 20-46.
- West, J. W. 2003. Effects of heat-stress on production in dairy cattle. *Journal of Dairy Science*. 86(6): 2131–2144.
- Widyarini, F. D., & Johar A. P. E. 2025. Karakteristik kualitatif pola warna tubuh pada sapi hasil persilangan peranakan ongole dan belgian blue di jawa barat. *Produksi Ternak Terapan*. 06(01): 35–43.
- Wiyatna, M. F., Gurnadi, E., & Mudikdjo, K. 2012. Produktivitas Sapi peranakan ongole pada peternakan rakyat di Kabupaten Sumedang (Productivity of Peranakan Ongole Cattle on traditional farm system in Sumedang Region). *Jurnal Ilmu Ternak Universitas Padjadjaran*. 12(2): 5.
- Yusuf, Y.M. and Priyanto, R., 2024. Jakaria (2024). Growth performance evaluation of Belgian blue cattle and their crossbred in Indonesian livestock breeding centers. *Adv. Anim. Vet. Sci*, 12(3), pp.515-522.
- Zurnawita, Z., Elfitri, I., Kurnia, R. and Prabowo, C., 2025. Monitoring Beef Cattle Welfare Through Behavioral Analysis and Environmental Conditions Using IoT Technology. *TEM Journal*, 14(3), p.1958.