UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Arfa, A., & Minaei, M. (2024). Utilizing multitemporal indices and spectral bands of Sentinel-2 to enhance land use and land cover classification with random forest and support vector machine. *Advances in Space Research*, *74*(11), 5580–5590. https://doi.org/10.1016/j.asr.2024.08.062

Arisanty, D., Feindhi Ramadhan, M., Angriani, P., Muhaimin, M., Nur Saputra, A., Puji Hastuti, K., & Rosadi, D. (2022). Utilizing Sentinel-2 Data for Mapping Burned Areas in Banjarbaru Wetlands, South Kalimantan Province. *International Journal of Forestry Research*, *2022*(1), 7936392. https://doi.org/10.1155/2022/7936392

Baccari, N., Hamza, M. H., Slama, T., Sebei, A., Ouerghi, S., Elsheikh, R., Rebai, N., Hasanean, H., Almazroui, M., & Elhag, M. (2025). Assessment of Machine Learning Techniques in Mapping Land Use/Land Cover Changes in a Semi-Arid Environment. *Earth Systems and Environment*, *9*(2), 519–539. https://doi.org/10.1007/s41748-024-00562-2

Bachri, S., Fathoni, M. N., Sumarmi, Masruroh, H., Wibowo, N. A., Khusna, N., Billah, E. N., & Yudha, L. (2023). Geomorphological mapping and landform characterization of Semeru volcano after the eruption in 2021. *IOP Conference Series: Earth and Environmental Science*, *1180*(1), 012004. https://doi.org/10.1088/1755-1315/1180/1/012004

Ban, M., Kawashima, K., Tsunematsu, K., Kataoka, K. S., & Imura, T. (2022). Lahar deposits along the Nigorikawa River in the eastern foot of Zao Volcano, Japan, during the last 8000 years. *Journal of Volcanology and Geothermal Research*, *432*, 107685. https://doi.org/10.1016/j.jvolgeores.2022.107685

Baumann, V., Bonadonna, C., Cuomo, S., Moscariello, M., Biass, S., Pistolesi, M., & Gattuso, A. (2019). Mapping the susceptibility of rain-triggered lahars at Vulcano island (Italy) combining field characterization, geotechnical analysis, and numerical modelling. *Natural Hazards and Earth System Sciences*, *19*, 2421–2449. https://doi.org/10.5194/nhess-19-2421-2019

Belay, H., Melesse, A. M., & Tegegne, G. (2024). Scenario-Based Land Use and Land Cover Change Detection and Prediction Using the Cellular Automata–Markov Model in the Gumara Watershed, Upper Blue Nile Basin, Ethiopia. *Land*, *13*(3), Article 3. https://doi.org/10.3390/land13030396

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Belgiu, M., & Drăguţ, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, *114*, 24–31. https://doi.org/10.1016/j.isprsjprs.2016.01.011

Bentahar, I., & Raji, M. (2021). Comparison of Landsat OLI, ASTER, and Sentinel 2A data in lithological mapping: A Case study of Rich area (Central High Atlas, Morocco). *Advances in Space Research*, *67*(3), 945–963. https://doi.org/10.1016/j.asr.2020.10.037

Chen, W., Li, Y., Xue, W., Shahabi, H., Li, S., Hong, H., Wang, X., Bian, H., Zhang, S., Pradhan, B., & Ahmad, B. B. (2020). Modeling flood susceptibility using data-driven approaches of naïve Bayes tree, alternating decision tree, and random forest methods. *Science of The Total Environment*, *701*, 134979. https://doi.org/10.1016/j.scitotenv.2019.134979

Dash, P., Sanders, S. L., Parajuli, P., & Ouyang, Y. (2023). Improving the Accuracy of Land Use and Land Cover Classification of Landsat Data in an Agricultural Watershed. *Remote Sensing*, *15*(16), Article 16. https://doi.org/10.3390/rs15164020

Delwart, S. (n.d.). *ESA Standard Document*. (1).

Diek, S., Fornallaz, F., Schaepman, M. E., & De Jong, R. (2017). Barest Pixel Composite for Agricultural Areas Using Landsat Time Series. *Remote Sensing*, *9*(12), 1245. https://doi.org/10.3390/rs9121245

Djalante, R. (2018). Review article: A systematic literature review of research trends and authorships on natural hazards, disasters, risk reduction and climate change in Indonesia. *Natural Hazards and Earth System Sciences*, *18*(6), 1785–1810. https://doi.org/10.5194/nhess-18-1785-2018

E. D. Chaves, M., C. A. Picoli, M., & D. Sanches, I. (2020). Recent Applications of Landsat 8/OLI and Sentinel-2/MSI for Land Use and Land Cover Mapping: A Systematic Review. *Remote Sensing*, *12*(18), Article 18. https://doi.org/10.3390/rs12183062

Espín Bedón, P. A., Mothes, P. A., Hall, M. L., Valverde Arcos, V., & Keen, H. (2019). The "Mera" lahar deposit in the upper Amazon basin: Transformation of a late Pleistocene collapse at Huisla volcano, central Ecuador. *Journal of Volcanology and Geothermal Research, GEOLOGICAL DATA IN VOLCANOLOGY: COLLECTION,*

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ORGANISATION AND APPLICATIONS, *385*, 103–119. https://doi.org/10.1016/j.jvolgeores.2018.10.008

Ettehadi Osgouei, P., Kaya, S., Sertel, E., & Alganci, U. (2019). Separating Built-Up Areas from Bare Land in Mediterranean Cities Using Sentinel-2A Imagery. *Remote Sensing*, *11*(3), 345. https://doi.org/10.3390/rs11030345

Fitzpatrick-Lins, K. (1981). Comparison of sampling procedures and data analysis for a land-use and land-cover map. *Photogrammetric Engineering and Remote Sensing*, *47*(3), 343–351.

Ge, G., Shi, Z., Zhu, Y., Yang, X., & Hao, Y. (2020). Land use/cover classification in an arid desert-oasis mosaic landscape of China using remote sensed imagery: Performance assessment of four machine learning algorithms. *Global Ecology and Conservation*, *22*, e00971. https://doi.org/10.1016/j.gecco.2020.e00971

Genzano, N., Marchese, F., Plank, S., & Pergola, N. (2023). Monitoring the Mauna Loa (Hawaii) eruption of November–December 2022 from space: Results from GOES-R, Sentinel-2 and Landsat-8/9 observations. *International Journal of Applied Earth Observation and Geoinformation*, *122*, 103388. https://doi.org/10.1016/j.jag.2023.103388

Ghayour, L., Neshat, A., Paryani, S., Shahabi, H., Shirzadi, A., Chen, W., Al-Ansari, N., Geertsema, M., Pourmehdi Amiri, M., Gholamnia, M., Dou, J., & Ahmad, A. (2021). Performance Evaluation of Sentinel-2 and Landsat 8 OLI Data for Land Cover/Use Classification Using a Comparison between Machine Learning Algorithms. *Remote Sensing*, *13*(7), Article 7. https://doi.org/10.3390/rs13071349

Harris, A., Mannini, S., Calabrò, L., Calvari, S., Gurioli, L., Chevrel, M. O., Favalli, M., & Villeneuve, N. (2022). Forest destruction by ‘a‘ā lava flow during Etna’s 2002–03 eruption: Mechanical, thermal, and environmental interactions. *Journal of Volcanology and Geothermal Research*, *429*, 107621. https://doi.org/10.1016/j.jvolgeores.2022.107621

Hendrawan, A., Nabilah, M., Setyadji, B., & Sadarviana, V. (2023). Lahar Inundation Estimation of Mount Semeru Relating to the 4th December 2021 Volcano Eruption. *IOP Conference Series: Earth and Environmental Science*, *1276*(1), 012013. https://doi.org/10.1088/1755-1315/1276/1/012013

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hugonnet, R., Brun, F., Berthier, E., Dehecq, A., Mannerfelt, E. S., Eckert, N., & Farinotti, D. (2022). Uncertainty Analysis of Digital Elevation Models by Spatial Inference From Stable Terrain. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *15*, 6456–6472. https://doi.org/10.1109/JSTARS.2022.3188922

Ibrahim, S. (2023). Improving Land Use/Cover Classification Accuracy from Random Forest Feature Importance Selection Based on Synergistic Use of Sentinel Data and Digital Elevation Model in Agriculturally Dominated Landscape. *Agriculture*, *13*(1), 98. https://doi.org/10.3390/agriculture13010098

Jensen, J. R. (2015). *Introductory digital image processing: A remote sensing perspective* (4th ed). Pearson Education.

Jozdani, S. E., Johnson, B. A., & Chen, D. (2019). Comparing Deep Neural Networks, Ensemble Classifiers, and Support Vector Machine Algorithms for Object-Based Urban Land Use/Land Cover Classification. *Remote Sensing*, *11*(14), Article 14. https://doi.org/10.3390/rs11141713

Kebede, T. A., Hailu, B. T., & Suryabhagavan, K. V. (2022). Evaluation of spectral built-up indices for impervious surface extraction using Sentinel-2A MSI imageries: A case of Addis Ababa city, Ethiopia. *Environmental Challenges*, *8*, 100568. https://doi.org/10.1016/j.envc.2022.100568

Key, C., & Benson, N. (2006). Landscape Assessment: Ground measure of severity, the Composite Burn Index; and Remote sensing of severity, the Normalized Burn Ratio. In *FIREMON: Fire Effects Monitoring and Inventory System* (p. LA 1-51).

Kohavi, R. (1995). A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection. In *International Joint Conference on Artificial Intelligence* (Vol. 14).

Kother, S. H., & Obayes, H. K. (2025). Impact of Bands Number on LULC Classification Accuracy in Sentinel-2 Images. In A. M. Al-Bakry, M. A. Sahib, J. A. Aldhaibani, & A. N. Al-Shuwaili (Eds.), *New Trends in Information and Communications Technology Applications* (pp. 97–115). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-87076-7_7

Kristianto, Basuki, A., Purnamasari, H. D., & Syahbana, D. K. (2023). The 2021 Semeru volcano eruption: An insight from visual, seismic, and deformation

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

monitoring data. *IOP Conference Series: Earth and Environmental Science*, *1227*(1), 012030. https://doi.org/10.1088/1755-1315/1227/1/012030

Landis, J. R., & Koch, G. G. (1977). The Measurement of Observer Agreement for Categorical Data. *Biometrics*, *33*(1), 159–174. https://doi.org/10.2307/2529310

Li, D., Li, P., Hu, J., Yao, W., Yan, L., Latifi, H., Tang, B., & Liu, L. (2025). A DEM Differencing Method for Detecting Geomorphic Changes on Topographically Complex Areas Based on RAV Remote Sensing Techniques. *IEEE Transactions on Geoscience and Remote Sensing*, *63*, 1–15. https://doi.org/10.1109/TGRS.2025.3550249

Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote sensing and image interpretation* (Seventh edition). John Wiley & Sons, Inc.

Lillo, D. L., Delgado, F., Pritchard, M., Ruprecht, P., & Muñoz-Saez, C. (2024). Multiple sources of elevation change during and after the 2011–2012 Cordón Caulle, Chile eruption measured by satellite topographic time series. *Volcanica*, *7*(2), Article 2. https://doi.org/10.30909/vol.07.02.541564

Mahdizadeh Gharakhanlou, N., & Perez, L. (2023). Flood susceptible prediction through the use of geospatial variables and machine learning methods. *Journal of Hydrology*, *617*, 129121. https://doi.org/10.1016/j.jhydrol.2023.129121

Makris, S., Manzella, I., Cole, P., & Roverato, M. (2020). Grain size distribution and sedimentology in volcanic mass-wasting flows: Implications for propagation and mobility. *International Journal of Earth Sciences*, *109*(8), 2679–2695. https://doi.org/10.1007/s00531-020-01907-8

McCoy, R. M. (2005). *Field methods in remote sensing*. Guilford Press.

Mishra, P. K., Rai, A., & Rai, S. C. (2020). Land use and land cover change detection using geospatial techniques in the Sikkim Himalaya, India. *The Egyptian Journal of Remote Sensing and Space Science*, *23*(2), 133–143. https://doi.org/10.1016/j.ejrs.2019.02.001

Mock, J. C., Johnson, J. B., Pineda, A., Bejar, G., & Roca, A. (2023). UAV-Based Quantification of Dynamic Lahar Channel Morphology at Volcán de Fuego, Guatemala. *Remote Sensing*, *15*(15), 3713. https://doi.org/10.3390/rs15153713

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Munir, M. D., Santoso, F. I., Eka, N. A., & Amanda, A. E. (2024). Lahar flow characteristic of Semeru Volcano based on Flow-R Model and its countermeasure. *IOP Conference Series: Earth and Environmental Science*, *1343*(1), 012032. https://doi.org/10.1088/1755-1315/1343/1/012032

Pelletier, C., Valero, S., Inglada, J., Champion, N., & Dedieu, G. (2016). Assessing the robustness of Random Forests to map land cover with high resolution satellite image time series over large areas. *Remote Sensing of Environment*, *187*, 156–168. https://doi.org/10.1016/j.rse.2016.10.010

Permatasari, A. L., Wiguna, P. P. K., & Kurnia, E. T. (2024). Analysis of impact of the 2021 eruption of the Semeru Volcano in Lumajang Regency, East Java Province, Indonesia. In C. M. Roelfsema, A. Besse Rimba, S. Arjasakusuma, & A. Blanco (Eds.), *Eighth Geoinformation Science Symposium 2023: Geoinformation Science for Sustainable Planet* (p. 81). SPIE. https://doi.org/10.1117/12.3012516

Perwita, C. A., Aprilia, F., Maryanto, S., Arrasyid, H., & Tsabitah, A. F. (2023). Hazards Mitigation of Lahar Flows on Semeru Volcano after the 4 December 2021 Eruption Based on PS-InSAR. *International Journal of Disaster Management*, *5*(3), 193–202. https://doi.org/10.24815/ijdm.v5i3.29098

Piégay, H., Arnaud, F., Belletti, B., Bertrand, M., Bizzi, S., Carbonneau, P., Dufour, S., Liébault, F., Ruiz-Villanueva, V., & Slater, L. (2020). Remotely sensed rivers in the Anthropocene: State of the art and prospects. *Earth Surface Processes and Landforms*, *45*(1), 157–188. https://doi.org/10.1002/esp.4787

Pierson, T. C., Janda, R. J., Thouret, J.-C., & Borrero, C. A. (1990). Perturbation and melting of snow and ice by the 13 November 1985 eruption of Nevado del Ruiz, Colombia, and consequent mobilization, flow and deposition of lahars. *Journal of Volcanology and Geothermal Research*, *41*(1), 17–66. https://doi.org/10.1016/0377-0273(90)90082-Q

Qi, J., Chehbouni, A., Huete, A. R., Kerr, Y. H., & Sorooshian, S. (1994). A modified soil adjusted vegetation index. *Remote Sensing of Environment*, *48*(2), 119–126. https://doi.org/10.1016/0034-4257(94)90134-1

Richards, J. A. (2013). *Remote sensing digital image analysis: An introduction* (Fifth edition). Springer.

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rikimaru, A., Roy, P., & Miyatake, S. (2002). Tropical forest cover density mapping. *Tropical Ecology*, *Vol 43*, 39–47.

Rösch, M., & Plank, S. (2022). Detailed Mapping of Lava and Ash Deposits at Indonesian Volcanoes by Means of VHR PlanetScope Change Detection. *Remote Sensing*, *14*(5), 1168. https://doi.org/10.3390/rs14051168

Rouse, J. W., Haas, R. H., Deering, D. W., Schell, J. A., & Harlan, J. C. (1974). *Monitoring the Vernal Advancement and Retrogradation (Green Wave Effect) of Natural Vegetation* (Nos. E75-10354). https://ntrs.nasa.gov/citations/19750020419

Santoso, I., Ismanto, R. D., Chusnayah, F., Tjahjaningsih, A., Suwarsono, & Vetrita, Y. (2022). Lava flow mapping Karangetang Volcano during 2019 eruption using Sentinel-2 Images and Random Forest model. *IOP Conference Series: Earth and Environmental Science*, *1109*(1), 012063. https://doi.org/10.1088/1755-1315/1109/1/012063

Schumann, G. J.-P., Brakenridge, G. R., Kettner, A. J., Kashif, R., & Niebuhr, E. (2018). Assisting Flood Disaster Response with Earth Observation Data and Products: A Critical Assessment. *Remote Sensing*, *10*(8), Article 8. https://doi.org/10.3390/rs10081230

Siagian, T. H., Purhadi, P., Suhartono, S., & Ritonga, H. (2014). Social vulnerability to natural hazards in Indonesia: Driving factors and policy implications. *Natural Hazards*, *70*(2), 1603–1617. https://doi.org/10.1007/s11069-013-0888-3

Talukdar, S., Singha, P., Mahato, S., Shahfahad, Pal, S., Liou, Y.-A., & Rahman, A. (2020). Land-Use Land-Cover Classification by Machine Learning Classifiers for Satellite Observations—A Review. *Remote Sensing*, *12*(7), Article 7. https://doi.org/10.3390/rs12071135

Thouret, J.-C. (1999). Volcanic geomorphology—An overview. *Earth-Science Reviews*. https://doi.org/10.1016/S0012-8252(99)00014-8

Thouret, J.-C., Antoine, S., Magill, C., & Ollier, C. (2020). Lahars and debris flows: Characteristics and impacts. *Earth-Science Reviews*, *201*, 103003. https://doi.org/10.1016/j.earscirev.2019.103003

Trihatmoko, E., & Lin, T.-Y. (2026). Monitoring surface exposure and land cover shifts on barrier islands using the bare soil index. *IOP Conference Series:*

UNIVERSITAS
GADJAH MADA
Analisis spatio-temporal morfologi deposit lahar menggunakan citra Sentinel-2 dengan klasifikasi random forest (studi kasus: sebagian wilayah Gunung Semeru)
Nurmadania Samad, Dr. Danang Sri Hadmoko, S.Si., M.Sc.; Dr. Sandy Budi Wibowo, S.P., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Earth and Environmental Science, *1586*(1), 012048. https://doi.org/10.1088/1755-1315/1586/1/012048

Utami, W., Sugiyanto, C., Rahardjo, N., Juliyani, A., Richasari, D. S., & Nurhadi, N. (2023). Spatial Analysis of the Semeru Eruption Disaster Area. *International Journal of Geoinformatics*, *19 No.8*, 54–66. https://doi.org/10.52939/ijg.v19i8.2783

Vallance, J. W. (2024). Lahars: Origins, Behavior and Hazards. In M. Jakob, S. McDougall, & P. Santi (Eds.), *Advances in Debris-flow Science and Practice* (pp. 347–382). Springer International Publishing. https://doi.org/10.1007/978-3-031-48691-3_12

Wei, J., Zhao, B., Shang, J., Han, L., Li, X., & Li, X. (2023). *Parameter optimization strategy of random forest algorithm for land use classification*. https://doi.org/10.1117/12.2668073

Xu, H. (2006). Modification of Normalized Difference Water Index (NDWI) to Enhance Open Water Features in Remotely Sensed Imagery. *International Journal of Remote Sensing*, *27*, 3025–3033. https://doi.org/10.1080/01431160600589179

Yunita, F. T., Soekarno, I., Nugroho, J., & Santosa, U. B. (2024). Empirical model for predicting erosion on slope covered by unconsolidated tephra. *Sādhanā*, *49*(3), 219. https://doi.org/10.1007/s12046-024-02456-5

Zha, Y., Gao, J., & Ni, S. (2003). Use of normalized difference built-up index in automatically mapping urban areas from TM imagery. *International Journal of Remote Sensing*, *24*(3), 583–594. https://doi.org/10.1080/01431160304987

Zhang, T., Su, J., Xu, Z., Luo, Y., & Li, J. (2021). Sentinel-2 Satellite Imagery for Urban Land Cover Classification by Optimized Random Forest Classifier. *Applied Sciences*, *11*(2), 543. https://doi.org/10.3390/app11020543