UNIVERSITAS
GADJAH MADA
Pengembangan Model Ekstraksi Fitur Korelasi Berbasis Graph Attention Network dengan Mutual Information untuk Deteksi Anomali Deret Waktu Multivariat
La Fajrin, Dr. Agus Sihabuddin, S.Si., M.Kom.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahmed, C., Palleti, V. R., dan Mathur, A., (2017). WADI: A water distribution testbed for research in the design of secure cyber physical systems. In *Proceedings of the 3rd International Workshop on Cyber-Physical Systems for Smart Water Networks (CySWater)*, pages 25–28. DOI: https://doi.org/10.1145/3055366.3055368.

Audibert, J., Michiardi, P., Guyard, F., Marti, S., dan Zuluaga, M. A., (2020). Usad: Unsupervised anomaly detection on multivariate time series. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, KDD '20, page 3395–3404, New York, NY, USA. Association for Computing Machinery. ISBN 9781450379984. DOI: https://doi.org/10.1145/3394486.3403392. URL https://doi.org/10.1145/3394486.3403392.

Blázquez-García, A., Conde, A., Mori, U., dan Lozano, J. A., (2021) April. A review on outlier/anomaly detection in time series data. *ACM Comput. Surv.*, 54(3). ISSN 0360-0300. DOI: https://doi.org/10.1145/3444690. URL https://doi.org/10.1145/3444690.

Chen, D., Lin, Y., Li, W., Li, P., Zhou, J., dan Sun, M., (2020). Measuring and relieving the over-smoothing problem for graph neural networks from the topological view. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 3438–3445.

Chen, Z., Chen, D., Zhang, X., Yuan, Z., dan Cheng, X., (2022). Learning graph structures with transformer for multivariate time-series anomaly detection in iot. *IEEE Internet of Things Journal*, 9(12):9179–9189. DOI: https://doi.org/10.1109/JIOT.2021.3100509.

Chen, Z., Yu, J., Tan, Q., Li, S., dan Du, X., (2024). Dgtad: Decomposition gan-based transformer for anomaly detection in multivariate time series data. *Applied Intelligence*, 54(24):13038–13056. DOI: https://doi.org/10.1007/s10489-024-05693-7.

Cook, A. A., Mısırlı, G., dan Fan, Z., (2020). Anomaly detection for iot time-series data: A survey. *IEEE Internet of Things Journal*, 7(7):6481–6494. DOI: https://doi.org/10.1109/JIOT.2019.2958185.

Cover, T. M. dan Thomas, J. A. *Elements of Information Theory*. Wiley-Interscience, 2 edition, (2006). ISBN 9780471241959.

Darban, Z. Z., Webb, G. I., Pan, S., Aggarwal, C., dan Salehi, M., (2024) October. Deep learning for time series anomaly detection: A survey. *ACM Comput. Surv.*, 57(1). ISSN 0360-0300. DOI: https://doi.org/10.1145/3691338. URL https://doi.org/10.1145/3691338.

UNIVERSITAS
GADJAH MADA
Pengembangan Model Ekstraksi Fitur Korelasi Berbasis Graph Attention Network dengan Mutual Information untuk Deteksi Anomali Deret Waktu Multivariat
La Fajrin, Dr. Agus Sihabuddin, S.Si., M.Kom.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Darban, Z. Z., Webb, G. I., Pan, S., Aggarwal, C. C., dan Salehi, M., (2025). Carla: Self-supervised contrastive representation learning for time series anomaly detection. *Pattern Recognition*, 157:110874. ISSN 0031-3203. DOI: https://doi.org/https://doi.org/10.1016/j.patcog.2024.110874. URL https://www.sciencedirect.com/science/article/pii/S0031320324006253.

Deng, A. dan Hooi, B., (2021). Graph neural network-based anomaly detection in multivariate time series. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 35, pages 4027–4035. DOI: https://doi.org/10.1609/aaai.v35i5.16523.

Entezari, N., Al-Sayouri, S. A., Darvishzadeh, A., dan Papalexakis, E. E., (2020). All you need is low (rank): Defending against adversarial attacks on graphs. In *Proceedings of the 13th International Conference on Web Search and Data Mining*, pages 169–177.

Gao, C., Ma, H., Pei, Q., dan Chen, Y., (2025). Dynamic graph-based graph attention network for anomaly detection in industrial multivariate time series data. *Applied Intelligence*, 55(7):517. DOI: https://doi.org/10.1007/s10489-025-06412-6.

Guo, C., Pi, D., Cao, J., Wang, X., dan Liu, H., (2023). Early warning model for industrial internet platform based on graph neural network and time convolution network. *Journal of Ambient Intelligence and Humanized Computing*, 14(3): 2399–2412. DOI: https://doi.org/10.1007/s12652-022-04493-6.

Han, S. dan Woo, S. S., (2022). Learning sparse latent graph representations for anomaly detection in multivariate time series. In *Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, KDD '22, page 2977–2986, New York, NY, USA. Association for Computing Machinery. ISBN 9781450393850. DOI: https://doi.org/10.1145/3534678.3539117. URL https://doi.org/10.1145/3534678.3539117.

Huang, L., Zhou, X., Shi, L., dan Gong, L., (2024)a. Time series feature selection method based on mutual information. *Applied Sciences*, 14(5). ISSN 2076-3417. DOI: https://doi.org/10.3390/app14051960. URL https://www.mdpi.com/2076-3417/14/5/1960.

Huang, Y., Liu, W., Li, S., Guo, Y., dan Chen, W., (2024)b. Mgad: Mutual information and graph embedding based anomaly detection in multivariate time series. *Electronics*, 13(7). ISSN 2079-9292. DOI: https://doi.org/10.3390/electronics13071326. URL https://www.mdpi.com/2079-9292/13/7/1326.

Hundman, K., Constantinou, V., Laporte, C., Colwell, I., dan Soderstrom, T., (2018). Detecting spacecraft anomalies using lstms and nonparametric dynamic thresholding. In *Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, KDD '18, page 387–395, New York,

UNIVERSITAS
GADJAH MADA
Pengembangan Model Ekstraksi Fitur Korelasi Berbasis Graph Attention Network dengan Mutual Information untuk Deteksi Anomali Deret Waktu Multivariat
La Fajrin, Dr. Agus Sihabuddin, S.Si., M.Kom.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

NY, USA. Association for Computing Machinery. ISBN 9781450355520. DOI: https://doi.org/10.1145/3219819.3219845. URL https://doi.org/10.1145/3219819.3219845.

Jin, Y. dan Zhu, X., (2025). Oversmoothing alleviation in graph neural networks: A survey and unified view. *Knowledge and Information Systems*, 67(12): 11259–11285. DOI: https://doi.org/10.1007/s10115-025-02548-6. URL https://doi.org/10.1007/s10115-025-02548-6.

Jin, M., Koh, H. Y., Wen, Q., Zambon, D., Alippi, C., Webb, G. I., King, I., dan Pan, S., (2024) Dec. A survey on graph neural networks for time series: Forecasting, classification, imputation, and anomaly detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 46(12):10466–10485. ISSN 1939-3539. DOI: https://doi.org/10.1109/TPAMI.2024.3443141.

Khan, I. A., Pi, D., Khan, Z. U., Hussain, Y., dan Nawaz, A., (2019). Hml-ids: A hybrid-multilevel anomaly prediction approach for intrusion detection in scada systems. *IEEE Access*, 7:89507–89521. DOI: https://doi.org/10.1109/ACCESS.2019.2925838.

Kingma, D. P. dan Welling, M., (2014). Auto-encoding variational bayes. In *2nd International Conference on Learning Representations (ICLR)*.

Li, D., Chen, D., Jin, B., Shi, L., Goh, J., dan Ng, S.-K., (2019). Mad-gan: Multivariate anomaly detection for time series data with generative adversarial networks. In Tetko, I. V., Kůrková, V., Karpov, P., dan Theis, F., editors, *Artificial Neural Networks and Machine Learning – ICANN 2019: Text and Time Series*, pages 703–716, Cham. Springer International Publishing. ISBN 978-3-030-30490-4.

Mathur, A. dan Tippenhauer, N. O., (2016). SWaT: A water treatment testbed for research and training on ics security. In *Proceedings of the International Workshop on Cyber-physical Systems for Smart Water Networks (CySWater)*, pages 31–36. DOI: https://doi.org/10.1109/CySWater.2016.7469060.

Pang, G., Shen, C., Cao, L., dan Hengel, A. V. D., (2021) March. Deep learning for anomaly detection: A review. *ACM Comput. Surv.*, 54(2). ISSN 0360-0300. DOI: https://doi.org/10.1145/3439950. URL https://doi.org/10.1145/3439950.

Yu, L., Lu, Q., dan Xue, Y., (2024). Dtaad: Dual tcn-attention networks for anomaly detection in multivariate time series data. *Knowledge-Based Systems*, 295:111849. ISSN 0950-7051. DOI: https://doi.org/https://doi.org/10.1016/j.knosys.2024.111849. URL https://www.sciencedirect.com/science/article/pii/S0950705124004830.

Saito, T. dan Rehmsmeier, M., (2015). The precision-recall plot is more informative than the roc plot when evaluating binary classifiers on imbalanced datasets. *PLOS ONE*, 10(3):e0118432. DOI: https://doi.org/10.1371/journal.pone.0118432.

UNIVERSITAS
GADJAH MADA
Pengembangan Model Ekstraksi Fitur Korelasi Berbasis Graph Attention Network dengan Mutual Information untuk Deteksi Anomali Deret Waktu Multivariat
La Fajrin, Dr. Agus Sihabuddin, S.Si., M.Kom.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Schmidl, S., Wenig, P., dan Papenbrock, T., (2022) May. Anomaly detection in time series: a comprehensive evaluation. *Proc. VLDB Endow.*, 15(9):1779–1797. ISSN 2150-8097. DOI: https://doi.org/10.14778/3538598.3538602. URL https://doi.org/10.14778/3538598.3538602.

Shannon, C. E., (1948). A mathematical theory of communication. *Bell System Technical Journal*, 27(3):379–423. DOI: https://doi.org/10.1002/j.1538-7305.1948.tb01338.x.

Shirzadi, M., Dehkordi, A. S., dan N. Zehmakan, A., (2026) Mar. Adaptive initial residual connections for gnns with theoretical guarantees. *Proceedings of the AAAI Conference on Artificial Intelligence*, 40(30):25392–25400. DOI: https://doi.org/10.1609/aaai.v40i30.39733. URL https://ojs.aaai.org/index.php/AAAI/article/view/39733.

Siffer, A., Fouque, P.-A., Termier, A., dan Largier, C., (2017). Anomaly detection in streams with extreme value theory. In *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 1067–1075.

Sihabuddin, A., Rokhman, N., dan Wahyudi, E. E., (2024) August. A machine learning approach on outlier removal for decision tree regression method. *Ingenierie des Systemes d'Information*, 29(4):1397–1403. DOI: https://doi.org/10.18280/isi.290414.

Sturges, H. A., (1926). The choice of a class interval. *Journal of the american statistical association*, 21(153):65–66.

Su, Y., Zhao, Y., Niu, C., Liu, R., Sun, W., dan Pei, D., (2019). Robust anomaly detection for multivariate time series through stochastic recurrent neural network. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, KDD '19, page 2828–2837, New York, NY, USA. Association for Computing Machinery. ISBN 9781450362016. DOI: https://doi.org/10.1145/3292500.3330672. URL https://doi.org/10.1145/3292500.3330672.

Sun, S., Liu, X., Han, L., Wang, Z., dan Zhu, Y., (2025). Sae-gan: Integrating stacked attention autoencoder and generative adversarial networks for multivariate time series anomaly detection. *Applied Intelligence*, 55(16):1033. DOI: https://doi.org/10.1007/s10489-025-06927-y.

Tuli, S., Casale, G., dan Jennings, N. R., (2022) February. Tranad: deep transformer networks for anomaly detection in multivariate time series data. *Proc. VLDB Endow.*, 15(6):1201–1214. ISSN 2150-8097. DOI: https://doi.org/10.14778/3514061.3514067. URL https://doi.org/10.14778/3514061.3514067.

UNIVERSITAS
GADJAH MADA
Pengembangan Model Ekstraksi Fitur Korelasi Berbasis Graph Attention Network dengan Mutual Information untuk Deteksi Anomali Deret Waktu Multivariat
La Fajrin, Dr. Agus Sihabuddin, S.Si., M.Kom.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Velasco-Gallego, C. dan Lazakis, I., (2022). Radis: A real-time anomaly detection intelligent system for fault diagnosis of marine machinery. *Expert Systems with Applications*, 204:117634. ISSN 0957-4174. DOI: https://doi.org/https://doi.org/10.1016/j.eswa.2022.117634. URL https://www.sciencedirect.com/science/article/pii/S0957417422009423.

Veličković, P., Cucurull, G., Casanova, A., Romero, A., Liò, P., dan Bengio, Y., (2018). Graph attention networks. In *International Conference on Learning Representations (ICLR)*.

Wang, S., Chen, Y., Xu, H., Hu, J., Zeng, P., dan Hu, Z., (2025). Dngnn: Efficient deep noisy graph neural network for spatio-temporal series forecasting. In *2025 2nd International Conference on Algorithms, Software Engineering and Network Security (ASENS)*, pages 15–18. DOI: https://doi.org/10.1109/ASENS64990.2025.11011208.

Wu, Z., Pan, S., Long, G., Jiang, J., Chang, X., dan Zhang, C., (2020). Connecting the dots: Multivariate time series forecasting with graph neural networks. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, KDD '20, page 753–763, New York, NY, USA. Association for Computing Machinery. ISBN 9781450379984. DOI: https://doi.org/10.1145/3394486.3403118. URL https://doi.org/10.1145/3394486.3403118.

Yang, W., Chu, W., Wu, X., Zhou, L., Wang, J., Yang, H., dan Li, Z., (2025). Industrial multivariate time-series data anomaly detection incorporating attention mechanisms and adversarial training. *International Journal of Computer Integrated Manufacturing*, 38(12):1697–1715. DOI: https://doi.org/10.1080/0951192X.2025.2452985.

Yu, X., Yang, X., Tan, Q., Shan, C., dan Lv, Z., (2022). An edge computing based anomaly detection method in iot industrial sustainability. *Applied Soft Computing*, 128:109486. ISSN 1568-4946. DOI: https://doi.org/https://doi.org/10.1016/j.asoc.2022.109486. URL https://www.sciencedirect.com/science/article/pii/S1568494622005841.

Zhang, W., Jia, M.-P., Zhu, L., dan Yan, X.-A., (2017). Comprehensive overview on computational intelligence techniques for machinery condition monitoring and fault diagnosis. *Chinese Journal of Mechanical Engineering*, 30(4):782–795. DOI: https://doi.org/10.1007/s10033-017-0150-0. URL https://doi.org/10.1007/s10033-017-0150-0.

Zhang, Z., Lu, S., Huang, Z., dan Zhao, Z., (2025). Graph neural networks with adaptive structures. *IEEE Journal of Selected Topics in Signal Processing*, 19(1): 181–194. DOI: https://doi.org/10.1109/JSTSP.2024.3485892.

Zhao, H., Wang, Y., Duan, J., Huang, C., Cao, D., Tong, Y., Xu, B., Bai, J., Tong, J., dan Zhang, Q., (2020) Nov. Multivariate time-series anomaly detection via

UNIVERSITAS
GADJAH MADA
Pengembangan Model Ekstraksi Fitur Korelasi Berbasis Graph Attention Network dengan Mutual Information untuk Deteksi Anomali Deret Waktu Multivariat
La Fajrin, Dr. Agus Sihabuddin, S.Si., M.Kom.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

graph attention network. In *2020 IEEE International Conference on Data Mining (ICDM)*, pages 841–850. DOI: https://doi.org/10.1109/ICDM50108.2020.00093.

```latex
```