Deteksi Konten Tidak Layak untuk Anak Usia Dini pada Video YouTube Berbahasa Indonesia Menggunakan
IndoBERT dengan Informasi Tekstual dan Metadata
Dragan Abrisam Widijanto, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] K. Yousaf and T. Nawaz, "A Deep Learning-Based Approach for Inappropriate Content Detection and Classification of YouTube Videos," IEEE Access, vol. 10, pp. 16283–16298, 2022, doi: 10.1109/ACCESS.2022.3147519.

[2] Centers for Disease Control and Prevention, "Child Development: Toddlers (1–3 years old)," CDC, 2024. [Online]. Available: https://www.cdc.gov/child-development/positive-parenting-tips/. [Accessed: 17-Jul-2026].

[3] I. Sarridis, C. Koutlis, O. Papadopoulou, and S. Papadopoulos, "Leveraging Large-scale Multimedia Datasets to Refine Content Moderation Models," in 2022 IEEE Eighth International Conference on Multimedia Big Data (BigMM), Naples, Italy: IEEE, Dec. 2022, pp. 125–132. doi: 10.1109/BigMM55396.2022.00029.

[4] E. W. Pamungkas, D. G. P. Putri, and A. Fatmawati, "Hate Speech Detection in Bahasa Indonesia: Challenges and Opportunities," Int. J. Adv. Comput. Sci. Appl., vol. 14, no. 6, 2023, doi: 10.14569/IJACSA.2023.01406125.

[5] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," in Proceedings of the 2019 Conference of the North, Minneapolis, Minnesota: Association for Computational Linguistics, 2019, pp. 4171–4186. doi: 10.18653/v1/N19-1423.

[6] G. A. Pradnyana, W. Anggraeni, E. M. Yuniarno, and M. H. Purnomo, "Fine-Tuning IndoBERT Model for Big Five Personality Prediction from Indonesian Social Media," in 2023 International Seminar on Intelligent Technology and Its Applications (ISITIA), Surabaya, Indonesia: IEEE, Jul. 2023, pp. 93–98. doi: 10.1109/ISITIA59021.2023.10221074.

[7] M. G. Syamsutizar, D. Haryadi, and R. Z. Fathiyana, "IndoBERT and IndoBERT-Lite Models in YouTube Comment Sentiment Analysis to Assess All-Age Viewing Suitability," in 2025 8th International Seminar on Research of Information Technology and Intelligent Systems (ISRITI), Yogyakarta, Indonesia: IEEE, Dec. 2025, pp. 1054–1059. doi: 10.1109/ISRITI68345.2025.11393372.

[8] L. Binh et al., "Samba: Identifying Inappropriate Videos for Young Children on YouTube," in Proceedings of the 31st ACM International Conference on Information & Knowledge Management, Atlanta GA USA: ACM, Oct. 2022, pp. 88–97. doi: 10.1145/3511808.3557442.

[9] Y. Vishal, J. U. Bhaskar, R. Yaswanthreddy, C. Vyshnavi, and S. Shanti, "A Novel Approach for Inappropriate Content Detection and Classification of Youtube Videos using Deep Learning," in 2024 3rd International Conference on Applied Artificial Intelligence and Computing (ICAAIC), Salem, India: IEEE, Jun. 2024, pp. 539–545. doi: 10.1109/ICAAIC60222.2024.10574927.

[10] J. Li, M. Sun, W. Song, and F. Li, "Research on text intelligent classification and evaluation based on BERT-DPCNN model," in 2025 10th International Conference on Computer and Information Processing Technology

UNIVERSITAS
GADJAH MADA
**Deteksi Konten Tidak Layak untuk Anak Usia Dini pada Video YouTube Berbahasa Indonesia Menggunakan
IndoBERT dengan Informasi Tekstual dan Metadata**
Dragan Abrisam Widijanto, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(ISCIPT), Fushun, China: IEEE, Sep. 2025, pp. 528–531. doi: 10.1109/ISCIPT67144.2025.11264950.

[11] K. Jiang, H. Yang, Y. Wang, Q. Chen, and Y. Luo, "Ensemble BERT: A Student Social Network Text Sentiment Classification Model Based on Ensemble Learning and BERT Architecture," in 2024 IEEE 2nd International Conference on Sensors, Electronics and Computer Engineering (ICSECE), Jinzhou, China: IEEE, Aug. 2024, pp. 359–362. doi: 10.1109/ICSECE61636.2024.10729490.

[12] S. N. Pasha, R. Dadi, and S. Bose, "Hybrid BERT-Based Deep Learning Models for Sentiment Analysis: A Study on LSTM and GRU Configurations," in 2025 3rd International Conference on Inventive Computing and Informatics (ICICI), Bangalore, India: IEEE, Jun. 2025, pp. 368–374. doi: 10.1109/ICICI65870.2025.11069615.

[13] S. Aloria, I. Aggarwal, N. Baliyan, and M. Ghosh, "Hilarious or Hidden? Detecting Sarcasm in Hinglish Tweets using BERT-GRU," in 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT), Delhi, India: IEEE, Jul. 2023, pp. 1–6. doi: 10.1109/ICCCNT56998.2023.10307171.

[14] B. Zhu and W. Pan, "A Text Classification Model Based on BERT and Attention," in 2023 4th International Conference on Computers and Artificial Intelligence Technology (CAIT), Macau, Macao: IEEE, Dec. 2023, pp. 90–95. doi: 10.1109/CAIT59945.2023.10469363.

[15] Z. Yang, J. Li, H. Song, and X. Du, "Global Semantic Information Extraction Model for Chinese long text classification based on fine-tune BERT," in 2022 IEEE 10th Joint International Information Technology and Artificial Intelligence Conference (ITAIC), Chongqing, China: IEEE, Jun. 2022, pp. 209–213. doi: 10.1109/ITAIC54216.2022.9836921.

[16] K. R. Kumar, P.Sujatha, M. Sivajyothi, V. D. Babu, A.Lakshmanarao, and P. V. Rao, "Hybrid Deep Learning Framework for Fake News Detection using BERT Embeddings and Context-Aware Metadata Fusion," in 2025 International Conference on Sustainable Communication Networks and Application (ICSCN), Theni, India: IEEE, Oct. 2025, pp. 1662–1667. doi: 10.1109/ICSCN67106.2025.11308637.

[17] X. Li and L. Chen, "Fake Review Detection Using Deep Neural Networks with Multimodal Feature Fusion Method," in 2023 IEEE 29th International Conference on Parallel and Distributed Systems (ICPADS), Ocean Flower Island, China: IEEE, Dec. 2023, pp. 2869–2872. doi: 10.1109/ICPADS60453.2023.00411.

[18] J. Zeng and D. B. V. Kaye, "From content moderation to visibility moderation : A case study of platform governance on TikTok," Policy Internet, vol. 14, no. 1, pp. 79–95, Mar. 2022, doi: 10.1002/poi3.287.

[19] M. Dogucu and M. Çetinkaya-Rundel, "Web Scraping in the Statistics and Data Science Curriculum: Challenges and Opportunities," J. Stat. Data Sci. Educ., vol. 29, no. sup1, pp. S112–S122, Jan. 2021, doi: 10.1080/10691898.2020.1787116.

UNIVERSITAS
GADJAH MADA
**Deteksi Konten Tidak Layak untuk Anak Usia Dini pada Video YouTube Berbahasa Indonesia Menggunakan
IndoBERT dengan Informasi Tekstual dan Metadata**
Dragan Abrisam Widijanto, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[20] D. Khurana, A. Koli, K. Khatter, and S. Singh, "Natural language processing: state of the art, current trends and challenges," Multimed. Tools Appl., vol. 82, no. 3, pp. 3713–3744, Jan. 2023, doi: 10.1007/s11042-022-13428-4.
[21] K. Kowsari, K. Jafari Meimandi, M. Heidarysafa, S. Mendu, L. Barnes, and D. Brown, "Text Classification Algorithms: A Survey," Information, vol. 10, no. 4, p. 150, Apr. 2019, doi: 10.3390/info10040150.
[22] A. Vaswani et al., "Attention Is All You Need," Aug. 02, 2023, arXiv: arXiv:1706.03762. doi: 10.48550/arXiv.1706.03762.
[23] B. Wilie et al., "IndoNLU: Benchmark and Resources for Evaluating Indonesian Natural Language Understanding," in Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics and the 10th International Joint Conference on Natural Language Processing, Suzhou, China: Association for Computational Linguistics, 2020, pp. 843–857. doi: 10.18653/v1/2020.aacl-main.85.
[24] K. Cho et al., "Learning Phrase Representations using RNN Encoder–Decoder for Statistical Machine Translation," in Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP), Doha, Qatar: Association for Computational Linguistics, 2014, pp. 1724–1734. doi: 10.3115/v1/D14-1179.
[25] D. Bahdanau, K. Cho, and Y. Bengio, "Neural Machine Translation by Jointly Learning to Align and Translate," 2014, arXiv. doi: 10.48550/ARXIV.1409.0473.
[26] J. Arevalo, T. Solorio, M. Montes-y-Gómez, and F. A. González, "Gated Multimodal Units for Information Fusion," 2017, arXiv. doi: 10.48550/ARXIV.1702.01992.
[27] T. Fawcett, "An introduction to ROC analysis," Pattern Recognit. Lett., vol. 27, no. 8, pp. 861–874, Jun. 2006, doi: 10.1016/j.patrec.2005.10.010.
[28] J. Davis and M. Goadrich, "The relationship between Precision-Recall and ROC curves," in Proceedings of the 23rd international conference on Machine learning - ICML '06, Pittsburgh, Pennsylvania: ACM Press, 2006, pp. 233–240. doi: 10.1145/1143844.1143874.
[29] R. Meyes, M. Lu, C. W. de Puiseau, and T. Meisen, "Ablation Studies in Artificial Neural Networks," 2019, arXiv. doi: 10.48550/ARXIV.1901.08644.
[30] F. Lauer, "MLweb: A toolkit for machine learning on the web," Neurocomputing, vol. 282, pp. 74–77, Mar. 2018, doi: 10.1016/j.neucom.2017.11.069.
[31] L. Dobrica and E. Niemela, "A survey on software architecture analysis methods," IEEE Trans. Softw. Eng., vol. 28, no. 7, pp. 638–653, Jul. 2002, doi: 10.1109/TSE.2002.1019479.
[32] I. Otaduy and O. Diaz, "User acceptance testing for Agile-developed web-based applications: Empowering customers through wikis and mind maps," J. Syst. Softw., vol. 133, pp. 212–229, Nov. 2017, doi: 10.1016/j.jss.2017.01.002.
[33] A. Joshi, S. Kale, S. Chandel, and D. Pal, "Likert Scale: Explored and Explained," Br. J. Appl. Sci. Technol., vol. 7, no. 4, pp. 396–403, Jan. 2015, doi: 10.9734/BJAST/2015/14975.

UNIVERSITAS
GADJAH MADA
**Deteksi Konten Tidak Layak untuk Anak Usia Dini pada Video YouTube Berbahasa Indonesia Menggunakan
IndoBERT dengan Informasi Tekstual dan Metadata**
Dragan Abrisam Widijanto, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[34] G. Booch, J. Rumbaugh, and I. Jacobson, The Unified Modeling Language User Guide, 2nd ed. Boston, MA: Addison-Wesley, 2005.
[35] M. S. Hartawan, "Penerapan User Centered Design (UCD) pada Wireframe Desain User Interface dan User Experience Aplikasi Sinopsis Film," JEIS: Jurnal Elektro dan Informatika Swadharma, vol. 2, no. 1, pp. 43–47, 2022, doi: 10.56486/jeis.vol2no1.161.
[36] I. Beltagy, M. E. Peters, and A. Cohan, "Longformer: The Long-Document Transformer," 2020, arXiv:2004.05150. doi: 10.48550/arXiv.2004.05150.
[37] R. Wirth and J. Hipp, "CRISP-DM: Towards a standard process model for data mining," in Proceedings of the 4th International Conference on the Practical Applications of Knowledge Discovery and Data Mining, Manchester, 2000, pp. 29–39.
[38] I. Loshchilov and F. Hutter, "Decoupled Weight Decay Regularization," in International Conference on Learning Representations (ICLR), 2019. [Online]. Available: https://arxiv.org/abs/1711.05101.
[39] F. Pedregosa et al., "Scikit-learn: Machine Learning in Python," Journal of Machine Learning Research, vol. 12, pp. 2825–2830, 2011. [Online]. Available: https://www.jmlr.org/papers/v12/pedregosa11a.html.
[40] N. A. Nik Ahmad, N. I. M. Hamid, and A. M. Lokman, "Performing Usability Evaluation on Multi-Platform Based Application for Efficiency, Effectiveness and Satisfaction Enhancement," International Journal of Interactive Mobile Technologies (iJIM), vol. 15, no. 10, pp. 103–117, 2021, doi: 10.3991/ijim.v15i10.20429.
[41] A. M. Saleh, H. Y. Abuaddous, I. S. Alansari, and O. Enaizan, "The Evaluation of User Experience of Learning Management Systems Using UEQ," International Journal of Emerging Technologies in Learning (iJET), vol. 17, no. 7, pp. 145–162, 2022, doi: 10.3991/ijet.v17i07.29525.