SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelshafy, A.M., Hu, Q., Luo, Z., Ban, Z., and Li, L., 2024, Hydrogen peroxide from traditional Sanitizer to promising disinfection agent in food industry, *Food Rev. Int.*, 40(2), 658–690.

Adair, L.D., Yang, K., and New, E.J., 2022, An introduction to small molecule fluorescent sensors. In, *Molecular Fluorescent Sensors for Cellular Studies*. John Willey & Sons, hal. 1-35.

Al Farsi, B., Sofin, R.G.S., Al Shidhani, H., El-Shafey, E.S.I., Al-Hosni, A.S., Al Marzouqi, F., Issac, A., Al Nabhani, A., and Abou-Zied, O.K., 2022, The effect of microwave power level and post-synthesis annealing treatment on oxygen-based functional groups present on carbon quantum dots, *J. Lumin.*, 252(119326). 1-14.

Al-Shehri, S. S., Duley, J. A., & Bansal, N., 2020. Xanthine oxidase-lactoperoxidase system and innate immunity: Biochemical actions and physiological roles. *Redox biol., 34*, 1-8

Ang, W.L., Boon Mee, C.A.L., Sambudi, N.S., Mohammad, A.W., Leo, C.P., Mahmoudi, E., Ba-Abbad, M., and Benamor, A., 2020, Microwave-assisted conversion of palm kernel shell biomass waste to photoluminescent carbon dots, *Sci. Rep.*, 10(1), 1-15.

Arul, V., Chandrasekaran, P., Sivaraman, G., and Sethuraman, M.G., 2021, Efficient green synthesis of N,B co-doped bright fluorescent carbon nanodots and their electrocatalytic and bio-imaging applications, *Diam. Relat. Mater.*, 116, 1-10

Atchudan, R., Perumal, S., Edison, T.N.J.I., Sundramoorthy, A.K., Sangaraju, S., Babu, R.S., and Lee, Y.R., 2022, sustainable synthesis of bright fluorescent nitrogen-doped carbon dots from Terminalia chebula for in vitro imaging, *Molecules*, 27(22), 1-14.

Badan Pangan Nasional, 2025, Bahan Tambahan Pangan Dan Bahan Penolong Dalam Pangan Segar, 1-18.

Balakrishnan, T., Ang, W.L., Mahmoudi, E., Mohammad, A.W., and Sambudi, N.S., 2022, Formation mechanism and application potential of carbon dots synthesized from palm kernel shell via microwave-assisted method, *Carbon Resour. Convers.*, 5(2), 150–166.

UNIVERSITAS
GADJAH MADA
SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bayati, M., Dai, J., Zambrana, A., Rees, C., and Fidalgo de Cortalezzi, M., 2018, Effect of water chemistry on the aggregation and photoluminescence behavior of carbon dots, *J. Environ. Sci.*, 65, 223–235.

Bhardwaj, G., Kaur, R., Saini, S., Kaur, N., and Singh, N., 2023, HgAu alloy@4H-Chromene predicated colorimetric lateral flow device: On-site rapid detection of hyper and hypocholesterolaemia, *Sens. Actuators B Chem.*, 386, 1-12.

Cao, J., Jiang, H., Wu, Y., and Yu, X., 2024, Visual detection of H_2O_2 and glucose by HBcAb-HRP fluorescence-enhanced CdTe QDs/CDs ratiometric fluorescence sensing platform, *Colloids Surf. B Biointerfaces*, 235(11377), 1-8

Chang, K., Zhu, Q., Qi, L., Guo, M., Gao, W., and Gao, Q., 2022, Synthesis and properties of nitrogen-doped carbon quantum, *Materials*, 15(2), 1-13

Chen, X.P., Zhuang, Y.F., Lin, J.W., Chen, J.H., and Han, Z.Z., 2022, Synthesis of N,S co-doped carbon dots for fluorescence detection of Fe^{3+} ions and intracellular pH imaging, *Chin. J. Anal.Chem.*, 50(11), 1–9.

Cordeiro-Junior, P.J.M., Lobato Bajo, J., Lanza, M.R.D.V., and Rodrigo Rodrigo, M.A., 2022, Highly efficient electrochemical production of hydrogen peroxide using the GDE technology, *Ind. Eng. Chem. Res.*, 61(30), 10660-10669.

Dai, C., Zhang, H., Li, R., and Zou, H., 2019, Synthesis and characterization of thiourea, *Pol. J. Chem. Technol.*, 21(3), 35–39.

Das, S., Ngashangva, L., and Goswami, P., 2021, Carbon dots: An emerging smart material for analytical applications, *Micromachines*, 12(1), 1-36

Dervishi, E., Ji, Z., Htoon, H., Sykora, M., and Doorn, S.K., 2019, Raman spectroscopy of bottom-up synthesized graphene quantum dots: Size and structure dependence, *Nanoscale*, 11(35), 16571–16581.

Diana, Feni R M, Suratman, A., Wahyuni, E.T., Mudasir, M., and Suherman, S., 2022, Development of N,S-CDs fluorescent probe method for early detection of Cr (VI) in the environment, *Chem. Pap.*, 76(12), 7793–7809.

Dinalia, D., Sosidi, H., Ridhay, A., Hannan, H., and Khairuddin, K., 2026, Investigation of column temperature and validation of an HPLC-PDA method for hydrogen peroxide analysis in hair cosmetics under tropical environments,14(2), 132-141.

SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ding, H., Li, X.H., Chen, X.B., Wei, J.S., Li, X.B., and Xiong, H.M., 2020, Surface states of carbon dots and their influences on luminescence, *J. Appl. Phys*, 127(23), 1-21.

Ding, H., Wei, J.S., and Xiong, H.M., 2014, Nitrogen and sulfur co-doped carbon dots with strong blue luminescence, *Nanoscale*, 6(22), 13817–13823.

Do, S., Kwon, W., Kim, Y.H., Kang, S.R., Lee, T., Lee, T.W., and Rhee, S.W., 2016, N,S-Induced electronic states of carbon nanodots toward white electroluminescence, *Adv. Opt. Mater.*, 4(2), 276-284.

Dong, Y., Pang, H., Yang, H. Bin, Guo, C., Shao, J., Chi, Y., Li, C.M., and Yu, T., 2013, Carbon-based dots co-doped with nitrogen and sulfur for high quantum yield and excitation-independent emission, *Angew. Chem. Int. Ed.*, 52(30), 7800–7804.

Dua, S., Kumar, P., Pani, B., Kaur, A., Khanna, M., and Bhatt, G., 2023, Stability of carbon quantum dots: a critical review, *RSC Advances*, 13(20), 13845–13861.

Ergüder, Ö., Şahin Keskin, S., Nar, I., Trabzon, L., and Ünlü, C., 2022, Aflatoxin B1 acts as an effective energy donor to enhance fluorescence of yellow emissive carbon dots, *ACS Omega*, 7(33), 29297–29305.

Fu, L., Yin, Y., Cao, G., Wu, P., Wang, J., Yan, L., Zhang, B., and Li, M., 2019, A new sulfur-doped source and synergistic effect with nitrogen for carbon dots produced from glucose, *Chin. Phys. B*, 28(12), 1-7

Gholamzadeh, Y., Sharifi, M., and Hemmati-Sarapardeh, A., 2025, Evaluating the role of monovalent and divalent salts on interfacial tension reduction using nitrogen doped carbon dots for enhanced oil recovery, *Sci. Rep.*, 15(1), 1–27.

Guo, L., Li, L., Wang, X., Zhang, Y., and Cui, F., 2023, Synthesis of pH-sensitive nitrogen-doped carbon dots with biological imaging function and their application in Cu^{2+} and Fe^{2+} determination by ratiometric fluorescent probes, *ACS Omega*, 8(40), 37098–37107.

Gupta, A. and Kim, B.S., 2020, Soft, biological and composite nanomaterials, *Nanomaterials*, 10(8), 1–3.

Hamurwani, D.S., Obbyardi, K.A., Mudasir, M., and Suherman, S., 2026, Development of nitrogen and fluorine-doped carbon dots (N,F-CDs) as fluorescent sensor for detection of Fe^{3+} ions in the water environment, *Chem. Pap.*, 1, 1-15.

UNIVERSITAS
GADJAH MADA
SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

He, L., Qian, W., Cen, L., Shen, S., Wang, S., Chen, S., Liu, S., Liu, A., Yang, Y., and Liu, Y., 2021, Catalase-conjugated collagen surfaces and their application for the quantification determination of H_2O_2 in milk, *Lwt*, 147(111601), 1-8

Hu, X., Zhang, X., Li, Y., Shi, J., Huang, X., Li, Z., Zhang, J., Li, W., Xu, Y., and Zou, X., 2022, Easy-to-use visual sensing system for milk freshness, sensitized with acidity-responsive N-doped carbon quantum dots, *Foods*, 11(13), 1-15.

Huang, S.W., Lin, Y.F., Li, Y.X., Hu, C.C., and Chiu, T.C., 2019, Synthesis of fluorescent carbon dots as selective and sensitive probes for cupric ions and cell imaging, *Molecules*, 24(9), 1–12.

Huang, W., Tang, Z., Liu, X., Liu, L., Zhong, H., Yu, Y., Chen, H., Wang, C., Jiang, Q., Ye, Y.W., and Ye, X., 2024, A green and effective anti-corrosion and anti-microbial inhibitor of citric acid-based carbon dots: Experiment and mechanism analysis, *J. Mater. Res. Technol.*, 32(1), 2149–2159.

Issa, M.A., Abidin, Z.Z., Sobri, S., Rashid, S., Mahdi, M.A., Ibrahim, N.A., and Pudza, M.Y., 2019, Facile synthesis of nitrogen-doped carbon dots from lignocellulosic waste, *Nanomaterials*, 9(10), 1-23.

Ivanova, A.S., Merkuleva, A.D., Andreev, S.V., and Sakharov, K.A., 2019, Method for determination of hydrogen peroxide in adulterated milk using high-performance liquid chromatography, *Food Chem.*, 283(1), 431–436.

Jia, J., Liu, X., and Wang, W., 2025, Nitrogen-Doped Carbon dots as a Fluorescent "Off–On" Probe for Selective Ascorbic Acid Detection via H_2O_2-Mediated Quenching, *Nanomaterials*, 15(13), 1-18.

Jia, Y., Hu, Y., Li, Y., Zeng, Q., Jiang, X., and Cheng, Z., 2019, Boron doped carbon dots as a multifunctional fluorescent probe for sorbate and vitamin B12, *Microchim. Acta*, 186(2). 1-10

Jorns, M., Strickland, S., Mullins, M., and Pappas, D., 2022, Improved citric acid-derived carbon dots synthesis through microwave-based heating in a hydrothermal pressure vessel, *RSC Adv.*, 12(50), 32401–32414.

Kayani, K.F., Ghafoor, D., Mohammed, S.J., and Shatery, O.B.A., 2024, Carbon dots: Synthesis, sensing mechanisms, and potential applications as promising materials for glucose sensors, *Nanoscale Adv.*, 7(1), 42–59.

SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lakshman Rao, L., Ramakanth, D., Akhila, K., and Gaikwad, K.K., 2024, Hydrogen peroxide responsive smart colorimetric indicator based on titanium oxysulfate/guar gum coating for monitoring the freshness of milk, *Food Control*, 165, 1-8.

Lan, M., Di, Y., Zhu, X., Ng, T.-W., Xia, J., Liu, W., Meng, X., Wang, P., Leea, C.-S., and Zhang, W., 2015, A Carbon dot-based fluorescence turn-on sensor for hydrogen peroxide with a photo-induced electron transfer mechanism, *Chem. Commun.*, 51(85), 15574–15577.

Li, J., Xiang, G., He, L., Jiang, X., and Zhao, R., 2025, Synthesis of B,N-co-doped carbon dots with high quantum yield for the selective detection of hydrogen peroxide and ascorbic acid in food samples, *Microchem. J.*, 209, 1-8.

Li, L. and Dong, T., 2018, Photoluminescence tuning in carbon dots: Surface passivation or/and functionalization, heteroatom doping, *J. Mater. Chem C*, 6(30), 7944–7970.

Li, L., Yu, B., and You, T., 2015, Nitrogen and sulfur co-doped carbon dots for highly selective and sensitive detection of Hg(II) ions, *Biosens. Bioelectron.*, 74(1), 263-269.

Li, X., Zhao, S., Li, B., Yang, K., Lan, M., and Zeng, L., 2021, Advances and perspectives in carbon dot-based fluorescent probes: Mechanism and application, *Coord. Chem. Rev.*, 431, 1-22.

Li, Y., Chen, M., Lu, H., and Xu, S., 2024, Smartphone-based ratiometric fluorescence sensor for sensitive visual detection of H_2O_2 and glucose based on B-CDs-Ag NPRs-OPD ternary system, *J. Lumin.*, 275, 120755.

Li, Y., Gu, X., Zhao, J., and Xi, F., 2022, Fabrication of a ratiometric fluorescence sensor based on carbon dots as both luminophores and nanozymes for the sensitive detection of hydrogen peroxide, *Molecules*, 27(21), 7379.

Li, Z., Deng, L., Kinloch, I.A., and Young, R.J., 2023, Raman spectroscopy of carbon materials and their composites: Graphene, nanotubes and fibres, *Prog. Mater. Sci.*, 135, 1-58

Lim, S.Y., Shen, W., and Gao, Z., 2015, Carbon quantum dots and their applications, *Chem. Soc. Rev.*, 44(1), 362–381.

Liu, P., Zhao, M., Zhu, H., Zhang, M., Li, X., Wang, M., Liu, B., Pan, J., and Niu, X., 2022, Dual-mode fluorescence and colorimetric detection of pesticides realized by

SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

integrating stimulus-responsive luminescence with oxidase-mimetic activity into cerium-based coordination polymer nanoparticles, *J. Hazard. Mater.*, 423, 1-10.

Liu, S.G., Liu, S., Yang, S., Zhao, Q., Deng, J., and Shi, X., 2022, A facile fluorescent sensing strategy for determination of hydrogen peroxide in foods using a nanohybrid of nanoceria and carbon dots based on the target-promoted electron transfer, *Sens. Actuators B: Chem.*, 356, 1-9

Liu, T., Cui, Z.W., Zhou, J., Wang, Y., and Zou, Z.G., 2017, Synthesis of pyridinic-rich N, S co-doped carbon quantum dots as effective enzyme mimics, *Nanoscale Res. Lett*, 12(1), 1-8.

Lou, X.T., Zhan, L., and Chen, B. Bin, 2025, Recent Progress of Carbon dots in Fluorescence Sensing, *Inorganics*, 13(8), 1–13.

Lu, C., Wang, Y., Xu, B., Zhang, W., Xie, Y., Chen, Y., Wang, L., and Wang, X., 2022, A colorimetric and fluorescence dual-signal determination for iron (II) and H2O2 in food based on sulfur quantum dots, *Food Chem.*, 366, 1-8

Magdy, G., Ebrahim, S., Belal, F., El-Domany, R.A., and Abdel-Megied, A.M., 2023, Sulfur and nitrogen co-doped carbon quantum dots as fluorescent probes for the determination of some pharmaceutically-important nitro compounds, *Sci. Rep.*, 13(1), 1–19.

Manioudakis, J., Victoria, F., Thompson, C.A., Brown, L., Movsum, M., Lucifero, R., and Naccache, R., 2019, Effects of nitrogen-doping on the photophysical properties of carbon dots, *J. Mater. Chem. C*, 7(4), 853–862.

Martin, N.H., Friedlander, A., Mok, A., Kent, D., Wiedmann, M., and Boor, K.J., 2014, Peroxide test strips detect added hydrogen peroxide in raw milk at levels affecting bacterial load, *J. Food Prot.*, 77(10), 1809–1813.

Martin, N.H., Torres-Frenzel, P., and Wiedmann, M., 2021, Invited review: Controlling dairy product spoilage to reduce food loss and waste, *J. Dairy Sci.*, 104(2), 1251–1261.

Meierhofer, F., Dissinger, F., Weigert, F., Jungclaus, J., Müller-Caspary, K., Waldvogel, S.R., Resch-Genger, U., and Voss, T., 2020, Citric acid-based carbon dots with amine type stabilizers: PH-specific luminescence and quantum yield characteristics, *J. Phys. Chem. C*, 124(16), 8894–8904.

UNIVERSITAS
GADJAH MADA
SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mihailova, I., Gerbreders, V., Krasovska, M., Sledevskis, E., Mizers, V., Bulanovs, A., and Ogurcovs, A., 2022, A non-enzymatic electrochemical hydrogen peroxide sensor based on copper oxide nanostructures, *Beilstein J. Nanotechnology*, 13(1), 424–436.

Minervini, G., Panniello, A., Madonia, A., Carbonaro, C.M., Mocci, F., Sibillano, T., Giannini, C., Comparelli, R., Ingrosso, C., Depalo, N., Fanizza, E., Curri, M.L., and Striccoli, M., 2022, Photostable carbon dots with intense green emission in an open reactor synthesis, Carbon N. Y., 198, 230–243

Mohandoss, S., Ganesan, S., Palanisamy, S., You, S.G., Velsankar, K., Sudhahar, S., Lo, H.M., and Lee, Y.R., 2023, Nitrogen, sulfur, and phosphorus Co-doped carbon dots-based ratiometric chemosensor for highly selective sequential detection of Al^{3+} and Fe^{3+} ions in logic gate, cell imaging, and real sample analysis, *Chemosphere*, 313, 1-11.

Mondal, M. and Pramanik, S., 2023, A mechanism for excitation-dependent emission from carbon nanodots, *Mater. Lett.: X*, 18, 100195.

MS, J., Nambiar, A., and A, S., 2023, Modulating the fluorescence properties of carbon dots by varying the stoichiometric ratios of citric acid and urea during the synthesis, *Mater. Today Commun.*, 37, 1-9.

Ng, H.K.M., Lim, G.K., and Leo, C.P., 2021, Comparison between hydrothermal and microwave-assisted synthesis of carbon dots from biowaste and chemical for heavy metal detection: A review, *Microchem. J.*, 165, 1-13

Ofoedu, C.E., You, L., Osuji, C.M., Iwouno, J.O., Kabuo, N.O., Ojukwu, M., Agunwah, I.M., Chacha, J.S., Muobike, O.P., Agunbiade, A.O., Sardo, G., Bono, G., Okpala, C.O.R., and Korzeniowska, M., 2021, Hydrogen peroxide effects on natural-sourced polysacchrides: Free radical formation/production, degradation process, and reaction mechanism-a critical synopsis, *Foods*, 10(4), 1-33.

Ozyurt, D., Kobaisi, M. Al, Hocking, R.K., and Fox, B., 2023, Properties, synthesis, and applications of carbon dots: A review, *Carbon Trends*, 12, 1-27.

Papaioannou, N., Titirici, M.M., and Sapelkin, A., 2019, Investigating the Effect of Reaction Time on Carbon Dot Formation, Structure, and Optical Properties, *ACS Omega*, 4(26), 21658–21665.

Park, J., Noh, H., Suh, H.J., Ryu, D., Lee, H.J., and Lee, C., 2023, High-performance liquid chromatography using diode array detector and fluorescence detector for

SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

hydrogen peroxide analysis in processed fishery foods, *Food Sci. Biotechnol.*, 32(1), 27–37.

Patella, B., Di Vincenzo, S., Moukri, N., Bonafede, F., Ferraro, M., Lazzara, V., Giuffrè, M.R., Carbone, S., Aiello, G., Russo, M., Cipollina, C., Inguanta, R., and Pace, E., 2024, Gold nanowires-based sensor for quantification of H2O2 released by human airway epithelial cells, *Talanta*, 272, 1–11.

Phukan, K., Sarma, R.R., Dash, S., Devi, R., and Chowdhury, D., 2022, Carbon dots based nucleus targeted fluorescence imaging and detection of nuclear hydrogen peroxide in living cells, *Nanosc. Adv.*, 4(1), 138–149.

Pourfaraj, R., Kazemi, S.Y., Fatemi, S.J., and Biparva, P., 2018, Synthesis of α- and β-CoNi binary hydroxides nanostructures and luminol chemiluminescence study for H_2O_2 detection, *J. Photochem. Photobiol. A Chem.*, 364, 534–541.

Ren, J., Malfatti, L., and Innocenzi, P., 2020, Citric Acid Derived Carbon dots, the Challenge of Understanding the Synthesis-Structure Relationship, *C (Basel).*, 7(1), 1-16.

Ruan, Z., Xu, Z., Liu, T., Chen, L., Liu, X., Chen, K., and Zhao, C., 2024, Multifunctional nitrogen-sulfur codoped carbon quantum dots: Determining reduced glutathione, broad-spectrum antibacterial activity, and cell imaging, *Heliyon*, 10(19), 1-13.

Ruiyi, L., Qingqing, X., Zaijun, L., Ruiling, Z., Yongqiang, Y., and Xiaohao, L., 2025, Synthesis of histidine, serine and folic acid-functionalized and boron and iron-doped graphene quantum dot with excellent optical behavior and peroxidase-like activity for colorimetric and fluorescence detection of H_2O_2 in food, *Spectrochimica Acta-A: Mol. Biomol Spectrosc.*, 324, 1-13.

Sahin, O.G., 2015, Microwave-assisted synthesis of PtAu@C based bimetallic nanocatalysts for non-enzymatic H_2O_2 sensor, *Electrochim. Acta*, 180(1), 873–878.

Selvaraj, H., Kalainilavan, K., Sri, K.S., George, H.S., Aravind, P., Thangavel, K., and Ilangovan, A., 2025, One-pot green synthesis of carbon dots from Swietenia macrophylla for fluorescent Fe^{3+} ion sensing and catalytic activity, *J. Indian Chem. Soc.*, 102(7), 1-8.

Shabbir, H., Csapó, E., and Wojnicki, M., 2023, Carbon quantum dots: The role of surface functional groups and proposed mechanisms for metal ion sensing, *Inorganics*, 11(6), 1-20.

UNIVERSITAS
GADJAH MADA
SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sharma, A. and Das, J., 2019, Small molecules derived carbon dots: Synthesis and applications in sensing, catalysis, imaging, and biomedicine, *J. Nanobiotechnology*, 17(1), 1–24.

Shen, C.L., Su, L.X., Zang, J.H., Li, X.J., Lou, Q., and Shan, C.X., 2017, Carbon nanodots as dual-mode nanosensors for selective detection of hydrogen peroxide, *Nanoscale Res. Lett.*, 12(1), 1-10.

Shen, Y., Wei, Y., Gao, X., Nie, C., Wang, J., and Wu, Y., 2023, Engineering an Enzymatic Cascade Catalytic Smartphone-Based Sensor for Onsite Visual Ratiometric Fluorescence-Colorimetric Dual-Mode Detection of Methyl Mercaptan, *Environ. Sci. Technol.*, 57(4), 1680–1691.

Shibata, H., Abe, M., Sato, K., Uwai, K., Tokuraku, K., and Iimori, T., 2022, Microwave-assisted synthesis and formation mechanism of fluorescent carbon dots from starch, *Carbohydr. Polym. Technol. Appl.*, 3, 1-11.

Siddique, A.B., Pramanick, A.K., Chatterjee, S., and Ray, M., 2018, Amorphous Carbon dots and their Remarkable Ability to Detect 2,4,6-Trinitrophenol, *Sci. Rep.*, 8(1), 1–10.

Singh, P. and Gandhi, N., 2015, Milk Preservatives and Adulterants: Processing, Regulatory and Safety Issues, *Food Rev. Int.*, 31(3), 236–261.

Sivaraman, B., Raja Sekhar, B.N., Nair, B.G., Hatode, V., and Mason, N.J., 2013, Infrared spectrum of formamide in the solid phase, *Spectrochim. Acta A: Mol. Biomol. Spectrosc*, 105, 238–244.

Slavicinska, K., Rachid, M.G., Rocha, W.R.M., Chuang, K.J., Van Dishoeck, E.F., and Linnartz, H., 2023, The hunt for formamide in interstellar ices: A toolkit of laboratory infrared spectra in astronomically relevant ice mixtures and comparisons to ISO, Spitzer, and JWST observations, *Astron. Astrophys.*, 677, 1-23.

Soledad-Flores, O., Bailón-Ruiz, S.J., and Román-Velázquez, F., 2024, Rapid Synthesis of Non-Toxic, Water-Stable Carbon dots Using Microwave Irradiation, *Micro*, 4(4), 659–669.

Soltani, E. and Gholivand, M.B., 2024, Aspartic acid/thiourea − derived N and S−doped porous carbon as a metal-free electrocatalyst for oxygen and hydrogen evolution reactions, *Inorg. Chem. Commun.*, 168, 1-11.

SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Song, M., Wang, J., Chen, B., and Wang, L., 2017, A facile, nonreactive hydrogen peroxide (H_2O_2) detection method enabled by ion chromatography with UV detector, *Anal. Chem.*, 89(21) 11537–11544.

Sousa, D.A., Ferreira, L.F., Fedorov, A.A., Rego, A.M.D., Ferraria, A.M., Cruz, A.B., Berberan-Santoz, M.N., and Prata, J. V., 2022, Luminescent carbon dots from wet olive pomace: Structural, *Molecules*, 27(19), 1-25

Stepanidenko, E.A., Vedernikova, A.A., Miruschenko, M.D., Dadadzhanov, D.R., Feferman, D., Zhang, B., Qu, S., and Ushakova, E. V., 2023, Red-Emissive Center Formation within Carbon dots Based on Citric Acid and Formamide, *J. Phys. Chem. Lett.*, 14(5), 11522–11528.

Suherman, S., Nardus, A., Adhitasari, Y., and Mudasir, S., 2024, Carbon dots Modified Multi Dopants Nitrogen and boron for an early detection of lead in the environment, *Bull. Environ. Contam. Toxicol*., 112(5), 1–8.

Sun, C., Zhang, Y., Wang, P., Yang, Y., Wang, Yu, Xu, J., Wang, Yiding, and Yu, W.W., 2016, Synthesis of Nitrogen and Sulfur Co-doped Carbon dots from Garlic for Selective Detection of Fe^{3+}, *Nanoscale Res. Lett.*, 11(1), 1–9.

Sutanto, H., Alkian, I., Romanda, N., Lewa, I.W.L., Marhaendrajaya, I., and Triadyaksa, P., 2020, High green-emission carbon dots and its optical properties: Microwave power effect, *AIP Advances*, 10(5), 1–6.

Tan, D., Zhou, S., Shimotsuma, Y., Miura, K., and Qiu, J., 2014, Effect of UV irradiation on photoluminescence of carbon dots, *Opt. Mater. Express.*, 4(2), 213-219.

Terracina, A., Armano, A., Meloni, M., Panniello, A., Minervini, G., Madonia, A., Cannas, M., Striccoli, M., Malfatti, L., and Messina, F., 2022, Photobleaching and Recovery Kinetics of a Palette of Carbon Nanodots Probed by in situ Optical Spectroscopy, *ACS Appl. Mater. Interfaces*, 14(31), 36038–36051.

Vervald, A.M., Laptinskiy, K.A., Khmeleva, M.Y., and Dolenko, T.A., 2025, Toward carbon dots from citric acid and ethylenediamine, part 1: Structure, optical properties, main luminophore at different stages of synthesis, *Carbon Trends*, 19, 1-12

Walekar, L.S., Zheng, M., Zheng, L., and Long, M., 2019, Selenium and nitrogen co-doped carbon quantum dots as a fluorescent probe for perfluorooctanoic acid, *Microchim. Acta*, 186(5), 1-9.

UNIVERSITAS
GADJAH MADA
SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, C., Fang, Y., Zhou, D., Wu, C., Zhu, H., and Song, Q., 2024, Surface oxidation of carbon dots enables highly selective and sensitive chemiluminescence detection of hydroxyl radical, *Nano Res.*, 17(11), 9275–9283.

Wang, Y. and Hu, A., 2014, Carbon quantum dots: Synthesis, properties and applications, *J. Mater. Chem. C.*, 2(34), 6921–6939.

Wen, F., Dong, Y., Feng, L., Wang, S., Zhang, S., and Zhang, X., 2011, Horseradish peroxidase functionalized fluorescent gold nanoclusters for hydrogen peroxide sensing, *Analytical Chemistry*, 83(4), 1193–1196.

Wu, L., Pan, W., Ye, H., Liang, N., and Zhao, L., 2022b, Sensitive fluorescence detection for hydrogen peroxide and glucose using biomass carbon dots: Dual-quenching mechanism insight, *Colloids Surf. A: Physicochem. and Eng. Asp.*, 638, 1-9

Xia, C., Zhu, S., Feng, T., Yang, M., and Yang, B., 2019, Evolution and Synthesis of Carbon dots: From Carbon dots to Carbonized Polymer Dots, *Adv. Sci.*, 6(23), 1-23.

Xiaoyue, S., Lujing, C., Juanjuan, M., Zhaosheng, Q., Chen, J., and Hui, F., 2014, B-doped carbon quantum dots as a sensitive fluorescence probe for hydrogen peroxide and glucose detection, *Analyst*, 139(10), 2322–2325.

Xu, X., Ray, R., Gu, Y., Ploehn, H.J., Gearheart, L., Raker, K., and Scrivens, W.A., 2004, Electrophoretic analysis and purification of fluorescent single-walled carbon nanotube fragments, *J. Am. Chem. Soc.*, 126(40), 12736–12737.

Xue, J., Mao, X., Zhao, X., Xie, T., Hu, H., Li, Z., and Gao, W., 2024, Nitrogen-doped carbon dots with excitation-dependent room temperature phosphorescence for multi-level anti-counterfeiting applications, *J. Lumin.*, 275, 1-8.

Yang, L., Xu, C., Ye, W., and Liu, W., 2015, An electrochemical sensor for H_2O_2 based on a new Co-metal-organic framework modified electrode, *Sens. and Actuators, B: Chem.*, 215, 489–496.

Yu, Z., Deng, C., Ma, W., Liu, Y., Liu, C., Zhang, T., and Xiao, H., 2024, Microwave-assisted synthesis of n, s co-doped carbon quantum dots for fluorescent sensing of Fe(III) and hydroquinone in water and cell imaging, *Nanomaterials*, 14(22), 1-15.

Zeng, Y.W., Ma, D.K., Wang, W., Chen, J.J., Zhou, L., Zheng, Y.Z., Yu, K., and Huang, S.M., 2015, N,S co-doped carbon dots with orange luminescence synthesized

SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

through polymerization and carbonization reaction of amino acids, *Appl. Surf. Sci.*, 342(1), 136–143.

Zhang, B., Luo, Y., Peng, B., Zhang, L., Xie, N., Yue, D., Li, W., Qin, B., Du, W., Wang, Z., and Zhang, Y., 2024, Fluorescent carbon dots doped with nitrogen for rapid detection of Fe(III) and preparation of fluorescent films for optoelectronic devices, *J. Mol. Struct.*, 1304, 1-10

Zhang, Y., Wang, Y., Feng, X., Zhang, F., Yang, Y., and Liu, X., 2016, Effect of reaction temperature on structure and fluorescence properties of nitrogen-doped carbon dots, *Appl. Surf. Sci.*, 387(1), 1236–1246.

Zhang, Y., Zhou, K., Qiu, Y., Xia, L., Xia, Z., Zhang, K., and Fu, Q., 2021, Strongly emissive formamide-derived N-doped carbon dots embedded Eu(III)-based metal-organic frameworks as a ratiometric fluorescent probe for ultrasensitive and visual quantitative detection of Ag^{+}, *Sens. Actuators B Chem.*, 339, 1-11

Zhao, X., Zhang, M., and Zhang, Z., 2022, Ultra-fast microwave-assisted synthesis of photoluminescent carbon dots with an ultra-high quantum yield for H_2O_2 detection, *J. Environ. Chem. Eng.*, 10(6), 1-10.

Zhi, S., Dai, Q., Wang, H., Wu, D., Zhao, L., Hu, C., and Dai, L., 2025, Heteroatom-doped carbon materials for multifunctional noncatalytic applications, *ACS Nano*, 19(33), 29860–29897.

Zhou, H., Ren, Y., Li, Zheng, He, W., and Li, Zhengxin, 2022, Selective detection of Fe^{3+} by nitrogen–sulfur-doped carbon dots using thiourea and citric acid, *Coatings*, 12(8), 1-12.

Zhou, X., Zhao, G., Tan, X., Qian, X., Zhang, T., Gui, J., Yang, L., and Xie, X., 2019, Nitrogen-doped carbon dots with high quantum yield for colorimetric and fluorometric detection of ferric ions and in a fluorescent ink, *Microchim. Acta*, 186(2), 1-9.

Zhu, S., Song, Y., Zhao, X., Shao, J., Zhang, J., and Yang, B., 2015, The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots, and polymer dots): current state and future perspective, *Nano Res.*, 8(2), 355–381.

UNIVERSITAS
GADJAH MADA
SINTESIS KARBON DOT TERDOPING NITROGEN DAN SULFUR (N,S-CDs) BERBANTUAN MICROWAVE UNTUK DETEKSI H2O2 PADA SUSU SAPI
Melly Wulantika Rahman, Prof. Suherman, S.Si., M.Sc., Ph.D; Prof. Dr. Endang Tri Wahyuni, M.S.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zong, L.P., Ruan, L.Y., Li, J., Marks, R.S., Wang, J.S., Cosnier, S., Zhang, X.J., and Shan, D., 2021, Fe-MOGs-based enzyme mimetic and its mediated electrochemiluminescence for in situ detection of H_2O_2 released from Hela cells, *Biosens. Bioelectron.*, 184, 1-8