SIMPLE FABRICATION OF Al-DOPED ZnO NANORODS FOR PHOTOCATALYTIC METHYLENE BLUE DEGRADATION WITHIN A
pH CONTROLLED AQUEOUS MATRIX
Indra Bayumukti Samodra, Prof. Indriana Kartini, S.Si., M.Si., Ph.D; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

TABLE OF CONTENTS

APPROVAL PAGE **ii**
iii
DECLARATION PAGE **iii**
PREFACE **iv**
TABLE OF CONTENTS **vii**
LIST OF TABLES **ix**
LIST OF FIGURES **x**
LIST OF ATTACHMENTS **xii**
ABSTRACT **xiii**
INTISARI **xiv**
CHAPTER I INTRODUCTION **1**
I.1 Background 1
I.2 Research Objectives 8
I.3 Research Benefits 8
CHAPTER II LITERATURE REVIEW AND HYPOTHESIS FORMULATION **11**
II.1 Literature Review 11
II.1.1 Industrial ile effluent and environmental impact 11
II.1.2 Methylene blue dye 12
II.1.3 Fundamentals of heterogenous photocatalysis 14
II.1.4 Zinc oxide (ZnO) as a photocatalyst 15
II.1.5 Aluminum (Al) doping and band gap engineering 17
II.1.6 Interfacial electrokinetics and the role of aqueous pH in photocatalysis 20
II.1.7 Synthesis methodology 21
II.1.8 Mathematical foundations of structural and optical characterization 22
II.2 Hypothesis Formulation 24
II.2.1 Structural and morphological control via thermal decomposition 24
II.2.2 Bandgap engineering and optical response 24
II.2.3 The deterioration limits of controlled doping concentration 25
II.2.4 Interfacial electrokinetics and solution pH optimization 25
II.2.5 Underlying rationale 26
CHAPTER III RESEARCH METHODS **28**
III.1 Materials 28
III.2 Apparatus. 28
III.3 Procedure 29
III.3.1 Synthesis of ZnO nanorods via thermal decomposition 29
III.3.2 Aluminum doping via wet impregnation and thermal treatment 29
III.3.3 Performance testing 30
III.3.4 Material Characterization 30

SIMPLE FABRICATION OF Al-DOPED ZnO NANORODS FOR PHOTOCATALYTIC METHYLENE BLUE DEGRADATION WITHIN A
pH CONTROLLED AQUEOUS MATRIX
Indra Bayumukti Samodra, Prof. Indriana Kartini, S.Si., M.Si., Ph.D; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

III.4 Research Design 30
CHAPTER IV RESULTS AND DISCUSSION 34
IV.1 Synthesis and Characterization of ZnO and Al-ZnO Nanorods 34
IV.1.1 Synthesis of ZnO and Al-ZnO nanorods 34
IV.1.2 Structural defect and crystal growth analysis via x-ray diffraction 37
IV.1.3 Chemical bonding and functional group evaluation via FTIR spectroscopy 44
IV.1.4 Morphological and nanostructure analysis via FE-SEM 46
IV.1.5 Elemental composition by FE-SEM EDX 49
IV.1.6 Morphological and nanostructure analysis via TEM 50
IV.1.7 Optical absorption and energy bandgap (uv-vis) calculation 52
IV.2 Photocatalytic Activity Test of Al-Doped ZnO Nanorods 54
IV.2.1 Solid-state electronics of the dopant concentration 54
IV.2.2 Photocatalytic charge separation and radical cascade mechanism 56
IV.2.3 Interfacial adsorption kinetics via the Langmuir-Hinshelwood model 58
IV.2.4 Performance benchmarking and literature comparison 62
IV.2.5 Applicability Scope and Suspension-System Limitations 65
IV.2.6 Validation of the Hypothesis-Driven Research Framework 67
CHAPTER V CONCLUSION AND SUGGESTION 69
V.1 Conclusion 69
V.2 Suggestion 70
REFERENCES 72

SIMPLE FABRICATION OF Al-DOPED ZnO NANORODS FOR PHOTOCATALYTIC METHYLENE BLUE DEGRADATION WITHIN A
pH CONTROLLED AQUEOUS MATRIX
Indra Bayumukti Samodra, Prof. Indriana Kartini, S.Si., M.Si., Ph.D; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF TABLES

Table IV.1 Crystallite size, dislocation density, microstrain, and stacking fault probability of undoped and Al doped ZnO nanorods. 40

Table IV.2 Lattice parameters, atomic packing fraction, and unit cell volume of undoped and Al-doped ZnO nanorods 41

Table IV.3 Reference FTIR vibrational bands and experimental absorption positions for undoped and Al-doped ZnO nanorods. 45

Table IV.4 Optical bandgap energies of undoped and Al-doped ZnO nanorods obtained from Tauc plots. 54

Table IV.5 UV–Vis absorption peak and edge positions of undoped and Al-doped ZnO nanorods 54

Table IV.6 Pseudo-first-order rate constants and correlation coefficients for MB photodegradation over undoped and Al-doped ZnO nanorod 61

Table IV.7 Time-dependent methylene blue degradation (%) over undoped and Al-doped ZnO nanorods under UV irradiation 63

Table IV.8 Comparison of photocatalytic performance parameters of undoped and Al-doped ZnO nanorods with selected ZnO-based photocatalysts from the literature 64

SIMPLE FABRICATION OF Al-DOPED ZnO NANORODS FOR PHOTOCATALYTIC METHYLENE BLUE DEGRADATION WITHIN A
pH CONTROLLED AQUEOUS MATRIX
Indra Bayumukti Samodra, Prof. Indriana Kartini, S.Si., M.Si., Ph.D; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF FIGURES

UNDERGRADUATE THESIS i

Figure III.1 ZnO Nanorods synthesis via thermal decomposition 32

Figure III.2 Al doped ZnO Nanorods via Impregnation and Thermal Treatment 32
32

Figure III.3 Photocatalytic Performance 32

Figure IV.1 X-ray diffraction patterns of undoped ZnO and Al-doped ZnO nanorods (0.5, 1, and 3 wt%), showing hexagonal wurtzite reflections and the evolution of peak intensity and width with Al incorporation. 38

Figure IV.2 FTIR vibarational bands comparison of synthesized nanostructure: undoped (black), 0.5% Al (blue), 1% Al (red), and 3% Al (green) ZnO nanorod 45

Figure IV.3 Field emission scanning electron microscopy (FESEM) images of synthesized nanostructures: (a) pure ZnO nanorods, (b) 0.5% Al-doped ZnO nanorods, (c) 1.0% Al-doped ZnO nanorods, and (d) 3.0% Al-doped ZnO nanorods. 48
49

Figure IV.4 EDX spectra of (a) undoped ZnO nanorods and (b) 0.5% Al-doped ZnO nanorods, showing Zn and O signals in the pure sample and the additional Al peak confirming successful dopant incorporation at low loading. 50

Figure IV.5 TEM images of ZnO nanorods: (a) Al-doped ZnO nanorods with 0.5% Al dopant concentration, showing an average length of 382 nm and diameter of 42 nm; (b) undoped (pure) ZnO nanorods with an average length of 556 nm and diameter of 57 nm. 51

Figure IV.6 UV–Vis absorption spectra of undoped ZnO and Al-doped ZnO nanorods (0.5, 1, and 3 wt%), showing the shift of the absorption edge with increasing Al content. 53

Figure IV.7 Tauc plots of $F(R \cdot h\upsilon)2$versus photon energy for undoped ZnO and Al-doped ZnO nanorods (0.5, 1, and 3 wt%), used to determine the optical bandgap values 54

SIMPLE FABRICATION OF Al-DOPED ZnO NANORODS FOR PHOTOCATALYTIC METHYLENE BLUE DEGRADATION WITHIN A
pH CONTROLLED AQUEOUS MATRIX
Indra Bayumukti Samodra, Prof. Indriana Kartini, S.Si., M.Si., Ph.D; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Figure IV.8 Pseudo–first-order kinetic plots of $\ln(C_0/C_t)$ versus time for MB photodegradation over (a) pure ZnO, (b) 0.5% Al–ZnO, (c) 1% Al–ZnO, and (d) 3% Al–ZnO nanorods. 61

Figure IV.9 Time-resolved UV–Vis absorption spectra of MB solution during photocatalytic degradation over (a) pure ZnO, (b) 0.5% Al–ZnO, (c) 1% Al–ZnO, and (d) 3% Al–ZnO nanorods ($\lambda max = 664$ *nm)*. 64

SIMPLE FABRICATION OF Al-DOPED ZnO NANORODS FOR PHOTOCATALYTIC METHYLENE BLUE DEGRADATION WITHIN A
pH CONTROLLED AQUEOUS MATRIX
Indra Bayumukti Samodra, Prof. Indriana Kartini, S.Si., M.Si., Ph.D; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LIST OF ATTACHMENTS

Attachment 1 List of each calculated peak plane and crystal parameters 83
Attachment 2 EDX raw quantification data 91
Attachment 3 Raw FTIR Without baseline correction and vibrational assignment 92
Attachment 4 UV-Vis absorbance raw data / calibration curve 94