UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelgawad, N., Tshavhungwe, M.P., Rohlwink, U., McIlleron, H., Abdelwahab, M.T., Wiesner, L., *et al*. 2023, Population Pharmacokinetic Analysis of Rifampicin in Plasma, Cerebrospinal Fluid, and Brain Extracellular Fluid in South African Children with Tuberculous Meningitis. *Antimicrob Agents Chemother*. 67(3): e0147422.

Abid, A., Wafa, Z., Belguidoum, M., Touahria, T., Mekhadmi, N.E., Dekmouche, M., *et al*. 2024, Exploring the anti-inflammatory, sedative, antidiabetic, and antioxidant potential in in-vitro and in-vivo models and phenolic profiling of Atractylis aristata Batt. *J Ethnopharmacol*. 330:118252.

Acocella G. 1983, Pharmacokinetics and metabolism of rifampin in humans. *Rev Infect Dis*. 5 Suppl 3: S428-32.

Admassu, F., Abera, E., Gizachew, A., Sedoro, T., and Gari, T. 2023, Risk factors of multidrug resistant tuberculosis among patients with tuberculosis at selected multidrug resistance treatment initiative centres in southern Ethiopia: a case-control study. *BMJ Open*. 13(1): e061836.

Agrawal, S. and Panchagnula, R. 2005, Implication of biopharmaceutics and pharmacokinetics of rifampicin in variable bioavailability from solid oral dosage forms. *Biopharm. Drug Dispos*., 2005, 26(8), 321-334.

Agrawal, S., Ashokraj, Y., Bharatam, P.V., Pillai, O., and Panchagnula, R. 2004, Solid-state characterization of rifampicin samples and its biopharmaceutic relevance. *Eur J Pharm Sci*. 22(2-3):127-44.

Al Zarzour, R., Ahmad, M., Asmawi, M., Kaur, G., Saeed, M., Al- Mansoub, M., *et al*. 2017, *Phyllanthus niruri* standardized extract alleviates the progression of non-alcoholic fatty liver disease and decreases atherosclerotic risk in sprague–dawley rats. *Nutrients*, 9(7), 766.

Alghamdi, W.A., Al-Shaer, M.H., and Peloquin, C.A. 2018, Protein Binding of First-Line Antituberculosis Drugs. *Antimicrob Agents Chemother*. 62(7): e00641-18.

Allen, L.V.Jr., and Erickson, M.A. 1998, Stability of bethanechol chloride, pyrazinamide, quinidine sulfate, rifampin, and tetracycline hydrochloride in extemporaneously compounded oral liquids. *Am J Health Syst Pharm*. 55(17):1804-9.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Alsultan, A. and Peloquin, C.A. 2014, Therapeutic drug monitoring in the treatment of tuberculosis: An update. *Drugs*, 74(8), 839-854.

Amin, Z.A., Abdulla, M.A., Ali, H.M., Alshawsh, M.A., and Qadir, S.W. 2012, Assessment of in vitro antioxidant, antibacterial and immune activation potentials of aqueous and ethanol extracts of *Phyllanthus niruri*. *J Sci Food Agric*. 92(9):1874-7.

Angiolini, L., Agnes, M., Cohen, B., Yannakopoulou, K., and Douhal, A. 2017 Formation, characterization and pH dependence of rifampicin: heptakis(2,6-di-O-methyl)-β-cyclodextrin complexes. *Int J Pharm*. 531(2):668-675.

AOAC International. 2007. ALACC guide: How to meet ISO 17025 requirements for method verification. [Online]. Tersedia di: https://www.aoac.org/wp-content/uploads/2019/09/ALACC-method-verification.pdf [Diakses pada: 12 Juli 2026].

Ardana, M., Laksitorini, M.D., Lukitaningsih, E., and Nugroho, A.E. 2025, Potential Alteration of Rifampicin's Bioavailability by *Phyllanthus niruri* Supplementation in Tuberculosis Therapy. *Curr. Drug Metab*. 25(10).

Assandri, A. and Semenza, G. 1977, Protein binding of rifampicin to bovine serum albumin as measured by gel filtration. *J Chromatogr*. 135(1): 25-35.

Assress, H.A., Ferruzzi, M.G., and Lan, R.S. 2023, Optimization of Mass Spectrometric Parameters in Data Dependent Acquisition for Untargeted Metabolomics on the Basis of Putative Assignments. *J Am Soc Mass Spectrom*. 34(8):1621-1631.

Athukuri, B.L. and Neerati, P. 2017, Enhanced oral bioavailability of domperidone with piperine in male wistar rats: Involvement of CYP3A1 and P-gp inhibition. *J. Pharm. Pharm. Sci*., 20, 28-37.

Atuanya, V.A., Poyi, O.C., and Kolawole, J.A. 2018, In vivo Studies of the Effect of a Herbal Preparation on Pharmacokinetic Properties of Rifampicin in Male Swiss Albino Rats and Computer Mediated Mechanism of Interaction. *Novel Approaches in Drug Designing & Development*, 3(4), pp. 88-96.

Ayogu, E.E., Okpalaoka, O., Amorha, K.C., Nduka, S.O., and Okonta, M.J. 2020, Effect of *Garcinia Kola* (Heckel) on Pharmacokinetic Parameters of Rifampicin. *Afr. J. Biomed. Res*., 25(1), 117-122.

Ayogu, E.E., Okonta, J.M., and Adibe, M.O. 2018, Evaluation of *Zingiber officinale* effects on rifampicin pharmacokinetic parameters using animal model. *International Journal of Pharmaceutical Research*, 10(3), pp. 296-302.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Babu, P.R., Babu, K.N., Peter, P.L., Rajesh, K., and Babu, P.J. 2013, Influence of quercetin on the pharmacokinetics of ranolazine in rats and in vitro models. *Drug Dev Ind Pharm*. 39(6): 873-9.

Badan Pengawas Obat dan Makanan, 2022. Peraturan Badan Pengawas Obat dan Makanan Nomor 11 Tahun 2022 tentang Tata Laksana Uji Bioekivalensi. Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia.

Badan Pengawas Obat dan Makanan, 2023, Pedoman Penyiapan Bahan Baku Obat Bahan Alam Berbasis Ekstrak/ Fraksi. Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia.

Bai, J., Zhao, S., Fan, X., Chen, Y., Zou, X., Hu, M., Wang, B., *et al*. 2019, Inhibitory effects of flavonoids on P-glycoprotein in vitro and in vivo: Food/herb-drug interactions and structure-activity relationships. *Toxicol Appl Pharmacol*. 369:49-59.

Bawa, T., Altememi, G.F., Eikenburg, D.C., and Standifer, K.M. 2003, Desensitization of alpha 2A-adrenoceptor signalling by modest levels of adrenaline is facilitated by beta 2-adrenoceptor-dependent GRK3 up-regulation. *Br J Pharmacol*. 138(5): 921-31.

Bhatnagar, S., Mukherjee, D., Salem, A.H., Miles, D., Menon, R.M., and Gibbs, J.P. 2021, Dose adjustment of venetoclax when co-administered with posaconazole: clinical drug-drug interaction predictions using a PBPK approach. *Cancer Chemother Pharmacol*. 87(4): 465-474.

Bhutani, P., Rajanna, P.K., and Paul, A.T. 2020, Impact of quercetin on pharmacokinetics of quetiapine: insights from in-vivo studies in wistar rats. *Xenobiotica*. 50(12):1483-1489.

Biçer, E. and Özdemir, S. 2010. Voltammetric and Spectroscopic Studies on the Interaction of Anti-Cancer Herbal Drug Rutin with an Anti-Tuberculosis Agent Rifampicin, *Russian Journal of Electrochemistry*, 46(8): 896–903.

Bhise, S.B. and Mookkan, S., 2008. Poor Bioavailability of Rifampicin- A Global Emergency. *Research Journal of Pharmacy and Technology*, 1(3), pp.155-160.

Boman, G., and Ringberger, V.A. 1974, Binding of rifampicin by human plasma proteins. *Eur J Clin Pharmacol*. 7(5): 369-73.

Campo, M.G., *and* Corral, G.M. 2022, Structural, dynamic, and hydration properties of quercetin and its aggregates in solution. *J Phys Condens Matter*. 34(29).

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chaachouay, N. 2025, Synergy, Additive Effects, and Antagonism of Drugs with Plant Bioactive Compounds. *Drugs and Drug Candidates*, 4(1), 4.

Challa, V.R., Babu, P.R., Challa, S.R., Johnson, B., and Maheswari, C. 2013, Pharmacokinetic interaction study between quercetin and valsartan in rats and in vitro models. *Drug Dev Ind Pharm*. 39(6): 865-72.

Chen, H.J., Chung, Y.L., Li, C.Y., Chang, Y.T., Wang, C.C.N., Lee, H.Y., *et al*. 2018, Taxifolin resensitizes multidrug re- sistance cancer cells viauncompetitive inhibition of P-Glycoprotein function. *Molecules*, 23(12), 3055.

Chokshi, N.V., Rawal, S., Solanki, D., Gajjar, S., Bora, V., Patel, B.M., *et al.* 2021, Fabrication and Characterization of Surface Engineered Rifampicin Loaded Lipid Nanoparticulate Systems for the Potential Treatment of Tuberculosis: An In Vitro and In Vivo Evaluation. *J Pharm Sci*. 110(5): 2221-2232.

Choudhary, N., Khajuria, V., Gillani, Z. H., Tandon, V. R., and Arora, E. 2014, Effect of Carum carvi, a herbal bioenhancer on pharmacokinetics of antitubercular drugs: A study in healthy human volunteers. *Perspect. Clin. Res*., 5(2), 80-4.

Clewe, O., Goutelle, S., Conte, J.E.Jr., and Simonsson, U.S. 2015, A pharmacometric pulmonary model predicting the extent and rate of distribution from plasma to epithelial lining fluid and alveolar cells using rifampicin as an example. *Eur J Clin Pharmacol*. 71(3): 313-9.

Colangeli, R., Jedrey, H., Kim, S., Connell, R., Ma, S., Chippada, *et al.* 2018, Bacterial Factors That Predict Relapse after Tuberculosis Therapy. *N Engl J Med*. 379(9): 823-833.

Côté, C., Bergeron, A., Mess, J.N., Furtado, M., and Garofolo, F. 2009, Matrix effect elimination during LC-MS/MS bioanalytical method development. *Bioanalysis*. 1(7): 1243-57.

DeMarco, V.P., Ordonez, A.A., Klunk, M., Prideaux, B., Wang, H., Zhuo, Z., *et al*. 2015, Determination of 11C-rifampin pharmacokinetics within *Mycobacterium tuberculosis*-infected mice by using dynamic positron emission tomography bioimaging. *Antimicrob Agents Chemother*. 59(9): 5768-74.

Das, J., Somabattini, R.A., Chhabra, N., Roy, P.P., Islam, R., Dhaked, D.K. *et al*. 2025, Network pharmacology and bioinformatics based on investigation of *Phyllanthus fraternus*: herb-drug interaction study. *J Biomol Struct Dyn*. 43(3): 1101-1115.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dhamija, P., Malhotra, S., and Pandhi, P. 2006, Effect of oral administration of crude aqueous extract of garlic on pharmacokinetic parameters of isoniazid and rifampicin in rabbits. *Pharmacology*. 77(2): 100-4.

Di Pede, G., Mena, P., Bresciani, L., Achour, M., Lamuela-Raventós, R.M., Estruch, R., *et al*. 2022, Revisiting the bioavailability of flavan-3-ols in humans: A systematic review and comprehensive data analysis. *Mol Aspects Med*. 89: 101146.

Ding, C., Li, Y., Li, X., Meng, L., Fu, R., Wang, X., *et al*. 2022, QiShenYiQi pills, a Chinese patent medicine, increase bioavailability of atorvastatin by inhibiting Mrp2 expression in rats. *Pharm Biol*. 60(1): 185-194.

Dolan, J. 2009, How much retention time variation is normal?, *LCGC North America*, 27(10), pp. 892–898. Available at: https://www.chromatographyonline.com/view/how-much-retention-time-variation-normal (Accessed: [13 Juni 2026]).

Dougherty, D.A. 2025, The Cation-π Interaction in Chemistry and Biology. *Chem Rev*. 125(5): 2793-2808.

Dunkoksung, W., Vardhanabhuti, N., and Jianmongkol, S. 2019, Potential P-glycoprotein-mediated herb-drug interaction of phyllanthin at the intestinal absorptive barrier. *J. Pharm. Pharmacol*., 71(2), 213-219.

Eisenmann, E.D., Garrison, D.A., Talebi, Z., Jin, Y., Silvaroli, J.A., Kim, J.G., *et al*. 2022, Interaction of Antifungal Drugs with CYP3A- and OATP1B-Mediated Venetoclax Elimination. *Pharmaceutics*. 14(4): 694.

Ermondi, G., Vallaro, M., Saame, J., Toom, L., Leito, I., Ruiz, R., *et al*. 2021, Rifampicin as an example of beyond-rule-of-5 compound: Ionization beyond water and lipophilicity beyond octanol/water. *Eur J Pharm Sci*. 161: 105802.

European Commission, 2002. Commission Decision 2002/657/EC of 12 August 2002 implementing Council Directive 96/23/EC concerning the performance of analytical methods and the interpretation of results. Official Journal of the European Communities, Brussels.

Ezzat, M.I., Okba, M.M., Ahmed, S.H., El-Banna, H.A., Prince, A., Mohamed, S.O., *et al*. 2020, In-depth hepatoprotective mechanistic study of *Phyllanthus niruri*: In vitro and in vivo studies and its chem- ical characterization. *PLoS One*, 15(1), e0226185.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fernández-Torres, R., Bello-López, M.A., Callejón-Mochón, M., and Jiménez-Sánchez, J.C. 2008, Determination of imipenem and rifampicin in mouse plasma by high performance liquid chromatography-diode array detection. *Anal Chim Acta*. 608(2): 204-10.

Ferrante, C., Chiavaroli, A., Angelini, P., Venanzoni, R., Angeles, Flores, G., *et al*. 2020 Phenolic content and antimicrobial and anti-inflammatory effects of *Solidago virgaaurea*, *Phyllanthus niruri*, *Epilobium angustifolium*, *Peumus boldus*, and *Ononis spinosa* extracts. *Antibiotics*, 9(11), 783.

Fink, R., and Filip, S. 2023, Surface-active natural saponins. Properties, safety, and efficacy. *Int J Environ Health Res*. 33(7): 639-648

Fukami, T., Kariya, M., Kurokawa, T., Iida, A., and Nakajima, M. 2015, Comparison of substrate specificity among human arylacetamide deacetylase and carboxylesterases. *Eur J Pharm Sci*. 78:47-53.

Gabriele, M., Puccini, P., Gervasi, P.G., and Longo, V. 2021, Carboxylesterases and arylacetamide deacetylase comparison in human A549, H460, and H727 pulmonary cells. *Life Sci*. 277: 119486.

Garcia-Prats, A.J., Svensson, E.M., Winckler, J., Draper, H.R., Fairlie, L., van der Laan, L.E., *et al.* 2021, Pharmacokinetics and safety of high-dose rifampicin in children with TB: the Opti-Rif trial. *J Antimicrob Chemother*. 76(12): 3237-3246.

Garrison, D.A., Jin, Y., Talebi, Z., Hu, S., Sparreboom, A., Baker, S.D., *et al*. 2022, Itraconazole-Induced Increases in Gilteritinib Exposure Are Mediated by CYP3A and OATP1B. *Molecules*. 27(20):6815.

Glaeser, H., Bujok, K., Schmidt, I., Fromm, M.F., and Mandery, K. 2014, Organic anion transporting polypeptides and organic cation transporter 1 contribute to the cellular uptake of the flavonoid quercetin. *Naunyn Schmiedebergs Arch Pharmacol*. 387(9):883-91.

Gong, W., Huang, Y., Ji, A., Peng, W., Liu, C., Zeng, Y., *et al*. 2018, Optimisation of saponin extraction conditions with *Camellia sinensis* var. assamica seed and its application for a natural detergent. *J Sci Food Agric*. 98(6): 2312-2319.

Guo, M., Dai, X., Hu, D., Zhang, Y., Sun, Y., Ren, W., *et al*. 2016, Potential pharmacokinetic effect of rifampicin on enrofloxacin in broilers: Roles of P-glycoprotein and BCRP induction by rifampicin. *Poult Sci*. 95(9): 2129-35.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gurley, B., Hubbard, M.A., Williams, D.K., Thaden, J., Tong, Y., Gentry, W.B., *et al*. 2006, Assessing the clinical significance of botanical supplementation on human cytochrome P450 3A activity: comparison of a milk thistle and black cohosh product to rifampin and clarithromycin. *J Clin Pharmacol*. 46(2): 201-13.

Hagelund, C.H., Wåhlén, P., and Eidsaunet, W. 1977, Absorption of rifampicin in gastrectomized patients. Effect of meals. *Scand J Respir Dis*. 1977 Oct;58(5):241-6.

Hansrod, S., James, G., Notghi, A., Croasdale, J., O'Brien, J., and Thomson, W.H. 2020, Gastric emptying: methodology and normal ranges for two commonly used meals in the UK. *Nucl Med Commun*. 41(7):636-650.

Hassim, N., Markom, M., Rosli, M.I., and Harun, S. 2021, Publisher correction: Scale-up approach for supercritical fluid extraction with ethanol–water modified carbon dioxide on *Phyllanthus niruri* for safe enriched herbal extracts. *Sci. Rep*., 11(1), 17231.

Hernández, F., Ibáñez, M., Sancho, J.V., and Pozo, O.J. 2004, Comparison of different mass spectrometric techniques combined with liquid chromatography for confirmation of pesticides in environmental water based on the use of identification points. *Anal Chem*. 76(15): 4349-57.

Hirosawa, K., Fukami, T., Tashiro, K., Sakai, Y., Kisui, F., Nakano, M., *et al*. 2021, Role of Human Arylacetamide Deacetylase (AADAC) on Hydrolysis of Eslicarbazepine Acetate and Effects of AADAC Genetic Polymorphisms on Hydrolase Activity. *Drug Metab Dispos*. 49(4): 322-329.

Hoang, M.H., Jia, Y., Lee, J.H., Kim, Y., and Lee, S.J. 2019, Kaempferol reduces hepatic triglyceride accumulation by inhibiting Akt. *J. Food Biochem*., 43(11), e13034.

Holmstock, N., Gonzalez, F.J., Baes, M., Annaert, P., and Augustijns, P. 2013, PXR/CYP3A4-humanized mice for studying drug-drug interactions involving intestinal P-glycoprotein. *Mol Pharm*. 10(3): 1056-62.

Hong, Y.J., Yang, S.Y., Nam, M.H., Koo, Y., and Lee, K.W. 2015, Caffeic acid inhibits the uptake of 2-amino-1-methyl-6-phenylimidazo[4,5-b] pyridine (PhIP) by inducing the efflux transporters expression in Caco- 2 cells. *Biol. Pharm. Bull*., 38(2), 201-207.

Hopkins, A.L. 2008, Network pharmacology: the next paradigm in drug discovery. *Nat Chem Biol*. 4(11): 682-90.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hutchins, K.M. 2018, Functional materials based on molecules with hydrogen-bonding ability: applications to drug co-crystals and polymer complexes. *R Soc Open Sci*. 5(6): 180564.

International Council for Harmonisation (ICH). (2022). ICH Guideline M10 on Bioanalytical Method Validation and Study Sample Analysis - Step 4. Jenewa: ICH Secretariat. Tersedia di: https://database.ich.org/sites/default/files/M10_Guideline_Step4_2022_0524.pdf (Diakses: 19 Juni 2026).

Iriti, M., Kubina, R., Cochis, A., Sorrentino, R., Varoni, E.M., Kabała-Dzik, A., *et al*. 2017, Rutin, a Quercetin Glycoside, Restores Chemosensitivity in Human Breast Cancer Cells. Phytother Res. 31(10): 1529-1538.

Jahan, M.S., Islam, M.J., Begum, R., Kayesh, R., and Rahman, A. 2014, A Study of Method Development, Validation, and Forced Degradation for Simultaneous Quantification of Paracetamol and Ibuprofen in Pharmaceutical Dosage Form by RP-HPLC Method. *Anal Chem Insights*. 9:75-81.

Jamis-Dow, C.A., Katki, A.G., Collins, J.M., and Klecker, R.W. 1997, Rifampin and rifabutin and their metabolism by human liver esterases. *Xenobiotica*. 27(10): 1015-24.

Jeanes, C.W., Jessamine, A.G., and Eidus, L. 1972, Treatment of chronic drug-resistant pulmonary tuberculosis with rifampin and ethambutol. *Can Med Assoc J*. 106(8): 884-8.

Jing, Y., Zhu, L.Q., Yang, J.W., Huang, S.P., Wang, Q., and Zhang, J. 2016, Population Pharmacokinetics of Rifampicin in Chinese Patients with Pulmonary Tuberculosis. *J Clin Pharmacol*. 56(5): 622-7.

Jung, K.Y., Choo, Y.K., Kim, H.M., and Choi, B.K. 2000, Radish extract stimulates motility of the intestine via the muscarinic receptors. *J Pharm Pharmacol*. 52(8):1031-6.

Kameyama, Y., Yamashita, K., Kobayashi, K., Hosokawa, M., and Chiba, K. 2005, Functional characterization of SLCO1B1 (OATP-C) variants, SLCO1B1*5, SLCO1B1*15 and SLCO1B1*15+C1007G, by using transient expression systems of HeLa and HEK293 cells. *Pharmacogenet Genomics*. 15(7):513-22.

Kementrian Kesehatan RI, 2023. Deteksi TBC Capai Rekor Tertinggi di Tahun 2022 [online]. Jakarta: Kementerian Kesehatan Republik Indonesia. Tersedia di: https://kemkes.go.id/id/deteksi-tbc-capai-rekor-tertinggi-di-tahun-2022 [Diakses 24 Juni 2026].

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementrian Kesehatan RI, 2024. Indonesia's Movement to End TB [online]. Jakarta: Kementerian Kesehatan Republik Indonesia. Tersedia di: https://kemkes.go.id/id/indonesias-movement-to-end-tb [Diakses 24 Juni 2026].

Khadka, P., Sinha, S., Tucker, I.G., Dummer, J., Hill, P.C., Katare, R., *et al*. 2021, Studies on the safety and the tissue distribution of inhaled high-dose amorphous and crystalline rifampicin in a rat model. *Int J Pharm*. 597: 120345.

Kim, E.S., Kwon, B.S., Park, J.S., Chung, J.Y., Seo, S.H., Park, K.U., *et al*. 2021, Relationship among genetic polymorphism of SLCO1B1, rifampicin exposure and clinical outcomes in patients with active pulmonary tuberculosis. *Br J Clin Pharmacol*. 87(9): 3492-3500.

Kim, J.M., Song, K.H., Choi, Y.S., Ko, C.K., and Lee, B.S. 2025, A Validated Isocratic HPLC-UV Method for the Simultaneous Quantification of Corilagin and Geraniin in *Geranium wilfordii* Maxim. Extract. *Molecules*. 31(1): 31.

Kim, B., Kim, J.E., and Kim, H.S. 2014, Caffeic acid induces keratinocyte differentiation by activation of PPAR-α. *J. Pharm. Pharmacol*., 66(1), 84-92.

Kinzi, J., Grube, M., Brecht, K., Seibert, I., Siegmund, W., Meyer, *et al*. 2023, Various effects of repeated rifampin dosing on coproporphyrin levels in humans. *Clin Transl Sci.* 16(11): 2289-2298.

Kivrane, A., Grinberga, S., Sevostjanovs, E., Igumnova, V., Pole, I., Viksna, A. et al. 2021, LC-MS/MS method for simultaneous quantification of the first-line anti-tuberculosis drugs and six primary metabolites in patient plasma: Implications for therapeutic drug monitoring. *J Chromatogr B Analyt Technol Biomed Life Sci*. 1185: 122986.

Kohn, C.W., Sams, R., Kowalski, J.J., Powers, J., and Wallace, S. 1993, Pharmacokinetics of single intravenous and single and multiple dose oral administration of rifampin in mares. *J Vet Pharmacol Ther*. 16(2): 119-31.

Kota, B.P., Tran, V.H., Allen, J., Bebawy, M., and Roufogalis, B.D. 2010, Characterization of PXR mediated P-glycoprotein regulation in intestinal LS174T cells. *Pharmacol Res*. 62(5): 426-31.

Kumar, K.K., Priyanka, L., Gnananath, K., Babu, P.R., and Sujatha, S. 2015, Pharmacokinetic drug interactions between apigenin, rutin and paclitaxel mediated by P-glycoprotein in rats. *Eur J Drug Metab Pharmacokinet*. 40(3): 267-76.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kumar, S., Bouic, P.J., and Rosenkranz, B. 2020, In Vitro Assessment of the Interaction Potential of *Ocimum basilicum* (L.) Extracts on CYP2B6, 3A4, and Rifampicin Metabolism. *Front Pharmacol*. 1: 517.

Kumar, S., Bouic, P.J., and Rosenkranz, B. 2021, Investigation of CYP2B6, 3A4 and β-esterase interactions of *Withania somnifera* (L.) dunal in human liver microsomes and HepG2 cells. *J Ethnopharmacol*. 270: 113766.

Kurczy, M.E., Ivanisevic, J., Johnson, C.H., Uritboonthai, W., Hoang, L., Fang, M., et al. 2015, Determining conserved metabolic biomarkers from a million database queries. *Bioinformatics*. 31(23): 3721-4.

Laboratorium Penelitian dan Pengujian Terpadu Universitas Gadjah Mada, 2015, Validasi Metode Analisis Rifampisin dalam Plasma dengan Metode HPLC, No. IKKh/5.4/KF-VM-09. Universitas Gadjah Mada.

Lau, Y.Y., Huang, Y., Frassetto, L., and Benet, L.Z. 2007, Effect of OATP1B transporter inhibition on the pharmacokinetics of atorvastatin in healthy volunteers. *Clin Pharmacol Ther*. 81(2): 194-204.

Lau, A.J., and Chang, T.K.H. 2015, 3-Hydroxyflavone and structural analogues differentially activate pregnane X receptor: Implication for inflammatory bowel disease. *Pharmacol. Res*., 100, 64-72.

Lee, J.A., Ha, S.K., Kim, Y.C., and Choi, I. 2017, Effects of friedelin on the intestinal permeability and bioavailability of apigenin. *Pharmacol Rep*. 69(5): 1044-1048.

Li, C., Ai, C., Chen, B., Zhao, Y., Wang, H., Chen, L., *et al*. 2026, Effect of the non-covalent complex of anthocyanins and whey protein on fish oil emulsions: Evaluation of stability, antioxidant properties, and bioaccessibility. *Food Chem*. 504: 147748.

Li, H., Li, M., Fu, J., Ao, H., Wang, W., and Wang, X. 2021, Enhancement of oral bioavailability of quercetin by metabolic inhibitory nanosuspensions compared to conventional nanosuspensions. *Drug Deliv*. 28(1): 1226-1236.

Li, J., Fu, A., and Zhang, L. 2019, An Overview of Scoring Functions Used for Protein-Ligand Interactions in Molecular Docking. *Interdiscip Sci*. 11(2): 320-328.

Li, S., and Zhang, B. 2013, Traditional Chinese medicine network pharmacology: theory, methodology and application. *Chin J Nat Med*. 11(2): 110-20.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, X., Lin, Y., Jiang, Y., Wu, B., and Yu, Y. 2022, Aqueous Extract of *Phyllanthus emblica* L. Alleviates Functional Dyspepsia through Regulating Gastrointestinal Hormones and Gut Microbiome In Vivo. *Foods*. 11(10): 1491.

Li, Z., Wang, K., Zheng, J., Cheung, F. S., Chan, T., Zhu, L., *et al*. 2014, Interactions of the active components of *Punica granatum* (pomegranate) with the essential renal and hepatic human Solute Carrier transporters. *Pharm Biol*. 52(12): 1510-7.

Litjens, C.H.C., van den Heuvel, J.J.M.W., Russel, F.G.M., Aarnoutse, R.E., Te Brake, L.H.M., and Koenderink, J.B. 2020, Rifampicin Transport by OATP1B1 Variants. *Antimicrob Agents Chemother*. 64(10): e00955-20.

Liu, J., Zou, S., Liu, W., Li, J., Wang, H., Hao, J., *et al.* 2019, An Established HPLC-MS/MS Method for Evaluation of the Influence of Salt Processing on Pharmacokinetics of Six Compounds in Cuscutae Semen. *Molecules*. 24(13): 2502.

Liu, R., Ma, B., Mok, M.M., Murray, B.P., Subramanian, R., and Lai, Y. 2024, Assessing Pleiotropic Effects of a Mixed-Mode Perpetrator Drug, Rifampicin, by Multiple Endogenous Biomarkers in Dogs. *Drug Metab Dispos.* 52(3): 236-241.

Liu, Q., Pan, R., Ding, L., Zhang, F., Hu, L., Ding, B., Zhu, L., *et al*. 2017, Rutin exhibits hepatoprotective effects in a mouse model of non-alcoholic fatty liver disease by reducing hepatic lipid levels and mitigating lipid-induced oxidative injuries. *Int. Immunopharmacol*., 49, 132-141.

Lomash, A., Roy, V., Daniel, S., Naeem, S.S., Kapoor, S., Khanna, A., *et al.* 2026, Rifampicin population pharmacokinetics and pharmacogenomic evaluation of SLCO1B1 gene in tuberculosis patients. *Indian J Tuberc*. 73(2): 218-224.

Loos, U., Musch, E., Jensen, J.C., Mikus, G., Schwabe, H.K., and Eichelbaum, M. 1985, Pharmacokinetics of oral and intravenous rifampicin during chronic administration. *Klin Wochenschr*. 63(23): 1205-11.

Ma, J.J., Huang, X.N., Yin, S.W., Yu, Y.G., and Yang, X.Q. 2021, Bioavailability of quercetin in zein-based colloidal particles-stabilized Pickering emulsions investigated by the in vitro digestion coupled with Caco-2 cell monolayer model. *Food Chem*. 360: 130152.

Ma, L., Wei, Y., Zhou, Y., Ma, X., and Wu, X. 2011, Effects of Pluronic F68 and Labrasol on the intestinal absorption and pharmacokinetics of rifampicin in rats. *Arch Pharm Res*. 34(11): 1939-43.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mai, Y., Dou, L., Yao, Z., Madla, C.M., Gavins, F.K.H., Taherali, F., *et al.* 2021, Quantification of P-Glycoprotein in the Gastrointestinal Tract of Humans and Rodents: Methodology, Gut Region, Sex, and Species Matter. *Mol Pharm*. 18(5): 1895-1904.

Mao, X., Wu, L.F., Zhao, H.J., Liang, W.Y., Chen, W.J., Han, S.X., *et al.* 2016, Transport of Corilagin, Gallic Acid, and Ellagic Acid from Fructus Phyllanthi Tannin Fraction in Caco-2 Cell Monolayers. *Evid Based Complement Alternat Med.* 2016: 9205379.

Mariappan, T.T., and Singh, S. 2004, Evidence of efflux-mediated and saturable absorption of rifampicin in rat intestine using the ligated loop and everted gut sac techniques. *Mol Pharm*. 1(5): 363-7.

Martin, S., Lenz, E.M., Smith, R., Temesi, D.G., Orton, A.L., and Clench, M.R. 2017, Methanol adducts leading to the identification of a reactive aldehyde metabolite of CPAQOP in human liver microsomes by ultra-high-performance liquid chromatography/mass spectrometry. *Rapid Commun Mass Spectrom*. 31(1): 145-151.

Martinec, O., Biel, C., de Graaf, I.A.M., Huliciak, M., de Jong, K.P., Staud, F., *et al*. 2021, Rifampicin Induces Gene, Protein, and Activity of P-Glycoprotein (ABCB1) in Human Precision-Cut Intestinal Slices. *Front Pharmacol*. 12: 684156.

Mediani, A., Abas, F., Khatib, A., Tan, C.P., Ismail, I.S., Shaari, K., *et al.* 2015, Relationship Between Metabolites Composition and Biological Activities of *Phyllanthus niruri* Extracts Prepared by Different Drying Methods and Solvents Extraction. *Plant Foods Hum Nutr*. 70(2): 184-92.

Mengting, L., Tao, L.I., Fuhao, C., Yan, C., Ni, L., Yuan, Z., *et al*. 2024, Weichang'an pill alleviates functional dyspepsia through modulating brain-gut peptides and gut microbiota. *J Tradit Chin Med*. 44(6): 1177-1186.

Mesfin, E.A., Beyene, D., Tesfaye, A., Admasu, A., Addise, D., Amare, M., *et al.* 2018, Drug-resistance patterns of *Mycobacterium tuberculosis* strains and associated risk factors among multi drug-resistant tuberculosis suspected patients from Ethiopia. *PLoS One*. 13(6): e0197737.

Milán Segovia, R.C., Domínguez Ramírez, A.M., Jung Cook, H., Magaña Aquino M., Vigna Pérez, M., Brundage, R.C., et al. 2013, Population pharmacokinetics of rifampicin in Mexican patients with tuberculosis. *J Clin Pharm Ther*. 38(1): 56-61.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mindermann, T., Landolt, H., Zimmerli, W., Rajacic, Z., and Gratzl, O. 1993, Penetration of rifampicin into the brain tissue and cerebral extracellular space of rats. *J Antimicrob Chemother*. 31(5): 731-7.

Mohana, S., Ganesan, M., Agilan, B., Karthikeyan, R., Srithar, G., Beaulah Mary, R., *et al*. 2016, Screening dietary flavonoids for the reversal of P-glycoprotein-mediated multidrug resistance in cancer. *Mol Biosyst*. 12(8): 2458-70.

Moreno-Exebio, L., and Grande-Ortiz, M. 2014, Validación de un método de cromatografía líquida para la determinación de rifampicina en plasma humano [Validation of a liquid chromatography method for rifampicin determination in human plasma]. *Rev Peru Med Exp Salud Publica*. 31(1): 56-61. Spanish.

Mori, D., Kimoto, E., Rago, B., Kondo, Y., King-Ahmad, A., Ramanathan, R., et al. 2020, Dose-Dependent Inhibition of OATP1B by Rifampicin in Healthy Volunteers: Comprehensive Evaluation of Candidate Biomarkers and OATP1B Probe Drugs. *Clin Pharmacol Ther*. 107(4): 1004-1013.

Morikawa, T., Fukami, T., Gotoh-Saito, S., Nakano, M., and Nakajima, M. 2022, PPARα regulates the expression of human arylacetamide deacetylase involved in drug hydrolysis and lipid metabolism. *Biochem Pharmacol*. 199: 115010

Muliaditan, M., Teutonico, D., Ortega-Muro, F., Ferrer, S., and Della Pasqua, O. 2022, Prediction of lung exposure to anti-tubercular drugs using plasma pharmacokinetic data: Implications for dose selection. *Eur J Pharm Sci*. 173: 106163.

Muthusamy, G., Balupillai, A., Ramasamy, K., Shanmugam, M., Gunaseelan, S., Mary, B., et al. 2016, Ferulic acid reverses ABCB1-mediated paclitaxel resistance in MDR cell lines. *Eur. J. Pharmacol*., 786, 194-203.

Naidoo, A., Chirehwa, M., Ramsuran, V., McIlleron, H., Naidoo, K., Yende-Zuma, N., et al. 2019, Effects of genetic variability on rifampicin and isoniazid pharmacokinetics in South African patients with recurrent tuberculosis. *Pharmacogenomics*. 20(4): 225-240.

Nakajima, A., Fukami, T., Kobayashi, Y., Watanabe, A., Nakajima, M., and Yokoi, T. 2011, Human arylacetamide deacetylase is responsible for deacetylation of rifamycins: rifampicin, rifabutin, and rifapentine. *Biochem Pharmacol*. 82(11): 1747-56.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Naowaboot, J., Piyabhan, P., Munkong, N., Parklak, W., and Pannangpetch, P. 2016, Ferulic acid improves lipid and glucose homeostasis in high-fat diet-induced obese mice. *Clin. Exp. Pharmacol. Physiol*., 43(2), 242-250.

Nargis, M., Ihsan, A.B., and Koyama, Y. 2020, Thermoresponsive Structure and Dye Encapsulation of Micelles Comprising Bolaamphiphilic Quercetin Polyglycoside. *Langmuir*. 36(36): 10764-10771.

Navarro, M., Moreira, I., Arnaez, E., Quesada, S., Azofeifa, G. Alvarado, D., et al. 2017, Proanthocyanidin characterization, antioxidant and cytotoxic activities of three plants commonly used in traditional medicine in Costa Rica: *Petiveria alliaceae* L., *Phyllanthus niruri* L. and *Senna reticulata* Willd. *Plants*, 6(4), 50.

Nishimura, T., Kohno, H., Nagai, H., Maruoka, D., Koike, Y., Kobayashi, M., *et al*. 2020, The Population Pharmacokinetics of Rifampicin in Japanese Pulmonary Tuberculosis Patients. *Drug Res (Stuttg)*. 70(5): 199-205.

Niu, C., Wang, Y., Zhao, X., Tep, S., Murakami, E., Subramanian, R., *et al*. 2019, Organic Anion-Transporting Polypeptide Genes Are Not Induced by the Pregnane X Receptor Activator Rifampin: Studies in Hepatocytes In Vitro and in Monkeys In Vivo. *Drug Metab Dispos*. 47(12): 1433-1442.

Ortiz-Flores, M., Portilla-Martínez, A., Cabrera-Pérez, F., Nájera, N., Meaney, E., Villarreal, F., *et al*. 2020, PXR is a target of (-)-epicatechin in skeletal muscle. *Heliyon*, 6(10), e05357.

Paggi, J.M., Pandit, A., and Dror, R.O. 2024, The Art and Science of Molecular Docking. *Annu Rev Biochem*. 93(1): 389-410.

Pal, A., Bawankule, D.U., Darokar, M.P., Gupta, S.C., Arya, J.S., Shanker, K., *et al*. 2011, Influence of *Moringa oleifera* on pharmacokinetic disposition of rifampicin using HPLC-PDA method: a pre-clinical study. *Biomed. Chromatogr*., 25(6), 641-5.

Panchagnula, R., and Agrawal, S., 2004, Biopharmaceutic and pharmacokinetic aspects of variable bioavailability of rifampicin. *Int J Pharm*. 271(1-2): 1-4.

Panchagnula, R., Sood, A., Sharda, N., Kaur, and K., Kaul, C. L. 1999, Determination of rifampicin and its main metabolite in plasma and urine in presence of pyrazinamide and isoniazid by HPLC method. *J Pharm Biomed Anal*. 18(6): 1013-20.

Park, J.W., and Choi, J.S. 2019, Role of kaempferol to increase bioavailability and pharmacokinetics of nifedipine in rats. *Chin. J. Nat. Med*., 17(9), 690-697.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Perea-Jacobo, R., Muñiz-Salazar, R., Laniado-Laborín, R., Zenteno-Cuevas, R., Cabello-Pasini, A., Ochoa-Terán, A., *et al.* 2011, SLCO1B1 and SLC10A1 polymorphism and plasma rifampin concentrations in patients with co-morbidity tuberculosis-diabetes mellitus in Baja California, Mexico. *Tuberculosis (Edinb)*. 136:102248.

Piao, Y., Shin, S.C., and Choi, J.S. 2008, Effects of oral kaempferol on the pharmacokinetics of tamoxifen and one of its metabolites, 4-hydroxytamoxifen, after oral administration of tamoxifen to rats. *Biopharm Drug Dispos.* 29(4): 245-9

Poka, M.S., Milne, M., Wessels, A., and Aucamp, M. 2023, Sugars and Polyols of Natural Origin as Carriers for Solubility and Dissolution Enhancement. *Pharmaceutics*. 15(11): 2557.

Polasa, K., and Krishnaswamy, K. 1983, Effect of food on bioavailability of rifampicin. *J Clin Pharmacol*. 23(10): 433-7.

Prakash, J., Velpandian, T., Pande, J.N., and Gupta, S.K. 2003, Serum Rifampicin Levels in Patients with Tuberculosis: Effect of P-Glycoprotein and CYP3A4 Blockers on its Absorption. *Clin Drug Investig*. 23(7): 463-72.

Prasad, B., and Singh, S. 2010, LC-MS/TOF and UHPLC-MS/MS study of in vivo fate of rifamycin isonicotinyl hydrazone formed on oral co-administration of rifampicin and isoniazid. *J Pharm Biomed Anal*. 52(3): 377-83.

Pullen, J., Stolk, L.M., Degraeuwe, P.L., van Tiel, F.H., Neef, C., and Zimmermann, L.J. 2006, Pharmacokinetics of intravenous rifampicin (rifampin) in neonates. *Ther Drug Monit*. 28(5): 654-61.

Purohit, S.D., Sarkar, S.K., Gupta, M.L., Jain, D.K., Gupta, P.R., and Mehta, Y.R. 1987, Dietary constituents and rifampicin absorption. *Tubercle.* 68(2): 151-2.

Putri, A.N., and Fitriah, R. 2019, Formulation and optimization of bisoprolol fumarate orally fast dissolving film with combination of HPMC E15 and maltodextrin as matrix polymers. IJPST - SUPP1(1), 42–51.

Putri, D.U., Rintiswati, N., Soesatyo, M.H., and Haryana, S.M. 2018, Immune modulation properties of herbal plant leaves: *Phyllanthus niruri* aqueous extract on immune cell of tuberculosis patient – in vitro study. *Nat. Prod. Res*., 32(4), 463-467.

Rahimi Naiini, M., Shahouzehi, B., Khaksari, M., Azizi, S., Naghibi, N., and Nazari-Robati, M. 2023, Ellagic acid reduces hepatic lipid contents through regulation of SIRT1 and AMPK in old rats. *Arch. Physiol. Biochem*., 1-8.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Requena-Méndez, A., Davies, G., Waterhouse, D., Ardrey, A., Jave, O., López-Romero, S.L., *et al*. 2019, Intra-individual effects of food upon the pharmacokinetics of rifampicin and isoniazid. *J Antimicrob Chemother*. 74(2): 416-424.

Rifat, D., Prideaux, B., Savic, R.M., Urbanowski, M.E., Parsons, T.L., Luna, B., *et al.* 2018, Pharmacokinetics of rifapentine and rifampin in a rabbit model of tuberculosis and correlation with clinical trial data. *Sci Transl Med*. 10(435): eaai7786.

Robbins, J.A., Menzel, K., Lassman, M., Zhao, T., Fancourt, C., Chu, X., *et al*. 2022, Acute and Chronic Effects of Rifampin on Letermovir Suggest Transporter Inhibition and Induction Contribute to Letermovir Pharmacokinetics. *Clin Pharmacol Ther*. 111(3): 664-675.

Rothwell, J.A., Day, A.J., and Morgan, M.R. 2005, Experimental determination of octanol-water partition coefficients of quercetin and related flavonoids. *J Agric Food Chem*. 53(11):4355-60.

Sachin, B.S., Monica, P., Sharma, S.C., Satti, N.K., Tikoo, M.K., Tikoo, A.K., *et al*. 2009, Pharmacokinetic interaction of some antitubercular drugs with caraway: implications in the enhancement of drug bioavailability. *Hum. Exp. Toxicol*., 28(4), 175-84.

Sachin, B.S., Sharma, S.C., Sethi, S., Tasduq, S.A., Tikoo, M.K., Tikoo, A.K., *et al*. 2007, Herbal modulation of drug bioavailability: Enhancement og rifampicin levels in plasma by herbal product and a flavonoid glycoside derived from *Cuminum cyminum*. *Phytother. Res*., 21(2), 157-63.

Sadaphal, P., Chakraborty, K., Almossawi, H.M., Pillay, Y., Roscigno, G., Kaul, A., *et al*. 2019, Rifampicin Bioavailability in Fixed-Dose Combinations for Tuberculosis Treatment: Evidence and Policy Actions. *J Lung Health Dis*. 3(3): 9-15.

Schymanski, E.L., Jeon, J., Gulde, R., Fenner, K., Ruff, M., Singer, H.P., *et al.* 2014, Identifying small molecules via high resolution mass spectrometry: communicating confidence. *Environmental Science & Technology*, 48(4), pp. 2097-2098.

Shanmugam, K., Shanmugam, B., Ravi, S., Subbaiah, G., Ramakrishana, C., Mallikarjuna, K., and Reddy, K. 2017, Exploratory studies of (-)-Epicatechin, a bioactive compound of *Phyllanthus niruri*, on the antioxidant enzymes and oxidative stress markers in D-galactosamine-induced hepatitis in rats: A study with reference to clinical prospective. *Pharmacogn. Mag*., 13(49) (Suppl. 1), 56.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Shi, D., Yang, D., and Yan, B. 2010, Dexamethasone transcriptionally increases the expression of the pregnane X receptor and synergistically enhances pyrethroid esfenvalerate in the induction of cytochrome P450 3A23. *Biochem. Pharmacol*., 80(8), 1274-1283.

Shimizu, M., Fukami, T., Kobayashi, Y., Takamiya, M., Aoki, Y., Nakajima, M., *et al.* 2012, A novel polymorphic allele of human arylacetamide deacetylase leads to decreased enzyme activity. *Drug Metab Dispos.* 40(6): 1183-90.

Shimomura, H., Nogami, R., Shigeno, A., Shimada, S., and Aoyama, T. 2016, Influence of Food on Rifampicin Pharmacokinetics in Rats. *Biol Pharm Bull*. 39(1): 49-53.

Shobo, A., Bratkowska, D., Baijnath, S., Naiker, S., Bester, L.A., Singh, S.D., *et al.* 2015, Visualization of Time-Dependent Distribution of Rifampicin in Rat Brain Using MALDI MSI and Quantitative LCMS/MS. *Assay Drug Dev Technol*. 13(5): 277-84.

Siccardi, M., Olagunju, A., Seden, K., Ebrahimjee, F., Rannard, S., Back, D., *et al.* 2013, Use of a physiologically-based pharmacokinetic model to simulate artemether dose adjustment for overcoming the drug-drug interaction with efavirenz. *In Silico Pharmacol*. 1:4.

Singh, K., Tarapcsák, S., Gyöngy, Z., Ritter, Z., Batta, G., Bosire, R., *et al.* 2021, Effects of Polyphenols on P-Glycoprotein (ABCB1) Activity. *Pharmaceutics*. 13(12): 2062.

Singh, A., Singh, A.P., Fuloria, N.K., Fuloria, S., Verma, S., and Jarari, N.M. 2018, Effect of Piperine on Pharmacokinetics of Rifampicin and Isoniazid: Development and Validation of High Performances Liquid Chromatography Method. *J. Appl. Pharm. Sci*., 8(3).

Sloan, D.J., McCallum, A.D., Schipani, A., Egan, D., Mwandumba, H.C., Ward, S.A., et al. 2017, Genetic Determinants of the Pharmacokinetic Variability of Rifampin in Malawian Adults with Pulmonary Tuberculosis. *Antimicrob Agents Chemother.* 61(7): e00210-17.

Song, S.H., Chang, H.E., Jun, S.H., Park, K.U., Lee, J.H., Lee, E.M., *et al.* 2013, Relationship between CES2 genetic variations and rifampicin metabolism. *J Antimicrob Chemother*. 68(6):1281-4.

Stahl, M. 2003, Peak purity analysis in HPLC and CE using diode-array technology. Publication number 5988-8647EN. Waldbronn: Agilent Technologies.

Stella, V.J., Rao, V.M., Zannou, E.A., and Zia, V.V. 1999, Mechanisms of drug release from cyclodextrin complexes. *Adv Drug Deliv Rev*. 36(1): 3-16.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Suzuki, K., Taniyama, K., Aoyama, T., and Watanabe, Y. 2020, Evaluation of the Role of P-glycoprotein (P-gp)-Mediated Efflux in the Intestinal Absorption of Common Substrates with Elacridar, a P-gp Inhibitor, in Rats. *Eur J Drug Metab Pharmacokinet*. 45(3): 385-392.

Tang, Y., Sun, L., Wei, J., Sun, C., Gan, C., Xie, X., et al. 2022, Network pharmacology identification and in Vivo validation of key pharmacological pathways of *Phyllanthus reticulatus* (Euphorbiaceae) leaf extract in liver cancer treatment. *J Ethnopharmacol*. 297: 115479.

Titarenko, O.T., Vakhmistrova, T.I., and Perova, T.L. 1983 Vydelenie rifampitsina s mochoĭ pri pochechnoĭ nedostatochnosti v usloviiakh izolirovannogo i sovmestnogo priema s izonizidom [Urinary excretion of rifampicin in kidney failure when administered alone or together with isoniazid]. Antibiotiki. 28(9):698-702. Russian.

Tjandrawinata, R.R., Susanto, L.W., and Nofiarny, D. 2017, The use of *Phyllanthus niruri* L. as an immunomodulator for the treatment of infectious diseases in clinical setting. *Asian Pac. J. Trop. Dis*., 7(3), 132-140.

Tucker, E.W., Guglieri-Lopez, B., Ordonez, A.A., Ritchie, B., Klunk, M.H., Sharma, R., Chang, Y.S., *et al*. 2018, Noninvasive 11C-rifampin positron emission tomography reveals drug biodistribution in tuberculous meningitis. *Sci Transl Med*. 10(470): eaau0965.

Uchoa, B.K.B., Albério, C.A.A., Pinto, A.C.G., de Medeiros Araujo Lucena, S., and Vieira, J.L.F. 2019, Concentrations of rifampicin in pre-dose samples in patients with pulmonary tuberculosis. *Braz J Infect Dis*. 23(2): 130-133.

United Nations, 2015, Transforming our world: the 2030 Agenda for Sustainable Development. Resolution adopted by the General Assembly on 25 September 2015, A/RES/70/1 [Online]. Available at: un.org (Accessed: 6 July 2026).

United States Pharmacopeia. 2026. The United States Pharmacopeia and National Formulary (USP-NF). Rockville, MD: USP.

Uno, Y., Hosokawa, M., and Imai, T. 2015, Isolation and characterization of arylacetamide deacetylase in *cynomolgus macaques.* J Vet Med Sci. 77(6): 721-4.

Vargas, R., Garza, J., and Martínez, A. 2024, Exploring Intermolecular and Intramolecular Interactions: A Review beyond Hydrogen Bonds. *Journal of the Mexican Chemical Society*, 68(4), 970–980.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Variya, B.C., Bakrania, A.K., Chen, Y., Han, J., and Patel, S.S. 2024, Corrigendum to suppression of abdominal fat and antihyperlipidemic potential of *Emblica officinalis*: Upregulation of PPARs and identification of active moiety. *Biomed. Pharmacother*., 177, 116945.

Vavricka, S.R., Van Montfoort, J., Ha, H.R., Meier, P.J., and Fattinger, K. 2002, Interactions of rifamycin SV and rifampicin with organic anion uptake systems of human liver. *Hepatology*. 36(1): 164-72.

Wang, F., Liu, J.C., Zhou, R.J., Zhao, X., Liu, M., Ye, H., *et al.* 2017, Apigenin protects against alcohol-induced liver injury in mice by regulating hepatic CYP2E1-mediated oxidative stress and PPARα- mediated lipogenic gene expression. *Chem. Biol. Interact*., 275, 171-177.

Wang, L.M., Zhang, M.Y., Zhu, Q.S., Lu, C.F., and Bai, X. 2018, Hyperin Enhances the Sensitivity of HCT8/VCR Colon Cancer Cell Line to Vincristine by Down-Regulating P-Glycoprotein. Clin Lab. 64(3): 269-275.

Wang, Y., Cao, J., and Zeng, S. 2005, Involvement of P-glycoprotein in regulating cellular levels of Ginkgo flavonols: quercetin, kaempferol, and isorhamnetin. *J Pharm Pharmacol*. 57(6): 751-8.

Williamson, B., Dooley, K.E., Zhang, Y., Back, D.J., and Owen, A. 2013, Induction of influx and efflux transporters and cytochrome P450 3A4 in primary human hepatocytes by rifampin, rifabutin, and rifapentine. *Antimicrob Agents Chemother*. 57(12): 6366-9.

Woo, J., Cheung, W., Chan, R., Chan, H.S., Cheng, A., and Chan, K. 1996, In vitro protein binding characteristics of isoniazid, rifampicin, and pyrazinamide to whole plasma, albumin, and alpha-1-acid glycoprotein. *Clin Biochem*. 29(2): 175-7.

Xue, C.F., Guo, J.M., Qian, D.W., Duan, J.A., and Shu, Y. 2011, [Absorption of flavonoids from Abelmoschus manihot extract by in situ intestinal perfusion]. Yao Xue Xue Bao. 46(4): 454-9. Chinese.

Xu, C., Luo, M., Jiang, H., Yu, L., and Zeng, S. 2015, Involvement of CAR and PXR in the transcriptional regulation of CYP2B6 gene expression by ingredients from herbal medicines. *Xenobiotica*, 45(9), 773-781.

Yasuda, K., Watanabe, K., Fukami, T., Nakashima, S., Ikushiro, S., Nakajima, M., *et al*. 2021, Epicatechin gallate and epigallocatechin gallate are potent inhibitors of human arylacetamide deacetylase. *Drug Metab. Pharmacokinet*., 39, 100397.

UNIVERSITAS
GADJAH MADA
Interaksi Farmakokinetik Ekstrak Meniran (Phyllanthus niruri) dan Rifampisin: Kajian In Vivo, In Vitro, dan In Silico
Mirhansyah Ardana, Prof. apt. Agung Endro Nugroho, M. Si., Ph. D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yunivita, V., Dian, S., Ganiem, A.R., Hayati, E., Hanggono Achmad, T., Purnama Dewi, A., Teulen, M., *et al*. 2016, Pharmacokinetics and safety/tolerability of higher oral and intravenous doses of rifampicin in adult tuberculous meningitis patients. *Int J Antimicrob Agents.* 48(4): 415-21.

Zhang, Y., Chen, C., Chen, S.J., Chen, X.Q., Shuster, D.J., Puszczalo, P.D., *et al*. 2020, Absence of OATP1B (Organic Anion-Transporting Polypeptide) Induction by Rifampin in Cynomolgus Monkeys: Determination Using the Endogenous OATP1B Marker Coproporphyrin and Tissue Gene Expression. *J Pharmacol Exp Ther*. 375(1): 139-151.

Zhao, H., Wang, S., Liu, X., Zhao, G., Yang, L., Song, H., *et al*. 2023, Application of soy protein isolate fiber and soy soluble polysaccharide non-covalent complex: A potential way for pH-triggered release. *Food Chem*. 402: 134494.

Zhao, J., Sun, Y., Yuan, C., Li, T., Liang, Y., Zou, H., *et al*. 2023, Quercetin ameliorates hepatic fat accumulation in high-fat diet-induced obese mice via PPARs. *Food Funct*., 14(3), 1674- 1684.

Zhao, Q., Wei, J., and Zhang, H. 2019, Effects of quercetin on the pharmacokinetics of losartan and its metabolite EXP3174 in rats. *Xenobiotica*, 49(5), 563-568.

Zhou, P., Lu, F., Zhu, H., Shi, B., Wang, X., Sun, S., et al. 2024, The Discovery of Novel α2a Adrenergic Receptor Agonists Only Coupling to Gαi/O Proteins by Virtual Screening. *Int J Mol Sci*. 25(13): 7233.

Zhou, Z., Chen, L., Liu, P., Shen, M., and Zou, F. 2010, Simultaneous determination of isoniazid, pyrazinamide, rifampicin and acetylisoniazid in human plasma by high-performance liquid chromatography. *Anal Sci.* 26(11): 1133-8.