UNIVERSITAS
GADJAH MADA
**Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis**
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abidin, H.Z. (2000) Penentuan Posisi dengan GPS dan Aplikasinya (Edisi ke-2). Jakarta: Pradnya Paramita.

Adetsu, D.V., Koganti, T., Petersen, R.J., Pedersen, J.B., Zak, D., Greve, M.H., Beucher, A. (2024). Sensor-based peat thickness mapping of a cultivated bog in Denmark. *Geoderma 452*, https://doi.org/10.1016/j.geoderma.2024.117091

Agus, F. & I.G. M. Subiksa. (2008). Lahan Gambut: Potensi untuk Pertanian dan Aspek Lingkungan. Balai Penelitian Tanah dan World Agroforestry Centre (ICRAF), Bogor, Indonesia.

Ambhika, N., Widyatmanti, W., Mahendra, W. K., Awanda, D., & Umarhadi, D. A. (2022). Remote Sensing Image Analysis for Identification of Peat Thickness Using Spectral Transformation Approach: Case Study of Bengkalis Island, Riau, Indonesia. International Journal of Geoinformatics, 18(2), 118-128.

Anshari, G. Z., Afifudin, M., Putrajaya, M., & Rahman, A. (2010). Environmental features of peatlands in West Kalimantan, Indonesia. *Journal of Tropical Peatland Science*, 1(1), 12-25.

Antala, M., Juszczak, R., van der Tol, C., & Rastogi, A. (2022). Impact of climate change-induced alterations in peatland vegetation phenology and composition on carbon balance. Science of the total environment, 827, 154294.

Campbel (2004). *Pengantar Agronomi*. Jakarta: Gramedia.

Crezee, B., Dargie, G.C., Ewango, C.E.N., Mitchard, E.T.A., Emba, B.O., Kanyama, T.J., Bola, P., Ndjango, J.-B.N., Girkin, N.T., Bocko, Y.E., Ifo, S.A., Hubau, W., Seidensticker, D., Batumike, R., Imani, G., Cuní-Sanchez, A., Kiahtipes, C.A., Lebamba, J., Wotzka, H.-P., Bean, H., Baker, T.R., Baird, A.J., Boom, A., Morris, P.J., Page, S.E., Lawson, I.T., Lewis, S.L., (2022). Mapping peat thickness and carbon stocks of the central Congo Basin using field data. *Nat. Geosci*. 15 (8), 639–644. https://doi.org/10.1038/s41561-022-00966-7.

UNIVERSITAS GADJAH MADA
Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Danoedoro, P. (2012). Pengantar Penginderaan Jauh Digital. Yogyakarta: ANDI.

Deng, Y., Wu, C., Li, M., & Chen, R. (2015). RNDSI: A ratio normalized difference soil index for remote sensing of urban/suburban environments. International Journal of Applied Earth Observation and Geoinformation, 39, 40-48.

Dieleman, C.M., Branfireun, B.A., Lindo, Z., 2017. Northern peatland carbon dynamics driven by plant growth form — the role of graminoids. *Plant Soil* 415 (1), 25–35. https://doi.org/10.1007/s11104-016-3099-3.

Dommain, R., Couwenberg, J., Glaser, P. H., Joosten, H., & Suryadiputra, I. N. N. (2014). Carbon storage and release in Indonesian peatlands since the last tropical maximum. *Quaternary Science Reviews*, 97, 1-32.

Draper, F.C., Roucoux, K.H., Lawson, I.T., Mitchard, E.T., Coronado, E.N.H., Lähteenoja, O., Montenegro, L.T., Sandoval, E.V., Zaráte, R., Baker, T.R. (2014). The distribution and amount of carbon in the largest peatland complex in Amazonia. *Environmental Research Letters*, 9 (1-12). https://doi.org/10.1088/1748-9326/9/12/124017

Drusch, M., Del Bello, U., Carlier, S., Colin, O., Fernandez, V., Gascon, F., ... & Bargellini, P. (2012). Sentinel-2: ESA's optical high-resolution mission for GMES operational services. *Remote Sensing of Environment*, 120, 25-36.

Fiantis, D., Rudiyanto, Ginting, F.I., Agtalarik, A., Arianto, D.T., Wichaksono, P., Irfan, R., Nelson, M., Gusnidar, G., Jeon, S., Minasny, B. (2023). Mapping peat thickness and carbon stock of a degraded peatland in West Sumatra, Indonesia. *Soil Use and Management*, https://doi.org/10.1111/sum.12954

Firdausya, I. (2024, Oktober 30). Hanya 16% Area Gambut di Indonesia dalam Kondisi Baik. Media Indonesia. https://epaper.mediaindonesia.com/

Gao, B. C. (1996). NDWI—A normalized difference water index for remote sensing of vegetation liquid water from space. Remote sensing of environment, 58(3), 257-266. https://doi.org/10.1016/S0034-4257(96)00067-3

UNIVERSITAS
GADJAH MADA
Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ghahramani, Z. (2003). Unsupervised learning. dalam *Advanced lectures on machine learning* (pp. 72-112). Springer, Berlin, Heidelberg.

Gunawan, H., Afriyanti, D., & Saharjo, B. H. (2019). Evaluasi perubahan tutupan lahan gambut akibat aktivitas perkebunan kelapa sawit dan karet di Pulau Bengkalis. *Jurnal Ilmu Pertanian Indonesia*, 24(2), 115-123.

Hanssen, R.F. (2001). Radar Interferometry: Data Interpretation and Error Analysis (1th ed). Belanda: *Springer Dordecht*. https://doi.org/10.1007/0-306-47633-9

Hastie, T., Tibshirani, R., & Friedman, J. (2009). *The elements of statistical learning: data mining, inference, and prediction* (2nd ed.). Springer Science & Business Media.

James, G., Witten, D., Hastie, T., & Tibshirani, R. (2013). *An introduction to statistical learning: with applications in R*. Springer.

Jollife, I. T. (2002). Principal Component Analysis (second Edition). New York: Springer-Verlag.

Keputusan Menteri Lingkungan Hidup dan Kehutanan (LHK) Nomor SK.129/MENLHK/SETJEN/PKL.0/2/2017 terkait Penetapan Peta Kesatuan Hidrologis Gambut Nasional. https://pusluh.bp2sdm.menlhk.go.id/detail-berita/keputusan-menteri-lhk-nomor-sk-129-menlhk-setjen-pkl-0-2-2017-tentang-penetapan-peta-kesatuan-hodrologis-gambut-nasional

Keputusan Presiden Nomor 32 Tahun 1990 tentang Pengelolaan Kawasan Lindung. https://peraturan.bpk.go.id/Details/63908/keppres-no-32-tahun-

Krüger, J.P., Dotterweich, M., Seifert-Sch¨ afer, A., Hoffmann, S., Kopf, C., Kneisel, C., Dotzler, S., Nink, S., Stoffels, J., Schueler, G., (2021). Carbon stocks and their spatial distribution in drained and rewetted peatland forests in a low mountain range area, Germany. *Mires and Peat* 27. https://doi.org/10.19189/MaP.2020.BG.StA.1991.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kursa, M.B., Rudnicki, W.R. (2010). Feature Selection with the Boruta Package. *Journal of Statistical Software*, 36(11). https://doi.org/10.18637/jss.v036.i11

Li, Y., Henrion, M., Moore, A., Lambot, S., Opfergelt, S., Vanacker, V., Jonard, F., Oost, K.V. (2024). Factors controlling peat soil thickness and carbon storage in temperate peatlands based on UAV high-resolution remote sensing. *Geoderma 449*, https://doi.org/10.1016/j.geoderma.2024.117009

Lillesand, T. M., Kiefer, R. W., Chopman, J. E. (1979). *Remoter Sensing and Image Interpretation (7th ed)*. New York: Wiley.

McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in delineation of open water features. *International Journal of Remote Sensing*, 17(7), 1425-1432. https://doi.org/10.1080/01431169608948714

McFeeters, S. K. (2013). Using the normalized difference water index (NDWI) within a geographic information system to detect swimming pools for mosquito abatement: a practical approach. Remote Sensing, 5(7), 3544-3561.

Miettinen, J., Shi, C., & Liew, S. C. (2016). Land cover distribution in the peatlands of Peninsular Malaysia, Sumatra and Borneo in 2015 with changes since 1990. *Global Change Biology*, 22(11), 3846-3856.

Mitra, S., Wassmann, R., Vlek, P. L. G. (2005). An Appraisal of Global Wetland Area and Its Organic Carbon Stock. *Current Sciene*, 88(1), 25-35.

Nedkov, R. (2017). Orthogonal transformation of Segmented Images (Tasseled Cap) for Sentinel-2 MSI. *Comptes Rendus de l'Académie Bulgare des Sciences*, 70(5), 687-692.

Noor, M. (2010). *Lahan Gambut: Pengembangan Konservasi dan Perubahan Iklim*. Gadjah Mada University Press. Yogyakarta. 11(8): 133-138.

Orella, J., Africa, D.R., Bustillo, C.H., Pascua, N., Marquez, C., Adornado, H., Aguilos, M., (2022). Above-and-belowground carbon stocks in two contrasting

UNIVERSITAS
GADJAH MADA
**Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis**
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

peatlands in the Philippines. *Forests 13* (2), 303. https://doi.org/10.3390/f13020303.

Page, S. E., Rieley, J. O., & Banks, C. J. (2011). Global and regional importance of the tropical peatland carbon pool. *Global Change Biology*, 17(2), 798-818. https://doi.org/10.1111/j.1365-2486.2010.02279.x

Page, S. E., Rieley, J. O., & Wüst, R. (2006). Lowland tropical peatlands of Southeast Asia. *Peatlands: Evolution and Records of Environmental and Climate Changes*, 2006, 145-172.

Panuntun, H. (2012). Pengaruh Penggunaan Titik Ikat GPS untuk Penentuan Posisi Offshore Platform. Gadjah Mada, Yogyakarta

Parent, L. E. (2020). *Organic Soils and Peat Materials for Agricultural Use*. CRC Press.

Parry, L.E., Charman, D.J. (2013). Modelling soil organic carbon distribution in blanket peatlands at a landscape scale. *Geoderma 211-212*, 75-84 https://doi.org/10.1016/j.geoderma.2013.07.006

Parry, L. E., West, L. J., Holden, J., & Chapman, P. J. (2014). Evaluating approaches for estimating peat depth. Journal of Geophysical Research: Biogeosciences, 119(4), 567-576. https://doi.org/10.1002/2013jg002411

Peraturan Pemerintah Nomor 57 Tahun 2016 tentang Perlindungan dan Pengelolaan Ekosistem Gambut. Lembar Negara Republik Indonesia Tahun 2016 Nomor 260. Tambahan Lembar Negara Republik Indonesia Nomor 5957 https://peraturan.bpk.go.id/Details/5778/pp-no-57-

Peraturan Pemerintah Nomor 71 Tahun 2014 tentang Perlindungan dan Pengelolaan Ekosistem Gambut. Lembar Negara Tahun Republik Indonesia Tahun 2014 Nomor 209. Tambahan Lembar Negara Republik Indonesia Nomor 5880. https://peraturan.bpk.go.id/Details/5513/pp-no-71-tahun-2014

UNIVERSITAS
GADJAH MADA
Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pradipta, N. (2009) Metode Regresi Ridge untuk mengatasi Model Regresi Linier Berganda yang Mengandung Multikolinearitas. Universitas Sumatera Utara. Medan.

Purnomo, H., Shantiko, B., Sitorus, S., Gunawan, H., Achdiawan, R., Kartodihardjo, H., & Dewayani, A. A. (2017). Fire economy and actor networks of forest and land fires in Indonesia: The case of Bengkalis and Meranti, Riau Province. *Forest Policy and Economics*, 78, 21-34.

Que, V. K. S., Prasetyo, S. Y. J., dan Fibriani, C. (2019). Analisis Perbedaan Indeks Vegetasi Normalized Difference Vegetation Index (NDVI) dan Normalized Burn Ratio (NBR) Kabupaten Pelalawan Menggunakan Citra Satelit Landsat 8. Indonesian Journal of Computing and Modeling, 2(1), 1-7.

Rabus, B., Eineder, M., Roth, A., Bamler, R. (2003). The shuttle radar topography mission-a new class of digital elevation models acquired bu spaceborne radar. *ISPRS Journal of Photogrammetry and Remote Sensing,I* 57: 241-262.

Rahayu, L., Subiyanto, S., Piñeiro Yuwono, B.D. (2015). Kajian Pemanfaatan Data Penginderaan Jauh Untuk Identifikasi Objek Pajak Bumi dan Bangunan. Jurnal Geodesi Undip, 4 (1).

Rudiyanto, Minasny, B., Setiawan, B.I. (2016). Further results on comparison of methods for quantifying soil carbon in tropical peats. *Geoderma 269*, 108–111. http://dx.doi.org/10.1016/j.geoderma.2016.01.038.

Rudiyanto, Minasny, B., Setiawan, B.I., Saptomo, S.K., (2018). Open digital mapping as a cost-effective method for mapping peat thickness and assessing the carbon stock of tropical peatlands. *Geoderma 313*, 25-40. http://dx.doi.org/10.1016/j.geoderma.2017.10.018

Rieley, J. O., & Page, S. E. (2016). Tropical peatland of the world. dalam *Tropical Peatland Ecosystems* (pp. 3-32). Springer, Tokyo.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rieley, J.O., R.A.J. Wust, J. Jauhiainen, S.E. Page, H. Wösten, A. Hooijer, F. Siegert, S.H. Limin, H. Vasander and M. Stahlhut. 2008. Tropical Peatlands: carbon stores, carbon gas emissions and contributions to climate change Processes. in Strack, M. (Ed.). Peatlands and Climate Change. International Peat Society. Vapaudenkatu 12,40100 Jyvaskyla. Finland. Pp148-182

Ritung, S., Wahyunto, Nugroho, K., Sukarman, Hikmatullah, Suparto, & Tafakresnanto, C. (2011). *Peta lahan gambut Indonesia skala 1:250.000*. Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian.

Rydin, H., & Jeglum, J. K. (2013). *The biology of peatlands* (2nd ed.). Oxford University Press.

Saragi-Sasmito, M. F., Murdiyarso, D., June, T., & Sasmito, S. D. (2019). Carbon stocks, emissions, and aboveground productivity in restored secondary tropical peat swamp forests. Mitigation and Adaptation Strategies for Global Change, 24(4), 521-533. https://doi.org/10.1007/s11027-018-9793-0

Seddon, N., Chausson, A., Berry, P., Girardin, C. A., Smith, A., & Turner, B. (2020). Understanding The Value and Limits of Nature-Based Solutions to Climate Change and Other Global Challenges. Philosophical Transactions of the Royal Society B, 375(1794), 20190120.

Septian, A., Junedi, H., & Kurniawan Mastur, A. (2023). Estimasi cadangan karbon bawah permukaan lahan gambut Di Desa catur rahayu kecamatan dendang kabupaten tanjung jabung Timur. Jurnal Tanah dan Sumberdaya Lahan, 10(2), 285-295. https://doi.org/10.21776/ub.jtsl.2023.010.2.12

Shi, T., & Xu, H. (2019). Derivation of Tasseled Cap Transformation coefficients for Sentinel-2 MSI at-surface reflectance data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12(11), 4441-4448.

UNIVERSITAS
GADJAH MADA
Pemanfaatan Penginderaan Jauh dan Machine Learning Untuk Pemetaan Kedalaman Lahan Gambut Tropis
Kepulauan di Pulau Bengkalis
Suryandaru Rizky Pangestu, Wirastuti Widyatmanti, S.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Smola, A.J., Sch, B. (2004). Smola Schölkopf – 2004 – statistic and Computing – A tutorial on support vector regression.pdf. Statistics and Computing, 14(3), 199 – 222

Sofyan, A., Mubarak, & Hamid, A. (2020). Karakteristik fisik dan topografi wilayah pesisir Pulau Bengkalis dalam hubungannya dengan dinamika lingkungan. *Jurnal Ilmu Lingkungan*, 14(2), 145-154.

Soil Survey Staff. (2014). *Keys to Soil Taxonomy* (12th ed.). USDA-Natural Resources Conservation Service.

Sorensen, R., Zinko, U., & Seibert, J. (2006). On the calculation of the topographic wetness index: evaluation of different methods based on field observations. *Hydrology and Earth System Sciences*, 10(1), 101-112.

Suwarna et al. (2012). Estimasi Simpanan Karbon Total dalam Tanah dan Vegetasi Hutan Gambut Tropika di Indonesia. Jurnal Manajemen Hutan Tropika, 18(2), 118 – 128.

Wahyunto, Nugroho, K., & Agus, F. (2016). Perkembangan Pemetaan dan Distribusi Lahan Gambut di Indonesia - Lahan Gambut Indonesia: Pembentukan, Karakteristik, dan Potensi Mendukung Ketahanan Pangan. Jakarta: IAARD Press.

Weisse, M., Goldman, E., Carter, S. (2023, Januari). Berapa banyak hutan yang hilang pada tahun 2022?. World Resources Institute. https://research.wri.org/id

Wosten, J. H. M., Clymans, E., Page, S. E., Limin, S. H., Perry, P. J., & Rieley, J. O. (2008). Peat-water characteristics and subsidence in Central Kalimantan, Indonesia. *Water Resources Research*, 44(8), 1-10.

Xu, H. (2006). Modification of normalised difference water index (MNDWI) to enhance open water features in supratidal infrared imagery. *International Journal of Remote Sensing*, 27(14), 3025-3033. https://doi.org/10.1080/01431160600589179

Yuwono, B., Subardjo, P., & Setiyono, H. (2021). Analisis spasial kerentanan banjir rob dan intrusi air laut di wilayah pulau-pulau kecil: Studi kasus Pulau Bengkalis, Provinsi Riau. *Jurnal Oseanografi*, 10(1), 88-97.