UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE (Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Alqahtani, N. K., Salih, Z. A., Asiri, S. A., Siddeeg, A., Elssiddiq, S. A. D., Alnemr, T. M., & Habib, H. M. (2024). Optimizing physicochemical properties, antioxidant potential, and antibacterial activity of dry ginger extract using sonication treatment. *Heliyon*, *10*(16), e36473. https://doi.org/10.1016/j.heliyon.2024.e36473

American Diabetes Association. (2023). Standard of Care in Diabetes. *ADA, Diabetes Care*, *46*.

Ariastuti, R., Fitrawan, L. O. M., Nugroho, A. E., & Pramono, S. (2020). Antidiabetes of Combination of Fractionated-extracts of Andrographispaniculata and Centellaasiatica in Neonatal Streptozotocin-induced Diabetic Rats. *Indonesian Journal of Pharmacy*, 312–322. https://doi.org/10.22146/ijp.1135

Astuti, N. T., Novitasari, P. R., Tjandrawinata, R., Nugroho, A. E., & Pramono, S. (2022). Anti-diabetic effect of andrographolide from Sambiloto herbs (Andrographis paniculata (Burm.f.) Nees) through the expression of PPARγ and GLUT-4 in adipocytes. *Indonesian Journal of Biotechnology*, *27*(4), 203. https://doi.org/10.22146/ijbiotech.68800

Atkison, M. A., Eisenbarth, G. S., & Michels, A. W. (2014). The Lancet: Type 1 diabetes—Progress and prospects. *The Lancet*, *383*(9911), 2. https://doi.org/10.1016/S0140-6736(13)62715-4

Azizah, N., Purnamaningsih, S. L., & Fajriani, S. (2019). Land Characteristics Impact Productivity and Quality of Ginger (Zingiber officinale Rosc) in Java, Indonesia. *AGRIVITA Journal of Agricultural Science*, *41*(3). https://doi.org/10.17503/agrivita.v41i3.2321

Badan Pengawas Obat Dan Makanan. (2016a). *Kekuatan Budaya Nusantara Untuk Kesehatan Dunia: Series jahe*.

Badan Pengawas Obat Dan Makanan. (2016b). *Kekutan Budaya Nusantara Untuk Kesehatan Dunia: Series Sambiloto*.

Belfiore, A., Frasca, F., Pandini, G., Sciacca, L., & Vigneri, R. (2009). Insulin Receptor Isoforms and Insulin Receptor/Insulin-Like Growth Factor Receptor Hybrids in Physiology and Disease. *Endocrine Reviews*, *30*(6), 586–623. https://doi.org/10.1210/er.2008-0047

Bilous, R., & Donelly, R. (2014). *Buku Pegangan Diabetes* (B. Bariid, Ed.; E. K. Yudha, Penerj.; 4 ed., Vol. 2014). (Original work published Wiley-Blackwell)

Bischoff-Kont, I., & Fürst, R. (2021). Benefits of Ginger and Its Constituent 6-Shogaol in Inhibiting Inflammatory Processes. *Pharmaceuticals*, *14*(6), 571. https://doi.org/10.3390/ph14060571

Budiarti, M., Maruzy, A., Mujahid, R., Sari, A. N., Jokopriyambodo, W., Widayat, T., & Wahyono, S. (2020). The use of antimalarial plants as traditional treatment in Papua Island, Indonesia. *Heliyon*, *6*(12), e05562. https://doi.org/10.1016/j.heliyon.2020.e05562

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE (Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bustin, S. A. (2024). Improving the quality of quantitative polymerase chain reaction experiments: 15 years of MIQE. *Molecular Aspects of Medicine*, *96*, 101249. https://doi.org/10.1016/j.mam.2024.101249

Bustin, S. A. (2025). *MIQE 2.0: Revision of the Minimum Information for Publication of Quantitative Real-Time PCR Experiments Guidelines*.

Carroll, N. V., Longley, R. W., & Roe, J. H. (1956). THE DETERMINATION OF GLYCOGEN IN LIVER AND MUSCLE BY USE OF ANTHRONE REAGENT. *Journal of Biological Chemistry*, *220*(2), 583–593. https://doi.org/10.1016/S0021-9258(18)65284-6

Chakraborty, D., Mukherjee, A., Sikdar, S., Paul, A., Ghosh, S., & Khuda-Bukhsh, A. R. (2012). [6]-Gingerol isolated from ginger attenuates sodium arsenite induced oxidative stress and plays a corrective role in improving insulin signaling in mice. *Toxicology Letters*, *210*(1), 34–43. https://doi.org/10.1016/j.toxlet.2012.01.002

Chen, Z., Halford, N. G., & Liu, C. (2023). Real-Time Quantitative PCR: Primer Design, Reference Gene Selection, Calculations and Statistics. *Metabolites*, *13*(7), 806. https://doi.org/10.3390/metabo13070806

Choi, K., & Kim, Y.-B. (2010). Molecular Mechanism of Insulin Resistance in Obesity and Type 2 Diabetes. *The Korean Journal of Internal Medicine*, *25*(2), 119. https://doi.org/10.3904/kjim.2010.25.2.119

Choudhari, S. S., & Kareppa, B. M. (t.t.). *Identification of Bioactive Compounds of Zingiber Officinale Roscoe Rhizomes Through Gas Chromatography and Mass Spectrometry*. *2013*.

Colhoun, H. M., Livingstone, S. J., Looker, H. C., Morris, A. D., Wild, S. H., Lindsay, R. S., Reed, C., Donnan, P. T., Guthrie, B., Leese, G. P., McKnight, J., Pearson, D. W. M., Pearson, E., Petrie, J. R., Philip, S., Sattar, N., Sullivan, F. M., & McKeigue, P. (2012). Hospitalised hip fracture risk with rosiglitazone and pioglitazone use compared with other glucose-lowering drugs. *Diabetologia*, *55*(11), 2929–2937. https://doi.org/10.1007/s00125-012-2668-0

Dhanik, J., Arya, N., & Nand, V. (2017). A Review on Zingiber officinale. *Journal of Pharmacognosy and Phytochemistry*, (09-04–2017).

DiPiro, J. T., Yee, P., Haines, S. T., Nolin, T. D., & Ellingrod, V. (2020). *Pharmacotherapy: A Pathophysiologic Approach, 11e. McGraw Hill; 2020* (Vol. 11e).

Djiogue, S., Nwabo Kamdje, A. H., Vecchio, L., Kipanyula, M. J., Farahna, M., Aldebasi, Y., & Seke Etet, P. F. (2013). Insulin resistance and cancer: The role of insulin and IGFs. *Endocrine-Related Cancer*, *20*(1), R1–R17. https://doi.org/10.1530/ERC-12-0324

Eizirik, D. L., Pasquali, L., & Cnop, M. (2020). Pancreatic β-cells in type 1 and type 2 diabetes mellitus: Different pathways to failure. *Nature Reviews Endocrinology*, *16*(7), 349–362. https://doi.org/10.1038/s41574-020-0355-7

Fajrin, F. A., Nugroho, A. E., Nurrochmad, A., & Susilowati, R. (2020). Ginger extract and its compound, 6-shogaol, attenuates painful diabetic neuropathy in mice

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE
(Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI
INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

via reducing TRPV1 and NMDAR2B expressions in the spinal cord. *Journal of Ethnopharmacology*, *249*, 112396. https://doi.org/10.1016/j.jep.2019.112396

Fajrin, F. A., Nurrochmad, A., Nugroho, A., & Susilowati, R. (2019). The improvement of pain behavior and sciatic nerves morphology in mice model of painful diabetic neuropathy upon administration of ginger (Zingiber officinale Roscoe.) extract and its pungent compound, 6-shogaol. *Journal of Natural Science, Biology and Medicine*, *10*(2), 149. https://doi.org/10.4103/jnsbm.JNSBM_219_18

Fitrawan, Lom., Ariastuti, R., Tjandrawinata, R., Nugroho, A., & Pramono, S. (2018). Antidiabetic effect of combination of fractionated-extracts of Andrographis paniculata and Centella asiatica: In vitro study. *Asian Pacific Journal of Tropical Biomedicine*, *8*(11), 527. https://doi.org/10.4103/2221-1691.245957

Fotakis, G., & Timbrell, J. A. (2006). In vitro cytotoxicity assays: Comparison of LDH, neutral red, MTT and protein assay in hepatoma cell lines following exposure to cadmium chloride. *Toxicology Letters*, *160*(2), 171–177. https://doi.org/10.1016/j.toxlet.2005.07.001

Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of Type 2 Diabetes Mellitus. *Int. J. Mol. Sci.*

Ghasempour, G., Mohammadi, A., Zamani-Garmsiri, F., Soleimani, A. A., & Najafi, M. (2022). Upregulation of TGF-β type II receptor in high glucose-induced vascular smooth muscle cells. *Molecular Biology Reports*, *49*(4), 2869–2875. https://doi.org/10.1007/s11033-021-07100-7

Grätz, C., Bui, M. L. U., Thaqi, G., Kirchner, B., Loewe, R. P., & Pfaffl, M. W. (2022). Obtaining Reliable RT-qPCR Results in Molecular Diagnostics—MIQE Goals and Pitfalls for Transcriptional Biomarker Discovery. *Life*, *12*(3), 386. https://doi.org/10.3390/life12030386

Gruber, S., & Nickel, A. (2023). Toxic or not toxic? The specifications of the standard ISO 10993-5 are not explicit enough to yield comparable results in the cytotoxicity assessment of an identical medical device. *Frontiers in Medical Technology*, *5*, 1195529. https://doi.org/10.3389/fmedt.2023.1195529

Guo, Q., Wei, X., Hu, H., Yang, D., Zhang, B., Fan, X., Liu, J., He, H., Oh, Y., Wu, Q., Zhang, Y., Wang, C., Liu, C., & Gu, N. (2019). The saturated fatty acid palmitate induces insulin resistance through Smad3-mediated down-regulation of FNDC5 in myotubes. *Biochemical and Biophysical Research Communications*, *520*(3), 619–626. https://doi.org/10.1016/j.bbrc.2019.10.077

Guo, S. (2014). Insulin signaling, resistance, and metabolic syndrome: Insights from mouse models into disease mechanisms. *Journal of Endocrinology*, *220*(2), T1–T23. https://doi.org/10.1530/JOE-13-0327

Guo, X., Sun, W., Luo, G., Wu, L., Xu, G., Hou, D., Hou, Y., Guo, X., Mu, X., Qin, L., & Liu, T. (2019). *Panax notoginseng* saponins alleviate skeletal muscle insulin resistance by regulating the IRS 1– PI 3K– AKT signaling pathway and

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE
(Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI
INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

GLUT 4 expression. *FEBS Open Bio*, *9*(5), 1008–1019. https://doi.org/10.1002/2211-5463.12635

Gupta, S. K., & Sharma, A. (2014). Medicinal properties of Zingiber officinale Roscoe—A Review. *IOSR Journal of Pharmacy and Biological Sciences*, *9*(5), 124–129. https://doi.org/10.9790/3008-0955124129

Hong, S.-H., Kang, M., Lee, K.-S., & Yu, K. (2016). High fat diet-induced TGF-β/Gbb signaling provokes insulin resistance through the tribbles expression. *Scientific Reports*, *6*(1), 30265. https://doi.org/10.1038/srep30265

Hossain, Md. S., Urbi, Z., Sule, A., & Rahman, K. M. H. (2014). Andrographis paniculata (Burm. F.) Wall. Ex Nees: A Review of Ethnobotany, Phytochemistry, and Pharmacology. *The Scientific World Journal*, *2014*, 1–28. https://doi.org/10.1155/2014/274905

Hossain, S., Urbi, Z., Karuniawati, H., Mohiuddin, R. B., Moh Qrimida, A., Allzrag, A. M. M., Ming, L. C., Pagano, E., & Capasso, R. (2021). Andrographis paniculata (Burm. f.) Wall. ex Nees: An Updated Review of Phytochemistry, Antimicrobial Pharmacology, and Clinical Safety and Efficacy. *Life*, *11*(4), 348. https://doi.org/10.3390/life11040348

Huang, F., & Chen, Y.-G. (2012). *Regulation of TGF-b receptor activity*. *2*, 9. https://doi.org/10.1186/2045-3701-2-9

Huang, Q., Li, Y., Yu, M., Lv, Z., Lu, F., Xu, N., Zhang, Q., Shen, J., Zhu, J., & Jiang, H. (2025). Global burden and risk factors of type 2 diabetes mellitus from 1990 to 2021, with forecasts to 2050. *Frontiers in Endocrinology*, *16*, 1538143. https://doi.org/10.3389/fendo.2025.1538143

Iliya, I., Mohammed, B., Akuyam, S., Nok, A., Bauchi, Z., Tanko, M., Timbuak, J., & Yusuf, B. (2016). Molecular mechanisms of insulin signaling. *Sub-Saharan African Journal of Medicine*, *3*(1), 3. https://doi.org/10.4103/2384-5147.176267

Inta, A., Trisonthi, P., & Trisonthi, C. (2013). Analysis of traditional knowledge in medicinal plants used by Yuan in Thailand. *Journal of Ethnopharmacology*, *149*(1), 344–351. https://doi.org/10.1016/j.jep.2013.06.047

Inzucchi, S. E., Bergenstal, R. M., Buse, J. B., Diamant, M., Ferrannini, E., Nauck, M., Peters, A. L., Tsapas, A., Wender, R., & Matthews, D. R. (2012). Management of Hyperglycemia in Type 2 Diabetes: A Patient-Centered Approach. *Diabetes Care*, *35*(6), 1364–1379. https://doi.org/10.2337/dc12-0413

Isa, Y., Miyakawa, Y., Yanagisawa, M., Goto, T., Kang, M.-S., Kawada, T., Morimitsu, Y., Kubota, K., & Tsuda, T. (2008). 6-Shogaol and 6-gingerol, the pungent of ginger, inhibit TNF-α mediated downregulation of adiponectin expression via different mechanisms in 3T3-L1 adipocytes. *Biochemical and Biophysical Research Communications*, *373*(3), 429–434. https://doi.org/10.1016/j.bbrc.2008.06.046

Janani, C., & Kumari, B. D. R. (2015). PPAR gamma gene – A review. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, *9*(1), 46–50. https://doi.org/10.1016/j.dsx.2014.09.015

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE
(Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI
INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jiang, M., Sheng, F., Zhang, Z., Ma, X., Gao, T., Fu, C., & Li, P. (2021). Andrographis paniculata (Burm.f.) Nees and its major constituent andrographolide as potential antiviral agents. *Journal of Ethnopharmacology*, *272*, 113954. https://doi.org/10.1016/j.jep.2021.113954

Kaku, K. (2010). Pathophysiology of Type 2 Diabetes and Its Treatment Policy. *Japan Medical Association Journal*, *53*(1), 41–46.

Kawase, Y., Sunagawa, Y., Shimizu, K., Funamoto, M., Hamabe-Horiike, T., Katanasaka, Y., Shimizu, S., Hawke, P., Mori, K., Komiyama, M., Hasegawa, K., & Morimoto, T. (2023). 6-Shogaol, an Active Component of Ginger, Inhibits p300 Histone Acetyltransferase Activity and Attenuates the Development of Pressure-Overload-Induced Heart Failure. *Nutrients*, *15*(9), 2232. https://doi.org/10.3390/nu15092232

Ko, M.-J., Nam, H.-H., & Chung, M.-S. (2019). Conversion of 6-gingerol to 6-shogaol in ginger (Zingiber officinale) pulp and peel during subcritical water extraction. *Food Chemistry*, *270*, 149–155. Scopus. https://doi.org/10.1016/j.foodchem.2018.07.078

Kohei, K. A. K. U. (2010). *Pathophysiology of type 2 diabetes and its treatment policy*. *53(1)*, 41–46.

Kolb, H., Kempf, K., Röhling, M., & Martin, S. (2020). Insulin: Too much of a good thing is bad. *BMC Medicine*, *18*(1), 224. https://doi.org/10.1186/s12916-020-01688-6

Kumar, K. M. P., Ghosh, S., Canovatchel, W., Garodia, N., & Rajashekar, S. (2017). A review of clinical efficacy and safety of canagliflozin 300 mg in the management of patients with type 2 diabetes mellitus. *Indian Journal of Endocrinology and Metabolism*, *21*(1), 196. https://doi.org/10.4103/2230-8210.196016

Kumar, S., Singh, B., & Bajpai, V. (2021). Andrographis paniculata (Burm.f.) Nees: Traditional uses, phytochemistry, pharmacological properties and quality control/quality assurance. *Journal of Ethnopharmacology*, *275*, 114054. https://doi.org/10.1016/j.jep.2021.114054

Leclercq, I. A., Da Silva Morais, A., Schroyen, B., Van Hul, N., & Geerts, A. (2007). Insulin resistance in hepatocytes and sinusoidal liver cells: Mechanisms and consequences. *Journal of Hepatology*, *47*(1), 142–156. https://doi.org/10.1016/j.jhep.2007.04.002

Li, J., Feng, M., Sun, R., Li, Z., Hu, L., Peng, G., Xu, X., Wang, W., Cui, F., Yue, W., He, J., & Liu, J. (2020). Andrographolide ameliorates bleomycin-induced pulmonary fibrosis by suppressing cell proliferation and myofibroblast differentiation of fibroblasts via the TGF-β1-mediated Smad-dependent and -independent pathways. *Toxicology Letters*, *321*, 103–113. https://doi.org/10.1016/j.toxlet.2019.11.003

Li, J., Liu, J., Yue, W., Xu, K., Cai, W., Cui, F., Li, Z., Wang, W., & He, J. (2020). Andrographolide attenuates epithelial-mesenchymal transition induced by

POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE
(Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI
INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

TGF-β1 in alveolar epithelial cells. *Journal of Cellular and Molecular Medicine*, *24*(18), 10501–10511. https://doi.org/10.1111/jcmm.15665

Liao, J., Yang, Z., Yao, Y., Yang, X., Shen, J., & Zhao, P. (2022). Andrographolide Promotes Uptake of Glucose and GLUT4 Transport through the PKC Pathway in L6 Cells. *Pharmaceuticals*, *15*(11), 1346. https://doi.org/10.3390/ph15111346

Lin, L., Li, R., Cai, M., Huang, J., Huang, W., Guo, Y., Yang, L., Yang, G., Lan, T., & Zhu, K. (2018). Andrographolide Ameliorates Liver Fibrosis in Mice: Involvement of TLR4/NF- κ B and TGF- β 1/Smad2 Signaling Pathways. *Oxidative Medicine and Cellular Longevity*, *2018*, 1–11. https://doi.org/10.1155/2018/7808656

Liu, H., & Chen, Y.-G. (2022). The Interplay Between TGF-β Signaling and Cell Metabolism. *Frontiers in Cell and Developmental Biology*, *10*, 846723. https://doi.org/10.3389/fcell.2022.846723

Liu, R. M., & Desai, L. P. (2015). Reciprocal regulation of TGF-β and reactive oxygen species: A perverse cycle for fibrosis. *Redox Biology*, *6*, 565–577. https://doi.org/10.1016/j.redox.2015.09.009

Mackenzie, R., & Elliott, B. (2014). Akt/PKB activation and insulin signaling: A novel insulin signaling pathway in the treatment of type 2 diabetes. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 55. https://doi.org/10.2147/DMSO.S48260

Madeira, P. P., Ferreira, L. A., Uversky, V. N., & Zaslavsky, B. Y. (2024). Polarity of Aqueous Solutions. *Liquids*, *4*(1), 107–116. https://doi.org/10.3390/liquids4010005

Magliano, D., & Boyko, E. J. (2021). *IDF diabetes atlas* (10th edition). International Diabetes Federation.

Magliano, D., & Boyko, E. J. (with International Diabetes Federation). (2025). *Diabetes atlas* (11th edition). International Diabetes Federation.

Mak, K.-K., Shiming, Z., Sakirolla, R., Balijepalli, M. K., Dinkova-Kostova, A. T., Epemolu, O., Mohd, Z., & Pichika, M. R. (2023). Synthesis of New Shogaol Analogues as NRF2 Activators and Evaluation of Their Anti-Inflammatory Activity, Modes of Action and Metabolic Stability. *Antioxidants*, *12*(2). Scopus. https://doi.org/10.3390/antiox12020475

Malonis, R. J., Fu, W., Jelcic, M. J., Thompson, M., Canter, B. S., Tsikitis, M., Esteva, F. J., & Sánchez, I. (2017). RNF11 sequestration of the E3 ligase SMURF2 on membranes antagonizes SMAD7 down-regulation of transforming growth factor β signaling. *Journal of Biological Chemistry*, *292*(18), 7435–7451. https://doi.org/10.1074/jbc.M117.783662

Manabe, Y., Miyatake, S., Takagi, M., Nakamura, M., Okeda, A., Nakano, T., Hirshman, M. F., Goodyear, L. J., & Fujii, N. L. (2012). Characterization of an Acute Muscle Contraction Model Using Cultured C2C12 Myotubes. *PLoS ONE*, *7*(12), e52592. https://doi.org/10.1371/journal.pone.0052592

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE (Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mannucci, E., & Monami, M. (2017). *Bone Fractures with Sodium-Glucose Co-transporter-2 Inhibitors: How Real is the Risk? 40*(2017), 1155–119. https://doi.org/https://doi-org.ezproxy.ugm.ac.id/10.1007/s40264-016-0470-5

Marwat, S. K., Shoaib, M., Khan, E. A., & Ullah, H. (2015). Phytochemistry and Bioactivities of Quranic Plant, Zanjabil-Ginger (Zingiber officinale Roscoe): A Review. *Environ. Sci.*

Massagué, J. (2012). TGFβ signalling in context. *Nature Reviews Molecular Cell Biology*, *13*(10), 616–630. https://doi.org/10.1038/nrm3434

Maurya, R., B, T., Misro, L., R, T., Vr, R., & Ks, R. (2022). Effect of the Solvent Polarity and Temperature in the Isolation of Pure Andrographolide from Andrographis paniculata. *THE SCIENTIFIC TEMPER*, *13*(2), 243–256. https://doi.org/10.58414/SCIENTIFICTEMPER.13.2.2022.243-256

Mejia, C. F., & Monroy, M. L. (2013). *Oxidative stress in diabetes mellitus and the role of vitamins with antioxidant actions* (J. A. Morales-González, Ed.). https://doi.org/10.5772/51788

Meng, X.-M., Tang, P. M.-K., Li, J., & Lan, H. Y. (2015). TGF-β/Smad signaling in renal fibrosis. *Frontiers in Physiology, Renal Physiology and Pathophysiology*, *6*. https://doi.org/https://doi.org/10.3389/fphys.2015.00082

Menkes RI. (2016). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 6 Tahun 2016 Tentang Formularium Obat Herbal Asli Indonesia*.

Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, *65*(1–2), 55–63. https://doi.org/10.1016/0022-1759(83)90303-4

Nair, K. P. (2019). The Chemistry of Ginger. Dalam *Turmeric (Curcuma longa L.) and Ginger (Zingiber officinale Rosc.)—World's Invaluable Medicinal Spices: The Agronomy and Economy of Turmeric and Ginger* (hlm. 317–365). Springer International Publishing. https://doi.org/10.1007/978-3-030-29189-1_16

Nieuwoudt, S., Mulya, A., Fealy, C. E., Martelli, E., Dasarathy, S., Naga Prasad, S. V., & Kirwan, J. P. (2017). In vitro contraction protects against palmitate-induced insulin resistance in C2C12 myotubes. *American Journal of Physiology-Cell Physiology*, *313*(5), C575–C583. https://doi.org/10.1152/ajpcell.00123.2017

Nugroho, A. E., Rais, I. R., Setiawan, I., Pratiwi, P. Y., Hadibrata, T., Tegar, M., & Pramono, S. (2014). *Pancreatic effect of Andrographolide Isolated from Andrographis paniculata (Burm. F.) Ness*. *17 (1): 22-31, 2014*. https://doi.org/10.3923/pjbs.2014.22.31

Nugroho, A. E., Sari, K. R. P., & Sunarwidhi, A. L. (t.t.). Blood Glucose Reduction by Combination of Andrographis paniculata (Burm. F.) Ness Herbs and Azadirachta indica A. Juss Leaves in Alloxan-Induced Diabetic Rats. *Journal of Applied Pharmaceutical Science*.

Ouyang, J., Parakhia, R. A., & Ochs, R. S. (2011). Metformin Activates AMP Kinase through Inhibition of AMP Deaminase. *Journal of Biological Chemistry*, *286*(1), 1–11. https://doi.org/10.1074/jbc.M110.121806

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE
(Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI
INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ozkan, T., Hekmatshoar, Y., Pamuk, H., Ozcan, M., Yaman, G., Yagiz, G. C., Akdemir, C., & Sunguroglu, A. (2021). Cytotoxic effect of 6-Shogaol in Imatinib sensitive and resistant K562 cells. *Molecular Biology Reports*, *48*(2), 1625–1631. Scopus. https://doi.org/10.1007/s11033-021-06141-2

Peng, S., Yu, S., Zhang, J., & Zhang, J. (2023). 6-Shogaol as a Novel Thioredoxin Reductase Inhibitor Induces Oxidative-Stress-Mediated Apoptosis in HeLa Cells. *International Journal of Molecular Sciences*, *24*(5). Scopus. https://doi.org/10.3390/ijms24054966

Perkumpulan Endokrinologi Indonesia. (2021). *Pedoman pengelolaan dan pencegahan diabetes melitus tipe 2 dewasa di Indonesia*.

Petersen, M. C., & Shulman, G. I. (2018). Mechanisms of Insulin Action and Insulin Resistance. *Physiological Reviews*, *98*(4), 2133–2223. https://doi.org/10.1152/physrev.00063.2017

Pin, F., Bonetto, A., Bonewald, L. F., & Klein, G. L. (2019). Molecular Mechanisms Responsible for the Rescue Effects of Pamidronate on Muscle Atrophy in Pediatric Burn Patients. *Frontiers in Endocrinology*, *10*, 543. https://doi.org/10.3389/fendo.2019.00543

Puteh, S. E. W., Kamarudin, N. 'Adilah, Hussein, Z., Adam, N., & Shahari, M. R. (2024). Cost of cardiovascular disease events in patients with and without type 2 diabetes and factors influencing cost: A retrospective cohort study. *BMC Public Health*, *24*(1), 2003. https://doi.org/10.1186/s12889-024-19475-w

Qaid, M. M., & Abdelrahman, M. M. (2016). Role of insulin and other related hormones in energy metabolism: A review. *Cogent Food & Agriculture*, *2*(1). https://doi.org/10.1080/23311932.2016.1267691

Rafi, M., Devi, A. F., Syafitri, U. D., Heryanto, R., Suparto, I. H., Amran, M. B., Rohman, A., Prajogo, B., & Lim, L. W. (2020). Classification of Andrographis paniculata extracts by solvent extraction using HPLC fingerprint and chemometric analysis. *BMC Research Notes*, *13*(1), 56. https://doi.org/10.1186/s13104-020-4920-x

Riehle, C., & Abel, E. D. (2016). Insulin Signaling and Heart Failure. *Circulation Research*, *118*(7), 1151–1169. https://doi.org/10.1161/CIRCRESAHA.116.306206

Riss, T. L., Moravec, R. A., Niles, A. L., Benink, H. A., Worzella, T. J., & Minor, L. (2016). Cell Viability Assays. Dalam S. Markossian, A. Grossman, & H. Baskir (Ed.), *Assay Guidance Manual*. Eli Lilly & Company and the National Center for Advancing Translational Science. https://www.ncbi.nlm.nih.gov/books/NBK144065

Rodelo, G. C., Guiberna, R. A., & Reyes, O.-J. A. (2017). Molecular Mechanisms of Insulin Resistance: An Update. *Gaceta Médica de México.*

Röder, P. V., Wu, B., Liu, Y., & Han, W. (2016). Pancreatic regulation of glucose homeostasis. *Experimental & Molecular Medicine*, *48*(3), e219–e219. https://doi.org/10.1038/emm.2016.6

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE (Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Royani, A., Mubarak, N. M., Hanafi, M., Verma, C., Lotulung, P. D. N., Prastya, M. E., Alfantazi, A., & Manaf, A. (2025). Effect of solvent polarity on yield extract, antioxidant and antibacterial activities of phytochemicals from *Andrographis paniculata* leaves*. *Indian Chemical Engineer*, *67*(1), 1–15. https://doi.org/10.1080/00194506.2024.2409260

Sakurai, Y., Kubota, N., Yamauchi, T., & Kadowaki, T. (2021). Role of Insulin Resistance in MAFLD. *International Journal of Molecular Sciences*, *22*(8), 4156. https://doi.org/10.3390/ijms22084156

Schmitz-Peiffer, C., Craig, D. L., & Biden, T. J. (1999). Ceramide Generation Is Sufficient to Account for the Inhibition of the Insulin-stimulated PKB Pathway in C2C12 Skeletal Muscle Cells Pretreated with Palmitate. *Journal of Biological Chemistry*, *274*(34), 24202–24210. https://doi.org/10.1074/jbc.274.34.24202

Schöneich, C., Dremina, E., Galeva, N., & Sharov, V. (2014). Apoptosis in differentiating C2C12 muscle cells selectively targets Bcl-2-deficient myotubes. *Apoptosis*, *19*(1), 42–57. https://doi.org/10.1007/s10495-013-0922-7

Semwal, R. B., Semwal, D. K., Combrinck, S., & Viljoen, A. M. (2015). Gingerols and shogaols: Important nutraceutical principles from ginger. *Phytochemistry*, *117*, 554–568. https://doi.org/10.1016/j.phytochem.2015.07.012

Singh, S., Usman, K., & Banerjee, M. (2016). Pharmacogenetic studies update in type 2 diabetes mellitus. *World Journal of Diabetes*, *7*(15), 302. https://doi.org/10.4239/wjd.v7.i15.302

Siregar, R. S., Hadiguna, R. A., Kamil, I., Nazir, N., & Nofialdi, N. (2022). *Review Article Ginger (Zingiber officinale R.) as a Potent Medicinal Plant for the Prevention and Treatment of Diabetes Mellitus: A Review*.

Standl, E., Khunti, K., Hansen, T. B., & Schnell, O. (2019). The global epidemics of diabetes in the 21st century: Current situation and perspectives. *European Journal of Preventive Cardiology*, *26*(2_suppl), 7–14. https://doi.org/10.1177/2047487319881021

Stockert, J. C., Horobin, R. W., Colombo, L. L., & Blázquez-Castro, A. (2018). Tetrazolium salts and formazan products in Cell Biology: Viability assessment, fluorescence imaging, and labeling perspectives. *Acta Histochemica*, *120*(3), 159–167. https://doi.org/10.1016/j.acthis.2018.02.005

Świderska, E., Strycharz, J., Wróblewski, A., Szemraj, J., & Śliwińska, A. (2018). Role of PI3K/AKT pathway in insulin-mediated glucose uptake. Dalam *Blood Glucose Levels*. IntechOpen. https://doi.org/10.5772/intechopen.80402

Syafitri, D. M., Levita, J., Mutakin, M., & Diantini, A. (2018). A Review: Is Ginger (Zingiber officinale var. Roscoe) Potential for Future Phytomedicine? *Indonesian Journal of Applied Sciences*, *8*(1). https://doi.org/10.24198/ijas.v8i1.16466

UNIVERSITAS GADJAH MADA
POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE (Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI INSULIN MENGGUNAKAN C2C12 CELL LINE
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tahrani, A. A., Barnett, A. H., & Bailey, C. J. (2013). *SGLT inhibitors in management of diabetes*. *1*(2), 140–150. https://doi.org/https://doi.org/10.1016/S2213-8587(13)70050-0

Tan, C. K., Chong, H. C., Tan, E. H. P., & Tan, N. S. (2012). Getting 'Smad' about obesity and diabetes. *Nutrition & Diabetes*, *2*(3), e29–e29. https://doi.org/10.1038/nutd.2012.1

Tan, C. K., Leuenberger, N., Tan, M. J., Yan, Y. W., Chen, Y., Kambadur, R., Wahli, W., & Tan, N. S. (2011). Smad3 Deficiency in Mice Protects Against Insulin Resistance and Obesity Induced by a High-Fat Diet. *Diabetes*, *60*(2), 464–476. https://doi.org/10.2337/db10-0801

Taylor, S. I., Blau, J. E., & Rother, K. I. (2015). Possible adverse effects of SGLT2 inhibitors on bone. *The Lancet Diabetes & Endocrinology*, *3*(1), 8–10. https://doi.org/10.1016/S2213-8587(14)70227-X

Wang, H.-L., Wang, L., Zhao, C.-Y., & Lan, H.-Y. (2022). Role of TGF-Beta Signaling in Beta Cell Proliferation and Function in Diabetes. *Biomolecules*, *12*(3), 373. https://doi.org/10.3390/biom12030373

Wang, L., Wang, H.-L., Liu, T.-T., & Lan, H.-Y. (2021). TGF-Beta as a Master Regulator of Diabetic Nephropathy. *International Journal of Molecular Sciences*, *22*(15), 7881. https://doi.org/10.3390/ijms22157881

Widyastuti, Y., Widowati, L., Damayanti, A., & Pramono, S. (2017). *Sambiloto (Andrographis paniculata Nees.): Si Pahit yang Semakin Melejit* (Vol. 2017). Tawangmangu : Balai besar Penelitian dan Pengembangan Tanaman obat dan Obat tradisional.

Wong, C. Y., Al-Salami, H., & Dass, C. R. (2020). C2C12 cell model: Its role in understanding of insulin resistance at the molecular level and pharmaceutical development at the preclinical stage. *Journal of Pharmacy and Pharmacology*, *72*(12), 1667–1693. https://doi.org/10.1111/jphp.13359

Wrana, J. L. (2013). Signaling by the TGF Superfamily. *Cold Spring Harbor Perspectives in Biology*, *5*(10), a011197–a011197. https://doi.org/10.1101/cshperspect.a011197

Yadav, H., Quijano, C., Kamaraju, A. K., Gavrilova, O., Malek, R., Chen, W., Zerfas, P., Zhigang, D., Wright, E. C., Stuelten, C., Sun, P., Lonning, S., Skarulis, M., Sumner, A. E., Finkel, T., & Rane, S. G. (2011). Protection from Obesity and Diabetes by Blockade of TGF-β/Smad3 Signaling. *Cell Metabolism*, *14*(1), 67–79. https://doi.org/10.1016/j.cmet.2011.04.013

Yang, X., Xue, P., Liu, X., Xu, X., & Chen, Z. (2018). HMGB1/autophagy pathway mediates the atrophic effect of TGF-β1 in denervated skeletal muscle. *Cell Communication and Signaling*, *16*(1), 97. https://doi.org/10.1186/s12964-018-0310-6

Yu, Y., & Chai, J. (2015). The function of miRNAs and their potential as therapeutic targets in burn-induced insulin resistance (Review). *International Journal of Molecular Medicine*, *35*(2), 305–310. https://doi.org/10.3892/ijmm.2014.2023

UNIVERSITAS
GADJAH MADA
**POTENSI SINERGI FRAKSI ETIL ASETAT SAMBILOTO (Andrographis paniculata Burm.f. Nees) DAN JAHE
(Zingiber officinale Rosc.) DALAM MODULASI EKSPRESI GEN TGF?R1 SERTA TGF?R1 PADA MODEL RESISTENSI
INSULIN MENGGUNAKAN C2C12 CELL LINE**
Laura Sonya Viega De Ariesta Supusepa, Dr. apt. Soni Siswanto, M.Biomed; Prof. Dr.rer.nat. apt. Triana Hertiani, M.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, R., Zhu, X., Bai, H., & Ning, K. (2019). Network Pharmacology Databases for Traditional Chinese Medicine: Review and Assessment. *Frontiers in Pharmacology*, *10*, 123. https://doi.org/10.3389/fphar.2019.00123

Zhang, S., Kou, X., Zhao, H., Mak, K.-K., Balijepalli, M. K., & Pichika, M. R. (2022). Zingiber officinale var. rubrum: Red Ginger's Medicinal Uses. *Molecules*, *27*(3), 775. https://doi.org/10.3390/molecules27030775

Zhou, T., Li, H.-Y., Zhong, H., & Zhong, Z. (2018). Relationship between transforming growth factor-β1 and type 2 diabetic nephropathy risk in Chinese population. *BMC Medical Genetics*, *19*(1), 201. https://doi.org/10.1186/s12881-018-0717-3

Zick, S. M., Djuric, Z., Ruffin, M. T., Litzinger, A. J., Normolle, D. P., Alrawi, S., Feng, M. R., & Brenner, D. E. (2008). Pharmacokinetics of 6-Gingerol, 8-Gingerol, 10-Gingerol, and 6-Shogaol and Conjugate Metabolites in Healthy Human Subjects. *Cancer Epidemiology, Biomarkers & Prevention*, *17*(8), 1930–1936. https://doi.org/10.1158/1055-9965.EPI-07-2934

Zimmerman, J. M., Klein, A. J., Travis, K. B., & Vaughan, R. A. (2025). A Systematic Review of Palmitate-Mediated Insulin Resistance in C2C12 Myotubes. *Nutrients*, *17*. https://doi.org/https://doi.org/10.3390/nu17223619