UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ainiyah FN, Aji FDN, Irwanto A. 2026, April 30. Dari Surabaya ke Shizuoka, Saat Komodo Menjadi Duta Diplomasi Konservasi Dunia.

Allendorf FW, Funk WC, Aitken SN, Byrne M, Luikart G. 2022. Conservation and the Genomic of PopulationsThird. OxfordUniversityPress.

Alvita FD. 2026, January 28. Grand Final Cerdas Cermat Jagat Satwa Nusantara 2026 Resmi Mengumumkan Juaranya .

Arthofer W, Heussler C, Krapf P, Schlick-Steiner BC, Steiner FM. 2018. Identifying the minimum number of microsatellite loci needed to assess population genetic structure: A case study in fly culturing. Fly **12**:13–22. Taylor and Francis Inc.

Barbanera F, Marchi C, Guerrini M, Panayides P, Sokos C, Hadjigerou P. 2009. Genetic structure of mediterranean chukar (Alectoris chukar, Galliformes) populations: Conservation and management implications. Naturwissenschaften **96**:1203–1212.

Bashari H et al. 2022. Two decades of managing Maleo Macrocephalon maleo reproduction at Tambun, North Sulawesi, and its population estimates within the Bogani Nani Wartabone landscape. Jounal of Asian Ornithology:59–57. Available from https://www.researchgate.net/publication/369762040.

BirdLife International. 2021. Macrocephalon maleo. The IUCN Red List of ThreatenedSpecies 2021: e.T22678576A194673255. Available from https://dx.doi.org/10.2305/IUCN.UK.2021-.

BKSDA Bali. 2025, July 23. Repatriasi Perkici Dada-merah (Trichoglossus forsteni mitchelli) 40 Ekor dari Inggris: Komitmen Bersama untuk Konservasi Satwa Liar.

Blyton MDJ, Flanagan NS. (n.d.). A Comprehensive Guide to: GenAlEx, Genetic Analysis in Excel 6.5. Available from http://biology.anu.edu.au/GenAlEx/.

Bostwick K. 2016. Feathers and Plumages. Pages 101–147 in Lovette IJ, Fitzpatrick JW, editors. Cornell Lab of Ornithology's handbook of bird biologyThird. Cornell University & Wiley.

Botstein D, White RL, Skolnick M, Davis4 RW. 1980. Construction of a Genetic Linkage Map in Man Using Restriction Fragment Length Polymorphisms. Am JHum Genet **32**:314–331.

Boutin-Ganache I, Raposo M, Raymond M, Deschepper CF. 2001. M13-tailed primers improve the readability and usability of microsatellite analyses performed with two different allele-sizing methods. BioTechniques **31**:24–28. Eaton Publishing Company.

Budiarsa IM, Artama IWT, Sembiring L, Situmorang J. 2009a. Diversitas genetik burung Maleo (Macrocephalon maleo) berdasarkan intron satu gen rhodopsin

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

nukleus (RDP1). Pages 16–2009 Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA. Fakultas MIPA, Universitas Negeri Yogyakarta.

Budiarsa IM, Artama IWT, Sembiring L, Situmorang J. 2009b. Diversitas genetik burung Maleo (Macrocephalon maleo) berdasrkan sekuen gen dehydrogenase sub-unit 2 (ND2) mitokondria. Berkala Penelitian Hayati Edisi Khusus **3B**:11–15.

Bush KL, Vinsky MD, Aldridge CL, Paszkowski CA. 2005. A comparison of sample types varying in invasiveness for use in DNA sex determination in an endangered population of greater Sage-Grouse (Centrocercus uropihasianus). Conservation Genetics **6**:867–870.

Cerit H, Avanus K. 2007. Sex identification in avian species using DNA typing methods. World's Poultry Science Journal **63**:91–99.

Cope TM, Bertozzi T, Mulder RA, Donnellan SC. 2016. Isolation and characterisation of 12 polymorphic microsatellite loci for the threatened mound-building malleefowl, Leipoa ocellata (Aves:Megapodiidae). Australian Journal of Zoology **64**:33–35. CSIRO.

Coudrat CNZ, Chutipong W, Sukmak M, Sripiboon S, Klinsawat W. 2022. Taxonomic status of otter species in Nakai-Nam Theun National Park, Lao PDR, based on DNA evidence. Ecology and Evolution **12**. John Wiley and Sons Ltd.

Coulson TN, Pemberton JM, Albon SD, Beaumont M, Marshall TC, Slate J, Guinness FE, Clutton-Brock TH. 1998. Microsatellites reveal heterosis in red deer. Proceedings of the Royal Society London B: Biological Sciences **265**:489–495.

Dakin EE, Avise JC. 2004. Microsatellite null alleles in parentage analysis. Heredity **93**:504–509.

Dekker RWRJ, Fuller RA, Baker GC. 2000. Megapodes. Status Survey and Conservation Action Plan 2000-2004. IUCN & World Pheasant Association.

Eco Active Park. 2026. Edukasi Interaktif Penguin Humboldt, Pengalaman Feeding Seru di Eco Active Park.

Farell EM, Alexandre G. 2012. Bovine serum albumin further enhances the effects of organic solvents on increased yield of polymerase chain reaction of GC-rich templates. BMC Research Notes **5**.

Flores-Rentería L, Krohn A. 2013. Scoring Microsatellite Loci. Pages 319–336 in Kantartzi SK, editor. Microsatellites: Methods and Protocols. Humana Press.

Frankham R, Ballou JD, Briscoe DA. 2010. Introduction to Conservation GeneticsSecond. Cambridge University Press.

Freeland JR, Kirk H, Petersen S. 2011. Molecular ecologySecond. Wiley-Blackwell.

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fridolfsson A-K, Ellegren H. 1999. A Simple and Universal Method for Molecular Sexing of Non-Ratite Birds. Journal of Avian Biology **30**:116–121.

Froese GZL, Mustari AH. 2019. Assessments of Maleo Macrocephalon maleo nesting grounds in South-east Sulawesi reveal severely threatened populations. Bird Conservation International **29**:497–502. Cambridge University Press.

Galla SJ, Moraga R, Brown L, Cleland S, Hoeppner MP, Maloney RF, Richardson A, Slater L, Santure AW, Steeves TE. 2020. A comparison of pedigree, genetic and genomic estimates of relatedness for informing pairing decisions in two critically endangered birds: Implications for conservation breeding programmes worldwide. Evolutionary Applications **13**:991–1008. Wiley-Blackwell.

Gallardo-Alvárez MI, Lesher-Gordillo JM, Machkour-M'Rabet S, Zenteno-Ruiz CE, Olivera-Gómez LD, Barragán-Vázquez M del R, Ríos-Rodas L, Valdés-Marín A, Vázquez-López HG, Arriaga-Weiss SL. 2019. Genetic diversity and population structure of founders from wildlife conservation management units and wild populations of critically endangered Dermatemys mawii. Global Ecology and Conservation **19**. Elsevier B.V.

Gallardo-Alvarez MI, Lesher-Gordillo JM, Machkour-M'Rabet S, Zenteno-Ruíz CE, Olivera-Gómez LD, Recino-Reyes EB, Montejo-Méndez HB, Gómez-Carrasco G, Hernández-Marín A, Valdés-Marín A. 2023. Genetic Relationship Between Founders of a Threatened Freshwater Turtle in a Mexican Wildlife Management Unit. A Conservation Strategy. Tropical Conservation Science **16**. SAGE Publications Inc.

Gonçalves EC, Ferrari SF, Bastos HB, Wajntal A, Aleixo A, Schneider MPC. 2010. Comparative genetic diversity of wild and captive populations of the bare-faced curassow (Crax fasciolata) Based on cross-species microsatellite markers: Implications for conservation and management. Biochemical Genetics **48**:472–479.

Goodall-Copestake WP, Tarling GA, Murphy EJ. 2012. On the comparison of population-level estimates of haplotype and nucleotide diversity: A case study using the gene cox1 in animals. Heredity **109**:50–56.

Gorog AJ, Pamungkas B, Lee RJ. 2005. Nesting ground abandonment by the maleo (Macrocephalon maleo) in North Sulawesi: Identifying conservation priorities for Indonesia's endemic megapode. Biological Conservation **126**:548–555.

Griffiths R, Double MikeC, Orr K, Dawson RJG. 1998. A DNA test to sex most birds. Molecular Ecology:1071–1075.

Hammerly SC, de la Cerda DA, Bailey H, Johnson JA. 2016. A pedigree gone bad: increased offspring survival after using DNA-based relatedness to minimize inbreeding in a captive population. Animal Conservation **19**:296–303. Blackwell Publishing Ltd.

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Harvey MG, Bonter DN, Stenzler LM, Lovette IJ. 2006. A comparison of plucked feathers versus blood samples as DNA sources for molecular sexing. Journal of Field Ornithology **77**:136–140. Blackwell Publishing Inc.

Hogg CJ, Wright B, Morris KM, Lee A V., Ivy JA, Grueber CE, Belov K. 2019. Founder relationships and conservation management: empirical kinships reveal the effect on breeding programmes when founders are assumed to be unrelated. Animal Conservation **22**:348–361. Blackwell Publishing Ltd.

Holleley CE, Geerts PG. 2009. Multiplex Manager 1.0: A cross-platform computer program that plans and optimizes multiplex PCR. BioTechniques **46**:511–517.

Horváth MB, Martínez-Cruz B, Negro JJ, Kalmár L, Godoy JA. 2005. An overlooked DNA source for non-invasive genetic analysis in birds. Journal of Avian Biology **36**:84–88.

Hvilsom C, Segelbacher G, Ekblom R, Fischer MC, Laikre L, Leus K, O´brien D, Shaw R, Sork V. 2022. Selecting species and populations for monitoring of genetic diversity. IUCN, Gland, Switzerland. Available from https://twitter.com/IUCN/.

Indrawan M, Wahid N, Argeloo M, Mile-Doucet S, Tasirin J, Koh LP, Summers M, McGowan PJK. 2012. All politics is local: The case of Macrocephalon maleo conservation on Sulawesi, Indonesia. Biodiversity and Conservation **21**:3735–3744. Kluwer Academic Publishers.

Irwan, Iswanto B, Syawalia Ridzwan N, Suprapto R, Marnis H. 2015. Association ff Microsatellite Genetic Diversity with Growth Related Traits in The Base Population of African Catfish, Clarias Gariepinus, Breeding Program. Indonesian Aquaculture **10**.

Ishtiaq F, Prakash V, Green RE, Johnson J. 2015. Management implications of genetic studies for ex situ populations of three critically endangered Asian Gyps vultures. Animal Conservation **18**:259–270.

Isomursu M, Rätti O, Liukkonen T, Helle P. 2012. Susceptibility to intestinal parasites and juvenile survival are correlated with multilocus microsatellite heterozygosity in the Capercaillie (Tetrao urogallus). Ornis Fennica **89**:109–119.

Ito H, Sudo-Yamaji A, Abe M, Murase T, Tsubota T. 2003. Sex identification by alternative polymerase chain reaction methods in Falconiformes. Zoological Science **20**:339–344.

IUCN/SSC. 2014. IUCN Species Survival Commission Guidelines on the Use of Ex situ Management for Species ConservationVersion 2.0. IUCN Species Survival Commission, Gland, Switzerland. Available from www.iucn.org/about/work/programmes/species/publications/iucn_guidelines_and__policy__statements/.

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ivy JA, Lacy RC. 2012. A comparison of strategies for selecting breeding pairs to maximize genetic diversity retention in managed populations. Journal of Heredity **103**:186–196.

Jangtarwan K et al. 2019. Take one step backward to move forward: Assessment of genetic diversity and population structure of captive Asian woollynecked storks (Ciconia episcopus). PLoS ONE **14**. Public Library of Science.

Jones DN, Dekker RWRJ, Roselaar CS. 1995. The Megapodes. Oxford University Press.

Kalinowski ST, Taper ML, Marshall TC. 2007. Revising how the computer program CERVUS accommodates genotyping error increases success in paternity assignment. Molecular Ecology **16**:1099–1106.

Karim HA. 2024. Area Prioritas Konservasi burung Maleo Berdasarkan Kesesuaian Habitat, Struktur Populasi, dan Antropogenik di Sulawesi.

Kementerian Lingkungan Hidup dan Kehutanan. 2019. Peraturan Menteri Lingkungan Hidup dan Kehutanan Nomor P.22/Menlhk/Setjen/Kum.1/5/2019 Tentang Lembaga Konservasi.

Kementerian Lingkungan Hidup dan Kehutanan. 2022. Keputusan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor SK.76/MENLHK/SETJEN/KSA.2/1/2022 Tentang Strategi dan Rencana Aksi Konservasi Maleo Senkawor (Macrocephalon maleo) Tahun 2020-2030.

Kementerian Lingkungan Hidup dan Kehutanan. 2024. Peraturan Menteri Lingkungan Hidup dan Kehutanan Nomor 18 Tahun 2024 tentang Pemanfaatan Jenis Tumbuhan dan Satwa Liar dalam Bentuk Penangkaran, Pemeliharaan untuk Kesenangan, Perdagangan, dan Peragaan.

Kim KS, Sappington TW. 2013. Microsatellite Data Analysis for Population Genetics. Pages 271–295 in Kantartzi SK, editor. Microsatellites: Methods and Protocols. Humana Press.

Kinghorn B, Kinghorn A. 2023. Management of diversity and inbreeding when importing new stock into an inbred population. Journal of Heredity **114**:492–503. Oxford University Press.

Ko BJ, An J, Seomun H, Lee MY, Eo SH. 2018. Microsatellite DNA analysis reveals lower than expected genetic diversity in the threatened leopard cat (Prionailurus bengalensis) in South Korea. Genes and Genomics **40**:521–530. Genetics Society of Korea.

Korbie DJ, Mattick JS. 2008. Touchdown PCR for increased specificity and sensitivity in PCR amplification. Nature Protocols **3**:1452–1456.

Kusumo R. 2024, October 1. Dukung Konservasi Satwa, Jagat Satwa Nusantara Terima Satwa Hasil Penyerahan dan Penyitaan BKSDA dan Bea Cukai.

Lacy RC. 1995. Clarification of Genetic Terms and Their Use in the Management of Captive Populations. Zoo Biology:14565–578.

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lee JCI, Tsai LC, Hwa PY, Chan CL, Huang A, Chin SC, Wang LC, Lin JT, Linacre A, Hsieh HM. 2010. A novel strategy for avian species and gender identification using the CHD gene. Molecular and Cellular Probes **24**:27–31.

Lee M-Y, Hong Y-J, Park S-K, Kim Y-J, Choi T-Y, Lee H, Min M-S. 2008. Application of Two Complementary Molecular Sexing Methods for East Asian Bird Species. Gene & Genomics **30**:365–372.

Leeton P, Christidis L, Westerman M. 1993. Feathers from Museum Bird Skins: A Good Source of DNA for Phylogenetic Studies. The Condor **95**:465–466.

Lesobre L, Ostolani A, Abi Hussein H, Giunchi D, Aourir M, Teyar Y, Baratti M. 2024. Genetic Assessment of a Captive Population of Eurasian Stone-Curlew (Burhinus oedicnemus), Source for the Reinforcement of Wild Populations. Biology **13**:982. Available from https://www.mdpi.com/2079-7737/13/12/982.

Li CC, Weeks DE, Chakravarti A. 1993. Similarity of DNA Fingerprints Due to Chance and Relatedness. Human Heredity **43**:45–52.

Lowe A, Harris S, Ashton P. 2004. Ecological Genetics: Design, Analysis, and Application. Blackwell Publishing.

Lynch M. 1988. Estimation of Relatedness by DNA Fingerprinting. Mol.Biol. Evol **5**:584–599. Available from https://academic.oup.com/mbe/article/5/5/584/1078186.

Markoulatos P, Siafakas N, Moncany M. 2002. Multiplex polymerase chain reaction: A practical approach. Journal of Clinical Laboratory Analysis **16**:47–51.

Marsha D. 2026, May 8. Perkuat Genetik Satwa Endemik: Jagat Satwa Nusantara dan Lembang Park & Zoo Lakukan Pertukaran Komodo (Varanus komodoensis).

Martins FMS, Dawson DA, Horsburgh GJ, Timmons S, Jones DN. 2013. Microsatellite loci characterised in a megapode, the Australian brush-turkey Alectura lathami. Conservation Genetics Resources **5**:1179–1184. Kluwer Academic Publishers.

Maurer G, Beck N, Double MC. 2010. A “feather-trap” for collecting DNA samples from birds. Molecular Ecology Resources **10**:129–134.

Mukesh T, Rai ID, Mandhan RP, Sathyakumar S. 2011. A panel of polymorphic microsatellite markers in Himalayan monal Lophophorus impejanus developed by cross-species amplification and their applicability in other Galliformes. European Journal of Wildlife Research **57**:983–989.

NCBI U.S. Department of Health & Human Services. (n.d.). OSIRIS (Open Source, Independent Review and Interpretation System).

Norman AJ, Putnam AS, Ivy JA. 2019. Use of molecular data in zoo and aquarium collection management: Benefits, challenges, and best practices. Zoo Biology **38**:106–118. Wiley-Liss Inc.

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Oliveira-Jr PRR, Costa MC, Silveira LF, Francisco MR. 2016. Genetic guidelines for captive breeding and reintroductions of the endangered Black-fronted Piping Guan, Aburria jacutinga (galliformes, cracidae), an Atlantic Forest endemic. Zoo biology **35**:313–318. Wiley-Liss Inc.

O'Sullivan A, Rettenmund C, Oehler DA. 2016. Maleo Macrocephalon maleo : Husbandry and Conservation at The Wildlife Conservation Society. Available from https://www.researchgate.net/publication/342919372.

Peakall R, Smouse PE. 2006. GENALEX 6: Genetic analysis in Excel. Population genetic software for teaching and research. Molecular Ecology Notes **6**:288–295.

Peakall R, Smouse PE. 2012a. GenAlEx 6.5: Genetic analysis in Excel. Population genetic software for teaching and research-an update. Bioinformatics **28**:2537–2539.

Peakall R, Smouse PE. 2012b. GenAlEx 6.5: Genetic analysis in Excel. Population genetic software for teaching and research-an update. Bioinformatics **28**:2537–2539.

Pearce JM, Fields RL, Scribner KT. 1997. Nest materials as a source of genetic data for avian ecological studies. Source: Journal of Field Ornithology **68**:471–481.

Pemerintah Republik Indonesia. 1990. Undang-Undang Republik Indonesia Nomor 5 Tahun 1990 Tentang Konservasi Sumber Daya Alam Hayati dan Ekosistemnya.

Pemerintah Republik Indonesia. 1999. Peraturan Pemerintah Republik Indonesia Nomor 7 Tahun 1999 Tentang Pengawetan Jenis Tumbuhan dan Satwa.

Pemerintah Republik Indonesia. 2024. Undang-Undang Republik Indonesia Nomor 32 Tahun 2024 Tentang Perubahan Atas Undang-Undang Nomor 5 Tahun I990 Tentang Konservasi Sumber Daya Alam Hayati dan Ekosistemnya.

Perhimpunan Kebun Binatang Se Indonesia. 2021. Sejarah PKBSI.

Pruett CL, Winker K, Pruett CL, Winker K. 2008. The effects of sample size on population genetic diversity estimates in song sparrows Melospiza melodia. J. Avian Biol **39**:252–256.

Rabier R, Robert A, Lacroix F, Lesobre L. 2020. Genetic assessment of a conservation breeding program of the houbara bustard (Chlamydotis undulata undulata) in Morocco, based on pedigree and molecular analyses. Zoo Biology **39**:422–435. Wiley-Liss Inc.

Rahayu DA, Nugroho ED. 2015. Biologi Molekuler dalam Perspektif Konservasi.

Russello MA, Amato G. 2004. Ex situ population management in the absence of pedigree information. Molecular Ecology **13**:2829–2840.

Samad A, Purwantara B. 2023. Phylogeography of the Maleo Senkawor (Macrocephalon maleo Sal. Muller 1846) Based on Cytochrome B Gene in

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sulawesi And Their Sex Determination using Molecular Sexing ArticleDOI: 10.14334/jitv/v28i1. Available from https://www.researchgate.net/publication/375957275.

Samad A, Solihin DD, Sumantri C, Purwantara B. 2022. DNA barcoding of Macrocephalon maleo originating from Sulawesi, Indonesia. Biodiversitas **23**:4400–4408. Society for Indonesian Biodiversity.

Saputra AW, Yuda P. 2020. Low genetic diversity and no genetic differentiation between maleo hatched at coastal and inland nesting grounds in North Sulawesi, Indonesia. Biodiversitas **21**:4772–4777. Society for Indonesian Biodiversity.

Scott G. 2010. Essential Ornithology. Oxford University Press.

Segelbacher G. 2002. Noninvasive genetic analysis in birds: testing reliability of feather samples. Molecular Ecology Notes **2**:367–369. Available from https://onlinelibrary.wiley.com/doi/10.1046/j.1471-8286.2002.00180.x-i2.

Serrote CML, Reiniger LRS, Silva KB, Rabaiolli SM dos S, Stefanel CM. 2020. Determining the Polymorphism Information Content of a molecular marker. Gene **726**. Elsevier B.V.

Steffens DL, Sutter SL. 1993. An alternate Universal Forward Primer for Improved Automated DNA Sequencing of M13. BioTechniques **15**:580. Available from https://www.researchgate.net/publication/14948445.

Strausberger BM, Ashley M V. 2001. Eggs yield nuclear DNA from egg-laying female cowbirds, their embryos and offspring. Page Conservation Genetics.

Subrata SA. 2015. Genetic Diversity and Population Structure of Mandar Besar (Porphyrio porphyrio) Inhabiting Java Wetlands. Pages 119–123 KnE Life Sciences. Knowledge E DMCC.

Subrata SA, Storch I. 2012. A core set of microsatellite markers identified for use in population genetic studies of Purple Swamphen Porphyrio porphyrio. Animal Biodiversity and Conservation:23–26.

Sulandari S, Zein MSA. 2012. Application of Two Molecular Sexing Methods for Indonesian Bird Species: Implication for Captive Breeding Programs in Indonesia. HAYATI Journal of Biosciences **19**:183–190. Institut Pertanian Bogor.

Summers M et al. 2023. Degree of egg-taking by humans determines the fate of maleo (Macrocephalon maleo) nesting grounds across Sulawesi. Biodiversity and Conservation **32**:899–919. Springer Science and Business Media B.V.

Summers M et al. 2025. Massive declines and local recoveries: First range-wide assessment spotlights ending egg-taking as key to the survival of Macrocephalon maleo (Maleo) . Ornithological ApplicationsDOI: 10.1093/ornithapp/duaf022. Oxford University Press (OUP).

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Taberlet P, Bouvet J. 1991. A Single Plucked Feather as a Source of DNA for Bird Genetic Studies. The Auk **108**:31. Available from https://digitalcommons.usf.edu/auk/vol108/iss4/31.

Tasirin JS et al. 2021. Maleo Macrocephalon maleo population recovery at two Sulawesi nesting grounds after community engagement to prevent egg poaching. Global Ecology and Conservation **28**. Elsevier B.V.

Thakur M, Fernandes M, Han J, Sathyakumar S. 2013. Genetics driven interventions for ex situ conservation of red junglefowl (Gallus gallus murghi) populations in India. Zoo Biology **32**:476–483.

Trimbos KB, Broekman J, Kentie R, Musters CJM, de Snoo GR. 2009. Using eggshell membranes as a DNA source for population genetic research. Journal of Ornithology **150**:915–920.

Van Oosterhout C, Hutchinson WF, Wills DPM, Shipley P. 2004. MICRO-CHECKER: Software for identifying and correcting genotyping errors in microsatellite data. Molecular Ecology Notes **4**:535–538.

Vera F, Wajjwalku W, Yuda P, Daryono BS. 2021. Short Communication: A new primer set in CHD1 gene for bird sex identification. Biodiversitas **22**:4977–4982. Society for Indonesian Biodiversity.

Waits LP, Luikart G, Taberlet P. 2001. Estimating the probability of identity among genotypes in natural populations: Cautions and guidelines. Molecular Ecology **10**:249–256.

Wang J. 2002. An Estimator for Pairwise Relatedness Using Molecular Markers. Page Genetics.

Wang J. 2011. COANCESTRY: A program for simulating, estimating and analysing relatedness and inbreeding coefficients. Molecular Ecology Resources **11**:141–145.

Wang J. 2014. Marker-based estimates of relatedness and inbreeding coefficients: An assessment of current methods. Journal of Evolutionary Biology **27**:518–530.

Wang J. 2017. Estimating pairwise relatedness in a small sample of individuals. Heredity **119**:302–313. Nature Publishing Group.

Wenny DG, DeVault TL, Johnson MD, Kelly D, Sekercioglu CH, Tomback DF, Whelan CJ. 2011. The Need to Quantify Ecosystem Services Provided By Birds. Auk **128**:1–14. American Ornithological Society.

Wenny DG, Şekercioğlu ÇH, Cordeiro NJ, Rogers HS, Kelly D. 2016. Seed Dispersal by Fruit-Eating Birds. Pages 107–145 in Şekercioğlu ÇH, Wenny DG, Whelan CJ, editors. Why Birds Matter, Avian Ecological Function and Ecosystem Services.

UNIVERSITAS
GADJAH MADA
Konservasi Genetik Maleo Senkawor (Macrocephalon maleo) di Lembaga Konservasi
Andie Wijaya Saputra, Prof. Dr. rer. nat. Ir. Sena Adi Subrata., M.Sc., IPU; Prof. Ir. Ign. Pramana Yuda., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Whelan CJ, Wenny DG, Marquis RJ. 2008. Ecosystem services provided by birds. Annals of the New York Academy of Sciences **1134**:25–60. Blackwell Publishing Inc.

Witzenberger KA, Hochkirch A. 2011. Ex situ conservation genetics: A review of molecular studies on the genetic consequences of captive breeding programmes for endangered animal species. Biodiversity and Conservation **20**:1843–1861.

Wiwegweaw A, Kaminsin D, Chantangsi C, Warrit N, Khantasup N, Sanannu S, Changphet W. 2025. Genetic structure of the endangered milky stork (Mycteria cinerea) in Thailand with implications for captive breeding and reintroduction. Scientific Reports **15**. Nature Research.

Yuda P. 2008. Conservation Genetics of the Java sparrow (Padda oryzivora) and an analysis of its viability.

Yuda P, Saputra AW. 2020. Eggshell membrane for DNA sexing of the endangered Maleo (Macrocephalon maleo). F1000Research **9**:599. F1000 Research Ltd.

Yuda P, Saputra AW, Kinanthi RA. 2020. Genetika Populasi Maleo Senkawor (Macrocephalon maleo S. Müller, 1846) di Lanskap Taman Nasional Bogani Nani Wartabone Berdasarkan Mitochondrial DNA (mtDNA) Control Region dan Mikrosatelit.

Yuda P, Wajjwalku W. 2022. Using Feathers for Molecular Sexing of Straw-headed Bulbul (Pycnonotus zeylanicus) Offsprings. Journal of Tropical Biodiversity and Biotechnology **7**. Universitas Gadjah Mada, Faculty of Biology.