

BAB VI. DAFTAR PUSTAKA

- Abram, N. K., Meijaard, E., Wells, J. A., Ancrenaz, M., Pellier, A., Runting, R. K., Gaveau, D., Wich, S., Nardiyono, Tjiu, A., Nurcahyo, A., & Mengersen, K. (2015). Mapping perceptions of species' threats and population trends to inform conservation efforts: The Bornean orangutan case study. *Diversity and Distributions*, 21(5), 487–499. <https://doi.org/10.1111/ddi.12286>
- Adzan, G., Djohan, T. S., & Imron, M. A. (2024). Future Risk and Its Impact on Orangutan Habitat in Katingan-Kahayan Corridor, Central Kalimantan. *International Journal of Conservation Science*, 15(1), 1009–1020. <https://doi.org/10.36868/ijcs.2024.02.17>
- Ancrenaz, M., Goossens, B., Gimenez, O., Sawang, A., & Lackman-Ancrenaz, I. (2004). Determination of ape distribution and population size using ground and aerial surveys: A case study with orang-utans in lower Kinabatangan, Sabah, Malaysia. *Animal Conservation*, 7(4), 375–385. <https://doi.org/10.1017/s136794300400157x>
- Ancrenaz, M., Oram, F., Ambu, L., Lackman, I., Ahmad, E., Elahan, H., Kler, H., Abram, N. K., & Meijaard, E. (2015). Of *Pongo*, palms and perceptions: A multidisciplinary assessment of Bornean orang-utans *Pongo pygmaeus* in an oil palm context. *Oryx*, 49(3), 465–472. <https://doi.org/10.1017/S0030605313001270>
- Ancrenaz, M., Oram, F., Nardiyono, N., Silmi, M., Jopony, M. E. M., Voigt, M., Seaman, D. J. I., Sherman, J., Lackman, I., Traeholt, C., Wich, S. A., Santika, T., Struebig, M. J., & Meijaard, E. (2021). Importance of Small Forest Fragments in Agricultural Landscapes for Maintaining Orangutan Metapopulations. *Frontiers in Forests and Global Change*, 4, 560944. <https://doi.org/10.3389/ffgc.2021.560944>
- Ashbury, A. M., Posa, M. R. C., Dunkel, L. P., Spillmann, B., Atmoko, S. S. U., Van Schaik, C. P., & Van Noordwijk, M. A. (2015). Why do orangutans leave the trees? Terrestrial behavior among wild Bornean orangutans (*Pongo pygmaeus wurmbii*) at Tuanan, Central Kalimantan. *American Journal of Primatology*, 77(11), 1216–1229. <https://doi.org/10.1002/ajp.22460>
- Bailey, R. G. (2004). Identifying Ecoregion Boundaries. *Environmental Management*, 34(S1), S14–S26. <https://doi.org/10.1007/s00267-003-0163-6>
- Baldwin, R. A. (2009). Use of Maximum Entropy Modeling in Wildlife Research. *Entropy*, 11(4), 854–866. <https://doi.org/10.3390/e11040854>
- Barnes, T. G. (n.d.). *For-76: Landscape Ecology and Ecosystems Management*. University of Kentucky Cooperative Extension Service

- Beier, P. (2019). A rule of thumb for widths of conservation corridors. *Conservation Biology*, 33(4), 976–978. <https://doi.org/10.1111/cobi.13256>
- Bennett, A. F., & Saunders, D. A. (2010). Habitat fragmentation and landscape change. In N. S. Sodhi & P. R. Ehrlich (Eds.), *Conservation Biology for All* (pp. 88–106). Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780199554232.003.0006>
- Boisvenue, C., & Running, S. W. (2006). Impacts of climate change on natural forest productivity – evidence since the middle of the 20th century. *Global Change Biology*, 12(5), 862–882. <https://doi.org/10.1111/j.1365-2486.2006.01134.x>
- Brown, J. L. (2014). SDM toolbox: A python-based GIS toolkit for landscape genetic, biogeographic and species distribution model analyses. *Methods in Ecology and Evolution*, 5(7), 694–700. <https://doi.org/10.1111/2041-210X.12200>
- Bruford, M., Ancrenaz, M., Chikhi, L., Lackmann-Ancrenaz, I., Andau, M., Ambu, L., & Goossens, B. (2010). Projecting genetic diversity and population viability for the fragmented orang-utan population in the Kinabatangan floodplain, Sabah, Malaysia. *Endangered Species Research*, 12(3), 249–261. <https://doi.org/10.3354/esr00295>
- Buckley, B. J. W., Dench, R. J., Morrogh-Bernard, H. C., Bustani, U., & Chivers, D. J. (2015). Meat-eating by a wild Bornean orang-utan (*Pongo pygmaeus*). *Primates*, 56(4), 293–299. <https://doi.org/10.1007/s10329-015-0487-x>
- Caldecott, J., & Miles, L. (2005). *World Atlas of Great Apes and their Conservation*. Prepared at the UNEP World Conservation Monitoring Centre. University of California Press, Berkeley, USA.
- Cannon, C. H., Curran, L. M., Marshall, A. J., & Leighton, M. (2007). Long-term reproductive behaviour of woody plants across seven Bornean forest types in the Gunung Palung National Park (Indonesia): Suprannual synchrony, temporal productivity and fruiting diversity. *Ecology Letters*, 10(10), 956–969. <https://doi.org/10.1111/j.1461-0248.2007.01089.x>
- Chen, B., & Iannone Iii, B. V. (2020). FRAGSTATS: A Free Tool for Quantifying and Evaluating Spatial Patterns. *EDIS*, 2020(6), 9. <https://doi.org/10.32473/edis-fr431-2020>
- Coulon, A., Aben, J., Palmer, S. C. F., Stevens, V. M., Callens, T., Strubbe, D., Lens, L., Matthysen, E., Baguette, M., & Travis, J. M. J. (2015). A stochastic movement simulator improves estimates of landscape connectivity. *Ecology*, 96(8), 2203–2213. <https://doi.org/10.1890/14-1690.1>
- Cowlshaw, G & Dunbar, R. 2000. Primate conservation biology. University of Chicago Press: Chicago. 498 pp. ISBN 0-226-11637-9 (soft cover). *Animal Conservation*. 2001;4(3):283-284. doi:10.1017/S1367943001221337

- Crooks, K. R & Sanjayan, M. (2006). Connectivity conservation: maintaining connections for nature. In: Kevin, R. C & Sanjayan, M. (Eds.), *Connectivity Conservation*. Cambridge University Press. Cambridge.
- Cunze, S., & Tackenberg, O. (2015). Decomposition of the maximum entropy niche function – A step beyond modelling species distribution. *Environmental Modelling & Software*, 72, 250–260. <https://doi.org/10.1016/j.envsoft.2015.05.004>
- Curran, L. M., Trigg, S. N., McDonald, A. K., Astiani, D., Hardiono, Y. M., Siregar, P., Caniago, I., & Kasischke, E. (2004). Lowland Forest Loss in Protected Areas of Indonesian Borneo. *Science*, 303(5660), 1000–1003. <https://doi.org/10.1126/science.1091714>
- Davies, A. B., Ancrenaz, M., Oram, F., & Asner, G. P. (2017). Canopy structure drives orangutan habitat selection in disturbed Bornean forests. *Proceedings of the National Academy of Sciences*, 114(31), 8307–8312. <https://doi.org/10.1073/pnas.1706780114>
- Delgado, R. A., & Schaik, C. P. V. (n.d.). *The Behavioral Ecology and Conservation of the Orangutan (Pongo pygmaeus): A Tale of Two Islands*.
- Dormann, C. F., Elith, J., Bacher, S., Buchmann, C., Carl, G., Carré, G., Marquéz, J. R. G., Gruber, B., Lafourcade, B., Leitão, P. J., Münkemüller, T., McClean, C., Osborne, P. E., Reineking, B., Schröder, B., Skidmore, A. K., Zurell, D., & Lautenbach, S. (2013). Collinearity: A review of methods to deal with it and a simulation study evaluating their performance. *Ecography*, 36(1), 27–46. <https://doi.org/10.1111/j.1600-0587.2012.07348.x>
- Dunning, J. B., Danielson, B. J., & Pulliam, H. R. (1992). Ecological Processes That Affect Populations in Complex Landscapes. *Oikos*, 65(1), 169. <https://doi.org/10.2307/3544901>
- Etherington, T. R. (2016). Least-Cost Modelling and Landscape Ecology: Concepts, Applications, and Opportunities. *Current Landscape Ecology Reports*, 1(1), 40–53. <https://doi.org/10.1007/s40823-016-0006-9>
- Fahrig, L & Nettle, W. K. (2005). Population ecology in spatially heterogeneous environment. In : Gary, M. L., Clive, G. J., Monica, G. T., and Kathleen, C. W. (Eds.), *Ecosystems Function in Heterogenous Landscapes*. Springer.
- Flather, C. H., & Bevers, M. (n.d.). *Patchy Reaction-Diffusion and Population Abundance: The Relative Importance of Habitat Amount and Arrangement*.
- Forman, R. T. T. (1983). An Ecology of the Landscape. *BioScience*, 33(9), 535–535. <https://doi.org/10.1093/bioscience/33.9.535>
- Fourcade, Y., Engler, J. O., Rödder, D., & Secondi, J. (2014). Mapping Species Distributions with MAXENT Using a Geographically Biased Sample of Presence Data: A Performance Assessment of Methods for Correcting

Sampling Bias. *PLoS ONE*, 9(5), e97122.
<https://doi.org/10.1371/journal.pone.0097122>

Fragstats. *The Spatial Pattern Analysis Program for Categorical Maps*.
<https://www.fragstats.org/index.php>. Accessed 10 September 2025.

Franklin, J. (2010). *Mapping Species Distributions: Spatial Inference and Prediction* (1st ed.). Cambridge University Press.
<https://doi.org/10.1017/CBO9780511810602>

Gaveau, D. L. A., Kshatriya, M., Sheil, D., Sloan, S., Molidena, E., Wijaya, A., Wich, S., Ancrenaz, M., Hansen, M., Broich, M., Guariguata, M. R., Pacheco, P., Potapov, P., Turubanova, S., & Meijaard, E. (2013). Reconciling Forest Conservation and Logging in Indonesian Borneo. *PLoS ONE*, 8(8), e69887. <https://doi.org/10.1371/journal.pone.0069887>

Gilbert-Norton, L., Wilson, R., Stevens, J. R., & Beard, K. H. (2010). A Meta-Analytic Review of Corridor Effectiveness. *Conservation Biology*, 24(3), 660–668. <https://doi.org/10.1111/j.1523-1739.2010.01450.x>

Godron, M. (1981). *Patches and Structural Components for a Landscape Ecology*. *BioScience*, 31(10), 733–740. <https://doi.org/10.2307/1308780>

Goossens, B., Chikhi, L., Jalil, M. F., Ancrenaz, M., Lackman-Ancrenaz, I., Mohamed, M., Andau, P., & Bruford, M. W. (2005). Patterns of genetic diversity and migration in increasingly fragmented and declining orang-utan (*Pongo pygmaeus*) populations from Sabah, Malaysia. *Molecular Ecology*, 14(2), 441–456. <https://doi.org/10.1111/j.1365-294X.2004.02421.x>

Gouveia, S. F., Villalobos, F., Dobrovolski, R., Beltrão-Mendes, R., & Ferrari, S. F. (2014). Forest structure drives global diversity of primates. *Journal of Animal Ecology*, 83(6), 1523–1530. <https://doi.org/10.1111/1365-2656.12241>

Gregory, S. D., Brook, B. W., Goossens, B., Ancrenaz, M., Alfred, R., Ambu, L. N., & Fordham, D. A. (2012). Long-Term Field Data and Climate-Habitat Models Show That Orangutan Persistence Depends on Effective Forest Management and Greenhouse Gas Mitigation. *PLoS ONE*, 7(9), e43846. <https://doi.org/10.1371/journal.pone.0043846>

Guisan, A., & Thuiller, W. (2005). Predicting species distribution: Offering more than simple habitat models. *Ecology Letters*, 8(9), 993–1009. <https://doi.org/10.1111/j.1461-0248.2005.00792.x>

Haddad, N. M., Brudvig, L. A., Clobert, J., Davies, K. F., Gonzalez, A., Holt, R. D., Lovejoy, T. E., Sexton, J. O., Austin, M. P., Collins, C. D., Cook, W. M., Damschen, E. I., Ewers, R. M., Foster, B. L., Jenkins, C. N., King, A. J., Laurance, W. F., Levey, D. J., Margules, C. R., ... Townshend, J. R. (2015). Habitat fragmentation and its lasting impact on Earth's ecosystems. *Science Advances*, 1(2), e1500052. <https://doi.org/10.1126/sciadv.1500052>

- Hadi, A. N., Siregar, J. P., Anugrah, N., Kuswanda, W., Boang Manalu, J. H., Nasution, N., Fauzan, R., Wardani, N. K., Subhan, Barata, U. W., Rahman, D. A., Ishadamy, M. Y., Sitorus, S. F., Andayani, N., Supriatna, J., Wich, S., Kühl, H. S., & Buckley, B. J. W. (2026). Population status of Sumatran and Tapanuli orangutans: A comprehensive assessment 2021–2023. *Global Ecology and Conservation*, 69, e04302. <https://doi.org/10.1016/j.gecco.2026.e04302>
- Haryono, M., Pramono, H., Kristanto, A., Hamidy A., Achmadi, A.S., Sayogo, A. P., Maryanto, A. E., Mertamenggala, A. I. S., Primadian, B. R., Rahmadi, C., Saleh, C., Istanto, D., Pradana, D. H., Adhiasto, D. N., Sumidjo, E. A., Arida, E., Novari, F., Hasudungan, F., Machmudah, F., Turnip, H., Rejeki, I. S., Hermawati, I., Karubun, J. P., Jihad., Giri, M. S., Kusrini, M., Irham, M., Handayani, N. W., Nuruliawati., Zalnika, R. R., Avriandi, R., Ekariyono, W., & Mulyani, Y. A. (2019). Panduan Identifikasi Jenis Satwa Liar Dilindungi "Mamalia". Kementerian Lingkungan Hidup dan Kehutanan.
- Herrera, L. P., Sabatino, M. C., Jaimes, F. R., & Saura, S. (2017). Landscape connectivity and the role of small habitat *patches* as stepping stones: An assessment of the grassland biome in South America. *Biodiversity and Conservation*, 26(14), 3465–3479. <https://doi.org/10.1007/s10531-017-1416-7>
- Holyoak, M. (2008). *Connectance and Connectivity*. Ecological Indicators.
- Holyoak, M. (2019). Ecological Indicators: Connectance and Connectivity. In *Encyclopedia of Ecology* (pp. 567–574). Elsevier. <https://doi.org/10.1016/B978-0-12-409548-9.11128-5>
- Husson, S. J., Wich, S. A., Marshall, A. J., Dennis, R. D., Ancrenaz, M., Brassey, R., Gumal, M., Hearn, A. J., Meijard, E., Simorangkir, T., & Singleton, I. (2009). Orangutan distribution, density, abundance and impacts of disturbance. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Indeks CITES Orangutan. Checklist of CITES (the Convention on International Trade in Endangered Species of Wild Fauna and Flora) Species. <https://checklist.cites.org/>. Accessed 2 Juni 2025
- IUCN. (2016). *Pongo pygmaeus: Ancrenaz, M., Gumal, M., Marshall, A.J., Meijaard, E., Wich, S.A. & Husson, S.: The IUCN Red List of Threatened Species 2016: e.T17975A123809220* [Dataset]. <https://doi.org/10.2305/IUCN.UK.2016-1.RLTS.T17975A17966347.en>
- Johnson, A. E., Knott, C. D., Pamungkas, B., Pasaribu, M., & Marshall, A. J. (2005). A survey of the orangutan (*Pongo pygmaeus wurmbii*) population in and around Gunung Palung National Park, West Kalimantan, Indonesia based on nest counts. *Biological Conservation*, 121(4), 495–507. <https://doi.org/10.1016/j.biocon.2004.06.002>

- Johnson, D. H. (1980). The Comparison of Usage and Availability Measurements for Evaluating Resource Preference. *Ecology*, 61(1), 65–71. <https://doi.org/10.2307/1937156>
- Kaky, E., Nolan, V., Alatawi, A., & Gilbert, F. (2020). A comparison between Ensemble and MaxEnt species distribution modelling approaches for conservation: A case study with Egyptian medicinal plants. *Ecological Informatics*, 60, 101150. <https://doi.org/10.1016/j.ecoinf.2020.101150>
- Khoroshev, A. V., & Dyakonov, K. N. (Eds.). (2020). *Landscape Patterns in a Range of Spatio-Temporal Scales* (Vol. 26). Springer International Publishing. <https://doi.org/10.1007/978-3-030-31185-8>
- Klijn, F., & De Haes, H. A. U. (1994). A hierarchical approach to ecosystems and its implications for ecological land classification. *Landscape Ecology*, 9(2), 89–104. <https://doi.org/10.1007/BF00124376>
- Knott, C. D., Thompson, M. E., & Wich, S. A. (2009). The ecology of female reproduction in wild orangutans. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Kotliar, N. B., & Wiens, J. A. (1990). Multiple Scales of Patchiness and Patch Structure: A Hierarchical Framework for the Study of Heterogeneity. *Oikos*, 59(2), 253. <https://doi.org/10.2307/3545542>
- LaRue, M. A., & Nielsen, C. K. (2008). Modelling potential dispersal corridors for cougars in midwestern North America using least-cost path methods. *Ecological Modelling*, 212(3–4), 372–381. <https://doi.org/10.1016/j.ecolmodel.2007.10.036>
- MacKinnon, J. (1971). The Orang-utan in Sabah Today. *Oryx*, 11(2–3), 141–191. <https://doi.org/10.1017/S003060530000973X>
- Manduell, K. L., Harrison, M. E., & Thorpe, S. K. S. (2012). Forest Structure and Support Availability Influence Orangutan Locomotion in Sumatra and Borneo. *American Journal of Primatology*, 74(12), 1128–1142. <https://doi.org/10.1002/ajp.22072>
- Manel, S., Williams, H. C., & Ormerod, S. J. (2001). Evaluating presence–absence models in ecology: The need to account for prevalence. *Journal of Applied Ecology*, 38(5), 921–931. <https://doi.org/10.1046/j.1365-2664.2001.00647.x>
- Marshall, A. J., Lacy, R., Ancrenaz, M., Byers, O., Husson, S. J., Leighton, M., Meijard, E., Rosen N., Singleton I., Stephens, S., Taylor-Holzer, K., Utami-Atmoko, S. S., van Schaik, C. P & Wich, S. A. (2009). Orangutan population biology, life history and conservation. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford

- McGarigal, K. (2014). *Landscape Pattern Metrics*. <https://doi.org/10.1002/9781118445112.stat07723>
- McGarigal, K., & Marks, B. J. (1995). *FRAGSTATS: Spatial pattern analysis program for quantifying landscape structure*. (PNW-GTR-351; p. PNW-GTR-351). U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. <https://doi.org/10.2737/PNW-GTR-351>
- McGarigal, K., & McComb, W. C. (1995). Relationships Between Landscape Structure and Breeding Birds in the Oregon Coast Range. *Ecological Monographs*, 65(3), 235–260. <https://doi.org/10.2307/2937059>
- McGarigal, K., Tagil, S., & Cushman, S. A. (2009). Surface metrics: An alternative to *patch* metrics for the quantification of landscape structure. *Landscape Ecology*, 24(3), 433–450. <https://doi.org/10.1007/s10980-009-9327-y>
- Meijaard, E., Albar, G., Nardiyono, Rayadin, Y., Ancrenaz, M., & Spehar, S. (2010). Unexpected Ecological Resilience in Bornean Orangutans and Implications for Pulp and Paper Plantation Management. *PLoS ONE*, 5(9), e12813. <https://doi.org/10.1371/journal.pone.0012813>
- Meijaard, E., Wich, S., Ancrenaz, M., & Marshall, A. J. (2012). Not by science alone: Why orangutan conservationists must think outside the box. *Annals of the New York Academy of Sciences*, 1249(1), 29–44. <https://doi.org/10.1111/j.1749-6632.2011.06288.x>
- Merow, C., Smith, M. J., & Silander, J. A. (2013). A practical guide to MaxEnt for modeling species' distributions: What it does, and why inputs and settings matter. *Ecography*, 36(10), 1058–1069. <https://doi.org/10.1111/j.1600-0587.2013.07872.x>
- Morrison, M., Marcot, B. G., & Mannan, R. W. (2006). *Wildlife-Habitat Relationships—Concepts and Applications. Third Edition*. Island Press.
- Morrogh-Bernard, H. C., Husson, S. J., Knott, C. D., Wich, S. A., van Schaik, C. P., van Noordwijk, M. A., Lackman-Ancrenaz, I., Marshall, A. J., Kanamori, T., Kuze, N., & bin Sakong, R. (2009). Orangutan activity budget and diet. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Muhammed, A., & Elias, E. (2021). Class and landscape level habitat fragmentation analysis in the Bale mountains national park, southeastern Ethiopia. *Heliyon*, 7(7), e07642. <https://doi.org/10.1016/j.heliyon.2021.e07642>
- Naimi, B., & Araújo, M. B. (2016). *sdm: A reproducible and extensible R platform for species distribution modelling*. <https://doi.org/10.1111/ecog.01881>
- Nater, A., Mattle-Greminger, M. P., Nurcahyo, A., Nowak, M. G., De Manuel, M., Desai, T., Groves, C., Pybus, M., Sonay, T. B., Roos, C., Lameira, A. R., Wich, S. A., Askew, J., Davila-Ross, M., Fredriksson, G., De Valles, G., Casals, F., Prado-Martinez, J., Goossens, B., ... Krützen, M. (2017).

- Morphometric, Behavioral, and Genomic Evidence for a New Orangutan Species. *Current Biology*, 27(22), 3487-3498.e10. <https://doi.org/10.1016/j.cub.2017.09.047>
- Oram, F., Kapar, M. D., Saharon, A. R., Elahan, H., Segaran, P., Poloi, S., Saidal, H., Abulani, A., Lackman, I., & Ancrenaz, M. (2022). “Engaging the Enemy”: Orangutan (*Pongo pygmaeus morio*) Conservation in Human Modified Environments in the Kinabatangan floodplain of Sabah, Malaysian Borneo. *International Journal of Primatology*, 43(6), 1067–1094. <https://doi.org/10.1007/s10764-022-00288-w>
- Pecchi, M., Marchi, M., Burton, V., Giannetti, F., Moriondo, M., Bernetti, I., Bindi, M., & Chirici, G. (2019). Species distribution modelling to support forest management. A literature review. *Ecological Modelling*, 411, 108817. <https://doi.org/10.1016/j.ecolmodel.2019.108817>
- Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor P. 106/MENLHK/SETJEN/KUM.1/12/2018 tentang Perubahan kedua atas Peraturan Menteri Lingkungan Hidup dan Kehutanan Nomor P.20/MENLHK/SETJEN/KUM.1/6/2018 tentang Jenis Tumbuhan dan Satwa yang Dilindungi.
- Phillips, S. J., Anderson, R. P., & Schapire, R. E. (2006). Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, 190(3–4), 231–259. <https://doi.org/10.1016/j.ecolmodel.2005.03.026>
- Phillips, S. J., & Dudík, M. (2008). Modeling of species distributions with Maxent: New extensions and a comprehensive evaluation. *Ecography*, 31(2), 161–175. <https://doi.org/10.1111/j.0906-7590.2008.5203.x>
- Phillips, S. J., Dudík, M., & Schapire, R. E. (2004). A maximum entropy approach to species distribution modeling. *Twenty-First International Conference on Machine Learning - ICML '04*, 83. <https://doi.org/10.1145/1015330.1015412>
- Poor, E. E., Jati, V. I. M., Imron, M. A., & Kelly, M. J. (2019). The road to deforestation: Edge effects in an endemic ecosystem in Sumatra, Indonesia. *PLOS ONE*, 14(7), e0217540. <https://doi.org/10.1371/journal.pone.0217540>
- Prasetyo, D., Ancrenaz, M., Morrogh-Bernard, H. C., Utami-Atmoko, S. S., Wich, S. A., & van Schaik, C. P. (2009). Nest building in orangutans. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Prayogo, H., Thohari, A. M., Duryadi, D., Prasetyo, L. B., & Sugardjito, J. (2014). Habitat Suitability Modeling of Bornean Orangutan (*Pongo pygmaeus pygmaeus*) in Betung Kerihun National Park, Danau Sentarum and Corridor, West Kalimantan. *Jurnal Manajemen Hutan Tropika (Journal of Tropical Forest Management)*, 20(2), 112–120. <https://doi.org/10.7226/jtfm.20.2.112>

- Reed, D. H. (2004). Extinction risk in fragmented habitats. *Animal Conservation*, 7(2), 181–191. <https://doi.org/10.1017/S1367943004001313>
- Rijksen. (1999a). *Our Vanishing Relative: The Status of Wild Orang-Utans at the Close of the Twentieth Century*. Springer Netherlands.
- Rijksen, M. (1999b). *Our Vanishing Relative: The Status of Wild Orang-Utans at the Close of the Twentieth Century*. Springer Netherlands.
- Roos, C., Boonratana, R., Supriatna, J., Fellowes, J. R., Groves, C. P., Nash, S. D., Rylands, A. B., & Mittermeier, R. A. (2014). *AN UPDATED TAXONOMY AND CONSERVATION STATUS REVIEW OF ASIAN PRIMATES*.
- Rushton, S. P., Ormerod, S. J., & Kerby, G. (2004). New paradigms for modelling species distributions? *Journal of Applied Ecology*, 41(2), 193–200. <https://doi.org/10.1111/j.0021-8901.2004.00903.x>
- Russon, A. E., Wich, S. A., Ancrenaz, M., Kanamori, T., Knott, C. D., Kuze, N., Morrogh-Bernard, H. C., Pratje P., Ramlee, H., Rodman, P., Sawang, A., Sidiyasa, K., Singletopn, I., & van Schaik, C. P. (2009). Geographic variation in orangutan diets. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Santika, T., Ancrenaz, M., Wilson, K. A., Spehar, S., Abram, N., Banes, G. L., Campbell-Smith, G., Curran, L., d’Arcy, L., Delgado, R. A., Erman, A., Goossens, B., Hartanto, H., Houghton, M., Husson, S. J., Kühl, H. S., Lackman, I., Leiman, A., Llano Sanchez, K., ... Meijaard, E. (2017). First integrative trend analysis for a great ape species in Borneo. *Scientific Reports*, 7(1), 4839. <https://doi.org/10.1038/s41598-017-04435-9>
- Saura, S., Bodin, Ö., & Fortin, M. (2014). EDITOR’S CHOICE: Stepping stones are crucial for species’ long-distance dispersal and range expansion through habitat networks. *Journal of Applied Ecology*, 51(1), 171–182. <https://doi.org/10.1111/1365-2664.12179>
- Saura, S., Estreguil, C., Mouton, C., & Rodríguez-Freire, M. (2011). Network analysis to assess landscape connectivity trends: Application to European forests (1990–2000). *Ecological Indicators*, 11(2), 407–416. <https://doi.org/10.1016/j.ecolind.2010.06.011>
- Seaman, D. J. I., Voigt, M., Ancrenaz, M., Bocedi, G., Meijaard, E., Oram, F., Palmer, S. C. F., Santika, T., Sherman, J., Travis, J. M. J., Wich, S., Humle, T., Supriatna, J., & Struebig, M. J. (2025). Capacity for recovery in Bornean orangutan populations when limiting offtake and retaining forest. *Diversity and Distributions*, 31(3), e13852. <https://doi.org/10.1111/ddi.13852>
- Seaman, D. J. I., Voigt, M., Bocedi, G., Travis, J. M. J., Palmer, S. C. F., Ancrenaz, M., Wich, S., Meijaard, E., Bernard, H., Deere, N. J., Humle, T., & Struebig, M. J. (2021). Orangutan movement and population dynamics across human-modified landscapes: Implications of policy and management. *Landscape Ecology*, 36(10), 2957–2975. <https://doi.org/10.1007/s10980-021-01286-8>

- Setia, T. S., Delgado, R. A., Utami-Atmoko, S. S., Singleton, I., & van Schaik, C. P. (2009). Social organization and male-female relationships. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Shaw, D. J. B., & Oldfield, J. D. (2007). Landscape Science: A Russian Geographical Tradition. *Annals of the Association of American Geographers*, 97(1), 111–126. <https://doi.org/10.1111/j.1467-8306.2007.00526.x>
- Sherman, J., Ancrenaz, M., & Meijaard, E. (2020). Shifting apes: Conservation and welfare outcomes of Bornean orangutan rescue and release in Kalimantan, Indonesia. *Journal for Nature Conservation*, 55, 125807. <https://doi.org/10.1016/j.jnc.2020.125807>
- Sherman, J., Ancrenaz, M., Voigt, M., Oram, F., Santika, T., Wich, S., & Meijaard, E. (2020). Envisioning a future for Bornean orangutans: Conservation impacts of action plan implementation and recommendations for improved population outcomes. *Biodiversitas Journal of Biological Diversity*, 21(2). <https://doi.org/10.13057/biodiv/d210206>
- Sherman, J., Voigt, M., Ancrenaz, M., Wich, S. A., Qomariah, I. N., Lyman, E., Massingham, E., & Meijaard, E. (2022). Orangutan killing and trade in Indonesia: Wildlife crime, enforcement, and deterrence patterns. *Biological Conservation*, 276, 109744. <https://doi.org/10.1016/j.biocon.2022.109744>
- Singleton, I., Knott, C. D., Morrogh-Bernard, H. C., Wich, S. A., & van Schaik, C. P. (2009). Ranging behavior of orangutan female and social organization. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford
- Siregar, P. G., Supriatna, J., Koestoer, R. H., & Harmantyo, D. (2017). *Assessment and mapping of tradeoffs land uses in the Orangutan habitat: A case Pongo pygmaeus pygmaeus habitat of West Kalimantan*. 030106. <https://doi.org/10.1063/1.4991210>
- Spehar, S. N., & Rayadin, Y. (2017). Habitat use of Bornean Orangutans (*Pongo pygmaeus morio*) in an Industrial Forestry Plantation in East Kalimantan, Indonesia. *International Journal of Primatology*, 38(2), 358–384. <https://doi.org/10.1007/s10764-017-9959-8>
- Struebig, M. J., Fischer, M., Gaveau, D. L. A., Meijaard, E., Wich, S. A., Gonner, C., Sykes, R., Wilting, A., & Kramer-Schadt, S. (2015). Anticipated climate and land-cover changes reveal refuge areas for Borneo's orang-utans. *Global Change Biology*, 21(8), 2891–2904. <https://doi.org/10.1111/gcb.12814>
- Susmianto, A., Priadjati, A., Liswanto, D., Kitchener, D., Singleton, I., Supriyatna, J., Sugarjito, J., Pamungkas, J., Pratje, P., Wich, S., & Iskandar, S. (2007).

DIREKTORAT JENDERAL PERLINDUNGAN HUTAN DAN KONSERVASI ALAM DEPARTEMEN KEHUTANAN 2007.

Turner, M. G. (1989). *Landscape Ecology: The Effect of Pattern on Process*.
<https://doi.org/10.1146/annurev.es.20.110189.001131>

Turner, M. G., Gardner, R. H., O'Neill, R. V., & Turner, M. G. (2003). *Landscape ecology in theory and practice: Pattern and process* (Corrected print.). Springer.

Urban, D. L., O'Neill, R. V., & Shugart, H. H. (1987). Landscape Ecology. *BioScience*, 37(2), 119–127. <https://doi.org/10.2307/1310366>

Utami-Atmoko, S. S., Singleton, I., van Noordwijk, M. A., van Schaik, C. P., & Setia, T. M. (2009). Male-male relationships in orangutan. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford

Utami-Atmoko, S. S., Traylor-Holzer, K. Rifqi, M.A., Siregar, P.G., Achmad, B., Priadjati, A., Husson, S., Wich, S., Hadisiswoyo, P., Saputra, F., Campbell-Smith, G., Kuncoro, P., Russon, A., Voigt, M., Santika, T., Nowak, M., Singleton, I., Sapari, I., Meididit, A., Chandradewi, D.S., Ripoll Capilla, B., Ermayanti, Lees, C.M. (eds.). (2017). *Orangutan Population and Habitat Viability Assessment: Final Report*.

van Noordwijk, M. A., Sauren, S. E. B., Nuzubar., Abulani, A., Morrogh-Bernard, H. C., Utami-Atmoko, S. S., & van Schaik, C. P. (2009). Development of Independence. In: S. A. Wich, S. S.U. Atmoko, T.M. Setia, and C. P. van Schaik. (Eds.), *Orangutans: Geographic Variation in Behavioral Ecology and Conservation*. Oxford University Press, Oxford

Van Schaik, C. P. (1999). The socioecology of fission-fusion sociality in Orangutans. *Primates*, 40(1), 69–86. <https://doi.org/10.1007/BF02557703>

Voigt, M., Kühl, H. S., Ancrenaz, M., Gaveau, D., Meijaard, E., Santika, T., Sherman, J., Wich, S. A., Wolf, F., Struebig, M. J., Pereira, H. M., & Rosa, I. M. D. (2022). Deforestation projections imply range-wide population decline for critically endangered Bornean orangutan. *Perspectives in Ecology and Conservation*, 20(3), 240–248. <https://doi.org/10.1016/j.pecon.2022.06.001>

Voigt, M., Wich, S. A., Ancrenaz, M., Meijaard, E., Abram, N., Banes, G. L., Campbell-Smith, G., d'Arcy, L. J., Delgado, R. A., Erman, A., Gaveau, D., Goossens, B., Heinicke, S., Houghton, M., Husson, S. J., Leiman, A., Sanchez, K. L., Makinuddin, N., Marshall, A. J., ... Kühl, H. S. (2018). Global Demand for Natural Resources Eliminated More Than 100,000 Bornean Orangutans. *Current Biology*, 28(5), 761-769.e5. <https://doi.org/10.1016/j.cub.2018.01.053>

Wade, C. M., Austin, K. G., Cajka, J., Lapidus, D., Everett, K. H., Galperin, D., Maynard, R., & Sobel, A. (2020). What Is Threatening Forests in Protected

- Areas? A Global Assessment of Deforestation in Protected Areas, 2001–2018. *Forests*, 11(5), 539. <https://doi.org/10.3390/f11050539>
- Wang, X., Blanchet, F. G., & Koper, N. (2014). Measuring habitat fragmentation: An evaluation of landscape pattern metrics. *Methods in Ecology and Evolution*, 5(7), 634–646. <https://doi.org/10.1111/2041-210X.12198>
- Wang, Z., Yang, Z., Shi, H., & Han, L. (2021). Effect of forest connectivity on the dispersal of species: A case study in the Bogda World Natural Heritage Site, Xinjiang, China. *Ecological Indicators*, 125, 107576. <https://doi.org/10.1016/j.ecolind.2021.107576>
- Wei, J., Li, X., Lu, Y., Zhao, L., Zhang, H., & Zhao, Q. (2019). Modeling the Potential Global Distribution of *Phenacoccus madeirensis* Green under Various Climate Change Scenarios. *Forests*, 10(9), 773. <https://doi.org/10.3390/f10090773>
- West, A. M., Kumar, S., Wakie, T., Brown, C. S., Stohlgren, T. J., Laituri, M., & Bromberg, J. (2015). Using High-Resolution Future Climate Scenarios to Forecast *Bromus tectorum* Invasion in Rocky Mountain National Park. *PLOS ONE*, 10(2), e0117893. <https://doi.org/10.1371/journal.pone.0117893>
- Wibisono, H. T., Wahyudi, H. A., Wilianto, E., Pinondang, I. M. R., Primajati, M., Liswanto, D., & Linkie, M. (2018). Identifying priority conservation landscapes and actions for the Critically Endangered Javan leopard in Indonesia: Conserving the last large carnivore in Java Island. *PLOS ONE*, 13(6), e0198369. <https://doi.org/10.1371/journal.pone.0198369>
- Wich, S. A. (Ed.). (2009). *Orangutans: Geographic variation in behavioral ecology and conservation*. Oxford University Press.
- Wich, S. A., Gaveau, D., Abram, N., Ancrenaz, M., Baccini, A., Brend, S., Curran, L., Delgado, R. A., Erman, A., Fredriksson, G. M., Goossens, B., Husson, S. J., Lackman, I., Marshall, A. J., Naomi, A., Molidena, E., Nardiyono, Nurcahyo, A., Odom, K., ... Meijaard, E. (2012). Understanding the Impacts of Land-Use Policies on a Threatened Species: Is There a Future for the Bornean Orang-utan? *PLoS ONE*, 7(11), e49142. <https://doi.org/10.1371/journal.pone.0049142>
- Wich, S. A., Meijaard, E., Marshall, A. J., Husson, S., Ancrenaz, M., Lacy, R. C., Van Schaik, C. P., Sugardjito, J., Simorangkir, T., Traylor-Holzer, K., Doughty, M., Supriatna, J., Dennis, R., Gumal, M., Knott, C. D., & Singleton, I. (2008). Distribution and conservation status of the orang-utan (*Pongo* spp.) on Borneo and Sumatra: How many remain? *Oryx*, 42(3), 329–339. <https://doi.org/10.1017/s003060530800197x>
- Widyastuti, S., Perwitasari-Farajallah, D., Prasetyo, L. B., Iskandar, E., & Setiawan, A. (2020). Maxent modelling of habitat suitability for the endangered javan gibbon (*Hylobates moloch*) in less-protected Dieng Mountains, Central

Java. *IOP Conference Series: Earth and Environmental Science*, 457(1), 012014. <https://doi.org/10.1088/1755-1315/457/1/012014>

With, K. A. (2002). The Landscape Ecology of Invasive Spread. *Conservation Biology*, 16(5), 1192–1203. <https://doi.org/10.1046/j.1523-1739.2002.01064.x>

Yang, X.-Q., Kushwaha, S. P. S., Saran, S., Xu, J., & Roy, P. S. (2013). Maxent modeling for predicting the potential distribution of medicinal plant, *Justicia adhatoda* L. in Lesser Himalayan foothills. *Ecological Engineering*, 51, 83–87. <https://doi.org/10.1016/j.ecoleng.2012.12.004>

Yost, A. C., Petersen, S. L., Gregg, M., & Miller, R. (2008). Predictive modeling and mapping sage grouse (*Centrocercus urophasianus*) nesting habitat using Maximum Entropy and a long-term dataset from Southern Oregon. *Ecological Informatics*, 3(6), 375–386. <https://doi.org/10.1016/j.ecoinf.2008.08.004>