PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelhady, A., Mahdy, A., Elhamamssy, M.M.E., Ali, S.S., Eldin, H.H.B., Moussa, H.M.Y. dan Hamed, M.A. 2017. Comparative study between succinylated gelatin (Gelofusine) versus Ringer's acetate regarding safety and efficacy in adult patients undergoing cardiac surgery. *Int. J. Adv. Res.*, 5, 1909–1918.

Almac, E., Aksu, U., Bezemer, R., Jong, W., Kandil, A., Yuruk, K., Demirci-Tansel, C. dan Ince, C. 2012. The acute effects of acetate-balanced colloid and crystalloid resuscitation on renal oxygenation in a rat model of hemorrhagic shock. *Resuscitation*, 83, 1166–1172.

Annane, D. 2013. Effects of fluid resuscitation with colloids vs crystalloids on mortality in critically ill patients presenting with hypovolemic shock: The CRISTAL randomized trial. *JAMA*, 310, 1809.

Asefi, S., Omidi, P., Jazi, K., Fateh, A., Zanjanbar, D.B., Sadeghi, S. dan Hajiesmaeili, M. 2026. Association of S100B serum level with postoperative cognitive dysfunction (POCD) in non-cardiac surgery: A meta-analysis study. *Health Sci. Rep.*, 9, e72400.

Backer, D. dan Cortés, D.O. 2012. Characteristics of fluids used for intravascular volume replacement. *Best Pract. Res. Clin. Anaesthesiol.*, 26, 441–451.

Bakker, J., Nijsten, M.W. dan Jansen, T.C. 2013. Clinical use of lactate monitoring in critically ill patients. *Ann. Intensive Care*, 3(1), 1–12.

Bethesda. 2001. Biomarkers and surrogate endpoints: Preferred definitions and conceptual framework. *Clin. Pharmacol. Ther.*, 69, 89–95.

Bodh, D. dan Hoque, M. 2019. Echocardiographic study of healthy Indian Spitz dogs with normal reference ranges for the breed. *Vet. World*, 12, 740–747.

Boyd, C.J., Claus, M.A., Raisis, A.L., Cianciolo, R., Bosio, E., Hosgood, G., Nabity, M., Mori, T., Barden, A., Sharp, C.R. dan Smart, L. 2019. Evaluation of biomarkers of kidney injury following 4% succinylated gelatin and 6% hydroxyethyl starch 130/0.4 administration in a canine hemorrhagic shock model. *J. Vet. Emerg. Crit. Care*, 29, 132–142.

PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Broughton, K.M., Wang, B.J., Firouzi, F., Khalafalla, F., Dimmeler, S., Fernandez-Aviles, F. dan Sussman, M.A. 2018. Mechanisms of cardiac repair and regeneration. *Circ. Res.*, 122, 1151–1163.

Budde, J.A., McCluskey, D.M. dan Plumb, D.C. ed. 2023. *Plumb's veterinary drug handbook*. ke-10. Tulsa, OK: VetMedux.

Bunn, F. dan Trivedi, D. 2012. Colloid solutions for fluid resuscitation. *Cochrane Database Syst. Rev.*, CD001319.pub4.

Cannon, J.W. 2018. Hemorrhagic shock. *N. Engl. J. Med.*, 378, 370–379.

Coppola, S., Froio, S. dan Chiumello, D. 2014. Fluid resuscitation in trauma patients: what should we know? *Curr. Opin. Crit. Care*, 20, 444–450.

D'Annunzio, V., Donato, M., Fellet, A., Buchholz, B., Arciuch, V.G.A., Carreras, M.C., Valdez, L.B., Zaobornyj, T., Morales, C., Boveris, A., Poderoso, J.J., Balaszczuk, A.M. dan Gelpi, R.J. 2012. Diastolic function during hemorrhagic shock in rabbits. *Mol. Cell. Biochem.*, 359, 169–176.

Davis, H., Jensen, T., Johnson, A., Knowles, P., Meyer, R., Rucinsky, R. dan Shafford, H. 2013. AAHA/AAFP fluid therapy guidelines for dogs and cats. *J. Am. Anim. Hosp. Assoc.*, 49, 149–159.

Delicce, A.V. dan Makaryus, A.N. 2026. Physiology, Frank Starling law. Dalam: *StatPearls*. Treasure Island, FL: StatPearls Publishing.

Denoix, N., McCook, O., Scheuerle, A., Kapapa, T., Hoffmann, A., Gündel, H., Waller, C., Szabo, C., Radermacher, P. dan Merz, T. 2022. Brain histology and immunohistochemistry after resuscitation from hemorrhagic shock in swine with pre-existing atherosclerosis and sodium thiosulfate (Na2S2O3) treatment. *Front. Med.*, 9, 925433.

Dibartola, S.P. 2012. *Fluid, electrolyte, and acid-base disorders in small animal practice*. ke-4. St. Louis, MO: Saunders/Elsevier.

Edwards, M.R. dan Mythen, M.G. 2014. Fluid therapy in critical illness. *Extrem. Physiol. Med.*, 3, 16.

PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Elmore, S.A., Dixon, D., Hailey, J.R., Harada, T., Herbert, R.A., Maronpot, R.R., Nolte, T., Rehg, J.E., Rittinghausen, S., Rosol, T.J., Satoh, H., Vidal, J.D., Willard-Mack, C.L. dan Creasy, D.M. 2016. Recommendations from the INHAND Apoptosis/Necrosis Working Group. *Toxicol. Pathol.*, 44, 173–188.

El Kamouha, M.R., Lenck, S., Lehericy, S., Benveniste, H. dan Thomas, J.L. 2025. Fluid and waste clearance in central nervous system health and diseases. *Neurodegenerative Dis.*, 25(3), 145–166.

Evans, L., Rhodes, A., Alhazzani, W., *et al.* 2021. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Med.*, 47, 1181–1247.

Filho, T.I. 2017. Hemorrhagic shock and the microvasculature. Dalam: R. Terjung, ed. *Comprehensive physiology*. Hoboken, NJ: Wiley, 61–101.

Finfer, S., Myburgh, J. dan Bellomo, R. 2018. Intravenous fluid therapy in critically ill adults. *Nat. Rev. Nephrol.*, 14, 541–557.

Flecknell, P. 2016. *Laboratory animal anaesthesia*. ke-4. Amsterdam: Academic Press.

Friedman, A. 2010. Fluid and electrolyte therapy: a primer. *Pediatr. Nephrol.*, 25, 843–846.

Gałęska, E., Wrzecińska, M., Kowalczyk, A. dan Araujo, J.P. 2022. Reproductive consequences of electrolyte disturbances in domestic animals. *Biology*, 11, 1006.

Giannico, A.T., Ayres Garcia, D.A., Lima, L., De Lara, F.A., Corona Ponczek, C.A., Shaw, G.C., Montiani-Ferreira, F. dan Rodrigues Froes, T. 2015. Determination of normal echocardiographic, electrocardiographic, and radiographic cardiac parameters in the conscious New Zealand White rabbit. *J. Exotic Pet Med.*, 24, 223–234.

Gibson-Corley, K.N., Olivier, A.K. dan Meyerholz, D.K. 2013. Principles for valid histopathologic scoring in research. *Vet. Pathol.*, 50, 1007–1015.

UNIVERSITAS GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Goggs, R., De Rosa, S. dan Fletcher, D.J. 2017. Electrolyte disturbances are associated with non-survival in dogs—A multivariable analysis. *Front. Vet. Sci.*, 4, 135.

Golden, N., Mahadewa, T.G.B., Aryanti, C. dan Widyadharma, I.P.E. 2018. S100B serum level as a mortality predictor for traumatic brain injury: A meta-analysis. *Open Access Maced. J. Med. Sci.*, 6, 2239–2244.

Goyal, A., Failla, M.D., Niyonkuru, C., Amin, K., Fabio, A., Berger, R.P. dan Wagner, A.K. 2013. S100b as a prognostic biomarker in outcome prediction for patients with severe traumatic brain injury. *J. Neurotrauma*, 30, 946–957.

Gugjoo, M.B., Saxena, A.C. dan Zama, M.M.S. 2014. M-mode echocardiographic study in dogs. *Afr. J. Agric. Res.*, 9, 387–396.

Gutierrez, G., Reines, H.D. dan Wulf-Gutierrez, M.E. 2004. Hemorrhagic shock. *Critical Care*, 8, 373.

Hahn, R.G. ed. 2016. *Clinical fluid therapy in the perioperative setting*. ke-2. Cambridge: Cambridge University Press.

Hall, J.E. dan Guyton, A.C. 2016. *Guyton and Hall textbook of medical physiology*. ke-13. Philadelphia, PA: Elsevier.

Hall, K. dan Drobatz, K. 2021. Volume resuscitation in the acutely hemorrhaging patient: Historic use to current applications. *Front. Vet. Sci.*, 8, 638104.

He, H., Liu, D. dan Ince, C. 2018. Colloids and the microcirculation. *Anesth. Analg.*, 126, 1747–1754.

Helbok, R. dan Beer, R. 2018. Cerebrospinal fluid and brain extracellular fluid in severe brain trauma. Dalam: *Handbook of clinical neurology*. Amsterdam: Elsevier, 237–258.

Heming, N., Elatrous, S., Jaber, S., Dumenil, A.S., Cousson, J., Forceville, X., Kimmoun, A., Trouillet, J.L., Fichet, J., Anguel, N., Darmon, M., Martin, C., Chevret, S. dan Annane, D. 2017. Haemodynamic response to crystalloids or colloids in shock: an exploratory subgroup analysis of a randomised controlled trial. *BMJ Open*, 7, e016736.

UNIVERSITAS GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hendrickse, P. dan Degens, H. 2019. The role of the microcirculation in muscle function and plasticity. *J. Muscle Res. Cell Motil.*, 40, 127–140.

Hirshberg, A., Hoyt, D.B. dan Mattox, K.L. 2006. Timing of fluid resuscitation shapes the hemodynamic response to uncontrolled hemorrhage: Analysis using dynamic modeling. *J. Trauma*, 60, 1221–1227.

Hopkins, R.W. 1965. Hemodynamic aspects of hemorrhagic and septic shock. *JAMA*, 191, 731.

Hussmann, B., Lendemans, S., De Groot, H. dan Rohrig, R. 2014. Volume replacement with Ringer-lactate is detrimental in severe hemorrhagic shock but protective in moderate hemorrhagic shock: studies in a rat model. *Critical Care*, 18, R5.

Kheirbek, T., Kochanek, A.R. dan Alam, H.B. 2009. Hypothermia in bleeding trauma: a friend or a foe? *Scand. J. Trauma Resusc. Emerg. Med.*, 17, 65.

Kirby, R., Rudloff, E. dan Linklater, A.K.J. 2015. *Small animal emergency and critical care medicine: Self-assessment color review*. ke-2. Boca Raton, FL: CRC Press.

Lira, A. dan Pinsky, M.R. 2014. Choices in fluid type and volume during resuscitation: impact on patient outcomes. *Ann. Intensive Care*, 4, 38.

Liu, L., Hu, D., Chen, H. dan Hu, P. 2004. The effect of different volumes of fluid resuscitation on traumatic-hemorrhagic shock at high altitude in the unacclimated rat. *Shock*, 21, 93–96.

Lucina, S.B., Muehlbauer, E., Bentivóglio Costa Silva, V., Folgearini Silveira, M., Wolf, M., Pereira Dos Santos, J., Duque Moreno, J.C., Gonçalves Sousa, M. dan Rodrigues Froes, T. 2022. Conventional vs. advanced echocardiographic parameters for predict fluid responsiveness in healthy dogs. *Acta Sci. Vet.*, 50, 1–10.

Malbrain, M.L.N.G., Van Regenmortel, N., Saugel, B., De Tavernier, B., Van Gaal, P.J., Joannes-Boyau, O., Teboul, J.L., Rice, T.W., Mythen, M. dan Monnet, X. 2018. Principles of fluid management and stewardship in septic shock: It is time to consider the four D's and the four phases of fluid therapy. *Ann. Intensive Care*, 8(1), 66.

UNIVERSITAS
GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mann, D.L., Zipes, D.P., Libby, P., Bonow, R.O. dan Braunwald, E. ed. 2015. *Braunwald's heart disease: A textbook of cardiovascular medicine*. ke-10. Philadelphia, PA: Elsevier/Saunders.

Matute-Blanch, C., Montalban, X. dan Comabella, M. 2018. Multiple sclerosis, and other demyelinating and autoimmune inflammatory diseases of the central nervous system. Dalam: *Handbook of clinical neurology*. Amsterdam: Elsevier, 67–84.

Messina, A., Bakker, J., Chew, M., De Backer, D., Hamzaoui, O., Hernandez, G., Myatra, S.N., Monnet, X., Ostermann, M., Pinsky, M., Teboul, J.-L. dan Cecconi, M. 2022. Pathophysiology of fluid administration in critically ill patients. *Intensive Care Med. Exp.*, 10, 46.

Mestre, H., Tithof, J., Du, T., Song, W., Peng, W., Sweeney, A.M., Olveda, G., Thomas, J.H. dan Nedergaard, M. 2018. Flow of cerebrospinal fluid is driven by arterial pulsations and is reduced in hypertension. *Nat. Commun.*, 9(1), 4878.

Michetti, F., Corvino, V., Geloso, M.C., Lattanzi, W., Bernardini, C., Seriero, L. dan Di Rocco, C. 2012. The S100B protein in biological fluids: More than a lifelong biomarker of brain distress. *J. Neurochem.*, 120(5), 644–659.

Morimoto, M. 2009. General physiology of rabbits. Dalam: L.-M. Houdebine dan J. Fan, ed. *Rabbit biotechnology*. Dordrecht: Springer, 27–35.

Muir, W.W., DiBartola, S.P., Coetzee, J.F. dan Uemura, E.E. 2021. Editorial: Fluid therapy in animals: Physiologic principles and contemporary fluid resuscitation considerations. *Front. Vet. Sci.*, 8, 744080.

Munoz, C., Aletti, F., Govender, K., Cabrales, P. dan Kistler, E.B. 2020. Resuscitation after hemorrhagic shock in the microcirculation: Targeting optimal oxygen delivery in the design of artificial blood substitutes. *Front. Med.*, 7, 585638.

Myburgh, J.A. dan Mythen, M.G. 2013. Resuscitation fluids. *N. Engl. J. Med.*, 369, 1243–1251.

UNIVERSITAS GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Neto, J.B., Rizoli, S.B., Andrade, M.V., Lisboa, T.A. dan Cunha-Melo, J.R. 2010. Rabbit model of uncontrolled hemorrhagic shock and hypotensive resuscitation. *Braz. J. Med. Biol. Res.*, 43, 1153–1159.

Niemi, T.T., Miyashita, R. dan Yamakage, M. 2010. Colloid solutions: a clinical update. *J. Anesth.*, 24, 913–925.

Nugent, W.H., Sheppard, F.R., Dubick, M.A., Cestero, R.F., Darlington, D.N., Jubin, R., Abuchowski, A. dan Song, B.K. 2020. Microvascular and systemic impact of resuscitation with PEGylated carboxyhemoglobin-based oxygen carrier or hetastarch in a rat model of transient hemorrhagic shock. *Shock*, 53, 493–502.

Nunes, R.B., Alves, J.P., Kessler, L.P., Dornelles, A.Z., Stefani, G.P. dan Lago, P.D. 2015. Interval and continuous exercise enhances aerobic capacity and hemodynamic function in CHF rats. *Braz. J. Phys. Ther.*, 19, 257–263.

Orcutt, S. dan Malakoff, R. 2020. Cardiovascular disease. Dalam: *Ferrets, rabbits, and rodents*. ke-4. St. Louis, MO: Elsevier, 250–257.

Osofsky, A., LeCouteur, R.A. dan Vernau, K.M. 2007. Functional neuroanatomy of the domestic rabbit (Oryctolagus cuniculus). *Vet. Clin. North Am. Exotic Anim. Pract.*, 10, 713–730.

Ozkan, S., Ikizceli, I., Sözüer, E.M., Avşaroğullari, L., Oztürk, F., Muhtaroğlu, S., Akdur, O., Küçük, C. dan Durukan, P. 2008. The effect of piracetam on brain damage and serum nitric oxide levels in dogs submitted to hemorrhagic shock. *Ulus. Travma Acil Cerrahi Derg.*, 14, 277–283.

Perel, P., Roberts, I. dan Ker, K. 2013. Colloids versus crystalloids for fluid resuscitation in critically ill patients. *Cochrane Database Syst. Rev.*, CD000567.

Ponschab, M., Schöchl, H., Keibl, C., Fischer, H., Redl, H. dan Schlimp, C.J. 2015. Preferential effects of low volume versus high volume replacement with crystalloid fluid in a hemorrhagic shock model in pigs. *BMC Anesthesiols.*, 15, 133.

Ramesh, G.H., Uma, J.C. dan Farhath, S. 2019. Fluid resuscitation in trauma: what are the best strategies and fluids? *Int. J. Emerg. Med.*, 12, 38.

UNIVERSITAS GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rodríguez-Rodríguez, A., Egea-Guerrero, J.J., León-Justel, A., Gordillo-Escobar, E., Revuelto-Rey, J., Vilches-Arenas, Á., Carrillo-Vico, A., Domínguez-Roldán, J.M., Murillo-Cabezas, F. dan Guerrero, J.M. 2012. Role of S100B protein in urine and serum as an early predictor of mortality after severe traumatic brain injury in adults. *Clin. Chim. Acta*, 414, 228–233.

Romich, J.A. 2021. *Fundamentals of pharmacology for veterinary technicians*. ke-3. Boston, MA: Cengage.

Salgado, S., Saver, V., Sáenz, Á., Ferre, A., Giglio, A. dan Reccius, A. 2026. Biomarkers and clinical rules for the management of mild traumatic brain injury: a narrative review. *Int. J. Emerg. Med.*, 19, 24.

Salomão, E., Otsuki, D.A., Correa, A.L., Fantoni, D.T., dos Santos, F., Irigoyen, M.C. dan Auler, J.O.C. 2015. Heart rate variability analysis in an experimental model of hemorrhagic shock and resuscitation in pigs. *PLoS One*, 10, e0134387.

Saracoglu, A., Saracoglu, K., Ergun, I., Yildirim, M., Akca, M., Demirtas, C. dan Tetik, S. 2022. The effects of hydroxyethyl starch and gelatine on lung tissue and coagulation during the resuscitation of rats with traumatic haemorrhagic shock. *Anaesthesiol. Intensive Ther.*, 54, 393–401.

Saw, M.M., Chandler, B. dan Ho, K.M. 2012. Benefits and risks of using gelatin solution as a plasma expander for perioperative and critically ill patients: a meta-analysis. *Anaesth. Intensive Care*, 40, 17–32.

Schadt, J.C. dan Ludbrook, J. 1991. Hemodynamic and neurohumoral responses to acute hypovolemia in conscious mammals. *Am. J. Physiol. Heart Circ. Physiol.*, 260, H305–H318.

Schmidt, H., Gerber, J., Stuertz, K., Djukic, M., Bunkowski, S., Fischer, F.R., Otto, M. dan Nau, R. 2010. S100B in the cerebrospinal fluid—A marker for glial damage in the rabbit model of pneumococcal meningitis. *Neurosci. Lett.*, 475, 104–107.

Schneider, N.Y., Datiche, F. dan Coureaud, G. 2018. Brain anatomy of the 4-day-old European rabbit. *J. Anat.*, 232, 747–767.

PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sellers, R.S., Pardo, I., Hu, G., Khan, K.N., Perry, R., Markiewicz, V., Rohde, C., Colangelo, J., Reagan, W. dan Clarke, D. 2017. Inflammatory cell findings in the female rabbit heart and stress-associated exacerbation with handling and procedures used in nonclinical studies. *Toxicol. Pathol.*, 45, 416–426.

Serrano, A., Donno, C., Giannetti, S., Perić, M., Andjus, P., D'Ambrosi, N. dan Michetti, F. 2017. The astrocytic S100B protein with its receptor RAGE is aberrantly expressed in SOD1G93A models, and its inhibition decreases the expression of proinflammatory genes. *Mediators Inflamm.*, 2017, 1–14.

Sharma, P., Benford, B., Karaian, J. dan Keneally, R. 2012. Effects of volume and composition of the resuscitative fluids in the treatment of hemorrhagic shock. *J. Emergencies Trauma Shock*, 5, 309.

Shirasaki, Y., Edo, N. dan Sato, T. 2004. Serum S-100b protein as a biomarker for the assessment of neuroprotectants. *Brain Res.*, 1021, 159–166.

Shrimanker, I. dan Bhattarai, S. 2022. Electrolytes. Dalam: *StatPearls*. Treasure Island, FL: StatPearls Publishing.

Sibbald, R. 2020. Chronic renal failure in rabbits. *Vet. Nurs. J.*, 35, 124–126.

Singh, P., Singh, N., Mahajan, S.K. dan Singh, T. 2014. Echocardiography as an approach for canine cardiac disease diagnosis. *Vet. World*, 7, 960–965.

Singh, S., Kerndt, C.C. dan Davis, D. 2022. Ringer's lactate. Dalam: *StatPearls*. Treasure Island, FL: StatPearls Publishing.

Smart, L., Boyd, C.J., Claus, M.A., Bosio, E., Hosgood, G. dan Raisis, A. 2018. Large-volume crystalloid fluid is associated with increased hyaluronan shedding and inflammation in a canine hemorrhagic shock model. *Inflammation*, 41, 1515–1523.

Smith, S., Behrens, B., McCully, B., Murphy, J., Bommiasamy, A., Goodman, A., Dewey, E., Pati, S. dan Schreiber, M. 2020. Aggressive treatment of acute kidney injury and hyperkalemia improves survival in a combat relevant trauma model in swine. *Am. J. Surg.*, 219, 860–864.

Soller, B., Zou, F., Prince, M.D., Dubick, M.A. dan Sondeen, J.L. 2015. Comparison of noninvasive pH and blood lactate as predictors of mortality in

PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

a swine hemorrhagic shock with restricted volume resuscitation model. *Shock*, 44, 90–95.

Sousa, R.S., Sousa, C.S., Oliveira, F.L.C., Firmino, P.R., Sousa, I.K.F., Paula, V.V., Caruso, N.M., Ortolani, E.L., Minervino, A.H.H. dan Barrêto-Júnior, R.A. 2022. Impact of acute blood loss on clinical, hematological, biochemical, and oxidative stress variables in sheep. *Vet. Sci.*, 9, 229.

Stawicki, S.J., Papadimos, T. dan Swaroop, M. 2020. Introductory chapter: Shock is a physiological state of war. Dalam: S.P. Stawicki dan M. Swaroop, ed. *Clinical management of shock - The science and art of physiological restoration*. London: IntechOpen.

Strimbu, K. dan Tavel, J.A. 2010. What are biomarkers? *Curr. Opin. HIV AIDS*, 5, 463–466.

Suckow, M.A., Schroeder, V. dan Douglas, F.A. 2010. *The laboratory rabbit*. ke-2. Boca Raton, FL: CRC Press.

Sukarata, I.P.R.D. dan Kurniyanta, I.P. 2017. *Terapi cairan*. Tinjauan Pustaka Fakultas Kedokteran Universitas Udayana/RSUP Sanglah. Denpasar.

Sümpelmann, R., Camporesi, A., Gálvez, I., Pechilkov, D., Eich, C., Kretz, F., Perera Sarri, R., Tancheva, D., Serrano-Casabon, S., Murphy, P., Astuto, M., Zanaboni, C., Becke, K. dan Dennhardt, N. 2022. Modified fluid gelatin 4% for perioperative volume replacement in pediatric patients (GPS): Results of a European prospective noninterventional multicenter study. *Pediatr. Anesth.*, 32, 825–833.

Sun, B.D., Liu, H.M. dan Nie, S.N. 2013. S100B protein in serum is elevated after global cerebral ischemic injury. *World J. Emerg. Med.*, 4(3), 165–168.

Sun, W., *et al.* 2017. Application of pulsed arterial resuscitation in a rabbit model of hemorrhagic shock. *Ulus. Travma Acil Cerrahi Derg.*, 23, 1–8.

Sun, N., Luo, W., Li, L.Z. dan Luo, Q. 2014. Monitoring hemodynamic and metabolic alterations during severe hemorrhagic shock in rat brains. *Acad. Radiol.*, 21, 175–184.

PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Thelin, E.P., Nelson, D.W. dan Bellander, B.-M. 2017. A review of the clinical utility of serum S100B protein levels in the assessment of traumatic brain injury. *Acta Neurochir.*, 159, 209–225.

Treml, B., Kleinsasser, A., Knotzer, J., Breitkopf, R., Velik-Salchner, C. dan Rajsic, S. 2023. Hemorrhagic shock: Blood marker sequencing and pulmonary gas exchange. *Diagnostics*, 13, 639.

Türker. 2020. Hemorrhagic shock. Dalam: S.P. Stawicki dan M. Swaroop, ed. *Clinical management of shock - The science and art of physiological restoration*. London: IntechOpen.

Vardar, K., Can, K., dan Aksu, U. 2022. Fluid resuscitation aggravates the cellular injury in a hemorrhagic shock model. *Dubai Med. J.*, 5, 141–150.

Vincent, J.L., Quintairos, A., Couto, L. dan Taccone, F.S. 2022. The value of blood lactate kinetics in critically ill patients: A systematic review. *Critical Care*, 26(1), 1–15.

Wan, Z., Sun, S., Ristagno, G., Weil, M.H. dan Tang, W. 2010. The cerebral microcirculation is protected during experimental hemorrhagic shock. *Crit. Care Med.*, 38, 928–932.

Wick, M.R. dan Hornick, J.L. 2011. Immunohistology of soft tissue and osseous neoplasms. Dalam: *Diagnostic immunohistochemistry*. ke-3. Philadelphia, PA: Elsevier, 83–136.

Wise, E.S., Hocking, K.M., Polcz, M.E., Beilman, G.J., Brophy, C.M., Sobey, J.H., Leisy, P.J., Kiberenge, R.K. dan Alvis, B.D. 2021. Hemodynamic parameters in the assessment of fluid status in a porcine hemorrhage and resuscitation model. *Anesthesiology*, 134, 607–616.

Woodcock, T.E. dan Woodcock, T.M. 2012. Revised Starling equation and the glycocalyx model of transvascular fluid exchange: an improved paradigm for prescribing intravenous fluid therapy. *Br. J. Anaesth.*, 108, 384–394.

Wu, C.-Y., Chan, K.-C., Cheng, Y.-J., Yeh, Y.-C. dan Chien, C.-T. 2015. Effects of different types of fluid resuscitation for hemorrhagic shock on splanchnic organ microcirculation and renal reactive oxygen species formation. *Critical Care*, 19, 434.

UNIVERSITAS GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN
KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, L., Kang, F., Hu, W. dan Liu, X. 2019. Higher concentration of hypertonic saline shows better recovery effects on rabbits with uncontrolled hemorrhagic shock. *Med. Sci. Monit.*, 25, 8120–8130.

Yamashiro, K.J., Galganski, L.A., Grayson, J.K., Johnson, M.A., Beyer, C.A., Spruce, M.W., Caples, C.M., Trappey, A.F., Wishy, A.M. dan Stephenson, J.T. 2020. Does the pediatric hemodynamic cliff exist in response to hemorrhagic shock? *J. Pediatr. Surg.*, 55, 2543–2547.

Yang, S., Zheng, R., Hu, S., Ma, Y., Choudhry, M.A., Messina, J.L., Rue, L.W., Bland, K.I. dan Chaudry, I.H. 2004. Mechanism of cardiac depression after trauma-hemorrhage: increased cardiomyocyte IL-6 and effect of sex steroids on IL-6 regulation and cardiac function. *Am. J. Physiol. Heart Circ. Physiol.*, 287, H2183–H2191.

Yiew, X.T., Bateman, S.W., Hahn, R.G. dan Bersenas, A.M.E. 2020. Evaluation of the distribution and elimination of balanced isotonic crystalloid, 5% hypertonic saline, and 6% tetrastarch 130/0.4 using volume kinetic modeling and analysis in healthy conscious cats. *Front. Vet. Sci.*, 7, 587554.

Yoo, J.-H., Kim, M.-S., dan Park, H.-M. 2006. Hemodynamic characteristics of vasopressin in dogs with severe hemorrhagic shock. *J. Vet. Med. Sci.*, 68, 967–972.

Zander, R. dan Adams, H.A. 2013. Acid-base and electrolyte status during normovolemic hemodilution with succinylated gelatin or HES-containing volume replacement solutions in rats. *PLoS One*, 8(9), e72848.

Zhang, Y., Gao, B., Wang, J., Sun, X. dan Liu, X. 2013. Effect of hypotensive resuscitation with a novel combination of fluids in a rabbit model of uncontrolled hemorrhagic shock. *PLoS One*, 8, e66916.

Ziebart, A., Breit, C., Ruemmler, R., Hummel, R., Möllmann, C., Jungmann, F., Kamuf, J., Garcia-Bardon, A., Thal, S.C., Kreitner, K.-F., Schäfer, M.K.E. dan Hartmann, E.K. 2021. Effect of fluid resuscitation on cerebral integrity: a prospective randomised porcine study of haemorrhagic shock. *Eur. J. Anaesthesiol.*, 38, 411–421.

UNIVERSITAS
GADJAH MADA
PENGARUH RESUSITASI RINGER LAKTAT DAN GELATIN TERHADAP DINAMIKA BIOMARKER S100B, HEMODINAMIKA, DAN KERUSAKAN ORGAN PADA MODEL SYOK HEMORAGIK KELINCI (Oryctolagus cuniculus)
Wa Ode Santa Monica, Prof. Dr. drh. Ida Tjahajati, MP; Prof. Dr. drh. Siti Isrina Oktavia Salasia; Prof. Dr. drh. Aris Ha
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ziebart, A., Möllmann, C., Garcia-Bardon, A., Kamuf, J., Schäfer, M., Thomas, R. dan Hartmann, E.K. 2018. Effect of gelatin-polysuccinat on cerebral oxygenation and microcirculation in a porcine haemorrhagic shock model. *Scand. J. Trauma Resusc. Emerg. Med.*, 26, 15.

Zou, Z., Li, L., Schäfer, N., Huang, Q., Maegele, M. dan Gu, Z. 2021. Endothelial glycocalyx in traumatic brain injury associated coagulopathy: potential mechanisms and impact. *J. Neuroinflammation*, 18, 134