Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

AASHTO, 2022. AASHTO T 283-22. Standard Method of Test for Resistance of Compacted Asphalt Mixtures to Moisture-Induced Damage.

AASHTO PP 69-141, 2015. AASHTO PP 69-14: Determining Pavement Deformation Parameters and Cross Slope from Collected Transverse Profiles 1–5.

Akhtar, J., Saidina Amin, N., 2012. A review on operating parameters for optimum liquid oil yield in biomass pyrolysis. Renewable and Sustainable Energy Reviews 16, 5101–5109. https://doi.org/https://doi.org/10.1016/j.rser.2012.05.033

Al-Bayati, H.K.A., Tighe, S.L., 2019. Examining the Effect of Coarse Recycled Concrete Aggregate on Moisture Damage Resistance of HMA Mixtures, dalam: 2019 Joint Conference and Exhibition of the Transportation Association of Canada, TAC and Intelligent Transportation Systems Canada, ITSC.

Ali, B., Li, P., Hani, M., Chetbani, Y., Sahraoui, M., Belaadi, A., Alshaikh, I.M.H., Boumaaza, M., Laib, S., Jan, H., Ghernaout, D., 2025. Evaluation of the performance of bio-oil modified asphalt mixtures through response surface methodology and optimization techniques. Sci. Rep. https://doi.org/10.1038/s41598-025-34285-9

Ali, H., Izzi, N., Mubaraki, M., Ceylan, H., 2020. ScienceDirect Effects of moisture damage on asphalt mixtures. Journal of Traffic and Transportation Engineering (English Edition) 7, 600–628. https://doi.org/10.1016/j.jtte.2020.07.001

Al-Khateeb, G.G., Alattieh, S.A., Zeiada, W., Castorena, C., 2024. State-of-the-Art Review on the Behavior of Bio-Asphalt Binders and Mixtures. Molecules. https://doi.org/10.3390/molecules29163835

Alkuime, H., Kassem, E., 2020. Comprehensive evaluation of wheel-tracking rutting performance assessment tests. International Journal of Pavement Research and Technology 13, 334–347. https://doi.org/10.1007/s42947-020-0265-z

Andika, K., Kurniasari, F.D., Izwan Putra, M., Yusdi, Iqbal, M., Saputra, R., Mahyar, H., 2024. Utilization of Nutmeg Shell Ash a Filler Substitution In The AC-WC Laston Mixed Layer, dalam: E3S Web of Conferences. https://doi.org/10.1051/e3sconf/202447601020

Andiyappan, T., Kuna, K.K., 2025. Performance characteristics of bituminous mixtures containing bio-ethanol industry-based lignin. Constr. Build. Mater. 491. https://doi.org/10.1016/j.conbuildmat.2025.142681

Arabani, M., Ebrahimi, M., Shalchian, M.M., Majd Rahimabadi, M., 2024. Influence of Biomass-Modified Asphalt Binder on Rutting Resistance. Advances in Civil Engineering 2024. https://doi.org/10.1155/2024/8249248

Arabani, M., Esmaaeli, N., 2020. Laboratory evaluation on effect of groundnut shell ash on performance parameters of asphalt binder and mixes. Road Materials and Pavement Design 21, 1565 – 1587. https://doi.org/10.1080/14680629.2018.1560356

Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Asphalt Institute, 2014. MS-2 Asphalt Mix Design Methods, 7th ed. Asphalt Institute, Lexington, KY.

ASTM D8, 2022. ASTM International. (2022). Standard Terminology Relating to Materials for Roads and Pavements (ASTM D8). West Conshohocken, PA. https://doi.org/10.1520/D0008-21.10.1520/D0008-22.2

Badan Standardisasi Nasional, 2018. SNI 2489:2018 Metode Uji Stabilitas dan Pelelehan Campuran Beraspal Panas dengan Menggunakan Alat Marshall. Jakarta.

Bhasin, A., Dallas, L.N., 2007. Characterization of aggregate surface energy using the universal sorption device. Journal of Materials in Civil Engineering 19, 634 – 641. https://doi.org/10.1061/(ASCE)0899-1561(2007)19:8(634)

Blazejowski, K., 2011. Stone Matrix Asphalt: Theory and Practice, Stone Matrix Asphalt. CRC Press, Oca Raton, FL. https://doi.org/10.1201/b10285

Breakah, T.M., Bausano, J.P., Williams, R.C., 2009. Integration of moisture sensitivity testing with gyratory mix design and mechanistic-empirical pavement design. J. Transp. Eng. 135, 852 – 857. https://doi.org/10.1061/(ASCE)0733-947X(2009)135:11(852)

Bridgwater, A. V, 2011. Review of fast pyrolysis of biomass and product upgrading. Biomass Bioenergy 38, 68–94. https://doi.org/10.1016/j.biombioe.2011.01.048

Brown, E.R., Kandhal, P.S., Roberts, F.L., Kim, Y.-R., Lee, D.-H., Kennedy, T.W., 2015. Hot Mix Asphalt Materials, Mixture Design and Construction, 3 ed. NAPA Education Foundation.

Cao, W., Li, X., Wang, Y., Wang, C., 2019. Intermediate and High Temperature Performance of Biobinders with Various Oxidative Aging. Journal of Materials in Civil Engineering 31. https://doi.org/10.1061/(ASCE)MT.1943-5533.0002966

Chaturabong, P., Bahia, H.U., 2017. Mechanisms of asphalt mixture rutting in the dry Hamburg Wheel Tracking test and the potential to be alternative test in measuring rutting resistance. Constr. Build. Mater. 146, 175–182. https://doi.org/https://doi.org/10.1016/j.conbuildmat.2017.04.080

Chen, X., Wang, H., Wang, Q., Yang, X., You, Z., 2018. Optimization of laboratory preparation of the emulsified bioasphalt with two emulsifiers. J. Test. Eval. 46. https://doi.org/10.1520/JTE20170449

Direktorat Jenderal Bina Marga, 2020. Spesifikasi Umum Bina Marga 2018 (Revisi 2).

Djumari, Yami, M.A.D., Nasution, M.F., Setyawan, A., 2017. Design and Properties of Renewable Bioasphalt for Flexible Pavement. Procedia Eng. 171, 1413–1420. https://doi.org/https://doi.org/10.1016/j.proeng.2017.01.458

Dong, Z., Zhou, T., Luan, H., Wang, H., Xie, N., Xiao, G., 2020. Performance evaluation of bio-based asphalt and asphalt mixture and effects of physical and chemical modification 0629. https://doi.org/10.1080/14680629.2018.1553732

Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

El-sherbeni, A.A., Awed, A.M., Gabr, A.R., El-badawy, S.M., 2025. Biomass-Derived Bio-Oil for Asphalt Binder Applications : Production Feasibility and Performance Enhancement 14–16.

Fini, E., Kalberer, E., Shahbazi, G., Basti, M., You, Z., Ozer, H., Aurangzeb, Q., 2011. Chemical Characterization of Biobinder from Swine Manure: Sustainable Modifier for Asphalt Binder. Journal of Materials in Civil Engineering 23, 1506–1513. https://doi.org/10.1061/(ASCE)MT.1943-5533.0000237

Forton, A., Ciutina, A., Stirb, A., Marc, P., Costescu, C., Ciopec, A., 2024. Evaluation of Bio-Rejuvenator and Compaction Conditions on Stiffness Modulus and Indirect Tensile Strength of Recycled Hot Mix Asphalt. Materials 17. https://doi.org/10.3390/ma17133081

Gao, J., Guo, G., Wang, H., Jin, D., Bi, Y., Jelagin, D., 2025. Research progress of bio-asphalt towards green pavement development : Preparation , properties , and mechanism. Fuel 381, 133409. https://doi.org/10.1016/j.fuel.2024.133409

Gong, M., Zhang, H., Yang, B., Sun, Q., 2021. Analysis of the influencing factors on the anti-aging performance of a hybrid-modified asphalt mixture using the grey relational theory. International Journal of Pavement Engineering 22, 597 – 612. https://doi.org/10.1080/10298436.2019.1630738

Grenfell, J., Ahmad, N., Liu, Y., Apeagyei, A., Large, D., Airey, G., 2014. Assessing asphalt mixture moisture susceptibility through intrinsic adhesion, bitumen stripping and mechanical damage. Road Materials and Pavement Design 15, 131–152. https://doi.org/10.1080/14680629.2013.863162

Guha, A.H., Assaf, G.J., 2020. Effect of Portland cement as a filler in hot-mix asphalt in hot regions. Journal of Building Engineering 28, 101036. https://doi.org/https://doi.org/10.1016/j.jobe.2019.101036

He, M., Cao, D., Zhang, H., Song, Z., Wu, X., 2015. Research on Conventional Performance of Modified Bio-Asphalt. Journal of Highway and Transportation Research and Development (English Edition) 9, 1–6. https://doi.org/10.1061/JHTRCQ.0000433

Hesami, S., Roshani, H., Hamedi, G.H., Azarhoosh, A., 2013. Evaluate the mechanism of the effect of hydrated lime on moisture damage of warm mix asphalt. Constr. Build. Mater. 47, 935–941. https://doi.org/10.1016/j.conbuildmat.2013.05.079

Hill, B., Oldham, D., Behnia, B., Fini, E.H., Buttlar, W.G., Hill, B., Oldham, D., Behnia, B., Fini, E.H., Buttlar, W.G., 2018. Evaluation of low temperature viscoelastic properties and fracture behavior of bio-asphalt mixtures. International Journal of Pavement Engineering 8436, 0. https://doi.org/10.1080/10298436.2016.1175563

Hu, J., Liu, P., Wang, D., Oeser, M., 2018. Influence of aggregates ' spatial characteristics on air-voids in asphalt mixture 0629. https://doi.org/10.1080/14680629.2017.1279072

Huang, B., Ye, X.P., Zhao, S., Shu, X., 2015. Development of a renewable carbon-based bio-modifier for asphalt cement. US 2015/0128829 A.

Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, T., He, H., Zhang, P., Lv, S., Jiang, H., Liu, H., 2022. Laboratory investigation on performance and mechanism of polyphosphoric acid modified bio-asphalt. J. Clean. Prod. 333, 130104. https://doi.org/10.1016/j.jclepro.2021.130104

Huang, Y.H., 2004. Pavement Analysis and Design, 2 ed. Pearson Prentice Hall, Upper Saddle River, NJ.

Japan Road Association, 1980. Manual for Design and Construction of Asphalt Pavement 1980.

Karlsson, R., Isacsson, U., 2006. Material-Related Aspects of Asphalt Recycling—State-of-the-Art. Journal of Materials in Civil Engineering 18, 81–92. https://doi.org/10.1061/(ASCE)0899-1561(2006)18:1(81)

Khedaywi, T., Melhem, M., 2024. Effect of Waste Vegetable Oil on Properties of Asphalt Cement and Asphalt Concrete Mixtures: An Overview. International Journal of Pavement Research and Technology. https://doi.org/10.1007/s42947-022-00234-2

Lai, S.-R., Li, S.-J., Xu, Y.-L., Xu, W.-Y., Zhang, X.-Q., 2022. Preparation, Characterization, and Performance Evaluation of Petroleum Asphalt Modified with Bio-Asphalt Containing Furfural Residue and Waste Cooking Oil. Polymers (Basel). 14. https://doi.org/10.3390/polym14091683

Le, T.-H., Nguyen, H.-L., Pham, C.-T., Hoang, H.-G.T., Nguyen, T.-A., 2022. Development of Artificial Neural Network Model for Prediction of Marshall Parameters of Stone Mastic Asphalt, dalam: Ha-Minh, C., Tang, A.M., Bui, T.Q., Vu, X.H., Huynh, D.V.K. (Ed.), CIGOS 2021, Emerging Technologies and Applications for Green Infrastructure. Springer Nature Singapore, Singapore, hlm. 1795–1803.

Lemke, Z., Bahia, H.U., 2019. More Practical Wheel Tracking Test for Rutting Resistance of Asphalt Mixtures. Transp. Res. Rec. 2673, 508–518. https://doi.org/10.1177/0361198119859312

Leonardi, G., Suraci, F., 2022. A 3D-FE Model for the Rutting Prediction in Geogrid Reinforced Flexible Pavements. Sustainability (Switzerland) 14. https://doi.org/10.3390/su14063695

Lesueur, D., Petit, J., Ritter, H.J., 2013. The mechanisms of hydrated lime modification of asphalt mixtures: A state-of-the-art review. Road Materials and Pavement Design. https://doi.org/10.1080/14680629.2012.743669

Lv, J., Zhancheng, X., Yingmei, Y., Jiantong, Z., Xiaolong, S., Chuanhai, W., 2018. Comparison of Asphalt Mixtures Designed Using the Marshall and Improved GTM Methods. Advances in Materials Science and Engineering 2018, 7–13. https://doi.org/10.1155/2018/7328791

Lv, S., Yuan, J., Peng, X., Borges Cabrera, M., Guo, S., Luo, X., Gao, J., 2020. Performance and optimization of bio-oil/Buton rock asphalt composite modified asphalt. Constr. Build. Mater. 264, 120235. https://doi.org/https://doi.org/10.1016/j.conbuildmat.2020.120235

Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mabui, D., Tumpu, M., 2022. Influence of sea water immersion asphalt concrete wearing course mixed toward Marshall characteristics containing Doyo local aggregate of Jayapura district, dalam: AIP Conference Proceedings. hlm. 70004. https://doi.org/10.1063/5.0086704

Mączka, E., Mackiewicz, P., 2023. Asphalt mixtures degradation induced by water, frost, and road salt in the 4-PB bending test evaluated by stiffness variability. Road Materials and Pavement Design 24, 389 – 408. https://doi.org/10.1080/14680629.2023.2181001

Marizka, E.Z.A., 2021. STUDI KINERJA CAMPURAN ASPAL PORUS DENGAN PENAMBAHAN BAHAN ADDITIVE REDISET LQ-1106 FAKULTAS TEKNIK SIPIL DAN PERENCANAAN UNIVERSITAS ISLAM INDONESIA YOGYAKARTA STUDI KINERJA CAMPURAN ASPAL PORUS DENGAN PENAMBAHAN BAHAN ADDITIVE REDISET LQ-1106.

Martínez-Toledo, C., Valdes-Vidal, G., Calabi-Floody, A., González, M.E., Ruiz, A., Mignolet-Garrido, C., Norambuena-Contreras, J., 2025. Optimising slow pyrolysis parameters to enhance biochar European hazelnut shell as a biobased asphalt modifier. Materials Today Sustainability 30. https://doi.org/10.1016/j.mtsust.2025.101087

Moe, A.L., Lee, Y.P.K., Ho, N.Y., Wang, X., 2022. Rutting and Cracking Performance of Asphalt Concrete Incorporating Plastic Waste and Crumb Rubber, dalam: Pasindu, H.R., Bandara, S., Mampearachchi, W.K., Fwa, T.F. (Ed.), Road and Airfield Pavement Technology. Springer International Publishing, Cham, hlm. 855–865.

Mohan, D., Pittman, C.U.Jr., Steele, P.H., 2006. Pyrolysis of Wood/Biomass for Bio-oil: A Critical Review. Energy & Fuels 20, 848–889. https://doi.org/10.1021/ef0502397

Musco, A., Tarsi, G., Tataranni, P., Salzano, E., Sangiorgi, C., 2024. Use of bio-based products towards more sustainable road paving binders: A state-of-the-art review. Journal of Road Engineering 4, 151–162. https://doi.org/https://doi.org/10.1016/j.jreng.2024.04.002

Nciri, N., Shin, T., Lee, H., Cho, N., 2018. applied sciences Potential of Waste Oyster Shells as a Novel Biofiller for Hot-Mix Asphalt. https://doi.org/10.3390/app8030415

Peralta, J., Williams, R.C., Rover, M., Silva, H., 2012. Development of rubber-modified fractionated bio-oil for use as noncrude petroleum binder in flexible pavements. Trans Res E-Circ 23–36.

Peralta, J., Williams, R.C., Silva, H.M.R.D., Machado, A.V.A., 2014. Recombination of asphalt with bio-asphalt: Binder formulation and asphalt mixes application, dalam: Asphalt Paving Technology: Association of Asphalt Paving Technologists-Proceedings of the Technical Sessions. hlm. 1 – 36.

Razikordmahaleh, L., Larijani, M., 2020. Identification and green grading of jobs in the renewable energy field of the biomass: A grounded theory study. Iran Occupational Health 16, 40 – 52.

Read, J., Whiteoak, D., 2003. The Shell Bitumen Handbook, 5th ed. Thomas Telford, London.

Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Roberts, F.L., Kandhal, P.S., Brown, E.R., Lee, D.-Y., Kennedy, T.W., 1996. dokumen.pub_hot-mix-asphalt-materials-mixture-design-and-construction, 2nd ed. NAPA Education Foundation, Lanham, Maryland.

Salindeho, N., Mamuaja, C., Pandey, E., 2018. Potential of Liquid Smoke Product of Pyrolysis of Nutmeg Shell as Smoking Raw Material 11, 239–245.

Setiadji, N., 2016. Durabilitas Campuran Hot Rolled Sheet-Wearing Course (HRS-WC) Akibat Rendaman Menerus dan Berkalan Air Rob. Jurnal Teknik Sipil 13, 114–125. https://doi.org/10.24002/jts.v13i2.647

Setyawan, A., Djumari, Irfansyah, P.A., Shidiq, A.M., Wibisono, I.S., Fauzy, M.N., Hadi, F.N., 2017. Design and Properties of Asphalt Concrete Mixtures Using Renewable Bioasphalt Binder. IOP Conf. Ser. Mater. Sci. Eng. 176, 12028. https://doi.org/10.1088/1757-899X/176/1/012028

Sihombing, A.V.R., Subagio, B.S., Hariyadi, E.S., Yamin, A., 2019. Bio-asphalt on Asphalt Mixture containing RAP, dalam: IOP Conference Series: Materials Science and Engineering. https://doi.org/10.1088/1757-899X/673/1/012026

Sukirman, S., 2016. Beton Aspal Campuran Panas.

Sun, D., Sun, G., Du, Y., Zhu, X., Lu, T., Pang, Q., Shi, S., Dai, Z., 2017. Evaluation of optimized bio-asphalt containing high content waste cooking oil residues. Fuel 202, 529 – 540. https://doi.org/10.1016/j.fuel.2017.04.069

Sun, Z., yi, J., Huang, Y., Feng, D., Guo, C., 2016. Properties of asphalt binder modified by bio-oil derived from waste cooking oil. Constr. Build. Mater. 102, 496–504. https://doi.org/10.1016/j.conbuildmat.2015.10.173

Suparma, L.B., 2001. The use of recycled waste plastics in bituminous composites.

Tahir, A., Setiawan, A., 2009. Kinerja Durabilitas Campuran Beton Aspal Ditinjau dari Faktor Variasi Suhu Pemadatan dan Lama Perendaman. Smartek 7.

Tajudin, A.N., Suparma, L.B., 2017. Pengaruh Rendaman pada Indirect Tensile Strength Campuran AC - BC dengan Limbah Plastik sebagai Agregat Pengganti 23, 166–173.

Tang, B.-M., Cao, X.-X., Zhu, H.-Z., Cao, X.-J., 2019. Pavement Properties of Bio-oil Rejuvenated Asphalt Binder; [生物油再生沥青胶结料路用性能分析]. Zhongguo Gonglu Xuebao/China Journal of Highway and Transport 32, 207 – 214. https://doi.org/10.19721/j.cnki.1001-7372.2019.04.018

Tarigan, G., Husni, M., Hasibuan, M., Lubis, M., Tanjung, D., Sarifah, J., Hasibuan, A., Putri, L.D., 2018. Effects of Aggregate Abrasrion Values to Marshall Properties of Asphalt Concrete AC- WC 7, 789–791.

Uchoa, A.F.J., Rocha, W.S., Gonzaga, M.L.C., Filho, P.P.M.T., Feitosa, J.P.M., Luna, F.M.T., Soares, J.B., Soares, S.A., 2024. Investigating the efficacy of bio-rejuvenators in restoring

Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

aged asphalt binder properties. Constr. Build. Mater. 446. https://doi.org/10.1016/j.conbuildmat.2024.137948

Walubita, L., Zhang, J., Das, G., Hu, X., Mushota, C., Alvarez, A., Scullion, T., 2012. Hot-mix asphalt permanent deformation evaluated by Hamburg wheel tracking, dynamic modulus, and repeated load tests. Transp. Res. Rec. 46–56. https://doi.org/10.3141/2296-05

Wang, C., Xue, L., Xie, W., You, Z., Yang, X., 2018. Laboratory investigation on chemical and rheological properties of bio- asphalt binders incorporating waste cooking oil. Constr. Build. Mater. 167, 348–358. https://doi.org/10.1016/j.conbuildmat.2018.02.038

Wang, H., Ma, Z., Chen, X., Mohd Hasan, M.R., 2020. Preparation process of bio-oil and bio-asphalt, their performance, and the application of bio-asphalt: A comprehensive review. Journal of Traffic and Transportation Engineering (English Edition). https://doi.org/10.1016/j.jtte.2020.03.002

Xin, T.W.L., Han, M.T., Tai, G., Hasan, M.R.M., Kassim, M.A., Sukiran, M.A., 2023. CHARACTERISATIONS OF BIO-ASPHALT INCORPORATING PALM BIO-OIL FROM WASTE EMPTY FRUIT BUNCHES. J. Oil Palm Res. 35, 45 – 57. https://doi.org/10.21894/jopr.2022.0047

Yang, X., You, Z., Dai, Q., Mills-Beale, J., 2014. Mechanical performance of asphalt mixtures modified by bio-oils derived from waste wood resources. Constr. Build. Mater. 51, 424 – 431. https://doi.org/10.1016/j.conbuildmat.2013.11.017

Zaumanis, M., Mallick, R.B., Frank, R., 2014. 100% recycled hot mix asphalt: A review and analysis. Resour. Conserv. Recycl. https://doi.org/10.1016/j.resconrec.2014.07.007

Zhang, R., Shi, Q., Hu, P., Ji, J., Wen, L., 2023. The Adhesion and Moisture Damage Resistance between Castor Oil-Based Bio-Asphalt and Aggregates under the Action of Thermal-Oxidative Aging. Applied Sciences (Switzerland) 13. https://doi.org/10.3390/app131810410

Zhang, R., You, Z., Ji, J., Shi, Q., Suo, Z., 2021. A Review of Characteristics of Bio-Oils and Their Utilization as 1–25.

Zhang, X., Zhang, K., Wu, C., Liu, K., Jiang, K., 2020. Preparation of bio-oil and its application in asphalt modification and rejuvenation: A review of the properties, practical application and life cycle assessment. Constr. Build. Mater. https://doi.org/10.1016/j.conbuildmat.2020.120528

Zhang, Y., Si, C., Fan, T., Zhu, Y., Li, S., Ren, S., Lin, P., 2023. Research on the optimal dosage of Bio-Oil/Lignin composite modified asphalt based on rheological and Anti-Aging properties. Constr. Build. Mater. 389. https://doi.org/10.1016/j.conbuildmat.2023.131796

Zhang, Z., Fang, Y., Yang, J., Li, X., 2022. A comprehensive review of bio-oil, bio-binder and bio-asphalt materials: Their source, composition, preparation and performance. Journal of Traffic and Transportation Engineering (English Edition) 9, 151–166. https://doi.org/https://doi.org/10.1016/j.jtte.2022.01.003

UNIVERSITAS
GADJAH MADA
**Karakteristik Mekanis Campuran AC-WC dengan Substitusi Bio-Binder Cangkang Pala Berdasarkan Uji
Ketahanan Deformasi Alur dan Kerusakan Akibat Kelembapan**
Abiyyu Dzaky Atha Mufahdhal, Ir. Latif Budi Suparma, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zheng, Y., Chen, S., Huang, W., Cai, X., Huang, J., Wu, K., 2023. Principle analysis of the mix design and performance evaluation of the asphalt-filler volume equivalent substitution method. Constr. Build. Mater. 367, 130276. https://doi.org/https://doi.org/10.1016/j.conbuildmat.2022.130276

Zhu, C., Luo, H., Tian, W., Teng, B., Qian, Y., Ai, H., Xiao, B., 2022. Investigation on Fatigue Performance of Diatomite/Basalt Fiber Composite Modified Asphalt Mixture. Polymers (Basel). 14. https://doi.org/10.3390/polym14030414

Zhu, T., Ma, T., Huang, X., Wang, S., 2016. Evaluating the rutting resistance of asphalt mixtures using a simplified triaxial repeated load test. Constr. Build. Mater. 116, 72–78. https://doi.org/https://doi.org/10.1016/j.conbuildmat.2016.04.102

Zhu, Y., Pei, Z., Yi, J., Zhou, W., Ai, X., Feng, D., 2021. Research on the road performance of resin bio-oil mixtures. Constr. Build. Mater. 302, 124162. https://doi.org/10.1016/j.conbuildmat.2021.124162