UNIVERSITAS
GADJAH MADA
Evaluasi Pendekatan Novel Class Discovery (NCD) untuk Segmentasi Semantik 3D pada Data SLAM LiDAR
Nur Muhammad Ikram, Prof. Dr. Ir. Harintaka, S.T., MT., IPU, ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Atik, M. E., & Duran, Z. (2022). An Efficient Ensemble Deep Learning Approach for Semantic Point Cloud Segmentation Based on 3D Geometric Features and Range Images. *Sensors*, *22*(16). https://doi.org/10.3390/s22166210

Behley, J., Fallon, M., Zhao, S., Kim, G., Zhang, J., Zhang, F., & Kim, A. (2025). LiDAR SLAM. In L. Carlone, A. Kim, T. Barfoot, D. Cremers, & F. Dellaert (Ed.), *SLAM Handbook from Localization and Mapping to Spatial Intelligence* (hal. 226–251). Cambridge University Press.

Bello, S. A., Yu, S., Wang, C., Adam, J. M., & Li, J. (2020). Review: Deep learning on 3D point clouds. *Remote Sensing*, *12*(11), 1–34. https://doi.org/10.3390/rs12111729

Boulch, A., Saux, B. Le, & Audebert, N. (2017). Unstructured point cloud semantic labeling using deep segmentation networks. *Eurographics Proceedings*, 17–24. https://doi.org/10.2312/3dor.20171047

Cai, Y., Ou, Y., & Qin, T. (2024). Improving SLAM Techniques with Integrated Multi-Sensor Fusion for 3D Reconstruction. *Sensors*, *24*(7), 1–25. https://doi.org/10.3390/s24072033

Cen, J., Yun, P., Zhang, S., Cai, J., Luan, D., Tang, M., Liu, M., & Yu Wang, M. (2022). *Open-world Semantic Segmentation for LIDAR Point Clouds BT - Computer Vision – ECCV 2022* (S. Avidan, G. Brostow, M. Cissé, G. M. Farinella, & T. Hassner (ed.); hal. 318–334). Springer Nature Switzerland.

Chen, C., Fragonara, L. Z., & Tsourdos, A. (2021). GAPointNet : Graph attention based point neural network for exploiting local feature of point cloud. *Neurocomputing*, *438*, 122–132. https://doi.org/10.1016/j.neucom.2021.01.095

Choy, C., & Savarese, S. (2019). 4D Spatio-Temporal ConvNets : Minkowski Convolutional Neural Networks. *Proceedings of the IEEE/CVF on computer vision and pattern recognition*, 3075–3084.

Colin, T., Alexandre, R.-M., Stéphane, G., Vincent, L., & Sandrine, V. (2024). A practical approach to novel class discovery in tabular data. *Data Mining and Knowledge Discovery*, *38*(4), 2087–2116.

Deng, F. (2011). *Laser Scanning, Theory and Application : Registration between Multiple Laser Scanner Data Sets* (C. chau Wang (ed.)). InTech.

Dhruwa, L., & Garg, P. K. (2023). Positional accuracy assessment of features using lidar point cloud. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, *48*(M-3–2023), 77–80. https://doi.org/10.5194/isprs-archives-XLVIII-M-3-2023-77-2023

Donager, J. J., Sánchez Meador, A. J., & Blackburn, R. C. (2021). Adjudicating perspectives on forest structure: How do airborne, terrestrial, and mobile lidar-derived estimates compare? *Remote Sensing*, *13*(12), 1–18. https://doi.org/10.3390/rs13122297

Du, J., Xu, L., Ma, L., Gao, K., Zelek, J., & Li, J. (2025). 3D semantic segmentation: Cluster-based sampling and proximity hashing for novel class discovery. *ISPRS Journal of Photogrammetry and Remote Sensing*, *223*(July 2024), 274–295. https://doi.org/10.1016/j.isprsjprs.2025.03.001

Du, R., Ma, Z., Xie, P., He, Y., & Cen, H. (2023). PST : Plant segmentation transformer for 3D point clouds of rapeseed plants at the podding stage. *ISPRS Journal of Photogrammetry and Remote Sensing*, *195*(August 2022), 380–392. https://doi.org/10.1016/j.isprsjprs.2022.11.022

UNIVERSITAS
GADJAH MADA
Evaluasi Pendekatan Novel Class Discovery (NCD) untuk Segmentasi Semantik 3D pada Data SLAM LiDAR
Nur Muhammad Ikram, Prof. Dr. Ir. Harintaka, S.T., MT., IPU, ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Elwirehardja, G. N., Suparyanto, T., & Pardamean, B. (2023). Pengenalan Konsep Machine Learning Untuk Pemula. In *Instiper Press (Ikapi & Appti*.

Fahle, L., Holley, E. A., Walton, G., Petruska, A. J., & Brune, J. F. (2022). Analysis of SLAM - Based Lidar Data Quality Metrics for Geotechnical Underground Monitoring. *Mining, Metallurgy & Exploration*, 1939–1960. https://doi.org/10.1007/s42461-022-00664-3

Forsyth, D. A., & Ponce, J. (2012). *Computer Vision A Modern Approach* (Second Edi). Pearson Education.

Gao, W., & Li, G. (2025). *Deep Learning for 3D Point Clouds*. Springer.

Gezawa, A. S., Bello, Z. A., Wang, Q., & Yunqi, L. (2022). A voxelized point clouds representation for object classification and segmentation on 3D data. *Journal of Supercomputing*, *78*(1), 1479–1500. https://doi.org/10.1007/s11227-021-03899-x

Grant, D. S. (2013). *Cloud To Cloud Registration For 3d Point Data*. Purdue University.

Guerry, J., Boulch, A., Le Saux, B., Moras, J., Plyer, A., & Filliat, D. (2017). Snapnet-r: Consistent 3d multi-view semantic labeling for robotics. *Proceedings of the IEEE international conference on computer vision workshops*, 669–678.

Guillen, V., & Gabriel, A. (2025). *Convex-Guided Outlier Removal for 3D Point Clouds*. University of California.

Guo, Y., Wang, H., Hu, Q., Liu, H., Liu, L., & Bennamoun, M. (2021). Deep Learning for 3D Point Clouds: A Survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, *43*(12), 4338–4364. https://doi.org/10.1109/TPAMI.2020.3005434

Han, K., Vedaldi, A., & Zisserman, A. (2019). Learning to discover novel visual categories via deep transfer clustering. *Proceedings of the IEEE/CVF international conference on computer vision*, 8401–8409.

He, S., Jiang, X., Jiang, W., & Ding, H. (2023). Prototype Adaption and Projection for Few- and Zero-Shot 3D Point Cloud Semantic Segmentation. *IEEE Transactions on Image Processing*, *32*, 3199–3211. https://doi.org/10.1109/TIP.2023.3279660

Hu, Q., Yang, B., Khalid, S., Xiao, W., Trigoni, N., & Markham, A. (2022). SensatUrban : Learning Semantics from Urban-Scale Photogrammetric Point Clouds. *International Journal of Computer Vision*, *130*(2), 316–343. https://doi.org/10.1007/s11263-021-01554-9

Hu, Z., Bai, X., Shang, J., Zhang, R., Dong, J., Wang, X., Sun, G., Fu, H., & Tai, C. L. (2025). Voxel-Mesh Network for Geodesic-Aware 3D Semantic Segmentation of Indoor Scenes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, *47*(5), 3244–3256. https://doi.org/10.1109/TPAMI.2022.3194555

Huang, Q., Wang, W., & Neumann, U. (2018). Recurrent Slice Networks for 3D Segmentation of Point Clouds Qiangui Huang. *IEEE Conference Computer Vision Pattern Recognition (CVPR)*, *1*, 2626–2635.

Islam, M. M., & Sultana, N. (2018). Comparative study on machine learning algorithms for sentiment classification. *International Journal of Computer Applications*, *182*(21), 1–7.

Jaderberg, M. (2015). Spatial Transformer Networks. *neural Inf. Process Syst. (NIPS)*, 2017–2025.

Jiang, M., Wu, Y., Zhao, T., Zhao, Z., & Lu, C. (2018). PointSIFT: A Sift-like Network Module for 3D Point cloud Semantic Segmentation. *ArXiv*, *1807*(00652).

José, J., Santo, A., Gil, A., Viegas, C., & Payá, L. (2025). MinkUNeXt : Point cloud-based large-scale place recognition using 3D sparse convolutions. *Array*, *28*(September), 100569. https://doi.org/10.1016/j.array.2025.100569

Kim, H., Yoon, S.-H., Kim, M., & Yoon, K.-J. (2024). On-the-Fly Category Discovery for

UNIVERSITAS
GADJAH MADA
Evaluasi Pendekatan Novel Class Discovery (NCD) untuk Segmentasi Semantik 3D pada Data SLAM LiDAR
Nur Muhammad Ikram, Prof. Dr. Ir. Harintaka, S.T., MT., IPU, ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

LiDAR Semantic Segmentation. *European Conference on Computer Vision*, 231–249.

Komorowski, J. (2022). Improving point cloud based place recognition with ranking-based loss and large batch training. *2022 26th international conference on pattern recognition (ICPR)*, 3699–3705.

Landry, D., & Gigu, P. (2019). *CELLO-3D : Estimating the Covariance of ICP in the Real World*. 8190–8196.

Lateef, F., & Ruichek, Y. (2019). Survey on semantic segmentation using deep learning techniques. *Neurocomputing*, *338*, 321–348. https://doi.org/10.1016/j.neucom.2019.02.003

Le, T., & Duan, Y. (2018). PointGrid : A Deep Network for 3D Shape Understanding. *Proceedings of the IEEE conference on computer vision and pattern recognition*, 9204–9214.

Li, J., Chen, B. M., & Lee, G. H. (2018). SO-Net : Self-Organizing Network for Point Cloud Analysis. *IEEE Conference Computer Vision Pattern Recognition (CVPR)*, 9397–9406.

Li, L., Kong, X., Zhao, X., Li, W., Wen, F., Zhang, H., & Liu, Y. (2021). SA-LOAM: Semantic-aided LiDAR SLAM with Loop Closure. *Proceedings - IEEE International Conference on Robotics and Automation*, *2021-May*(Icra), 7627–7634. https://doi.org/10.1109/ICRA48506.2021.9560884

Li, Y., Bu, R., Sun, M., Wu, W., Di, X., & Chen, B. (2018). PointCNN : Convolution On X -Transformed Points. *neural Inf. Process Syst. (NIPS)*, 828–838.

Li, Y., & Sheng, H. (2023). A single-stage point cloud cleaning network for outlier removal and denoising. *Pattern Recognition*, *138*, 109366. https://doi.org/10.1016/j.patcog.2023.109366

Li, Y., Wu, A., Zhang, Z., & Han, Y. (2025). Novel Class Discovery for Point Cloud Segmentation via Joint Learning of Causal Representation and Reasoning. *39th Conference on Neural Information Processing System*, *NeurIPS*, 1–12.

Liu, H., Xu, G., Liu, B., Li, Y., Yang, S., Tang, J., Pan, K., & Xing, Y. (2025). A real time LiDAR-Visual-Inertial object level semantic SLAM for forest environments. *ISPRS Journal of Photogrammetry and Remote Sensing*, *219*, 71–90.

Liu, K. (2022). *An Integrated LiDAR-SLAM System for Complex Environment with Noisy Point Clouds*. http://arxiv.org/abs/2212.05705

Liu, S., Zhang, M., Kadam, P., Kuo, C.-C. J., Liu, S., Zhang, M., Kadam, P., & Kuo, C.-C. J. (2021). Explainable Machine Learning Methods for Point Cloud Analysis. *3D Point Cloud Analysis: Traditional, Deep Learning, and Explainable Machine Learning Methods*, 87–140.

Lowphansirikul, C., Kim, K. S., Vinayaraj, P., & Tuarob, S. (2019). 3D Semantic Segmentation of Large-Scale Point-Clouds in Urban Areas Using Deep Learning. *2019 11th International Conference on Knowledge and Smart Technology, KST 2019*, 238–243. https://doi.org/10.1109/KST.2019.8687813

Ma, Y., Guo, Y., Lei, Y., Lu, M., & Zhang, J. (2018). 3DMAX-Net: A multi-scale spatial contextual network for 3D point cloud semantic segmentation. *2018 24th International Conference on Pattern Recognition (ICPR)*, 1560–1566.

Mansour, M., Martens, J., & Blankenbach, J. (2024). Hierarchical SVM for semantic segmentation of 3D point clouds for infrastructure scenes. *Infrastructures*, *9*(5), 83.

Maturana, D., & Scherer, S. (2015). Voxnet: A 3d convolutional neural network for real-time object recognition. *2015 IEEE/RSJ international conference on intelligent robots and systems (IROS)*, 922–928.

UNIVERSITAS
GADJAH MADA
Evaluasi Pendekatan Novel Class Discovery (NCD) untuk Segmentasi Semantik 3D pada Data SLAM LiDAR
Nur Muhammad Ikram, Prof. Dr. Ir. Harintaka, S.T., MT., IPU, ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Niko, S., Dayoub, F., Mcmahon, S., Talbot, B., Schulz, R., Corke, P., Wyeth, G., Upcroft, B., & Milford, M. (2016). Place Categorization and Semantic Mapping on a Mobile Robot. *2016 IEEE International conference on robotics and automation (ICRA)*, 5729–5736.

Ning, Z., Tang, L., Qi, S., & Liu, Y. (2021). Deep Learning on 3D Point Cloud for Semantic Segmentation. In *Advances in Smart Vehicular Technology, Transportation, Communication and Applications: Proceedings of VTCA 2021* (hal. 275–282). Springer.

Oliveira, H., Silva, C., Machado, G. L. S., Nogueira, K., & Santos, J. A. (2023). Fully convolutional open set segmentation. In *Machine Learning* (Vol. 112, Nomor 5). Springer US. https://doi.org/10.1007/s10994-021-06027-1

Park, C., Moghadam, P., Kim, S., Elfes, A., Fookes, C., & Sridharan, S. (2018). Elastic LiDAR Fusion : Dense Map-Centric Continuous-Time SLAM. *2018 IEEE International Conference on Robotics and Automation (ICRA)*, 1206–1213.

Poux, F., & Billen, R. (2019). Voxel-based 3D point cloud semantic segmentation: Unsupervised geometric and relationship featuring vs deep learning methods. *ISPRS International Journal of Geo-Information*, *8*(5), 213.

Qi, C. R., Su, H., Mo, K., & Guibas, L. J. (2017). Pointnet: Deep learning on point sets for 3d classification and segmentation. *Proceedings of the IEEE conference on computer vision and pattern recognition*, 652–660.

Qi, C. R., Yi, L., Su, H., & Guibas, L. J. (2017). PointNet ++ : Deep Hierarchical Feature Learning on Point Sets in a Metric Space. *Advances in Neural Information Processing Systems*, 5105–5114.

Rich, J. M., Bhardwaj, L. N., Shah, A., Gangal, K., Rapaka, M. S., Oberai, A. A., Fields, B. K. K., Jr, G. R. M., & Duddalwar, V. A. (2023). *Deep learning image segmentation approaches formalignant bone lesions: a systematic review and meta-analysis*. *August*, 1–11. https://doi.org/10.3389/fradi.2023.1241651

Riz, L., Saltori, C., Ricci, E., & Poiesi, F. (2023a). Novel class discovery for 3d point cloud semantic segmentation. *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, 9393–9402.

Riz, L., Saltori, C., Ricci, E., & Poiesi, F. (2023b). Novel Class Discovery for 3D Point Cloud Semantic Segmentation. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, *2023-June*(101058589), 9393–9402. https://doi.org/10.1109/CVPR52729.2023.00906

Roy, S., Liu, M., Zhong, Z., Sebe, N., & Ricci, E. (2022). Class-Incremental Novel Class Discovery. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, *13693 LNCS*, 317–333. https://doi.org/10.1007/978-3-031-19827-4_19

Sjafrie, H. (2019). Introduction to Self-Driving Vehicle Technology. In *Introduction to Self-Driving Vehicle Technology*. https://doi.org/10.1201/9780429316777

Somvanshi, M., Chavan, P., Tambade, S., & Shinde, S. V. (2016). A review of machine learning techniques using decision tree and support vector machine. *2016 international conference on computing communication control and automation (ICCUBEA)*, 1–7.

Su, H., Maji, S., Kalogerakis, E., & Learned-Miller, E. (2015). Multi-view Convolutional Neural Networks for 3D Shape Recognition. *Proceedings of the IEEE international conference on computer vision*, 945–953.

Tchapmi, L., Choy, C., Armeni, I., Gwak, J., & Savarese, S. (2017). Segcloud: Semantic segmentation of 3d point clouds. *2017 international conference on 3D vision (3DV)*,

UNIVERSITAS
GADJAH MADA
Evaluasi Pendekatan Novel Class Discovery (NCD) untuk Segmentasi Semantik 3D pada Data SLAM LiDAR
Nur Muhammad Ikram, Prof. Dr. Ir. Harintaka, S.T., MT., IPU, ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

537–547.

Te, G., Hu, W., Zheng, A., & Guo, Z. (2018). RGCNN : Regularized Graph CNN for Point Cloud Segmentation. *Proceedings of the 26th ACM International conference on Multimedia*, 746–754.

Tong, G., Li, Y., Chen, D., Cao, W. E. I., & Xiang, G. (2020). *CSPC-Dataset : New LiDAR Point Cloud Dataset and Benchmark for Large-Scale Scene Semantic Segmentation*. *8*, 87695–87718. https://doi.org/10.1109/ACCESS.2020.2992612

Trybała, P., Szrek, J., Dębogórski, B., Ziętek, B., Blachowski, J., Wodecki, J., & Zimroz, R. (2023). Analysis of Lidar Actuator System Influence on the Quality of Dense 3D Point Cloud Obtained with SLAM. *Sensors*, *23*(2), 1–19. https://doi.org/10.3390/s23020721

Wang, Y., Sun, Y., & Solomon, J. M. (2019). Dynamic Graph CNN for Learning on Point Clouds. *ACM Transactions on Graphics (tog)*, *38*(5), 1–12.

Wang, Y., Wang, Y., Wang, C., Materukhin, A., & Tang, X. (2026). *PG-Net : A Large-Scale LiDAR Point Cloud Semantic Segmentation Network Integrating Discrete Point Distribution and Local Graph Structural Feature*. 1–24.

Weinmann, M. (2016). *Reconstruction and analysis of 3D scenes* (Vol. 1). Springer.

Whitehurst, D., Friedman, B., Kochersberger, K., Sridhar, V., & Weeks, J. (2021). Drone-based community assessment, planning, and disaster risk management for sustainable development. *Remote Sensing*, *13*(9), 1–23. https://doi.org/10.3390/rs13091739

Xiao, R., Liu, W., Chen, Y., & Hu, L. (2024). Liv-gs: Lidar-vision integration for 3d gaussian splatting slam in outdoor environments. *IEEE Robotics and Automation Letters*, *10*(1), 421–428.

Xu, Y., Fan, T., Xu, M., Zeng, L., & Qiao, Y. (2018). SpiderCNN : Deep Learning on Point Sets with Parameterized Convolutional Filters. *Proceedings of the European conference on computer vision (ECCV)*, 87–102.

Yang, H., Chen, Y., Liu, J., Zhang, Z., & Zhang, X. (2023). A 3D Lidar SLAM System Based on Semantic Segmentation for Rubber-Tapping Robot. *Forests*, *14*(9). https://doi.org/10.3390/f14091856

Yang, Y., Sun, Z., Zhu, H., Member, S., Fu, I. Y., & Xiong, H. (2020). *Learning Adaptive Embedding Considering Incremental Class*. *1*, 1–15.

Ye, X., Li, J., Du, L., & Zhang, X. (2018). 3D Recurrent Neural Networks with Context Fusion for Point Cloud Semantic Segmentation. *Proceedings of the European conference on computer vision (ECCV)*, 403–417.

Zhang, H., Wei, S., Liu, G., Pang, F., & Yu, F. (2023). SLAM ground point extraction algorithm combining Depth Image and Semantic Segmentation Network. *2023 International Conference on Image Processing, Computer Vision and Machine Learning (ICICML)*, 348–352. https://doi.org/10.1109/ICICML60161.2023.10424752

Zhang, J., Zhao, X., Chen, Z., & Lu, Z. (2019). A Review of Deep Learning-Based Semantic Segmentation for Point Cloud. *IEEE Access*, *17*, 179118–179133.

Zhang, K., An, Y., Cui, Y., & Dong, H. (2024). Semantic Segmentation of 3D Point Clouds in Outdoor Environments Based on Local Dual-Enhancement. *Applied Sciences*, *14*(1777).

Zhang, K., Hao, M., Wang, J., Chen, X., Leng, Y., Silva, C. W. De, & Fu, C. (2021). Linked Dynamic Graph CNN : Learning through Point Cloud by Linking Hierarchical Features. *2021 27th International Conference on Mechatronics and Machine Vision in Practice (M2VIP)*, 7–12.

Zhang, R., Li, G., Li, M., & Wang, L. (2018). Fusion of images and point clouds for the

UNIVERSITAS
GADJAH MADA
Evaluasi Pendekatan Novel Class Discovery (NCD) untuk Segmentasi Semantik 3D pada Data SLAM LiDAR
Nur Muhammad Ikram, Prof. Dr. Ir. Harintaka, S.T., MT., IPU, ASEAN Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

semantic segmentation of large- scale 3D scenes based on deep learning. *ISPRS Journal of Photogrammetry and Remote Sensing*, *143*(April), 85–96. https://doi.org/10.1016/j.isprsjprs.2018.04.022

Zhang, Y., & Rabbat, M. (2018). A Graph-CNN for 3D Point cloud Classification. *2018 IEEE International conference on acoustics, speech, and signal processing (ICASSP)*, 6279–6283.

Zhao, X., Sun, P., Xu, Z., Min, H., & Yu, H. (2020). Fusion of 3D LIDAR and Camera Data for Object Detection in Autonomous Vehicle Applications. *IEEE Sensors Journal*, *20*(9), 4901–4913. https://doi.org/10.1109/JSEN.2020.2966034

Zhao, Y., Zhong, Z., Sebe, N., & Lee, G. H. (2022). Novel class discovery in semantic segmentation. *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, 4340–4349.

Zhou, D. (2021). *Learning Placeholders for Open-Set Recognition*.

Zhou, Z., Zhao, C., Adolfsson, D., Su, S., Gao, Y., Duckett, T., & Sun, L. (2021). NDT-Transformer : Large-Scale 3D Point Cloud Localisation using the Normal Distribution Transform Representation. *2021 IEEE International conference on robotics and automation (ICRA)*, 5654–5660.