Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abafita, B.J., Singh, A., Aitken, D., Ding, C., Moonaz, S., Palmer, A.J., et al., 2025. Yoga or Strengthening Exercise for Knee Osteoarthritis: A Randomized Clinical Trial. *JAMA Netw. Open* e253698. doi:10.1001/jamanetworkopen.2025.3698

Abramoff, B., & Caldera, F.E., 2020. Osteoarthritis: Pathology, Diagnosis, and Treatment Options. *Med. Clin. North Am.* 104: 293–311. doi:10.1016/j.mcna.2019.10.007

Abramson, S.B., 2008. Nitric oxide in inflammation and pain associated with osteoarthritis. *Arthritis Res. Ther.* 10: 1–7. doi:10.1186/ar2463

Altman, R.D., Manjoo, A., Fierlinger, A., Niazi, F., & Nicholls, M., 2015. The mechanism of action for hyaluronic acid treatment in the osteoarthritic knee: A systematic review. *BMC Musculoskelet. Disord.* 16: 1–10. doi:10.1186/s12891-015-0775-z

Arias-Vázquez, P.I., Tovilla-Zárate, C.A., Legorreta-Ramírez, B.G., Burad Fonz, W., Magaña-Ricardez, D., González-Castro, T.B., et al., 2019. Prolotherapy for knee osteoarthritis using hypertonic dextrose vs other interventional treatments: systematic review of clinical trials. *Adv. Rheumatol. (London, England)* 59: 39. doi:10.1186/s42358-019-0083-7

Assis, L., Milares, L.P., Almeida, T., Tim, C., Magri, A., Fernandes, K.R., et al., 2016. Aerobic exercise training and low-level laser therapy modulate inflammatory responsse and degenerative process in an experimental model of knee osteoarthritis in rats. *Osteoarthr. Cartil.* 24: 169–177. doi:10.1016/j.joca.2015.07.020

Ayhan, E., Kesmezacar, H., & Akgun, I., 2014. Intraarticular injections (corticosteroid, hyaluronic acid, platelet rich plasma) for the knee osteoarthritis. *World J. Orthop.* 5: 351–361. doi:10.5312/wjo.v5.i3.351

Bahşi, A., Altındağ, Ö., Akaltun, M.S., Aydeniz, A., Avcı, E.E., & Gür, A., 2022. Comparison of the Effects of Isokinetic, Isometric, and Isotonic Exercises on Knee Osteoarthritis Using Ultrasound. *Cureus* 14: e28324.

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

doi:10.7759/cureus.28324

Bannuru, R.R., Osani, M.C., Vaysbrot, E.E., Arden, N.K., Bennell, K., Bierma-Zeinstra, S.M.A., et al., 2019. OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. *Osteoarthr. Cartil.* 27: 1578–1589. doi:10.1016/j.joca.2019.06.011

Barisic, A., Leatherdale, S.T., & Kreiger, N., 2011. Importance of frequency, intensity, time and type (FITT) in physical activity assessment for epidemiological research. *Can. J. Public Heal.* 102: 174–175. doi:10.1007/bf03404889

Bayar, M., & Hadavand, F., 2019. Comparison of Efficacy between Dextrose Neurofascial Prolotherapy and Intra-articular Corticosteroid Injection in Patients with Moderate to Severe Knee Osteoarthritis: A Double-Blind Randomized Clinical Trial. *Iran. Soc. Phys. Med. Rehabil. Electrodiagnosis* 1: 194–202.

Bayat, M., & Hadavand, F., 2019. Comparison of Efficacy between Dextrose Neurofascial Prolotherapy and Intra-articular Corticosteroid Injection in Patients with Moderate to Severe Knee Osteoarthritis: A Double-Blind Randomized Clinical Trial. *Jpmre* 1: 194–202. doi:10.22122/PMRE.V1I4.48

Bayat, M., Hojjati, F., Nazar, N.S.B., Modabberi, M., & Rahimi, M.S., 2023a. Comparison of Dextrose Prolotherapy and Triamcinolone Intraarticular Injection on Pain and Function in Patients with Knee Osteoarthritis-A Randomized Clinical Trial. *Anesthesiol. Pain Med.* 13: 134415. doi:10.5812/aapm-134415

Bayat, M., Hojjati, F., Sadat, N., Nazar, B., Modabberi, M., Sadat Rahimi, M., et al., 2023b. Comparison of Dextrose Prolotherapy and Triamcinolone Intraarticular Injection on Pain and Function in Patients with Knee Osteoarthritis-A Randomized Clinical Trial. *Anesthesiol. Pain Med.* 13: 134415. doi:10.5812/aapm-134415

Bayat, M., Raeissadat, S.A., Babaki, M.M., & Rahimi-Dehgolan, S., 2019. Is dextrose prolotherapy superior to corticosteroid injection in patients with chronic lateral epicondylitis?: A randomized clinical trial. *Orthop. Res. Rev.*

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

11: 167–175. doi:10.2147/ORR.S218698

Bennell, K.L., & Hinman, R.S., 2011. A review of the clinical evidence for exercise in osteoarthritis of the hip and knee. *J. Sci. Med. Sport* 14: 4–9. doi:10.1016/j.jsams.2010.08.002

Berenbaum, F., 2013. Osteoarthritis as an inflammatory disease (osteoarthritis is not osteoarthrosis!). *Osteoarthr. Cartil.* 21: 16–21. doi:10.1016/j.joca.2012.11.012

Biscaldi, E., Barra, F., Evangelisti, G., & Ferrero, S., 2018. Radiological assessment, Endometrial Cancer: Risk Factors, Management and Prognosis. doi:10.2307/3578513

Bravatà, V., Minafra, L., Forte, G.I., Cammarata, F.P., Saporito, M., Boniforti, F., et al., 2015. DVWA gene polymorphisms and osteoarthritis. *BMC Res. Notes* 8. doi:10.1186/s13104-015-0987-1

Budhiparama, N.C., Lumban-Gaol, I., Sudoyo, H., Magetsari, R., & Wibawa, T., 2023. The role of genetic polymorphisms of interleukin-1 (IL-1R1 and IL-1RN) in primary knee osteoarthritis in Indonesia. *Sci. Rep.* 13. doi:10.1038/s41598-023-34824-2

Buhrmann, C., Mobasheri, A., Matis, U., & Shakibaei, M., 2010. Curcumin mediated suppression of nuclear factor-κB promotes chondrogenic differentiation of mesenchymal stem cells in a high-density co-culture microenvironment. *Arthritis Res. Ther.* 12. doi:10.1186/ar3065

Burdakov, D., Jensen, L.T., Alexopoulos, H., Williams, R.H., Fearon, I.M., O'Kelly, I., et al., 2006. Tandem-Pore K+ Channels Mediate Inhibition of Orexin Neurons by Glucose. *Neuron* 50: 711–722. doi:10.1016/j.neuron.2006.04.032

Centres for disease control and prevention, 2023. Physical Activity for Arthritis [WWW Document]. *Www.Cdc.Gov*. URL https://www.cdc.gov/arthritis/basics/physical-activity/index.html (accessed 5.1.24).

Chen, D., Shen, J., Zhao, W., Wang, T., Han, L., Hamilton, J.L., et al., 2017. Osteoarthritis: Toward a comprehensive understanding of pathological

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

mechanism. *Bone Res.* doi:10.1038/boneres.2016.44

Chen, J.J., Huang, J.F., Du, W.X., & Tong, P.J., 2014. Expression and significance of MMP3 in synovium of knee joint at different stage in osteoarthritis patients. *Asian Pac. J. Trop. Med.* 7: 297–300. doi:10.1016/S1995-7645(14)60042-0

Chen, L., Zheng, J.J.Y., Li, G., Yuan, J., Ebert, J.R., Li, H., et al., 2020. Pathogenesis and clinical management of obesity-related knee osteoarthritis: Impact of mechanical loading. *J. Orthop. Transl.* 24: 66–75. doi:10.1016/j.jot.2020.05.001

Chubinskaya, S., Kuettner, K.E., & Cole, A.A., 1999. Expression of matrix metalloproteinases in normal and damaged articular cartilage from human knee and ankle joints. *Lab. Invest.* 79: 1669–1677.

Cohen, J., 1988. Statistical power analysis for the behavioral sciences (2nd ed.). Lawrence Erlbaum.

Da Costa, B.R., Pereira, T. V., Saadat, P., Rudnicki, M., Iskander, S.M., Bodmer, N.S., et al., 2021. Effectiveness and safety of non-steroidal anti-inflammatory drugs and opioid treatment for knee and hip osteoarthritis: Network meta-analysis. *BMJ* 375. doi:10.1136/bmj.n2321

Daheshia, M., & Yao, J.Q., 2008. The interleukin 1β pathway in the pathogenesis of osteoarthritis. *J. Rheumatol.* doi:10.3899/jrheum.080346

Danto, S.I., Shojaee, N., Singh, R.S.P., Li, C., Gilbert, S.A., Manukyan, Z., et al., 2019. Safety, tolerability, pharmacokinetics, and pharmacodynamics of PF-06650833, a selective interleukin-1 receptor-associated kinase 4 (IRAK4) inhibitor, in single and multiple ascending dose randomized phase 1 studies in healthy subjects. *Arthritis Res. Ther.* 21: 1–17. doi:10.1186/s13075-019-2008-6

de Sire, A., Marotta, N., Marinaro, C., Curci, C., Invernizzi, M., & Ammendolia, A., 2021. Role of physical exercise and nutraceuticals in modulating molecular pathways of osteoarthritis. *Int. J. Mol. Sci.* 22: 5722. doi:10.3390/ijms22115722

DeChellis, D.M., & Cortazzo, M.H., 2011. Regenerative medicine in the field of pain medicine: Prolotherapy, platelet-rich plasma therapy, and stem cell

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

therapy-Theory and evidence. *Tech. Reg. Anesth. Pain Manag.* 15: 74–80. doi:10.1053/j.trap.2011.05.002

Deyle, G.D., Henderson, N.E., Matekel, R.L., Ryder, M.G., Garber, M.B., & Allison, S.C., 2000. Effectiveness of manual physical therapy and exercise in osteoarthritis of the knee: A randomized, controlled trial. *Ann. Intern. Med.* 132: 173–181. doi:10.7326/0003-4819-132-3-200002010-00002

Dilley, J.E., Bello, M.A., Roman, N., McKinley, T., & Sankar, U., 2023. Post-traumatic osteoarthritis: A review of pathogenic mechanisms and novel targets for mitigation. *Bone Reports* 18: 101658. doi:10.1016/j.bonr.2023.101658

Djouhri, L., Koutsikou, S., Fang, X., McMullan, S., & Lawson, S.N., 2006. Spontaneous pain, both neuropathic and inflammatory, is related to frequency of spontaneous firing in intact C-fiber nociceptors. *J. Neurosci.* 26: 1281–1292. doi:10.1523/JNEUROSCI.3388-05.2006

Dumais, R., Benoit, C., Dumais, A., Babin, L., Bordage, R., de Arcos, C., et al., 2012. Effect of Regenerative Injection Therapy on Function and Pain in Patients with Knee Osteoarthritis: A Randomized Crossover Study. *Pain Med. (United States)* 13: 990–999. doi:10.1111/j.1526-4637.2012.01422.x

Ekingen, T., Sob, C., Hartmann, C., Rühli, F.J., Matthes, K.L., Staub, K., et al., 2022. Associations between hydration status, body composition, sociodemographic and lifestyle factors in the general population: a cross-sectional study. *BMC Public Health* 22: 900. doi:10.1186/s12889-022-13280-z

Farrokhi, S., Voycheck, C.A., Tashman, S., & Fitzgerald, G.K., 2013. A biomechanical perspective on physical therapy management of knee osteoarthritis. *J. Orthop. Sports Phys. Ther.* doi:10.2519/jospt.2013.4121

Fransen, M., McConnell, S., & Bell, M., 2001. Exercise for osteoarthritis of the hip or knee. *Cochrane Database Syst. Rev.* doi:10.1002/14651858.cd004376

Fransen, M., McConnell, S., Harmer, A.R., Van Der Esch, M., Simic, M., & Bennell, K.L., 2015. Exercise for osteoarthritis of the knee: A Cochrane systematic review. *Br. J. Sports Med.* 49: 1554–1557. doi:10.1136/bjsports-2015-095424

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Garber, C.E., Blissmer, B., Deschenes, M.R., Franklin, B.A., Lamonte, M.J., Lee, I.-M., et al., 2011. Quantity and Quality of Exercise for Developing and Maintaining Cardiorespiratory, Musculoskeletal, and Neuromotor Fitness in Apparently Healthy Adults. *Med. Sci. Sport. Exerc.* 43: 1334–1359. doi:10.1249/MSS.0b013e318213fefb

Grässel, S., & Muschter, D., 2020. Recent advances in the treatment of osteoarthritis. *F1000Research* 9. doi:10.12688/f1000research.22115.1

Güler, T., Yurdakul, F.G., Önder, M.E., Erdoğan, F., Yavuz, K., Becenen, E., et al., 2022. Ultrasound-guided genicular nerve block versus physical therapy for chronic knee osteoarthritis: a prospective randomised study. *Rheumatol. Int.* 42: 591–600. doi:10.1007/s00296-022-05101-8

Hassan, F., Trebinjac, S., Murrell, W.D., & Maffulli, N., 2017. The effectiveness of prolotherapy in treating knee osteoarthritis in adults: A systematic review. *Br. Med. Bull.* 122: 91–108. doi:10.1093/bmb/ldx006

Hauser, R.A., Lackner, J.B., Steilen-Matias, D., & Harris, D.K., 2016. A systematic review of dextrose prolotherapy for chronic musculoskeletal pain. *Clin. Med. Insights Arthritis Musculoskelet. Disord.* 9: 139–159. doi:10.4137/CMAMD.S39160

Hawker, G.A., Davis, A.M., French, M.R., Cibere, J., Jordan, J.M., March, L., et al., 2008. Development and preliminary psychometric testing of a new OA pain measure - an OARSI/OMERACT initiative. *Osteoarthr. Cartil.* 16: 409–414. doi:10.1016/j.joca.2007.12.015

Hellmi, R.Y., Najirman, Manuaba, I.R.W., Rahmadi, A.R., Kurniari, P.K., Chair, M., et al., 2021. Diagnosis dan Pengelolaan Osteoartritis (Lutut, Tangan, dan Panggul). Perhimounan Rematologi Indonesia, Jakarta.

Henrotin, Y., 2022. Osteoarthritis in year 2021: biochemical maHenrotin, Y., 2022. Osteoarthritis in year 2021: biochemical markers. Osteoarthr. Cartil. doi:10.1016/j.joca.2021.11.001rkers. *Osteoarthr. Cartil.* doi:10.1016/j.joca.2021.11.001

Hinman, R.S., Hall, M., Comensoli, S., & Bennell, K.L., 2023. Exercise & Sports Science Australia (ESSA) updated Position Statement on exercise and physical

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

activity for people with hip/knee osteoarthritis. *J. Sci. Med. Sport* 26: 37–45. doi:10.1016/j.jsams.2022.11.003

Hislop, A., Collins, N.J., Tucker, K., & Semciw, A.I., 2023. The association between hip strength, physical function and dynamic balance in people with unilateral knee osteoarthritis: A cross-sectional study. *Musculoskelet. Sci. Pract.* 63. doi:10.1016/j.msksp.2022.102696

Honvo, G., Reginster, J.Y., Rannou, F., Rygaert, X., Geerinck, A., Rabenda, V., et al., 2019. Safety of Intra-articular Hyaluronic Acid Injections in Osteoarthritis: Outcomes of a Systematic Review and Meta-Analysis. *Drugs and Aging* 36: 101–127. doi:10.1007/s40266-019-00657-w

Hsieh, R.L., & Lee, W.C., 2022. Effects of Intra-articular Coinjections of Hyaluronic Acid and Hypertonic Dextrose on Knee Osteoarthritis: A Prospective, Randomized, Double-Blind Trial. *Arch. Phys. Med. Rehabil.* 103: 1505–1514. doi:10.1016/j.apmr.2022.04.001

Huang, C., Guo, Z., Feng, Z., Xu, J., Pan, Z., Liu, W., et al., 2024. Comparative study on the association between types of physical activity, physical activity levels, and the incidence of osteoarthritis in adults: the NHANES 2007–2020. *Sci. Rep.* 14: 1–12. doi:10.1038/s41598-024-71766-9

Huang, Y., Pan, W., Bao, H., Xu, C., & Ma, J., 2025. Serum and synovial fluid levels of CSF-1 and in knee osteoarthritis and its clinical significance. *BMC Musculoskelet. Disord.* 8.

Hung, C.Y., Hsiao, M.Y., Chang, K.V., Han, D.S., & Wang, T.G., 2016. Comparative effectiveness of dextrose prolotherapy versus control injections and exercise in the management of osteoarthritis pain: A systematic review and meta-analysis. *J. Pain Res.* doi:10.2147/JPR.S118669

Hunter, C.W., Deer, T.R., Jones, M.R., Chang Chien, G.C., D'souza, R.S., Davis, T., et al., 2022. Consensus Guidelines on Interventional Therapies for Knee Pain (STEP Guidelines) from the American Society of Pain and Neuroscience. *J. Pain Res.* 15: 2683–2745. doi:10.2147/JPR.S370469

Hunter, D.J., & Eyles, J.P., 2022. Osteoarthritis Health Professional Training Manual, Osteoarthritis Health Professional Training Manual.

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

doi:10.1016/C2021-0-00850-6

Hussein, R., & Aboukhamis, I., 2023. Serum matrix metalloproteinase-3 levels monitor the therapeutic efficacy in Syrian patients with rheumatoid arthritis. *Heliyon* 9. doi:10.1016/j.heliyon.2023.e14008

J. Cassuto, R.S. and M.B., 2006. Anti-inflammatory properties of local anesthetics and their present and potential clinical implications. *Acta Anaesthesiol Scand 2006; 50 265—282* 265–282. doi:10.1111/j.1399-6576.2005.00936.x

Jahantigh Akbari, N., Hosseinifar, M., Naimi, S.S., Mikaili, S., & Rahbar, S., 2020. The efficacy of physiotherapy interventions in mitigating the symptoms and complications of diabetic peripheral neuropathy: A systematic review. *J. Diabetes Metab. Disord.* 19: 1995–2004. doi:10.1007/s40200-020-00652-8

Jamison, D.E., & Cohen, S.P., 2018. Radiofrequency techniques to treat chronic knee pain: A comprehensive review of anatomy, effectiveness, treatment parameters, and patient selection. *J. Pain Res.* 11: 1879–1888. doi:10.2147/JPR.S144633

Jensen, K.T., Rabago, D.P., Best, T.M., Patterson, J.J., & Vanderby, R., 2008. Responsse of knee ligaments to prolotherapy in a rat injury model. *Am. J. Sports Med.* 36: 1347–1357. doi:10.1177/0363546508314431

Jin, G.-Z., 2026. Molecular Mechanisms of Chondrocyte Hypertrophy Mediated by Physical Cues and Therapeutic Strategies in Osteoarthritis. *Int. J. Mol. Sci.* 27. doi:10.3390/ijms27020624

Kanyama, M., Kuboki, T., Kojima, S., Fujisawa, T., Hattori, T., Takigawa, M., et al., 2000. Matrix Metalloproteinases and Tissue Inhibitors of Metalloproteinases in Synovial Fluids of Patients with Temporomandibular Joint Osteoarthritis. *J. Orofac. Pain* 14: 20–30.

Kapoor, M., Martel-Pelletier, J., Lajeunesse, D., Pelletier, J.P., & Fahmi, H., 2011. Role of proinflammatory cytokines in the pathophysiology of osteoarthritis. *Nat. Rev. Rheumatol.* doi:10.1038/nrrheum.2010.196

Kawabata, S., Murata, K., Nakao, K., Sonoo, M., Morishita, Y., Oka, Y., et al., 2020. Effects of exercise therapy on joint instability in patients with osteoarthritis of the knee: A systematic review. *Osteoarthr. Cartil. Open* 2:

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

100114. doi:10.1016/j.ocarto.2020.100114

Khanum, H., 2021. Etiology and Risk Factors for Developing Knee Osteoarthritis. *Biomed. J. Sci. Tech. Res.* 34: 26843–26851. doi:10.26717/bjstr.2021.34.005567

Kim, M.S., Koh, I.J., Choi, K.Y., Sung, Y.G., Park, D.C., Lee, H.J., et al., 2021. The Minimal Clinically Important Difference (MCID) for the WOMAC and Factors Related to Achievement of the MCID After Medial Opening Wedge High Tibial Osteotomy for Knee Osteoarthritis. *Am. J. Sports Med.* 49: 2406–2415. doi:10.1177/03635465211016853

Kolasinski, S.L., Neogi, T., Hochberg, M.C., Oatis, C., Guyatt, G., Block, J., et al., 2020. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. *Arthritis Rheumatol.* 72: 220–233. doi:10.1002/art.41142

Kong, H., Wang, X.-Q., & Zhang, X.-A., 2022. Exercise for Osteoarthritis: A Literature Review of Pathology and Mechanism. *Front. Aging Neurosci.* 14. doi:10.3389/fnagi.2022.854026

Kraus, V.B., Sprow, K., Powell, K.E., Buchner, D., Bloodgood, B., Piercy, K., et al., 2019. Effects of Physical Activity in Knee and Hip Osteoarthritis: A Systematic Umbrella Review. *Med. Sci. Sports Exerc.* 51: 1324–1339. doi:10.1249/MSS.0000000000001944

Kwon, H., Paschos, N.K., Hu, J.C., & Athanasiou, K., 2016. Articular cartilage tissue engineering: The role of signaling molecules. *Cell. Mol. Life Sci.* 73: 1173–1194. doi:10.1007/s00018-015-2115-8

Lawrence, R.C., Felson, D.T., Helmick, C.G., Arnold, L.M., Choi, H., Deyo, R.A., et al., 2008. Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. *Arthritis Rheum.* 58: 26–35. doi:10.1002/art.23176

Lee, A.S., Ellman, M.B., Yan, D., Kroin, J.S., Cole, B.J., van Wijnen, A.J., et al., 2013. A current review of molecular mechanisms regarding osteoarthritis and pain. *Gene* 527: 440–447. doi:10.1016/J.GENE.2013.05.069

Lee, J., Chang, R.W., Ehrlich-Jones, L., Kwoh, C.K., Nevitt, M., Semanik, P.A., et

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

al., 2015. Sedentary behavior and physical function: objective evidence from the Osteoarthritis Initiative. *Arthritis Care Res. (Hoboken).* 67: 366–373. doi:10.1002/acr.22432

Leung, Y.Y., Thumboo, J., Yeo, S.J., Wylde, V., & Tannant, A., 2022. Validation and interval scale transformation of the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC) in patients undergoing knee arthroplasty, using the Rasch model. *Osteoarthr. Cartil. Open* 4. doi:10.1016/j.ocarto.2022.100322

Lim, J., Choi, A., & Kim, B., 2024. The Effects of Resistance Training on Pain, Strength, and Function in Osteoarthritis: Systematic Review and Meta-Analysis. *J. Pers. Med.* 14: 1–11. doi:10.3390/jpm14121130

Litwic, A., Edwards, M.H., Dennison, E.M., & Cooper, C., 2013. Epidemiology and burden of osteoarthritis. *Br. Med. Bull.* 105: 185–199. doi:10.1093/bmb/lds038

Liu, C. xia, Gao, G., Qin, X. qun, Deng, C. qing, & Shen, X. jie, 2020. Correlation Analysis of C-terminal telopeptide of collagen type II and Interleukin-1β for Early Diagnosis of Knee Osteoarthritis. *Orthop. Surg.* 12: 286–294. doi:10.1111/os.12586

Liu, M., Haque, N., Huang, J., & Zhai, G., 2023. Osteoarthritis year in review 2023: metabolite and protein biomarkers. *Osteoarthr. Cartil.* 31: 1437–1453. doi:10.1016/j.joca.2023.08.005

Loeser, R.F., 2009. Aging and osteoarthritis: the role of chondrocyte senescence and aging changes in the cartilage matrix. *Osteoarthr. Cartil.* 17: 971–979. doi:10.1016/j.joca.2009.03.002

Louati, K., Vidal, C., Berenbaum, F., & Sellam, J., 2015. Association between diabetes mellitus and osteoarthritis: Systematic literature review and meta-analysis. *RMD Open* 1. doi:10.1136/rmdopen-2015-000077

Luo, Y., Chen, X., Gong, H., Chen, L., Zhang, L., & Li, S., 2025. Efficacy of aerobic exercises for knee osteoarthritis: a network meta analysis of randomized clinical trials. *J. Orthop. Surg. Res.* 20: 557. doi:10.1186/s13018-025-05973-z

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lyftogt, J., 2017. Refractory Knee , Shoulder , and Lateral 9–12.

Mailhot, B., Christin, M., Tessandier, N., Sotoudeh, C., Bretheau, F., Turmel, R., et al., 2020. Neuronal interleukin-1 receptors mediate pain in chronic inflammatory diseases. *J. Exp. Med.* 217. doi:10.1084/jem.20191430

Matta, C., & Mobasheri, A., 2014. Regulation of chondrogenesis by protein kinase C: Emerging new roles in calcium signalling. *Cell. Signal.* 26: 979–1000. doi:10.1016/J.CELLSIG.2014.01.011

McAlindon, T.E., LaValley, M.P., Harvey, W.F., Price, L.L., Driban, J.B., Zhang, M., et al., 2017. Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis: A Randomized Clinical Trial. *JAMA* 317: 1967. doi:10.1001/JAMA.2017.5283

Medin Ceylan, C., Sahbaz, T., & Cigdem Karacay, B., 2023. Demonstrating the effectiveness of Platelet Rich Plasma and Prolotherapy treatments in knee osteoarthritis. *Ir. J. Med. Sci.* 192: 193–198. doi:10.1007/s11845-022-03168-7

Michael, J.W.P., Schlüter-Brust, K.U., & Eysel, P., 2010. Epidemiologie, ätiologie, diagnostik und therapie der gonarthrose. *Dtsch. Arztebl.* 107: 152–162. doi:10.3238/arztebl.2010.0152

Minhas, S., Lim, R.Q.H., & Chandan, J.S., 2021. Central sensitisation: causes, therapies, and terminology. *Lancet Rheumatol.* 3: e546. doi:10.1016/S2665-9913(21)00178-8

Mo, L., Jiang, B., Mei, T., & Zhou, D., 2023. Exercise Therapy for Knee Osteoarthritis: A Systematic Review and Network Meta-analysis. *Orthop. J. Sport. Med.* 11. doi:10.1177/23259671231172773

Mortada, M., Zeid, A., Abd El-Hamid Al-Toukhy, M., Ezzeldin, N., & Elgawish, M., 2016. Reliability of a proposed ultrasonographic grading scale for severity of primary knee osteoarthritis. *Clin. Med. Insights Arthritis Musculoskelet. Disord.* 9: 161–166. doi:10.4137/CMAMD.S38141

O'Neill, T.W., & Felson, D.T., 2018. Mechanisms of Osteoarthritis (OA) Pain. *Curr. Osteoporos. Rep.* 16: 611–616. doi:10.1007/s11914-018-0477-1

Ohashi, Y., Uchida, K., Fukushima, K., Inoue, G., & Takaso, M., 2023.

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mechanisms of Peripheral and Central Sensitization in Osteoarthritis Pain. *Cureus* 15. doi:10.7759/cureus.35331

Pal, C.P., Singh, P., Chaturvedi, S., Pruthi, K.K., & Vij, A., 2016. Epidemiology of knee osteoarthritis in India and related factors. *Indian J. Orthop.* 50: 518–522. doi:10.4103/0019-5413.189608

Patel, S., 2017. A critical review on serine protease: Key immune manipulator and pathology mediator. *Allergol. Immunopathol. (Madr).* 45: 579–591. doi:10.1016/j.aller.2016.10.011

Pengas, I., Eldridge, S., Assiotis, A., McNicholas, M., Mendes, J.E., & Laver, L., 2018. MMP-3 in the peripheral serum as a biomarker of knee osteoarthritis, 40 years after open total knee meniscectomy. *J. Exp. Orthop.* 5. doi:10.1186/s40634-018-0132-x

Purba, F.D., Hunfeld, J.A.M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S.S., Ramos-Goñi, J.M., et al., 2017. The Indonesian EQ-5D-5L Value Set. *Pharmacoeconomics* 35: 1153–1165. doi:10.1007/s40273-017-0538-9

Qudsi-Sinclair, S., Borrás-Rubio, E., Abellan-Guillén, J.F., Padilla del Rey, M.L., & Ruiz-Merino, G., 2017. A Comparison of Genicular Nerve Treatment Using Either Radiofrequency or Analgesic Block with Corticosteroid for Pain after a Total Knee Arthroplasty: A Double-Blind, Randomized Clinical Study. *Pain Pract.* 17: 578–588. doi:10.1111/papr.12481

Rabago, D., Mundt, M., Zgierska, A., & Grettie, J., 2015. Hypertonic dextrose injection (prolotherapy) for knee osteoarthritis: Long term outcomes. *Complement. Ther. Med.* 23: 388–395. doi:10.1016/j.ctim.2015.04.003

Rabago, D., Patterson, J.J., Mundt, M., Kijowski, R., Grettie, J., Segal, N.A., et al., 2013. Dextrose prolotherapy for knee osteoarthritis: A randomized controlled trial. *Ann. Fam. Med.* 11: 229–237. doi:10.1370/afm.1504

Rabago, D., Slattengren, A., & Zgierska, A., 2010. Prolotherapy in Primary Care Practice, Primary Care - Clinics in Office Practice. doi:10.1016/J.POP.2009.09.013

Raeissadat, S.A., Ghazi Hosseini, P., Bahrami, M.H., Salman Roghani, R., Fathi, M., Gharooee Ahangar, A., et al., 2021. The comparison effects of intra-

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

articular injection of Platelet Rich Plasma (PRP), Plasma Rich in Growth Factor (PRGF), Hyaluronic Acid (HA), and ozone in knee osteoarthritis; a one year randomized clinical trial. *BMC Musculoskelet. Disord.* 22. doi:10.1186/s12891-021-04017-x

Rahimzadeh, P., Imani, F., Faiz, S.H.R., Entezary, S.R.S.R., Narimani Zamanabadi, M., Alebouyeh, M.R., et al., 2018. The effects of injecting intra-articular platelet-rich plasma or prolotherapy on pain score and function in knee osteoarthritis. *Clin. Interv. Aging* Volume 13: 73–79. doi:10.2147/CIA.S147757

Raud, B., Gay, C., Guiguet-Auclair, C., Bonnin, A., Gerbaud, L., Pereira, B., et al., 2020. Level of obesity is directly associated with the clinical and functional consequences of knee osteoarthritis. *Sci. Rep.* 10. doi:10.1038/s41598-020-60587-1

Reeves, K.D., Sit, R.W.S., & Rabago, D.P., 2016. Dextrose Prolotherapy: A Narrative Review of Basic Science, Clinical Research, and Best Treatment Recommendations. *Phys. Med. Rehabil. Clin. N. Am.* 27: 783–823. doi:10.1016/j.pmr.2016.06.001

Rezasoltani, Z., Azizi, S., Najafi, S., Sanati, E., Dadarkhah, A., & Abdorrazaghi, F., 2020. Physical therapy, intra-articular dextrose prolotherapy, botulinum neurotoxin, and hyaluronic acid for knee osteoarthritis: Randomized clinical trial. *Int. J. Rehabil. Res.* 43: 219–227. doi:10.1097/MRR.0000000000000411

Ribbens, C., Martin y Porras, M., Franchimont, N., Kaiser, M.J., Jaspar, J.M., Damas, P., et al., 2002. Increased matrix metalloproteinase-3 serum levels in rheumatic diseases: Relationship with synovitis and steroid treatment. *Ann. Rheum. Dis.* 61: 161–166. doi:10.1136/ard.61.2.161

Rogers, N., & Meng, Q.J., 2023. Tick tock, the cartilage clock. *Osteoarthr. Cartil.* 31: 1425–1436. doi:10.1016/j.joca.2023.05.010

Rojas-Ortega, M., Cruz, R., Antonio Vega-López, M., Cabrera-González, M., Manuel Hernández-Hernández, J., Lavalle-Montalvo, C., et al., 2015a. Exercise modulates the expression of IL-1β and IL-10 in the articular cartilage of normal and osteoarthritis-induced rats. *Pathol. Res. Pract.* 211: 435–443.

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

doi:10.1016/j.prp.2015.01.008

Rojas-Ortega, M., Cruz, R., Antonio Vega-López, M., Cabrera-González, M., Manuel Hernández-Hernández, J., Lavalle-Montalvo, C., et al., 2015b. Exercise modulates the expression of IL-1 and IL-10 in the articular cartilage of normal and osteoarthritis-induced rats. *Pathol. Pract.* 211: 435–443. doi:10.1016/j.prp.2015.01.008

Rosadi, R., 2021. Efektifitas Latihan Terhadap Kualitas Hidup Lansia Dengan Osteoartritis Lutut Di Kota Malang. *J. Fisioter. dan Rehabil.* 5: 96–104. doi:10.33660/jfrwhs.v5i1.132

Rose, B.J., & Kooyman, D.L., 2016. A Tale of Two Joints: The Role of Matrix Metalloproteases in Cartilage Biology. *Dis. Markers* 2016. doi:10.1155/2016/4895050

Rothman, K.J.., Greenland, Sander. dan Lash, T.L.. (2008) *Modern epidemiology*. Wolters Kluwer Health/Lippincott Williams & Wilkins.

Sananta, P., Qurotu'ain, N.A., Widasmara, D., & Noviya, E., 2022. Correlation between Grade of Knee Osteoarthritis with Quality of Life of Patient in Secondary Referral Hospital in Indonesia. *Open Access Maced. J. Med. Sci.* 10: 993–996. doi:10.3889/oamjms.2022.9326

Scott, D.L., Berry, H., Capell, H., Coppock, J., Daymond, T., Doyle, D. V., et al., 2000. The long-term effects of non-steroidal anti-inflammatory drugs in osteoarthritis of the knee: A randomized placebo-controlled trial. *Rheumatology* 39: 1095–1101. doi:10.1093/rheumatology/39.10.1095

Sellam, J., & Berenbaum, F., 2010. The role of synovitis in pathophysiology and clinical symptoms of osteoarthritis. *Nat. Rev. Rheumatol.* doi:10.1038/nrrheum.2010.159

Sert, A.T., Sen, E.I., Esmaeilzadeh, S., & Ozcan, E., 2020. The Effects of Dextrose Prolotherapy in Symptomatic Knee Osteoarthritis: A Randomized Controlled Study. *J. Altern. Complement. Med.* 26: 409–417. doi:10.1089/acm.2019.0335

Shakibaei, M., John, T., Schulze-Tanzil, G., Lehmann, I., & Mobasheri, A., 2007. Suppression of NF-κB activation by curcumin leads to inhibition of expression of cyclo-oxygenase-2 and matrix metalloproteinase-9 in human articular

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

chondrocytes: Implications for the treatment of osteoarthritis. *Biochem. Pharmacol.* 73: 1434–1445. doi:10.1016/j.bcp.2007.01.005

Shalhoub, M., Anaya, M., Deek, S., Zaben, A.H., Abdalla, M.A., Jaber, M.M., et al., 2022. The impact of pain on quality of life in patients with osteoarthritis: a cross-sectional study from Palestine. *BMC Musculoskelet. Disord.* 23: 1–11. doi:10.1186/s12891-022-05207-x

Singh, S., Kumar, S., Hemlata, Chaudhary, A., & Malik, A., 2019. A Comparative study of intra-articular injection of steroid versus prolotherapy for pain relief in patients of osteoarthritis knee. *Indian J. Pain* 33: 25. doi:10.4103/ijpn.ijpn_14_19

Sit, R.W.S., Chung, V.C.H., Reeves, K.D., Rabago, D., Chan, K.K.W., Chan, D.C.C., et al., 2016. Hypertonic dextrose injections (prolotherapy) in the treatment of symptomatic knee osteoarthritis: A systematic review and meta-analysis. *Sci. Rep.* doi:10.1038/srep25247

Sit, R.W.S., Wu, R.W.K., Rabago, D., Reeves, K.D., Chan, D.C.C., Yip, B.H.K., et al., 2020. Efficacy of Intra-Articular Hypertonic Dextrose (Prolotherapy) for Knee Osteoarthritis: A Randomized Controlled Trial. *Ann. Fam. Med.* 18: 235–242. doi:10.1370/afm.2520

Sitti Qomariyah Diu, Sri Yunanto, & Adnan Faris Naufal, 2025. Management Fisioterapi pada Kasus Osteoarthritis Lutut dengan Terapi Latihan Penguatan: Case Report. *J. Med. Nusant.* 3: 136–150. doi:10.59680/medika.v3i2.1884

Spitaels, D., Mamouris, P., Vaes, B., Smeets, M., Luyten, F., Hermens, R., et al., 2020. Epidemiology of knee osteoarthritis in general practice: a registry-based study. *BMJ Open* 10. doi:10.1136/bmjopen-2019-031734

Stanczyk, J., Leslie Pedrioli, D.M., Brentano, F., Sanchez-Pernaute, O., Kolling, C., Gay, R.E., et al., 2008. Altered expression of microRNA in synovial fibroblasts and synovial tissue in rheumatoid arthritis. *Arthritis Rheum.* 58: 1001–1009. doi:10.1002/art.23386

Steilen, D., Hauser, R., Woldin, B., & Sawyer, S., 2014. Chronic Neck Pain: Making the Connection Between Capsular Ligament Laxity and Cervical Instability. *Open Orthop. J.* 8: 326–345. doi:10.2174/1874325001408010326

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Suominen, H., 2006. Muscle training for bone strength. *Aging Clin. Exp. Res.* 18: 85–93. doi:10.1007/BF03327422

Syx, D., Tran, P.B., Miller, R.E., & Malfait, A.M., 2018. Peripheral Mechanisms Contributing to Osteoarthritis Pain. *Curr. Rheumatol. Rep.* 20: 139–149. doi:10.1007/s11926-018-0716-6

Taheem, Y., & Suvar, T., 2022. Prolotherapy: review with background history, mechanism of action, and current evidence. *ASRA News* 46. doi:10.52211/asra080122.035

Tanaka, R., Ozawa, J., Kito, N., & Moriyama, H., 2015. Does exercise therapy improve the health-related quality of life of people with knee osteoarthritis? A systematic review and meta-analysis of randomized controlled trials. *J. Phys. Ther. Sci.* 27: 3309–3314. doi:10.1589/jpts.27.3309

Topol, G.A., Pestalardo, I.G., Reeves, K.D., Elias, F., Steinmetz, N.J., Cheng, A.L., et al., 2022. Dextrose Prolotherapy for Symptomatic Grade IV Knee Osteoarthritis: A Pilot Study of Early and Longer-Term Analgesia and Pain-Specific Cytokine Concentrations. *Clin. Pract.* 12: 926–938. doi:10.3390/clinpract12060097

Topol, G.A., Podesta, L.A., Reeves, K.D., Giraldo, M.M., Johnson, L.L., Grasso, R., et al., 2016. Chondrogenic Effect of Intra-articular Hypertonic-Dextrose (Prolotherapy) in Severe Knee Osteoarthritis. *PM R* 8: 1072–1082. doi:10.1016/j.pmrj.2016.03.008

Tsai, C.-J., Wang, Y.-W., Chen, J.-F., Chou, C.-K., Huang, C.-C., & Chen, Y.-C., 2023. Factors Associated with Osteoarthritis in Menopausal Women: A Registry Study of Osteoporosis Sarcopenia and Osteoarthritis. *J. Fam. Med. Prim. Care* 12: 1859–1863. doi:10.4103/JFMPC.JFMPC_166_23

Twisk, J.W.R.. (2013) *Applied longitudinal data analysis for epidemiology : a practical guide*. Cambridge University Press.

Ulasli, A.M., Ozcakar, L., & Murrel, W.D., 2019. Ultrasound imaging and guidance in the management of knee osteoarthritis in regenerative medicine field. *J. Clin. Orthop. Trauma*. doi:10.1016/j.jcot.2018.11.015

van Doormaal, M.C.M.M., Meerhoff, G.A., Vliet Vlieland, T.P.M.M., & Peter,

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

W.F., 2020. A clinical practice guideline for physical therapy in patients with hip or knee osteoarthritis. *Musculoskeletal Care* 18. doi:10.1002/msc.1492

Vergne-Salle, P., & Bertin, P., 2021. Chronic pain and neuroinflammation. *Jt. Bone Spine* 88: 105222. doi:10.1016/j.jbspin.2021.105222

Veronese, N., Cooper, C., Reginster, J.-Y., Hochberg, M., Branco, J., Bruy Ere, O., et al., 2019. Type 2 diabetes mellitus and osteoarthritis. *Semin. Arthritis Rheum.* 49: 9–19. doi:10.1016/j.semarthrit.2019.01.005

Waluyo, Y., 2021. Kadar Cartilage Oligomeric Matrix Protein (COMP) dan Urinary C-Terminal Telopeptides of Type II Collagen (iCTX-II) Setelah Intervensi Proloterapi dan Outcome Fungsional pada Partisipan dengan Osteoartritis Genu. Universitas Hasanuddin.

Waluyo, Y., Artika, S.R., Wahyuni, I.N., Aunul, A.M., Gunawan, K., Med, B., et al., 2023. Efficacy Of Prolotherapy For Osteoarthritis: A Systematic Review. *J. Rehabil. Med. Rev. Artic. J Rehabil Med* 55: 372. doi:10.2340/jrm.v54.2572

Waluyo, Y., Bukhari, A., Adnan, E., Artika, S.R., Yasin, A., Wahyuni, I.N., et al., 2022. Association between cartilage biomarker level and functional outcome in knee osteoarthritis patients receiving dextrose prolotherapy: a cross-sectional study. *Bali Med. J.* 11: 1151–1156. doi:10.15562/bmj.v11i3.3395

Wang X, Perry TA, Arden N, et al. Occupational Risk in Knee Osteoarthritis: A Systematic Review and Meta-Analysis of Observational Studies. Osteoarthritis and Cartilage. 2020;28(9):1213-1223

Wardani, J.K., & Suryandari, S.D., 2024. Pengaruh Brisk Walking Exercise Terhadap Penurunan Nyeri Sendi Pada Lansia. *J. Penelit. Perawat Prof.* 6: 2955–2962.

Wee, T.C., Neo, E.J.R., & Tan, Y.L., 2021. Dextrose prolotherapy in knee osteoarthritis: A systematic review and meta-analysis. *J. Clin. Orthop. Trauma* 19: 108–117. doi:10.1016/j.jcot.2021.05.015

WHO, 2023. Osteoarthritis. *Overv. Osteoarthr.* 1.

Williams, J., & Pierre-Louis, K., 2024. Osteoarthritis of the Knee [WWW Document]. *Physician Assist. Clin.* doi:10.1016/j.cpha.2023.08.003

Wojdasiewicz, P., Poniatowski, Ł.A., & Szukiewicz, D., 2014. The role of

Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal
Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

inflammatory and anti-inflammatory cytokines in the pathogenesis of osteoarthritis. *Mediators Inflamm.* doi:10.1155/2014/561459

Woo, M.S., Park, J., Ok, S.H., Park, M., Sohn, J.T., Cho, M.S., et al., 2021. The proper concentrations of dextrose and lidocaine in regenerative injection therapy: In vitro study. *Korean J. Pain* 34: 19–26. doi:10.3344/KJP.2021.34.1.19

Wu, J., Chen, Q., He, Z., Yang, B., & Dai, Z., 2026. Immunomodulatory Effects of Lidocaine : Mechanisms of Actions and Therapeutic Applications 1–23.

Yamada, Y., Nakamura-Yamada, S., Umemura-Kubota, E., & Baba, S., 2019. Diagnostic cytokines and comparative analysis secreted from exfoliated deciduous teeth, dental pulp, and bone marrow derived mesenchymal stem cells for functional cell-based therapy. *Int. J. Mol. Sci.* 20. doi:10.3390/IJMS20235900

Zeng, C.-Y.Y., Zhang, Z.-R.R., Tang, Z.-M.M., Hua, F.-Z.Z., Laher, I., Mastbergen, S., et al., 2021. Benefits and Mechanisms of Exercise Training for Knee Osteoarthritis. *Front. Physiol.* 12. doi:10.3389/fphys.2021.794062

Zeng, C.Y., Zhang, Z.R., Tang, Z.M., & Hua, F.Z., 2021. Benefits and Mechanisms of Exercise Training for Knee Osteoarthritis. *Front. Physiol.* doi:10.3389/fphys.2021.794062

Zhang, L., Zheng, Y.L., Wang, R., Wang, X.Q., & Zhang, H., 2022. Exercise for osteoporosis: A literature review of pathology and mechanism. *Front. Immunol.* 13. doi:10.3389/fimmu.2022.1005665

Zhang, Y., & Jordan, J.M., 2010. Epidemiology of osteoarthritis. *Clin Geriatr Med.* 26: 355–369. doi:10.1016/j.cger.2010.03.001.

Zhao, A.T., Caballero, C.J., Nguyen, L.T., Vienne, H.C., Lee, C., & Kaye, A.D., 2022. A Comprehensive Update of Prolotherapy in the Management of Osteoarthritis of the Knee. *Orthop. Rev. (Pavia).* 14. doi:10.52965/001c.33921

Zhou, J., Fang, H., Peng, H., Hu, Q., Liu, S., Ming, J., et al., 2013. PKCa Agonists Enhance the Protective Effect of Hyaluronic Acid on Nitric Oxide-Induced Apoptosis of Articular Chondrocytes in Vitro. *Iran. J. Basic Med. Sci.* 16: 1276.

UNIVERSITAS GADJAH MADA
Efektivitas Manajemen Intervensi Nyeri Prolotherapy Dikombinasikan Dengan Aktivitas Fisik Personal Berdampak Pada Penurunan Skor Nyeri, Biomarker Il-1?, Mmp-3, Dan Kualitas Hidup Pasien Osteoarthritis Lutut
Muhammad Yusuf Hisam, Prof. dr. Yunita Widyastuti, Sp.An-TI., Subsp.An.Ped. (K)., M.Kes., Ph.D ; Prof Dr dr Ismail
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhu, L., Lin, W., Kluzek, M., Miotla-Zarebska, J., Batchelor, V., Gardiner, M., et al., 2025. Liposomic lubricants suppress acute inflammatory gene regulation in the joint in vivo. *Acta Biomater.* 198: 366–376. doi:10.1016/j.actbio.2025.04.022

Zmerly, H., Milanese, C., El Ghoch, M., Itani, L., Tannir, H., Kreidieh, D., et al., 2023. Personalized Physical Activity Programs for the Management of Knee Osteoarthritis in Individuals with Obesity: A Patient-Centered Approach. *Diseases* 11. doi:10.3390/diseases11040182