UNIVERSITAS
GADJAH MADA
Machine Learning-Based Acoustic Analysis Model Combining Mel-Frequency Cepstral Coefficients (MFCC) With Acoustic Indices For Forest Sound Classification At Wanagama Forest, Indonesia
ALIYU SALEH MAGAJI, Ir. Sentagi Sesotya Utami, S.T., M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

[1] P. Artaxo, H. C. Hansson, L. A. T. Machado, and L. V. Rizzo, 'Tropical forests are crucial in regulating the climate on Earth', PLOS Clim, vol. 1, no. 8, p. e0000054, Aug. 2022, doi: 10.1371/journal.pclm.0000054.

[2] Y. Indrajaya et al., 'Tropical Forest Landscape Restoration in Indonesia: A Review', Land, vol. 11, no. 3, p. 328, Feb. 2022, doi: 10.3390/land11030328.

[3] T. Napier, E. Ahn, S. Allen-Ankins, L. Schwarzkopf, and I. Lee, 'Advancements in preprocessing, detection and classification techniques for ecoacoustic data: A comprehensive review for large-scale Passive Acoustic Monitoring', Expert Systems with Applications, vol. 252, p. 124220, Oct. 2024, doi: 10.1016/j.eswa.2024.124220.

[4] C. Yang, X. Liu, Y. Li, and X. Yu, 'Deep Learning-Based Multi-Label Classification for Forest Soundscape Analysis: A Case Study in Shennongjia National Park', Forests, vol. 16, no. 6, p. 899, May 2025, doi: 10.3390/f16060899.

[5] I. Alcocer, H. Lima, L. S. M. Sugai, and D. Llusia, 'Acoustic indices as proxies for biodiversity: a meta-analysis', Biological Reviews, vol. 97, no. 6, pp. 2209–2236, Dec. 2022, doi: 10.1111/brv.12890.

[6] S. Arzberger, A. Fairbairn, M. Hemauer, M. Mühlbauer, J. Weissmann, and M. Egerer, 'The potential of soundscapes as an ecosystem monitoring tool for urban biodiversity', Journal of Urban Ecology, vol. 11, no. 1, p. juaf002, Jan. 2025, doi: 10.1093/jue/juaf002.

[7] M. Ebner, U. Tappeiner, and U. Schirpke, 'From valleys to peaks: characterizing soundscapes in the Northern European Limestone Alps', Landsc Ecol, vol. 40, no. 5, p. 91, Apr. 2025, doi: 10.1007/s10980-025-02112-1.

[8] Q. Bian et al., 'Research on spatiotemporal variation characteristics of soundscapes in a newly established suburban forest park', Urban Forestry & Urban Greening, vol. 78, p. 127766, Dec. 2022, doi: 10.1016/j.ufug.2022.127766.

[9] M. D. A. Scarpelli, B. Liquet, D. Tucker, S. Fuller, and P. Roe, 'Multi-Index Ecoacoustics Analysis for Terrestrial Soundscapes: A New Semi-Automated Approach Using Time-Series Motif Discovery and Random Forest Classification', Front. Ecol. Evol., vol. 9, p. 738537, Dec. 2021, doi: 10.3389/fevo.2021.738537.

[10] H. Kyalo, H. Tonnang, J. Egonyu, J. Olukuru, C. Tanga, and K. Senagi, 'Automatic synthesis of insects bioacoustics using machine learning: a systematic review', Int J Trop Insect Sci, vol. 45, no. 1, pp. 101–120, Jan. 2025, doi: 10.1007/s42690-024-01406-2.

[11] A. B. Kohlberg, C. R. Myers, and L. L. Figueroa, 'From buzzes to bytes: A systematic review of automated bioacoustics models used to detect, classify and monitor insects', Journal of Applied Ecology, vol. 61, no. 6, pp. 1199–1211, Jun. 2024, doi: 10.1111/1365-2664.14630.

[12] R. Ahuja, V. Solanki, V. Khullar, and L. Kumar, 'Classification of Non-Speech Sound Signals: An Approach of Machine Learning with MFCC Feature Extraction', in 2024 International Conference on Electrical Electronics and Computing

UNIVERSITAS
GADJAH MADA
Machine Learning-Based Acoustic Analysis Model Combining Mel-Frequency Cepstral Coefficients (MFCC) With Acoustic Indices For Forest Sound Classification At Wanagama Forest, Indonesia
ALIYU SALEH MAGAJI, Ir. Sentagi Sesotya Utami, S.T., M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Technologies (ICEECT), Greater Noida, India: IEEE, Aug. 2024, pp. 1–5. doi: 10.1109/ICEECT61758.2024.10738971.

[13] R. Benocci, G. Brambilla, A. Bisceglie, and G. Zambon, 'Eco-Acoustic Indices to Evaluate Soundscape Degradation Due to Human Intrusion', Sustainability, vol. 12, no. 24, p. 10455, Dec. 2020, doi: 10.3390/su122410455.

[14] G. Schiavo, A. Portaccio, and A. Testolin, 'Fine-Tuning BirdNET for the Automatic Ecoacoustic Monitoring of Bird Species in the Italian Alpine Forests', Information, vol. 16, no. 8, p. 628, Jul. 2025, doi: 10.3390/info16080628.

[15] Y. Tang, C. Liu, and X. Yuan, 'Recognition of bird species with birdsong records using machine learning methods', PLoS ONE, vol. 19, no. 2, p. e0297988, Feb. 2024, doi: 10.1371/journal.pone.0297988.

[16] R. Benocci, A. Afify, A. Potenza, H. E. Roman, and G. Zambon, 'Toward the Definition of a Soundscape Ranking Index (SRI) in an Urban Park Using Machine Learning Techniques', Sensors, vol. 23, no. 10, p. 4797, May 2023, doi: 10.3390/s23104797.

[17] M. Bandara, R. Jayasundara, I. Ariyarathne, D. Meedeniya, and C. Perera, 'Forest Sound Classification Dataset: FSC22', Sensors, vol. 23, no. 4, p. 2032, Feb. 2023, doi: 10.3390/s23042032.

[18] M. Maeder, X. Guo, F. Neff, D. Schneider Mathis, and M. M. Gossner, 'Temporal and spatial dynamics in soil acoustics and their relation to soil animal diversity', PLoS ONE, vol. 17, no. 3, p. e0263618, Mar. 2022, doi: 10.1371/journal.pone.0263618.

[19] A. Opaev, S. Gogoleva, I. Palko, V. T. Nguyen, and V. Rozhnov, 'Annual acoustic dynamics are associated with seasonality in a monsoon tropical forest in South Vietnam', Ecological Indicators, vol. 122, p. 107269, Mar. 2021, doi: 10.1016/j.ecolind.2020.107269.

[20] J. S. Ulloa et al., 'Listening to cities during the COVID-19 lockdown: How do human activities and urbanization impact soundscapes in Colombia?', Biological Conservation, vol. 255, p. 108996, Mar. 2021, doi: 10.1016/j.biocon.2021.108996.

[21] D. Stowell, 'Computational bioacoustics with deep learning: a review and roadmap', PeerJ, vol. 10, p. e13152, Mar. 2022, doi: 10.7717/peerj.13152.

[22] A. Wibowo and A. R. Isnain, 'Implementasi Algoritma Machine Learning untuk Klasifikasi Suara Lingkungan: Implementation of Machine Learning Algorithm for Environmental Sound Classification', MALCOM, vol. 5, no. 2, pp. 616–625, Mar. 2025, doi: 10.57152/malcom.v5i2.1712.

[23] S. Xu and Y. Chen, 'Sound classification with time-frequency features in forest environment', J. Phys.: Conf. Ser., vol. 2756, no. 1, p. 012001, May 2024, doi: 10.1088/1742-6596/2756/1/012001.

[24] R. Jaros et al., 'Advanced Signal Processing Methods for Condition Monitoring', Arch Computat Methods Eng, vol. 30, no. 3, pp. 1553–1577, Apr. 2023, doi: 10.1007/s11831-022-09834-4.

UNIVERSITAS
GADJAH MADA
Machine Learning-Based Acoustic Analysis Model Combining Mel-Frequency Cepstral Coefficients (MFCC) With Acoustic Indices For Forest Sound Classification At Wanagama Forest, Indonesia
ALIYU SALEH MAGAJI, Ir. Sentagi Sesotya Utami, S.T., M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[25] L. Gu et al., 'New bridging eco-acoustic indices inspired by deep neural networks for fine-grained bird vocalization recognition across diurnal cycles', PLoS One, vol. 20, no. 10, p. e0328098, Oct. 2025, doi: 10.1371/journal.pone.0328098.

[26] A. Qurthobi, R. Damaševičius, V. Barzdaitis, and R. Maskeliūnas, 'Robust Forest Sound Classification Using Pareto-Mordukhovich Optimized MFCC in Environmental Monitoring', IEEE Access, vol. 13, pp. 20923–20944, 2025, doi: 10.1109/ACCESS.2025.3535796.

[27] M. W. Lakdari, A. H. Ahmad, S. Sethi, G. A. Bohn, and D. J. Clink, 'Mel-frequency cepstral coefficients outperform embeddings from pre-trained convolutional neural networks under noisy conditions for discrimination tasks of individual gibbons', Ecological Informatics, vol. 80, p. 102457, May 2024, doi: 10.1016/j.ecoinf.2023.102457.

[28] R. A. McCarthy, Y. Zhang, S. A. Verburg, W. F. Jenkins, and P. Gerstoft, 'Machine Learning in Acoustics: A Review and Open-source Repository', npj Acoust., vol. 1, no. 1, p. 18, Sep. 2025, doi: 10.1038/s44384-025-00021-w.

[29] I. J. Ananya, S. Suad, S. H. Choudhury, and M. A. Khan, 'A Comparative Study on Approaches to Acoustic Scene Classification Using CNNs', in Advances in Computational Intelligence, vol. 13067, I. Batyrshin, A. Gelbukh, and G. Sidorov, Eds, in Lecture Notes in Computer Science, vol. 13067. Cham: Springer International Publishing, 2021, pp. 81–91. doi: 10.1007/978-3-030-89817-5_6.

[30] A. Kacar, D. Avci, and İ. Turkoğlu, 'Enhancing Environmental Sound Classification Performance through Data Fusion: A Comparative Machine Learning Analysis', Nov. 06, 2025, In Review. doi: 10.21203/rs.3.rs-7898377/v1.

[31] M. Hosseinzadeh et al., 'Enhanced heart sound classification using Mel frequency cepstral coefficients and comparative analysis of single vs. ensemble classifier strategies', PLoS ONE, vol. 19, no. 12, p. e0316645, Dec. 2024, doi: 10.1371/journal.pone.0316645.

[32] A. Atemasov and T. Atemasova, 'A Soundscape Assessment of the Oak Forests in the National Park "Homilshanski Lisy" (Northeastern Ukraine)', Ekológia (Bratislava), vol. 42, no. 1, pp. 55–63, Mar. 2023, doi: 10.2478/eko-2023-0007.

[33] T. Bradfer-Lawrence et al., 'The Acoustic Index User's Guide: A practical manual for defining, generating and understanding current and future acoustic indices', Methods Ecol Evol, vol. 16, no. 6, pp. 1040–1050, Jun. 2025, doi: 10.1111/2041-210X.14357.

[34] M. Kotian, S. Biniwale, P. Mourya, Z. Burivalova, and P. Choksi, 'Measuring biodiversity with sound: How effective are acoustic indices for quantifying biodiversity in a tropical dry forest?', Conservat Sci and Prac, vol. 6, no. 6, p. e13133, Jun. 2024, doi: 10.1111/csp2.13133.

[35] J. Müller et al., 'Soundscapes and deep learning enable tracking biodiversity recovery in tropical forests', Nat Commun, vol. 14, no. 1, p. 6191, Oct. 2023, doi: 10.1038/s41467-023-41693-w.

[36] J. Sun, B. Liu, H. Rustiami, H. Xiao, X. Shen, and K. Ma, 'Mapping Asia Plants: Plant Diversity and a Checklist of Vascular Plants in Indonesia', Plants, vol. 13, no. 16, p. 2281, Aug. 2024, doi: 10.3390/plants13162281.

UNIVERSITAS
GADJAH MADA
Machine Learning-Based Acoustic Analysis Model Combining Mel-Frequency Cepstral Coefficients (MFCC) With Acoustic Indices For Forest Sound Classification At Wanagama Forest, Indonesia
ALIYU SALEH MAGAJI, Ir. Sentagi Sesotya Utami, S.T., M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[37] S. S. Utami, 'Identification of Acoustic Index for Revealing The Characteristics of The Lowland Forest Ecosystem of Alas Purwo', in INTER-NOISE and NOISE-CON Congress and Conference Proceedings, 49th International Congress and Exposition on Noise Control Engineering (INTER-NOISE 2020), Seoul, South Korea: Institute of Noise Control Engineering, 2020, vol. 261, no. 3, pp. [pending: pages and DOI to be confirmed by author].

[38] S. S. Utami et al., 'Advancing bioacoustic monitoring: implementing acoustic indices and sonotyping methods in artificial ecosystems with IoT–integrated data dashboards', Bioacoustics, vol. 35, no. 1, pp. 50–74, Jan. 2026, doi: 10.1080/09524622.2025.2595294.

[39] A. Farina, A. Eldridge, and P. Li, 'Ecoacoustics and Multispecies Semiosis: Naming, Semantics, Semiotic Characteristics, and Competencies', Biosemiotics, vol. 14, no. 1, pp. 141–165, Apr. 2021, doi: 10.1007/s12304-021-09402-6.

[40] A. De Baudouin, P. Couprie, F. Michaud, S. Haupert, and J. Sueur, 'Similarity visualization of soundscapes in ecology and music', Front. Ecol. Evol., vol. 12, p. 1334776, Feb. 2024, doi: 10.3389/fevo.2024.1334776.

[41] D. Zhuo, C. Yan, W. Xie, Z. He, and Z. Hu, 'Spatiotemporal Heterogeneity of Forest Park Soundscapes Based on Deep Learning: A Case Study of Zhangjiajie National Forest Park', Forests, vol. 16, no. 9, p. 1416, Sep. 2025, doi: 10.3390/f16091416.

[42] Z. Hao et al., 'Soundscape mapping for spatial-temporal estimate on bird activities in urban forests', Urban Forestry & Urban Greening, vol. 57, p. 126822, Jan. 2021, doi: 10.1016/j.ufug.2020.126822.

[43] S. Guzman-Alfaro et al., 'Heart Sound Classification with MFCCs and Wavelet Daubechies Analysis Using Machine Learning Algorithms', Diagnostics, vol. 16, no. 1, p. 83, Dec. 2025, doi: 10.3390/diagnostics16010083.

[44] W. Jin, X. Wang, and Y. Zhan, 'Environmental Sound Classification Algorithm Based on Region Joint Signal Analysis Feature and Boosting Ensemble Learning', Electronics, vol. 11, no. 22, p. 3743, Nov. 2022, doi: 10.3390/electronics11223743.

[45] S. Zhang, Y. Gao, J. Cai, H. Yang, Q. Zhao, and F. Pan, 'A Novel Bird Sound Recognition Method Based on Multifeature Fusion and a Transformer Encoder', Sensors, vol. 23, no. 19, p. 8099, Sep. 2023, doi: 10.3390/s23198099.

[46] K. M. Rezaul, 'Enhancing Audio Classification Through MFCC Feature Extraction and Data Augmentation with CNN and RNN Models', International Journal of Advanced Computer Science and Applications, vol. 15, no. 7, 2024, doi: 10.14569/IJACSA.2024.0150704.

[47] M. Ramashini, P. E. Abas, K. Mohanchandra, and L. C. De Silva, 'Robust cepstral feature for bird sound classification', IJECE, vol. 12, no. 2, p. 1477, Apr. 2022, doi: 10.11591/ijece.v12i2.pp1477-1487.

[48] D. Teixeira et al., 'Effective ecological monitoring using passive acoustic sensors: Recommendations for conservation practitioners', Conservat Sci and Prac, vol. 6, no. 6, p. e13132, Jun. 2024, doi: 10.1111/csp2.13132.

UNIVERSITAS
GADJAH MADA
Machine Learning-Based Acoustic Analysis Model Combining Mel-Frequency Cepstral Coefficients (MFCC) With Acoustic Indices For Forest Sound Classification At Wanagama Forest, Indonesia
ALIYU SALEH MAGAJI, Ir. Sentagi Sesotya Utami, S.T., M.Sc., Ph.D., IPU
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[49] M. E. Mihailov, 'Characterization and Automated Classification of Underwater Acoustic Environments in the Western Black Sea Using Machine Learning Techniques', JMSE, vol. 13, no. 7, p. 1352, Jul. 2025, doi: 10.3390/jmse13071352.

[50] Y. Wei et al., 'Acoustic-based machine learning approaches for depression detection in Chinese university students', Front. Public Health, vol. 13, p. 1561332, May 2025, doi: 10.3389/fpubh.2025.1561332.

[51] T. Wu, W. Ma, O. Gu, B. Yang, Y. Zhou, and J. Li, 'SeqFusionNet: A hybrid model for sequence-aware and globally integrated acoustic representation', PLoS One, vol. 20, no. 9, p. e0330691, Sep. 2025, doi: 10.1371/journal.pone.0330691.

[52] P. Purwati, K. Larasati, G. W. N. A. M. L. Gymnastyar, and F. F. Fadirubun, 'Exploration of Tourism Potential Based on Local Wisdom in the Special Region of Yogyakarta Case Study: Wanagama Forest', in Proceedings of the 4th International Conference on Social Sciences and Law (ICSSL 2024), vol. 877, G. W. Pradana, D. F. Eprilianto, D. Perwitasari, R. Riyadi, Moh. Mudzakkir, and S. Megawati, Eds, in Advances in Social Science, Education and Humanities Research, vol. 877. Paris: Atlantis Press SARL, 2024, pp. 401–410. doi: 10.2991/978-2-38476-303-0_39.

[53] D. Hending et al., 'Impact of Forest Fragmentation and Associated Edge Effects on Tropical Forest Biodiversity in North West Madagascar, Assessed via Ecoacoustics', Animal Conservation, p. acv.70037, Sep. 2025, doi: 10.1111/acv.70037.

[54] G. R. Setyantho, S. S. Utami, and S. Hadi, 'Exploring the biodiversity in Alas Purwo National Park, East Java through soundscape ecology', J. Phys.: Conf. Ser., vol. 1075, p. 012003, Aug. 2018, doi: 10.1088/1742-6596/1075/1/012003.

[55] J. Kitzes et al., 'Integrating AI models into ecological research workflows: The case of terrestrial bioacoustics', Methods Ecol Evol, pp. 2041–210X.70133, Aug. 2025, doi: 10.1111/2041-210X.70133.

[56] X. He, Y. Deng, A. Dong, and L. Lin, 'The relationship between acoustic indices, vegetation, and topographic characteristics is spatially dependent in a tropical forest in southwestern China', Ecological Indicators, vol. 142, p. 109229, Sep. 2022, doi: 10.1016/j.ecolind.2022.109229.

[57] A. Farina et al., 'The acoustic complexity index (ACI): theoretical foundations, applied perspectives and semantics', Oikos, vol. 2025, p. e10760, Jan. 2025, doi: 10.1111/oik.10760.

[58] T. Bradfer-Lawrence et al., 'Using acoustic indices in ecology: Guidance on study design, analyses and interpretation', Methods Ecol Evol, vol. 14, no. 10, pp. 2436–2449, Oct. 2023, doi: 10.1111/2041-210X.14194.