

DAFTAR PUSTAKA

- Abotaleb, M., Samuel, S. M., Varghese, E., Varghese, S., Kubatka, P., Liskova, A., & Büsselberg, D. (2019). Flavonoids in cancer and apoptosis. *Cancers*, 11(1), 28. <https://doi.org/10.3390/cancers11010028>
- Andriani, T. R., dkk. (2022). Optimasi metode maserasi untuk ekstraksi senyawa fenolik dari daun kelor. *Jurnal Kimia dan Pangan*, 7(2), 89–95.
- Auliya, N., dkk. (2022). Biskuit tinggi antioksidan untuk anak dan lansia dari fortifikasi serbuk daun kelor. *Jurnal Gizi Fungsional*, 3(1), 41–47.
- Bielinski, C., Le, N., & Kaoui, B. (2021). Unsteady mass transfer from a core-shell cylinder in crossflow. *arXiv preprint*, arXiv:2111.11101.
- Bouras, M., Chadni, M., Barba, F. J., Grimi, N., Bals, O., & Vorobiev, E. (2015). Optimization of polyphenols extraction from flaxseed hulls by using phytomechanical treatment and its relationship with mass transfer parameters. *Industrial Crops and Products*, 77, 228–237. <https://doi.org/10.1016/j.indcrop.2015.08.045>
- Chen, Z., Sagis, L., Legger, A., Linssen, J. P. H., Schols, H. A., & Voragen, A. G. J. (2003). Evaluation of starch noodle quality from the microstructure point of view. *Journal of Agricultural and Food Chemistry*, 51(13), 3825–3830. <https://doi.org/10.1021/jf034009f>
- Chronakis, I. S. (1998). On the molecular characteristics, compositional properties, and structural-functional mechanisms of maltodextrins: A review. *Critical Reviews in Food Science and Nutrition*, 38(7), 599–637. <https://doi.org/10.1080/10408699891274327>
- Cussler, E. L. (2009). *Diffusion: Mass transfer in fluid systems* (3rd ed.). Cambridge University Press.
- De Oliveira, L. H., Meneguim, J. G., da Silva, E. A., de Barros, M. A. S. D., Arroyo, P. A., Grava, W. M., & do Nascimento, J. F. (2016). Linear driving force model in carbon dioxide capture by adsorption.
- Delcour, J. A., & Hoseney, R. C. (2010). *Principles of cereal science and technology* (3rd ed.). AACC International Press.
- Ezzati, M., Yousefi, B., Velaei, K., & Safa, A. (2020). A review on anti-cancer properties of quercetin in breast cancer. *Life Sciences*, 248, 117463. <https://doi.org/10.1016/j.lfs.2020.117463>
- Fahey, J. W. (2005). *Moringa oleifera: A review of the medical evidence for its nutritional, therapeutic, and prophylactic properties. Part 1*. Trees for Life Journal.
- Fitriani, D., & Sari, L. (2021). Perbandingan metode maserasi dan sokhletasi terhadap aktivitas antioksidan ekstrak daun kelor. *Jurnal Teknologi Pangan*, 10(1), 20–25.

- Fu, B. X. (2008). Asian noodles: History, classification, raw materials, and processing. *Food Research International*, 41(9), 888–902. <https://doi.org/10.1016/j.foodres.2007.11.007>
- Gatade, A. A., & Sahoo, A. K. (2015). Effect of incorporation of amaranth flour on cooking performance and nutritional quality of noodles. *Journal of Food Science and Technology*, 52(6), 3734–3741. <https://doi.org/10.1007/s13197-014-1457-0>
- George, T. T., Oyenih, A. B., Rautenbach, F., & Obilana, A. O. (2021). Characterization of *Moringa oleifera* leaf powder extract encapsulated in maltodextrin and/or gum arabic coatings. *Foods*, 10(12), 3044. <https://doi.org/10.3390/foods10123044>
- Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). *Moringa oleifera*: A review on nutritive importance and its medicinal application. *Food Science and Human Wellness*, 5(2), 49–56. <https://doi.org/10.1016/j.fshw.2016.04.001>
- Govender, L., & Siwela, M. (2020). The effect of *Moringa oleifera* leaf powder on the physical quality, nutritional composition and consumer acceptability of white and brown breads. *Foods*, 9(12), 1910.
- Gülçin, İ., & Alwasel, S. H. (2023). DPPH radical scavenging assay: A comprehensive review. *Antioxidants*, 12(3), 502. <https://doi.org/10.3390/antiox12030502>
- Heidari, M., et al. (2024). Microencapsulation of *Vitis vinifera* grape pulp phenolic extract using maltodextrin and its application in gummy candy enrichment. *Food Science & Nutrition*, 12(4), 2100–2112. <https://doi.org/10.1002/fsn3.3988>
- Hu, W., Zhang, W., Zhang, Z., Shen, S., Lu, G., & Wu, W. (2022). Effect of maltodextrin on the physicochemical properties and cooking performance of sweet potato starch noodles. *Foods*, 11(24), 4082. <https://doi.org/10.3390/foods11244082>
- Igoumenidis, P., Oreopoulou, V., & Tzia, C. (2016). Effects of cooking on polyphenols and antioxidant capacity of plant foods: A review. *Journal of Functional Foods*, 23, 43–56.
- Indriasari, N., dkk. (2020). Karakteristik mi basah berbahan dasar serbuk daun kelor. *Jurnal Pangan Lokal*, 9(2), 55–62.
- Imanda, S., dkk. (2024). Pengaruh suhu terhadap stabilitas senyawa flavonoid dari ekstrak daun kelor. *Jurnal Fitokimia Tropis*, 6(1), 14–21.
- Kopjar, M., et al. (2024). Structural and physicochemical characterization of amorphous structures restricting molecular mobility and diffusion in phenolic retention. *International Journal of Biological Macromolecules*, 260, 131212.
- Kusnandar, F., dkk. (2023). Formulasi makanan tambahan anak balita dari daun kelor dan spirulina. *Jurnal Gizi Masyarakat Indonesia*, 11(1), 77–86.
- Lestari, A., & Widodo, D. (2024). Perubahan aktivitas antioksidan pada mi basah dengan fortifikasi herbal selama perebusan. *Jurnal Teknologi Pangan Terapan*, 12(1), 30–38.

- Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., & Bertoli, S. (2015). Cultivation, genetic, ethnopharmacology, phytochemistry and pharmacology of *Moringa oleifera* leaves: An overview. *International Journal of Molecular Sciences*, 16(6), 12791–12835. <https://doi.org/10.3390/ijms160612791>
- Li, L., Shewry, P. R., & Ward, J. L. (2011). Phenolic acids in wheat grains and factors influencing their contents and compositions. *Journal of Agricultural and Food Chemistry*, 59(23), 12293–12301. <https://doi.org/10.1021/jf203492z>
- Mahardani, P. A., & Yuanita, E. (2021). Senyawa fenolik dan peranannya sebagai antioksidan alami. *Jurnal Kimia dan Aplikasi*, 6(2), 32–40.
- Melo, R. A., et al. (2013). Nutritional composition of *Moringa oleifera* leaves. *Journal of Food Science and Technology*, 50(6), 1090–1096.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(2), 211–219.
- Mukhriani, R., dkk. (2019). Penentuan total fenolik dari ekstrak daun kelor menggunakan metode Folin–Ciocalteu. *Jurnal Farmasi Udayana*, 8(1), 23–29
- Narra, F., et al. (2024). Impact of thermal processing on polyphenols, carotenoids, glucosinolates, and ascorbic acid in fruit and vegetables and their cardiovascular benefits. *Comprehensive Reviews in Food Science and Food Safety*.
- Nurjanah, S., dkk. (2023). Pengembangan mi basah rendah natrium dengan substitusi garam kalium dan ekstrak herbal. *Jurnal Teknologi Pangan*, 15(2), 78–86.
- Park, J., dkk. (2022). Cooking loss and phenolic migration in fresh noodles enriched with purple wheat bran. *Food Chemistry*, 371, 130933.
- Pinelo, M., Fabbro, P., Sineiro, J., & Núñez, M. J. (2005). Mass transfer in a solid–liquid system: Oleuropein extraction from olive leaves. *Journal of Food Engineering*, 70(4), 553–560. <https://doi.org/10.1016/j.jfoodeng.2004.10.029>
- Putri, M. I., dkk. (2021). Pengaruh metode maserasi terhadap kandungan flavonoid pada daun kelor. *Jurnal Ilmu Pangan Indonesia*, 9(1), 50–56.
- Racita, S. M., dkk. (2022). Karakteristik mi basah dengan substitusi bahan lokal kaya gizi. *Jurnal Pangan Fungsional Indonesia*, 3(1), 14–20.
- Rahman, M. M., dkk. (2010). Antidiabetic and antioxidant activities of *Moringa oleifera* leaf extracts in diabetic rats. *Pharmacognosy Research*, 2(4), 249–252.
- Rahman, A. S., dkk. (2022). Degradation kinetics of phenolic compounds in *Moringa* extract during heat processing. *Journal of Food Biochemistry*, 46(1), e13521.
- Rahmawati, S., dkk. (2020). Pengaruh penambahan serbuk daun kelor terhadap kualitas mi basah. *Jurnal Teknologi Hasil Pertanian*, 13(2), 99–108.

- Reche, C., Rosselló, C., Umaña, M. M., Eim, V., & Simal, S. (2021). Mathematical modelling of ultrasound-assisted extraction kinetics of bioactive compounds from artichoke by-products. *Foods*, 10(5), 931.
- Rizki, R., dkk. (2020). Uji aktivitas antioksidan ekstrak daun kelor dengan metode DPPH. *Jurnal Ilmu Farmasi dan Farmasi Klinik*, 7(1), 67–73.
- Rong, Y., Sillick, M., & Gregson, C. M. (2009). Determination of dextrose equivalent value and number average molecular weight of maltodextrin by osmometry. *Journal of Food Science*, 74(1).
- Rosa, L. M., dkk. (2019). Phenolic compounds in vegetables: A review. *Journal of Functional Foods*, 52, 344–356.
- Saini, R. K., Sivanesan, I., & Keum, Y. S. (2016). Phytochemicals of *Moringa oleifera*: A review of their nutritional, therapeutic and industrial significance. *3 Biotech*, 6, 203. (Menggantikan referensi 2014 yang kurang sesuai)
- Saini, R. K., dkk. (2022). Bioavailability and stability of antioxidants in moringa-based foods. *Journal of Functional Foods*, 89, 104897.
- Sari, D. N., & Nurjanah, S. (2021). Substitusi serbuk mocaf dan labu kuning terhadap mutu mi basah. *Agroindustri Journal*, 11(1), 25–34.
- Selman, J. D. (1994). Vitamin retention during blanching of vegetables. *Food Chemistry*, 49(2), 137–147.
- Shiriki, M. O., dkk. (2015). Moringa leaf flour fortification and its effect on nutritional properties of cereal-based complementary foods. *African Journal of Food Science*, 9(6), 375–381.
- Simbolon, E., dkk. (2007). Potensi tanaman kelor (*Moringa oleifera*) sebagai bahan pangan dan obat tradisional. *Jurnal Biologi Indonesia*, 3(2), 107–113.
- Tilong, S. P. (2012). *Kelor (Moringa oleifera): Tumbuhan multiguna dengan nilai gizi tinggi*. Balitbang Pertanian.
- Tumbas, V., dkk. (2024). Effects of the drying process using maltodextrin on the retention of bioactive compounds and physical properties. *Food Chemistry*, 432, 137xxx. (Nomor artikel perlu diverifikasi.)
- Verma, A. R., dkk. (2012). Antioxidant activity of *Moringa oleifera* leaf extracts. *Pharmacognosy Magazine*, 8(30), 142–147.
- Wahab, W., Anshari, E., Mili, M. Z., Nafiu, W. R. A., Khaq, M. N., Daniyatno, D., Firdaus, F., & Supriyatna, Y. I. (2021). Studi pengaruh variabel proses dan kinetika ekstraksi nikel dari bijih nikel laterit menggunakan larutan asam sulfat pada tekanan atmosferik. *Jurnal Rekayasa Proses*, 15(1), 37–48.
- Wulandari, S., dkk. (2022). Peningkatan antioksidan mi basah melalui fortifikasi serbuk bayam. *Jurnal Pangan dan Gizi*, 17(2), 89–96.

Yu, K., dkk. (2024). Quality characteristics and cooking-induced changes on phenolic content of green tea noodles. *LWT*, 182, 115987.

Zhang, J., dkk. (2023). Kinetics of polyphenol losses during cooking of dried green tea noodles. *Food Research International*, 162, 112086

Zula, A., et al. (2021). Proximate composition, antinutritional content, microbial load, and sensory acceptability of noodles formulated from Moringa (*Moringa oleifera*) leaf powder and wheat flour blend. *International Journal of Food Science*, 2021, 6689247.