keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada
nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Allen, J. J., Jones, E. H., & Cavender, J. H. (2001). Manipulation of frontal EEG asymmetry through biofeedback alters self-reported emotional responses and facial EMG. *Psychophysiology, 38*(4), 685–693. https://doi.org/10.1111/1469-8986.384068

American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders* (5th ed.). American Psychiatric Publishing. https://doi.org/10.1176/appi.books.9780890425596

Amir, N. (2016). *Depresi Aspek Neurobiologi: Diagnosis dan Tatalaksana* (2nd ed.). Jakarta: Universitas Indonesia Publishing.

Arns, M., Conners, C. K., & Kraemer, H. C. (2013). A decade of EEG theta/beta ratio research in ADHD: a meta-analysis. *Journal of Attention Disorders, 17*(5), 374–383. https://doi.org/10.1177/1087054712460

Athnaiel, O., Davidson, N., Mangat, J., et al. (2025). Gonadal hormone changes with aging and their impact on chronic pain. *Cells,* (Vol. 14, Issue 2). Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/cells14020123

Bagdasaryan, J., & Van Quyen, M. (2013). Experiencing your brain: Neurofeedback as a new bridge between neuroscience and phenomenology. *Frontiers in Human Neuroscience, 7*(10), 1–10. https://doi.org/10.3389/fnhum.2013.00680

Baron, R., Koppert, W., Strumpf, M., et al., (2013). Praktische Schmerztherapie. In T. R. D. (Ed.), *Entstehung der Schmerzchronifizierung* (3rd ed., pp. 3–13). Heidelberg: Springer.

Bertakis, K. D., Azari, R., & Callahan, E. (2004). Patient Pain in Primary Care: Factors That Influence Physician Diagnosis. *Annals of Family Medicine, 2*(3), 224–230. https://doi.org/10.1370/afm.66

Bonica, J. J. (1990). *The Management of Pain: With Special Emphasis on the Use of Analgesic Block in Diagnosis, Prognosis, and Therapy* (2nd ed.). Philadelphia: Lea & Febiger.

Breivik, H., Collett, B., Ventafridda, V., et al. (2006). Survey of Chronic Pain in Europe: Prevalence, Impact on Daily Life, and Treatment. *European Journal of Pain, 10*(4), 287–333. https://doi.org/10.1016/j.ejpain.2005.06.009

UNIVERSITAS GADJAH MADA
keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cedergren, C. (2012). *The Effectiveness of The Patient Health Questionnaire-9 Across Cultures.* All Thesis, Dissertations, and Other Capstone Projects.

Chaughule, S. (2023). The Role of Cognitive Behavioral Therapy in Managing Chronic Pain. *Journal of Physical Medicine Rehabilitation Studies & Reports*, 1–9. https://doi.org/10.47363/JPMRS/2023(5)E107

Chen, T. M., Huang, F. Y., Chang, C., & Chung, H. (2006). Using the PHQ-9 for depression screening and treatment monitoring for Chinese Americans in primary care. *Psychiatric Services, 57*(7), 976–981. https://doi.org/10.1176/ps.2006.57.7.976

Chen, Y. (2024). Mechanism of CBT in Patients with Depression: The Role of Transforming Negative Thinking. *Lecture Notes in Education Psychology and Public Media, 41*(1), 185–189. https://doi.org/10.54254/2753-7048/41/20240794

Cherkin, D. C., Sherman, K. J., Balderson, B. H., Cook, A. J., Anderson, M. L., Hawkes, R. J., & Turner, J. A. (2016). Effect of mindfulness-based stress reduction vs cognitive behavioral therapy or usual care on back pain and functional limitations in adults with chronic low back pain: a randomized clinical trial. *JAMA, 315*(12), 1240–1249. https://doi.org/10.1001/jama.2016.2323

Choi, S. W., Chi, S. E., Chung, S. Y., Kim, J. W., Ahn, C. Y., & Kim, H. T. (2010). Is alpha wave neurofeedback effective with randomized clinical trials in depression? A pilot study. *Neuropsychobiology, 63*(1), 43–51. https://doi.org/10.1159/000322290

Cioffi, C. (2017). Modulation of Glycine-Mediated Spinal Neurotransmission for The Treatment of Chronic Pain. *Journal of Medicinal Chemistry, 61*(7), 2652–2679. https://doi.org/10.1021/acs.jmedchem.7b00956

Collins, P., Patel, V., Joestl, S. et al. (2011). Grand challenges in global mental health. *Nature* 475, 27–30. https://doi.org/10.1038/475027a

Corsini, R. J., & Wedding, D. (2011). *Current Psychotherapies* (9th ed.). Canada: Brooks/Cole.

Demos, J. N. (2005). *Getting Started with Neurofeedback* (1st ed.). New York: W.W. Norton.

Dersh, J., Polatin, P. B., & Gatchel, R. J. (2002). Chronic Pain and Psychopathology: Research Findings and Theoretical Considerations. *Psychosomatic Medicine, 64*(5), 773–786.

Disorbio, J. M., Bruns, D., & Barolat, G. (2006). Assessment and treatment of chronic pain. *Practical Pain Management, 6*(2), 1–10.

keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada
nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dobson, K. S. (2010). *Handbook of Cognitive-Behavioral Therapies* (3rd ed.). Guilford Press.

Emmert, K., Breimhorst, M., Bauermann, T., Birklein, F., Van De Ville, D., & Haller, S. (2014). Comparison of anterior cingulate vs. insular cortex as targets for real-time fMRI regulation during pain stimulation. *Frontiers in Behavioral Neuroscience, 8*(OCT). https://doi.org/10.3389/fnbeh.2014.00350

Fenn, K., & Byrne, M. (2013). The key principles of cognitive behavioural therapy. *InnovAiT, 6*(9), 579–585. https://doi.org/10.1177/1755738012471029

Friedman, E. S., & Anderson, I. M. (2014). *Handbook of Depression* (2nd ed.). London: Springer Healthcare.

Galgani, A., Bartolini, E., D'Amora, M., Faraguna, U., & Giorgi, F. S. (2023). The Central Noradrenergic System in Neurodevelopmental Disorders: Merging Experimental and Clinical Evidence. *International Journal of Molecular Sciences, 24*(6), 5805. https://doi.org/10.3390/ijms24065805

Gatchel, R. J., McGeary, D. D., McGeary, C. A., & Lippe, B. (2014). Interdisciplinary Chronic Pain Management: Past, Present, and Future. *American Psychologist, 69*(2), 119–130. https://doi.org/10.1037/a0035514

Gaudiano, B. A. (2008). Cognitive-behavioural therapies:achievements and challenges. *Evidence-Based Mental Health, 11*(1), 5–7. https://doi.org/10.1136/ebmh.11.1.5

Goldberg, D. S., & McGee, S. J. (2011). Pain as a global public health priority. *BMC Public Health, 11*(1), 1–5. https://doi.org/10.1186/1471-2458-11-770

Grimshaw, J., Campbell, M., Eccles, M., & Steen, N. (2000). Experimental and quasi-experimental designs for evaluating guideline implementation strategies. *Family Practice, 17*(Suppl 1), S11–S18.

Gruzelier, J. H. (2009). A theory of alpha/theta neurofeedback, creative performance enhancement, long-distance functional connectivity and psychological integration. *Cognitive Processing, 10*(1), 101–109. https://doi.org/10.1007/s10339-008-0248-5

Gureje, O., Von Korff, M., Kola, L., Demyttenaere, K., He, Y., & Posada-Villa, J. L. (2008). The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. *Pain, 135*(1–2), 82–91. https://doi.org/10.1016/j.pain.2007.05.005

Haase, J., & Brown, E. (2015). Integrating the monoamine, neurotrophin and cytokine hypotheses of depression—a central role for the serotonin

keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada
nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

transporter? *Pharmacology and Therapeutics, 147*, 1–11. https://doi.org/10.1016/j.pharmthera.2014.10.002

Hamill, R. J. (1994). *The Assesment of Pain, In Handbook of Critical Care* . New York: Mc GrawHill.

Hamill, R. W., Shapiro, R. E., & Vizzard, M. A. (2012). Peripheral Autonomic Nervous System. In B. I. Dalam Robertson D. & et al. (Eds.), *Primer on The Autonomic Nervous System* (3rd ed., pp. 17–20). Academic Press.

Haque, R., Alam, K., Gow, J., Neville, C., & Keramat, A. (n.d.). *Age and Gender Differences in The Relationship Between Chronic Pain and Dementia Among Older Australians.* https://www.elsevier.com/locate/jval

Holland, N., Robbins, T. W., & Rowe, J. B. (2021). The role of noradrenaline in cognition and cognitive disorders. *Brain, 144*(8), 2243–2256. https://doi.org/10.1093/brain/awab111

Holmes, A., Christelis, N., & Arnold, C. (2012). Depression and Chronic Pain. *MJA Open*, *1* (Suppl 4), 17–20. https://doi.org/10.5694/mja12.10589

Hrovatin, K., Kunej, T., & Dolžan, V. (2019). Genetic variability of serotonin pathway associated with schizophrenia onset, progression, and treatment. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics. https://doi.org/10.1002/ajmg.b.32766

Idris, H., & Hasri, S. N. (2023). Factors Associated with the Symptom of Depression among Elderly in Indonesian Urban Areas. *Jurnal Psikologi, 50*(1), 45. https://doi.org/10.22146/jpsi.72406

Jayakumar, J., & Panicker, M. M. (2021). The roles of serotonin in cell adhesion and migration, and cytoskeletal remodeling. *Cell Adhesion & Migration, 15*(1), 1–11. https://doi.org/10.1080/19336918.2021.1963574

Jensen, M. P., Day, M. A., & Miró, J. (2014). Neuromodulatory treatments for chronic pain: efficacy and mechanisms. *Nature Reviews Neurology, 10*(3), 167–178. https://doi.org/10.1038/nrneurol.2014.12

Kementerian Kesehatan Republik Indonesia. (2018). *Hasil Utama Riset Kesehatan Dasar*. Jakarta: Kementerian Kesehatan RI.

Koberda, J. L., Koberda, P., Bienkiewicz, A., et al (2013). Pain management using 19-electrode Z-score LORETA neurofeedback. *Journal of Neurotherapy, 17*(3), 179–190. https://doi.org/10.1080/10874208.2013.813204

Kopf, A., & Patel, N. B. (Eds.). (2010). *Guide to pain management in low-resource Settings*. p.67–78. Seattle: International Association for the Study of Pain.

keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada
nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of General Internal Medicine, 16*(9), 606–613. https://doi.org/10.1046/j.1525-1497.2001.016009606.x

Lallouette, J., De Pitta, M., Ben-Jacob, E., & Berry, H. (2014). Sparse short-distance connections enhance calcium wave propagation in a 3D model of astrocyte networks. *Frontiers in Computational Neuroscience, 8*, 45. https://doi.org/10.3389/fncom.2014.00045

LeMone, P., & Burke, K. (2008). *Medical-Surgical Nursing: Critical Thinking in Client Care (*4th ed*.)*. New Jersey: Pearson Prentice Hall.

Levis, B., Benedetti, A., & Thombs, B. D. (2019). Accuracy of Patient Health Questionnaire-9 (PHQ-9) for screening to detect major depression: individual participant data meta-analysis. *BMJ, 365*, l1476. https://doi.org/10.1136/bmj.l1476

Li, L., & Peng, A. (2017). Comorbidity of Depression and Pain: A review of shared contributing mechanisms. *Journal of Neurology and Neuromedicine, 2*(3). http://www.jneurology.com

Maletic, V., Eramo, A., Gwin, K., Offord, S. J., & Duffy, R. A. (2017). The role of norepinephrine and its a-adrenergic receptors in the pathophysiology and treatment of major depressive disorder and schizophrenia: A systematic Review. *Frontiers in Psychiatry, 8*(MAR), Article 42. Frontiers Research Foundation. https://doi.org/10.3389/fpsyt.2017.00042

Marwick, K., & Birrel, M. (2013). *The Mood (Affective) Disorders*. *In Crash Course Psychiatry* (4th ed.). Edinburgh: Elsevier.

Mashour, M. Al. (2024). Prevalence of Depression in patients with chronic pain. *Journal of Clinical and Medical Research*. https://doi.org/10.37191/mapsci-2582-4333-6(3)-157

Meliala, L., Suryamiharja, A., Sadeli, H. A., Amir, D., & W. R. (2007). *Konsensus Nyeri Neuropatik PERDOSSI*. Yogyakarta: Medika Gama Press.

Mennella, R., Patron, E., & Palomba, D. (2017). Frontal alpha asymmetry neurofeedback for the reduction of negative affect and anxiety. *Behaviour Research and Therapy*, *92*, 32–40. https://doi.org/10.1016/j.brat.2017.02.002

Merskey, H. (2005). *Psychiatry And Pain : Causes, Effects, And Complications. In: Merskey H et al (eds) The Paths of Pain.* Norwalk: IASP Press Seattle.

Morris, L. S., McCall, J. G., Charney, D. S., & Murrough, J. W. (2020). The role of the locus coeruleus in the generation of pathological anxiety. Brain and Neuroscience Advances. https://doi.org/10.1177/2398212820930321

UNIVERSITAS GADJAH MADA
keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Munro, G. B., & Munro, R. E. B. (2001). Chronic pain, chronic stress and depression: coincidence or consequence? *Journal of Neuroendocrinology, 13*(12), 1009–1023. https://doi.org/10.1046/j.0007-1331.2001.00727.x

Ozen, N., Cinar, F. I., Askin, D., & Mut, D. (2018). Uremic pruritus and associated factors in hemodialysis patients: A multi-center study. *Kidney Research and Clinical Practice, 37*(2), 138–147. https://doi.org/10.23876/j.krcp.2018.37.2.138

Patel K, Sutherland H, Henshaw J, *et al*. Effects of neurofeedback in the management of chronic pain: A systematic review and meta-analysis of clinical trials. *Eur J Pain*. 2020;24:1440–1457.

Patrick, S., & Connick, P. (2019). Psychometric properties of the PHQ-9 depression scale in people with multiple sclerosis: A systematic Review. *PLOS ONE, 14* (2), e0197943. https://doi.org/10.1371/journal.pone.0197943

Pethő, G., & Reeh, P. W. (2012). Sensory and signaling mechanisms of bradykinin, eicosanoids, platelet-activating factor, and nitric oxide in peripheral nociceptors. *Physiological Reviews*. https://doi.org/10.1152/physrev.00048.2010

Pertovaara, A. (2006). Noradrenergic pain modulation. *Progress in Neurobiology, 80*(1), 53–83. https://doi.org/10.1016/j.pneurobio.2006.08.001

Price, A. Sylvia, Lorraine Mc. Carty Wilson (2006). *Patofisiologi : Konsep Klinis Proses-proses Penyakit*, Edisi 6, (terjemahan), Peter Anugrah. Jakarta: EGC.

Pourhamzeh, M., Amini, F., Rezaei, N., Zoghi, S., & Pourhamzeh, A. (2022). The roles of serotonin in neuropsychiatric disorders. *Cellular and Molecular Neurobiology, 42*(6), 1671–1692. https://doi.org/10.1007/s10571-021-01064-9

Roosequit, R., & Vrooman, B. (2013). Chronic pain management. In J. F. Butterworth, D. Mackey, & J. D. Wasnick (*Eds*.), *Morgan & Mikhail's Clinical Anesthesiology* (5th ed., pp. 1023–1085). United States: McGraw-Hill.

Ros, T., Moseley, M. J., Bloom, P. A., Benjamin, L., Parkinson, L. A., & Gruzelier, J. H. (2009). Optimizing microsurgical skills with EEG neurofeedback. *BMC Neuroscience, 10*(9), 1–10. https://doi.org/10.1186/1471-2202-10-87

Rutledge, T., Atkinson, J. H., Holloway, R., et al. (2018). Randomized controlled trial of nurse-delivered cognitive-behavioral therapy versus supportive psychotherapy telehealth interventions for chronic back pain. *The Journal of Pain, 19*(9), 1033–1043. https://doi.org/10.1016/j.jpain.2018.03.017

UNIVERSITAS GADJAH MADA
keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sadock, B. J., & Sadock, V. A. (2017). Mood disorders. In P. Ruiz (Ed.), *Comprehensive Textbook of Psychiatry*. Philadelphia: Lippincott Williams & Wilkins.

Schacter, D., Gilbert, D., Wegner, D., & Hood, B. (2011). *Psychology: European Edition.* Palgrave Macmillan.

Schildkraut, J. J. (1965). The catecholamine hypothesis of affective disorders: a review of supporting evidence. *The American Journal of Psychiatry, 122*(5), 509–522.

Simon, G. E., VonKorff, M., Piccinelli, M., et al. (1999). An international study of the relation between somatic symptoms and depression. *The New England Journal of Medicine*, *341*(18), 1329–1335. https://doi.org/10.1056/NEJM199910283411801

Sinha, S. R., Sullivan, L. R., Sabau, D., Orta, D. S., Dombrowski, K. E., Halford, J. J., & Stecker, M. M. (2016). American clinical neurophysiology society guideline 1: minimum technical requirements for performing clinical electroencephalography. *The Neurodiagnostic Journal, 56*(4), 235–244. https://doi.org/10.1080/21646821.2016.1245527

Siniatchkin, M., Hierundar, A., Kropp, P., Kuhnert, R., Gerber, W. D., & Stephani, U. (2000). Self-regulation of slow cortical potentials in children with migraine: an exploratory study. *Applied Psychophysiology and Biofeedback, 25*(1), 13–32. https://doi.org/10.1023/A:1009581321624

Stahl, S. M., & Muntner, N. (2013). *Mood Disorders in Stahl's Essential Psychopharmacology, Neuroscientific Basis and Practical Application* (4th ed.). New York: Cambridge University Press.

Stallard, P. (2004). *Think Good – Feel Good: A Cognitive Behavior Therapy Workbook for Children and Young People.* West Sussex: John Wiley & Sons.

Stanos, S. (2005). Pain & Depression: Pathology, Prevalence, and & Treatment. *CNS News.*, 35–40.

Stein, C., & Kopf, A. (2015). Anesthesia and treatment of chronic pain. In R. D. Miller, N. D. Cohen, L. I. Eriksson, L. A. Fleisher, P. Jeanine, Wiener-Kronish, & W. L. Young, *Miller's Anesthesia* (8th ed., pp. 1898–1918). Philadelphia: Elsevier Saunders.

Stubbs, B., Koyanagi, A., Thompson, T., Veronese, N., Carvalho, A. F., Solomi, M., Mugisha, J., Schofield, P., Cosco, T., Wilson, N., & Vancampfort, D. (2016). The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43

UNIVERSITAS GADJAH MADA
keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

low- and middle-income countries. *General Hospital Psychiatry, 43*, 63–70. https://doi.org/10.1016/j.genhosppsych.2016.09.008

Sumarni, D.W., Dewi, W.M.K. & Rahmadani, A.N., 2024. *Identifikasi Hubungan Kekerasan dengan Depresi Lansia Wanita Post Pandemi COVID-19 di Purwobinangun, Sleman*. Jurnal Wanita dan Keluarga, 5(2), pp.135–154. https://doi.org/10.22146/jwk.16619

Surah, A., Baranidharan, G., & Morley, S. (2014). Chronic pain and depression. *Continuing Education in Anaesthesia, Critical Care and Pain, 14*(2), 85–89. https://doi.org/10.1093/bjaceaccp/mkt046

Hoffmann, T. C., Glasziou, P. P., Boutron, I., Milne, R., Perera, R., Moher, D., Altman, D. G., Barbour, V., Macdonald, H., Johnston, M., Lamb, S. E., Dixon-Woods, M., McCulloch, P., Wyatt, J. C., Chan, A.-W., & Michie, S. (2014). *Better reporting of interventions: Template for intervention description and replication (TIDieR) checklist and guide*. *BMJ, 348*, g1687. https://doi.org/10.1136/bmj.g1687

Thompson, M., & Thompson, L. (2003). The neurofeedback book: An introduction to basic concepts in applied pychophysiology. *Association for Applied Psychophysiology and Biofeedback.*

Treede, R. D., Rief, W., Barke, A., et al. (2019). Chronic pain as a symptom or a disease: the IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11). *Pain, 160*(1), 19–27. https://doi.org/10.1097/j.pain.0000000000001384

Udedi, M., Muula, A. S., Stewart, R. C., & Pence, B. W. (2019). The validity of the Patient Health Questionnaire-9 to screen for depression in patients with type 2 diabetes mellitus in non-communicable diseases clinics in Malawi. *BMC Psychiatry, 19*, Article 81. https://doi.org/10.1186/s12888-019-2082-2

Verdu, B., Decosterd, I., Buclin, T., Stiefel, F., & Berney, A. (2008). Antidepressants for the treatment of chronic pain. *Drugs, 68*(18), 2611–2632. https://doi.org/10.2165/0003495-200868180-00007

Westbrook, D., & Kennerly, K. J. (2007). *An Introduction to Cognitive Behavior Therapy: Skills and Applications.* Los Angeles: Sage Punlications.

Whiteford, H. A., Ferrari, A. J., Degenhardt, L., Feigin, V., & Vos, T. (2015). The global burden of mental, neurological and substance use disorders: An analysis from the Global Burden of Disease Study 2010. *PLOS ONE, 10*(2), e0116820. https://doi.org/10.1371/journal.pone.0116820

UNIVERSITAS GADJAH MADA
keefektifan neurofeedback terhadap peningkatan kadar norepinefrin dan penurunan skor depresi pada nyeri kronis
Santi Yuliani, Prof. Dr. dr. Sri Sutarni, Sp.N.Subsp.Ped (K); Dr. dr. Carla Raymondalesxas Marchira, Sp.KJ (K); dr. Irv
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Williams, L. J., Jacka, F. N., Pasco, J. A., Dodd, S., & Berk, M. (2006). Depression and pain: An overview. *Acta Neuropsychiatrica, 18*(2), 79–87. https://doi.org/10.1111/j.1601-5215.2006.00130.x

Williams, L. S., Jones, W. J., Shen, J., Robinson, R. L., Weinberger, M., & Kroenke, K. (2003). Prevalence and impact of depression and pain in neurology outpatients. *Journal of Neurology, Neurosurgery & Psychiatry, 74*(11), 1587–1589. https://doi.org/10.1136/jnnp.74.11.1587

Woolf, C. J. (2004). Pain: Moving from symptom control toward mechanism-specific pharmacologic management. *Annals of Internal Medicine, 140*(6), 441–451. https://doi.org/10.7326/0003-4819-140-8-200404200-00010

World Health Organization. (2013). *Global action plan for the prevention and control of noncommunicable diseases 2013–2020*. World Health Organization. https://apps.who.int/iris/handle/10665/94384

World Health Organization, & Council for International Organizations of Medical Sciences. (2016). *International ethical guidelines for health-related research involving humans*. CIOMS. https://cioms.ch/publications/product/international-ethical-guidelines-for-health-related-research-involving-humans/

Zoefel, B., Huster, R. J., & Herrmann, C. S. (2011). Neurofeedback training of the upper alpha frequency band in EEG improves cognitive performance. *NeuroImage, 54*(2), 1427–1431. https://doi.org/10.1016/j.neuroimage.2010.08.078

Zis, P., Daskalaki, A., Bountouni, I., Sykioti, P., Varrassi, G., & Paladini, A. (2017). Depression and chronic pain in the elderly: Links and management challenges. *Clinical Interventions in Aging, 12*, 709–720. Dove Medical Press Ltd. https://doi.org/10.2147/CIA.S113576