

DAFTAR PUSTAKA

- Aki, K., & Richards, P. G. (2002). Quantitative seismology (2nd ed.). University Science Books.
- Ancheta, T. D., Darragh, R. B., Stewart, J. P., Seyhan, E., Silva, W. J., Chiou, B. S. J., Wooddell, K. E., Graves, R. W., Kottke, A. R., Boore, D. M., Kishida, T., & Donahue, J. L. (2014). NGA-West2 database. *Earthquake Spectra*, 30(3), 989–1005. <https://doi.org/10.1193/070913EQS197M>
- Badan Standardisasi Nasional (BSN). (2019). SNI 1726:2019 Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Nongedung.
- Bard, P. Y. (1999). Microtremor Measurements: A Tool for Site Effect Estimation. En: The Effects of Surface Geology on Seismic Motion. In Eds. Irikura, K., Kudo, K. Okada, H. Satasi, T. Balkema, Rotterdam, (Vol. 3, Issue 9058090302, pp. 1251–1279)
- Bonnefoy-Claudet, S., Cornou, C., Bard, P. Y., Cotton, F., Moczo, P., Kristek, J., & Fäh, D. (2006). H/V ratio: A tool for site effects evaluation. Results from 1-D noise simulations. *Geophysical Journal International*, 167(2), 827–837.
- Boore, D. M., Stewart, J. P., Seyhan, E., & Atkinson, G. M. (2013). NGA-West2 Equations for Predicting Response Spectral Accelerations for Shallow Crustal Earthquakes. Peer Report 2013-05, May, 1057–1085. https://peer.berkeley.edu/sites/default/files/webpeer-2013-05-david_m_boore_jonathan_p_stewart_emel_seyhan_and_gail_m_atkinson.pdf
- Boore, D. M., Stewart, J. P., Seyhan, E., & Atkinson, G. M. (2014). NGA-West2 equations for predicting PGA, PGV, and 5% damped PSA for shallow crustal earthquakes. *Earthquake Spectra*, 30(3), 1057–1085. <https://doi.org/10.1193/070113EQS184M>
- Bozorgnia, Y., Abrahamson, N. A., Ahdi, S. K., Ancheta, T. D., Atik, L. Al, Archuleta, R. J., Atkinson, G. M., Boore, D. M., Campbell, K. W., S-J Chiou, B., Contreras, V., Darragh, R. B., Derakhshan, S., Donahue, J. L., Gregor, N., Gulercce, Z., Idriss, I. M., Ji, C., Kishida, T., Youngs, R. R. (2022). NGA-Subduction research program. *Earthquake Spectra*, 38(2), 783–798. <https://doi.org/10.1177/87552930211056081>
- Campbell, K. W., & Bozorgnia, Y. (2013). NGA-West2 Campbell-Bozorgnia Ground Motion Model for the Horizontal Components of PGA, PGV, Response Spectra for Periods Ranging from 0.01 to 10 sec. PEER Report 2013/06, May, 1–102.
- Campbell, K. W., & Bozorgnia, Y. (2014). NGA-West2 ground motion model for the average horizontal components of PGA, PGV, and 5% damped linear acceleration response spectra. *Earthquake Spectra*, 30(3), 1087–1114. <https://doi.org/10.1193/062913EQS175M>
- Chiou, B. S. J., & Youngs, R. R. (2014). Update of the Chiou and Youngs NGA model for the average horizontal component of peak ground motion and response spectra. *Earthquake Spectra*, 30(3), 1117–1153. <https://doi.org/10.1193/072813EQS219M>
- Chopra, F. (2007). Dynamics of Structures—Theory and Applications to Earthquake Engineering, Third Edition. In *Earthquake Spectra* (Vol. 23, Issue 2, pp. 491–492). <https://doi.org/10.1193/1.2720354>

Cipta, A., Rudyanto, A., Afif, H., Robiana, R., Solikhin, A., Omang, A., Supartoyo, & Hidayati, S. (2021). Unearthing the buried palu–koro fault and the pattern of damage caused by the 2018 sulawesi earthquake using HVSR inversion. *Geological Society Special Publication*, 501(1), 185–203. <https://doi.org/10.1144/SP501-2019-70>

Cox, B. R., & Teague, D. P. (2016). Layering ratios: A systematic approach to the inversion of surface wave data in the absence of a priori information. *Geophysical Journal International*, 207(1), 422–438. <https://doi.org/10.1093/gji/ggw282>

Fah, D., Kind, F., & Giardini, D. (2001). A theoretical investigation of average HIV ratios. *Geophysical Journal International*, 145(2), 535–549. <https://doi.org/10.1046/j.0956-540X.2001.01406.x>

Gercek, H. Å. (2007). Poisson's ratio values for rocks. 44, 1–13. <https://doi.org/10.1016/j.ijrmms.2006.04.011>

Hamilton, W. (1973). Tectonics of the Indonesian Region. *Bulletin of the Geological Society of Malaysia*, 6(July), 3–10. <https://doi.org/10.7186/bgsm06197301>

JCGM. (2008). Evaluation of measurement data — Guide to the expression of uncertainty in measurement. International Organization for Standardization Geneva ISBN, 50(September), 134. <http://www.bipm.org/en/publications/guides/gum.html>

Khazanah, I., Massinai, M. F. I., Kailem, Z. E. S., Sofian, S., & Leopatty, H. (2024). Determination of the shear wave velocity (Vs) profile and subsurface density by measuring microtremor using Rayleigh wave ellipticity inversion in Palu City. *AIP Conference Proceedings*, 2774(1), 050006. <https://doi.org/10.1063/5.0164492>

Kramer, S. L. (1996). *Geotechnical earthquake engineering*. Pearson Education India. Prentice Hall. 653 pp.

Madlazim, M. (2013). KAJIAN AWAL TENTANG b Value GEMPA BUMI DI SUMATRA. *Jurnal Penelitian Fisika Dan Aplikasinya (JPFA)*, 3(1), 41. <https://doi.org/10.26740/jpfa.v3n1.p41-46>

Mallisa, H., Turu'allo, G., & Mallisa, Z. (2009). Mikrozonasi seismic dan analisis respon site specific kota palu. *SMARtek*, 7, 1–9

Molnar, S., et al. (2022). A review of the microtremor horizontal-to-vertical spectral ratio (MHVSR) method. *Journal of Seismology*, 26, 653–685.

Montgomery & Runger. (2018). *Applied Statistics and Probability for Engineers*.

Nakamura, Y. (1989). Nakamura_1989.pdf. In *QR of RTRI* (Vol. 30, p. 1).

[PuSGeN] Pusat Studi Gempa Nasional. (2024). Peta Sumber dan Bahaya Gempa Indonesia Tahun 2024. Pusat Penelitian dan Pengembangan Perumahan dan Pemukiman, Badan Penelitian dan Pengembangan, Kementerian Pekerjaan Umum dan Perumahan Rakyat. ISBN: 978-602-9095-53-1. <https://pu.go.id/pustaka/biblio/peta-sumber-dan-bahaya-gempa-indonesia-tahun-2024/2GGKGJ>

Rezki, D. M. (2023). Pemetaan Risiko Likuifaksi Menggunakan Metode Analytical Hierarchy Process (AHP) Dan Weighted Overlay di Kota Palu, Sulawesi Tengah.

- Rusydi, M., Efendi, R., Sandra, & Rahmawati. (2018). Earthquake Hazard Analysis Use Vs30 Data in Palu. *Journal of Physics: Conference Series*, 979(1). <https://doi.org/10.1088/1742-6596/979/1/012054>
- Saifuddin, Yamanaka, H., & Chimoto, K. (2018). Variability of shallow soil amplification from surface-wave inversion using the Markov-chain Monte Carlo method. *Soil Dynamics and Earthquake Engineering*, 107(January), 141–151. <https://doi.org/10.1016/j.soildyn.2018.01.014>
- SESAME. (2004). Guidelines for The Implementation of The H/V Spectral Ratio Technique on Ambient Vibrations-Measurements, Processing and Interpretations, SESAME European Research Project. SESAME: Site EffectS Assessment Using Ambient Excitations, March, 1–62.
- Shi, M., Wang, P., Xu, X., & Choi, Y. (2024). Nonlinear Time History Analysis for the Different Column Orientations under Seismic Wave Synthetic Approach. *World Journal of Engineering and Technology*, 12(03), 587–616. <https://doi.org/10.4236/wjet.2024.123038>
- Sidarto, & Kusdji, D. K. P. (2010). Geological map of the Palu Sheet, Central Sulawesi interpreted on remote sensing data [Geological map, Scale 1:50,000]. Centre for Geological Survey, Geological Agency, Ministry of Energy and Mineral Resources.
- Socquet, A., Hollingsworth, J., Pathier, E., & Bouchon, M. (2019). Evidence of supershear during the 2018 magnitude 7.5 Palu earthquake from space geodesy. *Nature Geoscience*, 12(3), 192–199. <https://doi.org/10.1038/s41561-018-0296-0>
- Socquet, A., Hollingsworth, J., Pathier, E., & Bouchon, M. (2019). Evidence of supershear during the 2018 magnitude 7.5 Palu earthquake from space geodesy. *Nature Geoscience*, 12(3), 192–199. <https://doi.org/10.1038/s41561-018-0296-0>
- Sun, Q., Guo, X., & Dias, D. (2020). Evaluation of the seismic site response in randomized velocity profiles using a statistical model with Monte Carlo simulations. *Computers and Geotechnics*, 120(December 2019), 103442. <https://doi.org/10.1016/j.compgeo.2020.103442>
- Supendi, P., Nugraha, A. D., Widiyantoro, S., Pesicek, J. D., Thurber, C. H., Abdullah, C. I., Daryono, D., Wiyono, S. H., Shiddiqi, H. A., & Rosalia, S. (2020). Relocated aftershocks and background seismicity in eastern Indonesia shed light on the 2018 Lombok and Palu earthquake sequences. *Geophysical Journal International*, 221(3), 1845–1855. <https://doi.org/10.1093/gji/ggaa118>
- Syamsuddin, E., Wahyu Laode, A. M., Pramadi, A. M., Sofian, Musawwir, & Sutadi, H. (2026). Temporal evolution of site response in Petobo's post-liquefaction zone, Palu, Indonesia: A comparative HVSR curve analysis. *Soil Dynamics and Earthquake Engineering*, 203(September 2025), 110117. <https://doi.org/10.1016/j.soildyn.2026.110117>
- Thein, P. S., Pramumijoyo, S., Brotopuspito, K. S., Kiyono, J., Wilopo, W., Furukawa, A., & Setianto, A. (2014). Estimation of Seismic Ground Motion and Shaking

- Thein, P. S., Pramumijoyo, S., Brotopuspito, K. S., Wilopo, W., Kiyono, J., Setianto, A., & Putra, R. R. (2015). Designed microtremor array based actual measurement and analysis of strong ground motion at Palu city, Indonesia. AIP Conference Proceedings, 1658(May 2021). <https://doi.org/10.1063/1.4915040>
- Toro, G. R. (2022). Uncertainty in Shear-Wave Velocity Profiles. Journal of Seismology, 26(4), 713–730. <https://doi.org/10.1007/s10950-022-10084-x>
- Toro, G. R. (2022). Uncertainty in Shear-Wave Velocity Profiles. Journal of Seismology, 26(4), 713–730. <https://doi.org/10.1007/s10950-022-10084-x>
- Vantassel, J. P., & Cox, B. R. (2021). A procedure for developing uncertainty-consistent Vs profiles from inversion of surface wave dispersion data. Soil Dynamics and Earthquake Engineering, 145. <https://doi.org/10.1016/j.soildyn.2021.106622>
- Verstappen, H. T. (2010). Indonesian Landforms and Plate Tectonics. Indonesian Journal on Geoscience, 5(3), 197–207. <https://doi.org/10.17014/ijog.v5i3.103>
- Wathelet, M., Jongmans, D., & Ohrnberger, M. (2004). Surface-wave inversion using a direct search algorithm and its application to ambient vibration measurements. Near Surface Geophysics, 2(4), 211–221. <https://doi.org/10.3997/1873-0604.2004018>
- Wills, C. J., & Clahan, K. B. (2006). Developing a map of geologically defined site-condition categories for California. Bulletin of the Seismological Society of America, 96(4 A), 1483–1501. <https://doi.org/10.1785/0120050179>