

DAFTAR PUSTAKA

- Adhikari, N., Choudhury, A.A.K., Shakya, A., Ghosh, S.K., Patgiri, S.J., Singh, U.P., and Bhat, H. R., 2022, Molecular docking and antimalarial evaluation of novel N-(4-aminobenzoyl)-L-glutamic acid conjugated 1,3,5-triazine derivatives as Pf-DHFR inhibitors, *Biotech*, 12, 347
- Barea, C., Pabón, A., Galiano, S., Pérez-Silanes, S., Gonzalez, G., Deyssard, C., Monge, A., Deharo, E., and Aldana, I., 2012, Antiplasmodial and leishmanicidal activities of 2-cyano-3-(4-phenylpiperazine-1-carboxamido) quinoxaline 1,4-dioxide derivatives, *Molecules*, 17, 9451–9461
- Cheng, P., Yang, L., Huang, X., Wang, X., and Gong, M., 2020, Chalcone hybrids and their antimalarial activity, *Arch. Pharm. Chem. Life Sci.*, 1900350, 1–10
- Cheng, M.S., Li, R.S., and Kenyon, G., 2000, A solid phase synthesis of chalcone by Claisen–Schmidt condensation, *Chin. Chem. Lett.*, 11(10), 851–854
- Chetia, B., Shakya, A., Ghosh, S.K., Vinayagam, S., Patgiri, S.J., Bhowmick, I.P., Singh, U.P., and Bhat, H.R., 2025, Molecular docking, toxicity study and in vitro antimalarial evaluation of pyrazole substituted 1,3,5-triazine derivatives. *Exp. Parasitol.*, 273, 108945
- Cheuka, P.M., Mambwe, D., Mayoka, G., Dawoodjee, A., and Zulu, A., 2026, Medicinal chemistry strategies for antimalarial peptidomimetics: A perspective. *J. Med. Chem.*, 69 (1), 87–101
- Choudary, A.N., and Juyal, V., 2011, Synthesis of chalcones and their derivatives as antimicrobial agents, *Int. J. Pharm. Sci. Res.*, 3, 125–128
- Cui, L., Furuhashi, S., Tachikawa, Y., Tada, N., Miura, T., and Itoh, A., 2013, Efficient generation of hydrogen peroxide by aerobic photooxidation of 2-propanol using anthraquinone-2-carboxylic acid and one-pot epoxidation of α,β -unsaturated ketones, *Tetrahedron Lett.*, 162–165
- Dangana, R.S., Ebhohimen, I.E., Malgwi, S.A., Ugbaja, S.C., and Okpeku, M., 2026, Gene expression, docking and machine learning in malaria drug discovery: A systematic review. *Biochem. Res. Int.*, 1, 2724332
- Dembitsky, V.M., and Terent'ev, A.O., 2026, Naturally occurring endoperoxide terpenoids: Sources, structural diversity, and biological activities, *Compounds*, 6 (1), 7
- Farooq, S., Ngaini, Z., and Mortadza, N.A., 2020, Microwave-assisted synthesis and molecular docking study of heteroaromatic chalcone derivatives as potential antibacterial agents, *Bull. Korean Chem. Soc.*, 1–7

- Ferreira, L.G., Dos Santos, R.N., Oliva, G., and Andricopulo, A.D., 2015, Molecular docking and structure-based drug design strategies. *Molecules*, 20, 13384–13421
- Gangar, M., Chouhan, M., Goyal, S., Harikrishnan M., Chandran R, Ittuveetil, A., and Nair, V.A., 2016, Asymmetric glycolate alkylation approach towards total synthesis of 8-O.6' and 8-O.4'-neolignans, *Tetrahedron Lett.*, 57, 5931–5934
- Gaonkar, S.L. and Vignesh, U.N., 2017, Synthesis and pharmacological properties of chalcones: a review, *Res. Chem. Intermed.*, 43, 6043–6077
- Gaur, R., Yadav, K.S., Verma, R.K, Yadav, N.P., and Bhakuni, R.S., 2014, *In vivo* Anti-diabetic activity of derivatives of isoliquiritigenin and liquiritigenin, *Phytomedicine*, 21, 415–422
- Gayathri, P., Muthuvel, I., Mayavel, P., Ranganathan, K., Usha, V., Mala, V., Thirunarayanan, G., 2025, Microwave assisted synthesis and evaluation of antimalarial potencies of some 8-quinoline enones, *Ovidius Univ. Ann. Chem.* Vol. 36 (1), 66–72
- Ghebreyesus, T.A., 2026, *World Malaria Report 2025*, World Health Organization Report, Luxembourg, 1–4
- Gomes, A.R., Varela, C.L., Tavares-da-Silva, E.J., Roleira, F.M.F., 2020, Epoxide containing molecules: A good or a bad drug design approach, *Eur. J. Med. Chem.*, 201, 112327
- Gopinathan, A., Moidu, M., Mukundan, M., Ellicka, S., Narayanan, H., and Adhikari, N., 2020, Design, synthesis and biological evaluation of several aromatic substituted chalcones as antimalarial agents, *Drug Dev. Res.*, 1–9
- Gupta, P., and Mahajan, A., 2020, Sustainable approaches for steroid synthesis, *Environ. Chem. Lett.*, 17, 879–895
- Halpani, C.G., and Mishra, S., 2020, Lewis acid catalyst system for Claisen-Schmidt reaction under solvent free condition, *Tetrahedron Lett.*, 61, 152175
- Hans, R.H., Guantai, E.M., Lategan, C., Smith, P.J., Wan, B., and Franzblau, S.G., 2010, Synthesis antimalarial and antitubercular activity of acetylenic chalcones, *Bioorg. Med. Chem. Lett.*, 20 (3), 942-944
- Hofer, W., Oueis, E., Fayad, A.A., Deschner, F., Andreas, A., de Carvalho, L.P., Hüttel, S., Bernecker, S., Pätzold, L., Morgenstern, B., Zaburannyi, N., Bischoff, M., Stadler, M., Held, J., Herrmann, J., and Müller, R., 2022, Regio- and Stereoselective Epoxidation and Acidic Epoxide Opening of

Antibacterial and Antiplasmodial Chlorotonils Yield Highly Potent Derivatives, *Angew. Chem. Int.* 61, e202202816

- Howell, L.W., Hackbarth, J.N., Abraham, J.S., Friestad, G.K., 2025, Stereospecific access to α -haloalkyl esters via enol ester epoxides and synthesis of a C3–C21 fragment of bastimolide A, *Org. Biomol. Chem.*, 23, 2802
- Huang, G., Solano, C.M., Melendez, J., Shaw, J., Collins, J., Banks, R., Arshadi, A.K., Boonhok, R., Min, H., Miao, J., Chakrabarti, D., and Yuan, Y., Synthesis, structure-activity relationship, and antimalarial efficacy of 6-chloro-2-arylvinylquinolines. *J. Med. Chem.*, 63(20), 11756–11785
- Hussen, N.H., Hussein, L.B., Hasan, A.H., Hamid, S.J., Abdl, C.O., Sarkar, B., Muhammed, K., and Muhammed, K., 2025, Chalcone-related small molecules as potent antibacterial and antifungal agents: Design, synthesis, *in vitro*, and computational approaches, *Asp. Mol. Med.*, 5, 100066
- Ikuma, N., Sumioka, S., Asahara, H., and Oshima, T., 2012, Regioselective electropilic addition vs epoxidation of mCPBA towards anti-Bredt olefin of fulleroid, *Tetrahedron Lett.*, 53, 3581–3584
- Islam, M.R., Rahman, M.K., Badal, M.M.R., Maniruzzaman, M., and Yousuf, M.A., 2025, Selective synthesis of cis and trans o-hydroxychalcone derivatives for metal sensing applications, *J. Chem.*, 5522858
- Khotsombat, S., Suddee, N., Theppitak, C., Ruchirawat, S., Kaiser, M., Arroo, R., Taylor, R.A., Weaver, G.W., Bhambra, A.S., Thasana, N., 2026, Synthesis of isobenzofuranones and isoindolinones via Claisen-Schmidt condensation and their antileishmanial activity, *ACS Omega*, 11, 5281–5294
- Kumar, B.S., Singh, A., Kumar, A. Singh, J., Hasanain, M., Singh, A., Masood, N., Yada, D.K., Konwar, R., Mitr, K., Sarkar, J., Luqman, S., Pal, A., Khan, F., Chanda, D., and Negi, A.S., 2016, Synthesis of neolignans as microtubule stabilisers, *Bioorg. Med. Chem.*, 22, 1342–1354
- Kumar, A., Li, Y., Zhang, X., Gaddam, M., Caridha, D., Madejczyk, M.S., Jin, X., Dennis, W.E., Chetree, R., Blount, C., DeLuca, J., Vuong, C., Kudyba, K., Roncal, N., Ashraf, K., Lee, P.J., Pannone, K., Leed, S., Dinh, H.T., Kancharla, P., 2025, Optimization of prodiginines as single-dose curative antimalarials. *J. Med. Chem.*, 68(21), 24469–24501
- Kurniawan, Y.S., 2025, Sintesis, uji aktivitas *in vitro* dan studi komputasi hibrida xanton-asam lemak serta xanton-sinamat sebagai agen antikanker, antimikroba, dan antimalaria, *Disertasi*, Program Studi Doktor Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta

- Laksemi, D.A.A.S., Susanti, N.M.P., Primayanti, I.D.A.I.D., Surudarma, I.W., and Damayanti, P.A.A., 2025, Antimalarial flavonoid glycoside from *Carica papaya* with inhibitory potential against *Plasmodium falciparum* dihydrofolate reductase thymidylate synthase: An in-silico study, *Univ. Med.*, 44, 26–33
- Liu, M., Wilariat, P., and Go, M.L., 2001, Antimalarial alkoxyated and hydroxylated chalcones: structure activity relationship analysis, *J. Med. Chem.*, 44, 4443–4452
- Machado, I.V., dos Santos, J.R.N., Januario, M.A.P., Correa, A.G., 2021, Greener organic synthetic methods: sonochemistry and heterogeneous catalysis promoted multicomponent reactions, *Ultrason. Sonochem.*, 78, 105704
- Mali, S., Steele, S., Slutsker, L., and Arguin, P.M., 2010, *Malaria Surveillance - United States 2008*, Morbidity and Mortality Weekly Report: Surveillance Summaries, 59, 1-15
- Marsis, I.O., 2017, *Buku Saku Tatalaksana Kasus Malaria*, Subdit Malaria Direktorat P2PTVZ Kemetenterian Kesehatan Republik Indonesia, 3
- McBride, C.M., McCauley, M., Harris, N.R., Amin, S., Curtis, B.J., Verhey-Henke, L., Teklemichael, A.A., Oliphant, E.N., Dranchak, P., Lev, K.L., Qu, F., Snodgrass, H.M., Lewis, J.C., Inglese, J., Su, X.Z., Pereira, F., and Sherman, D.H., 2025, Metabolic engineering and late-stage functionalization expand the chemical space of the antimalarial premarineosin A. *Commun. Chem.* 8(1), 391
- Mladenović, M., Matić, S., Stanić, S., Solujić, S., Mihailović, V., Stanković, N., and Katanić, J., 2013, Combining molecular docking and 3-D pharmacophore generation to enclose the in vivo antigenotoxic activity of naturally occurring aromatic compounds: myricetin, quercetin, rutin, and rosmarinic acid, *Biochem. Pharmacol.*, 86(9), 1376–1396
- Mukesh, B., and Rakesh, K., 2011, Molecular docking: a review, *Int. J. Res. Ayurveda Pharm.*, 2, 1746
- Mulyana, F.E., Waskitha, S.S.W., Pranowo, D., Khairuddean, M., and Wahyuningsih, T.D., 2023, Synthesis of chalcone derivatives with methoxybenzene and pyridine moieties as potential antimalarial agents, *Pharmacia*, 70, 1305–1313
- Nawaz, H., Malik, A., Rasool, N., Kanwal, A., Khalid, T., Almas, I., and Khan, S. G., 2025, An updated survey on the recent advancement of antimalarial molecules: synthetic methodologies and SAR studies. *Mol. Divers.* 259, 3795–5441

- Ngo, D., Kalala, M., Hogan, V., and Manchanayakage, R., 2014, One-pot synthesis of chalcone epoxides - a green chemistry strategy, *Tetrahedron Lett.*, 55, 4496–4500
- N'Guessan, J.P., Coulibaly, S., Alzain, A.A., Sissouma, D., Yavo, W., and Ouattara, M., 2021, Discovery of 5-chlorobenzimidazole-based as promising inhibitors of chloroquine-resistant *Plasmodium* strains: Synthesis, biological evaluation, molecular docking and computational studies. *J. Phar. Res. Int.*, 33, (46B), 136–147
- Otmanine, K., Feraoun, B., Hammoudi, M., Benmehache, C., Gherioune, N., Kerrouzi, I., Mekhane, S., Bendriss, H., & Hentabli, M., 2026, Anti-malarial evaluation of some bioactive plant compounds: An integrated computational approach combining QSAR and molecular docking. *Comput. Biol. Chem.*, 123.108956
- Pagadala, N.S., Syed, K., and Tuszynski, J., 2017, Software for molecular docking: A review. *Biophys. Rev.*, 9(2), 91–102
- Patel, D.B., Vekariya, R.H., Patel, K.D., Prajapati, N.P., Vasava, M.S., and Patel, H.D., 2017, Recent advances in synthesis of quinoline-4-carboxylic acid and their biological evaluation: A review. *J. Chem. Pharm. Res.*, 9 (2), 216–230
- Pereira, G.A.N., Souza, G.C., Santos, L.S., Barata, L.E.S, Meneses, C.C.F., Krettli, A.U., Daniel-Ribeiro, C.T., and Alves, CN, 2017, Synthesis, antimalarial activity *in vitro*, and docking studies of novel neolignan derivatives, *Chem. Biol. Drug*, 90, 464–472
- Qin H.L., Zhang, Z.W., Lekkala. R., Alsulami, H., and Rakesh, K.P., 2020, Chalcone hybrids as privileged scaffolds in antimalarial drug discovery: a key review, *Eur. J. Med. Chem.*, 193, 1–15
- Rammohan, A., Reddy, J.S., Sravya, G., Rao, C.N., and Zyryanov, G.V., 2020, Chalcone synthesis, properties and medicinal applications: a review, *Environ. Chem. Lett.*, 18, 433–458
- Rinaldi, R., de Oliveira, H.F.N., Schumann, H., and Schuchardt, U., 2009, Homogeneously catalyzed epoxidation of α,β -unsaturated ketones using simple aluminum salts and aqueous H_2O_2 —Is it possible? *J. Mol. Catal. A: Chem.*, 307, 1–8
- Rodrigues, T., Guedes, R.C., dos Santos, D.J.V.A., Carrasco, M., Gut, J., Rosenthal, P.J., Moreira, R., and Lopes, F., 2009, Design, synthesis and structure–activity relationships of (1*H*-pyridin-4-ylidene) amines as potential antimalarials, *Bioorg. Med. Chem. Lett.*, 19, 3476–3480

- Sajjadi, S.E., Pestechian, N., Kazemi, M., Mohaghegh, M.A., & Hosseini-Safa, A., 2016, Evaluation of the antimalarial effect of *Ferulago angulata* (Schlecht.) Boiss. extract and suberosin epoxide against *Plasmodium berghei* in comparison with chloroquine using *in-vivo* test. *Iran. J. Pharm. Res.* 15 (3), 515-521
- Salas, P.F., Herrmann, C., Cawthray, J.F., Nimpius, C., Kenkel, A., Chen, J., De Kock, C., Smith, P.J., Patrick, B.O., Adam, M.J., and Orvig, C., 2013, Structural characteristics of chloroquine-bridged ferrocenophane analogues of ferroquine may obviate malaria drug-resistance mechanisms, *J. Med. Chem.*, 56, 1596–1613
- Salehi, B., Quispe, Q., Chamkhi, I., Omari, N.E.I., Balahbib, A., Rad, J.S., Bouyahya, A., Akram, M., Iqbal, M., Docea, A.Q., Caruntu, C., Gómez, G.L., Dey, A., Martorell, M., Calina, D., López, V., and Les, F., 2021, Pharmacological properties of chalcones: a review of preclinical including molecular mechanisms and clinical evidence, *Front. Pharmacol.*, 11, 592654
- Salkeld, J., Duncan, A., Minassian, A.M., 2024, Malaria: Past, present and future, *J. Clin. Med.*, 24, 100258
- Sarie, A.D. and Utami, M.R., 2025, Bioactivity analysis of chalcone-derived compounds based on *in-silico* molecular docking study, *J. Pijar.MIPA*, 29(2), 251–259
- Sousa, S.F., Fernandes, P.A., and Ramos, M.J., 2006, Protein–ligand docking: current status and future challenges, *Proteins*, 65, 15-26
- Stephanie, F., Tambunan, U.S.F., Kuczera, K., and Siahaan, T.J., 2024, Structure of a cyclic peptide as an inhibitor of *Mycobacterium tuberculosis* transcription: NMR and molecular dynamics simulations, *Pharmaceuticals*, 17(11), 1545
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone analogue as potent anti-malarial compounds against *Plasmodium falciparum*: synthesis, biological evaluation, and docking simulation study, *Asian Pac. J. Trop. Biomed.*, 7(8), 675–679
- Terefe, E.M. and Ghosh, A., 2022, Molecular docking, validation, dynamics simulations, and pharmacokinetic prediction of phytochemicals isolated from *Croton dichogamus* against the HIV-1 reverse transcriptase, *Bioinform. Biol. Insights.*, 16, 1–19
- Theodoridis, L., Giannangelo, C., El-Saafin, F., Prabhath, M.R.R., Macrauld, C.A., Sharma, P., Merino, D., Creek, D.J., and Carvalho, T.G., 2025, Novel heterospirocyclic antimalarials with activity against artemisinin- and

multidrug-resistant *P. falciparum* malaria. *Int. J. Parasitol.: Drugs and Drug Resistance*, 29, 100627

- Thomas, T.V., Thakur, A., and Kumar, S.A., 2025, Towards targeted antimalarial therapies: A review of computational methods in *Pf*DHODH inhibition. *Eng. Sci.*, 37, 1774
- Tom, A.A., Rajendran, V., Thottasseri, A.A., Goswami, K., Roy, S., Gopan, G., Mani, M., and Kannan, T., 2024, Antiplasmodial action of 4-nitrobenzenesulfonamide chalcones: Design, synthesis, characterisation, *in vitro* and *in silico* evaluation against blood stages of *Plasmodium falciparum* 3D7, *Drug Dev. Res.*, 85, e22233.
- Wani, W.A., Jameel, E., Baig, U., Mumtazuddin, S., and Hun, L.T., 2015, Ferroquine and its derivatives: New generation of antimalarial agents. *Eur. J. Med. Chem.*, 101, 534-551.
- Wood, B.R., Langford, S.J., Cooke, B.M., Glenister, F.K., Lim, J., and Menaughton, D., 2003, Raman image of hemozoin within the food vacuole of *Plasmodium falciparum* trophozoites, *FEBS Lett.*, 3, 247-252
- Xu, Y., Cao, Y., Ma, H., Li, H., and Ao, G., 2013, Design, synthesis and molecular docking of α , β -unsaturated cyclohexanone analogous of curcumin as potent EGFR inhibitors with antiproliferative activity, *Bioor. Med. Chem.*, 21, 388-394
- Yan, Z., Tian, J., Wang, K., Nigam, K.D.P., and Luo, G., 2021, Microreaction processes for synthesis and utilization of epoxides: A review, *Chem. Eng. Sci.*, 229, 116071
- Yang, X., Feng, Y., Duffy, S., Avery, V.M., Camp, D., Quinn, R.J., and Davis, R.A., 2011, A new quinoline epoxide from the Australian plant *Drummondita calida*. *Planta Med.*, 77 (14), 1644–1647
- Yuthavong, Y., Tarnchompoo, B., Vilaivan, T., Chitnumsub, P., Kamchonwongpaisan, S., Charman, S.A., McLennan, D.N., White, K.L., Vivas, L., Bongard, E., Thongphanchang, C., Taweechai, S., Vanichtanankul, J., Rattanajak, R., Arwon, U., Fantauzzi, P., Yuvaniyama, J., Charman, W.N., and Matthews, D., 2012, Malarial dihydrofolate reductase as a paradigm for drug development against a resistance-compromised target, *Proc. Natl. Acad. Sci. U.S.*, 109, 16823–16828
- Yuriev, E., Agostino, M., and Ramsland, P.A., 2011, Challenges and advance in computational docking: 2009 in review, *J. Mol. Recognit.*, 24, 149-164
- Zakiah, M., Syarif, R.A., Mustofa, M., Jumina, J., Fatmasari, N., and Sholikhah, E.N., 2021, *In vitro* antiplasmodial, heme polymerization, and cytotoxicity of hydroxyxanthone derivatives, *J. Trop. Med.*, 8866681, 1-11