

DAFTAR PUSTAKA

- Afendi, M., Banks, W. M., & Kirkwood, D. (2005). Bubble free resin for infusion process. *Composites Part A: Applied Science and Manufacturing*, 36(6), 739–746.
<https://doi.org/10.1016/j.compositesa.2004.10.030>
- American Academy of Ophthalmology. (2024). Clinical optics and vision rehabilitation (2024–2025 Basic and Clinical Science Course, Section 3). American Academy of Ophthalmology.
- ASTM D2240-15. (2015). Standard test method for rubber property—durometer hardness. ASTM International.
- ASTM D542-14. (2014). Standard test method for index of refraction of transparent organic plastics. ASTM International.
- Chandrinis, A. (2021). A review of polymers and plastic high index optical materials. *Journal of Materials Science Research and Reviews*, 7(4), 1–14. Article JMSRR.66664.
- Christopher, J., Rooney, L. M., Donnachie, M., Uttamchandani, D., McConnell, G., & Bauer, R. (2024). Low-cost 3D printed lenses for brightfield and fluorescence microscopy. *Biomedical Optics Express*, 15(4), 2224. <https://doi.org/10.1364/boe.514653>
- Domagała, I., Przystupa, K., Firlej, M., Pieniak, D., Gil, L., Borucka, A., Naworol, I., Biedziak, B., & Levkiv, M. (2021). Analysis of the statistical comparability of the hardness and wear of polymeric materials for orthodontic applications. *Materials*, 14(11), 2925. <https://doi.org/10.3390/ma14112925>
- Fadlurrahman, Z., Alandro, D., Santos, G. N. C., & Muflikhun, M. A. (2023). Mechanical and chemical properties of matrix composite: Curing agent ratio, degassing process, and filler effect perspectives. *Journal of Engineering Research (Kuwait)*, 11(4), 488–497. <https://doi.org/10.1016/j.jer.2023.100120>
- Frumkin, V., & Bercovici, M. (2021). Fluidic shaping of optical components. *Flow*, 1. <https://doi.org/10.1017/flo.2021.1>

- Kanniyappan, U., Wang, B., Yang, C., Ghassemi, P., Litorja, M., Suresh, N., Wang, Q., Chen, Y., & Pfefer, T. J. (2020). Performance test methods for near-infrared fluorescence imaging. *Medical Physics*, 47(8), 3389–3401. <https://doi.org/10.1002/mp.14189>
- Kasarova, S. N., Sultanova, N. G., Ivanov, C. D., & Nikolov, I. D. (2007). Analysis of the dispersion of optical plastic materials. *Optical Materials*, 29(11), 1481–1490. <https://doi.org/10.1016/j.optmat.2006.07.010>
- Kim, D. K., Choi, Y. H., Kim, K. W., & Kim, B. J. (2023). Transparent glass-fiber-reinforced epoxy composites and their optical characteristics. *Composites Science and Technology*, 232, Article 109848. <https://doi.org/10.1016/j.compscitech.2022.109848>
- Kim, J. H., & Sung, S. M. (2024). Quality analysis of unmanned aerial vehicle images using a resolution target. *Applied Sciences*, 14(5), Article 2154. <https://doi.org/10.3390/app14052154>
- Kingslake, R., & Johnson, R. B. (2010). *Lens design fundamentals* (2nd ed.). Academic Press.
- Matamoros-Ambrocio, M., Sánchez-Mora, E., Gómez-Barojas, E., & Luna-López, J. A. (2021). Synthesis and study of the optical properties of PMMA microspheres and opals. *Polymers*, 13(13), Article 2171. <https://doi.org/10.3390/polym13132171>
- MIL-STD-150A. (1959). *Photographic lenses*. United States Department of Defense.
- Musa, M., Enaholo, E., Bale, B. I., D'Esposito, F., Gagliano, C., Giglio, R., & Zeppieri, M. (2025). A review of optical and digital aids for magnification techniques in low-vision rehabilitation. *Journal of Biological Methods*, 12(4), Article e99010072. <https://doi.org/10.14440/jbm.0002>
- Padgurskas, J., Vilčinskas, V., Rashid, M. I., Muflikhun, M. A., Rukuiža, R., & Selskienė, A. (2024). Tribological research of resin composites with the fillers of glass powder and micro-bubbles. *Materials*, 17(15), Article 3764. <https://doi.org/10.3390/ma17153764>

- Sasián, J. (2013). Introduction to aberrations in optical imaging systems. Cambridge University Press.
- Sasián, J. (2019). Introduction to lens design. Cambridge University Press.
- Schott AG. (2021). TIE-29: Refractive index and dispersion. Schott Advanced Optics.
- Su, W. F., Fu, Y. C., & Pan, W. P. (2002). Thermal properties of high refractive index epoxy resin system. *Thermochimica Acta*, 392–393, 385–389. [https://doi.org/10.1016/S0040-6031\(02\)00124-7](https://doi.org/10.1016/S0040-6031(02)00124-7)
- Wang, S., Moharrer, M., Baliutaviciute, V., Dougherty, B. E., Cybis, W., Bowers, A. R., & Luo, G. (2020). Bioptic telescope use in naturalistic driving by people with visual impairment. *Translational Vision Science & Technology*, 9(4). <https://doi.org/10.1167/tvst.9.4.11>
- Wang, Y., Du, C., Yan, Z., Duan, W., Deng, J., & Luo, G. (2022). Fast deoxygenation in a miniaturized annular centrifugal device. *Separation and Purification Technology*, 297, Article 121546. <https://doi.org/10.1016/j.seppur.2022.121546>
- Zik, Y., & Hon, G. (2013). Galileo's knowledge of optics and the functioning of the telescope — revised. *arXiv*. <https://arxiv.org/abs/1307.4963>