UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aguirre, C., Caruge, D., Castrillo, F., Dominicus, G., Geutjes, A.J., Saldo, V., Van Der Hagen, T.H.J.J., *et al.*, 2005, Natural circulation and stability performance of BWRs (NACUSP), *Nuclear Engineering and Design*, **235**(2–4), 401–409, doi: 10.1016/j.nucengdes.2004.08.048.

Ali, A., 2026, The nuclear power renaissance in the 21st century: Analyzing past trends, present status, and future outlook, *Nuclear Analysis*, **5**(3), 100231, doi: 10.1016/j.nucana.2026.100231.

Ambrosini, W., Forgione, N., Oriolo, F., Semeraro, E. and Tarantino, M., 2009, Experimental Study on Natural Circulation and Air-Injection Enhanced Circulation With Different Fluids.

Antariksawan, A.R., Widodo, S., Juarsa, M., Ismarwanti, S., Saptoadi, D., Kusuma, M.H., Ardiyati, T., *et al.*, 2019, Experimental and Numerical Simulation Investigation of Single-Phase Natural Circulation in a Large-scale Rectangular Loop, *Atom Indonesia*, **45**(1), 17, doi: 10.17146/aij.2019.762.

Astyanto, A.H., Nugroho, A.N.A., Indarto, Gusti Ngurah Bagus Catrawedarma, I., Lucas, D., and Deendarlianto., 2023, Statistical characterization of the interfacial behavior captured by a novel image processing algorithm during the gas/liquid counter-current two-phase flow in a 1/3 scaled down of PWR hot leg, *Nuclear Engineering and Design*, **404**, 112179, doi: 10.1016/j.nucengdes.2023.112179.

Astyanto, A.H., Pramono, J.A.E., Catrawedarma, I.G.N.B., Deendarlianto, and Indarto., 2022, Statistical characterization of liquid film fluctuations during gas-liquid two-phase counter-current flow in a 1/30 scaled-down test facility of a pressurized water reactor (PWR) hot leg, *Annals of Nuclear Energy*, **172**, 109065, doi: 10.1016/j.anucene.2022.109065.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bae, B.-U., Cho, S., Lee, J.B., Park, Y.-S., Kim, J. and Kang, K.-H., 2023, Integral effect tests for intermediate and small break loss-of-coolant accidents with passive emergency core cooling system, *Nuclear Engineering and Technology*, **55**(7), 2438–2446, doi: 10.1016/j.net.2023.04.006.

Basu, D.N., Bhattacharyya, S. and Das, P.K., 2008, Effect of geometric parameters on steady-state performance of single-phase NCL with heat loss to ambient, *International Journal of Thermal Sciences*, **47**(10), 1359–1373, doi: 10.1016/j.ijthermalsci.2007.10.010.

Basu, D.N., Bhattacharyya, S. and Das, P.K., 2012, Performance comparison of rectangular and toroidal natural circulation loops under steady and transient conditions, *International Journal of Thermal Sciences*, **57**, 142–151, doi: 10.1016/j.ijthermalsci.2012.02.011.

Basu, D.N., Bhattacharyya, S. and Das, P.K., 2013a, Influence of geometry and operating parameters on the stability response of single-phase natural circulation loop, *International Journal of Heat and Mass Transfer*, **58**(1–2), 322–334, doi: 10.1016/j.ijheatmasstransfer.2012.11.063.

Basu, D.N., Bhattacharyya, S. and Das, P.K., 2013b, Dynamic response of a single-phase rectangular natural circulation loop to different excitations of input power, *International Journal of Heat and Mass Transfer*, **65**, 131–142, doi: 10.1016/j.ijheatmasstransfer.2013.06.006.

Bau, H.H. and Torrance, K.E., 1981, Transient and steady behavior of an open, symmetrically-heated, free convection loop, *International Journal of Heat and Mass Transfer*, **24**(4), 597–609, doi: 10.1016/0017-9310(81)90004-1.

Bello, S., Gao, P. and Lin, Y., 2021, Closed-loop experimental investigation of single-phase natural circulation flow phenomena based on temperature and heating power variations, *Annals of Nuclear Energy*, **151**, 107809, doi: 10.1016/j.anucene.2020.107809.

Bernier, M.A. and Baliga, B.R., 1992, A 1-D/2-D model and experimental results for a closed-loop thermosyphon with vertical heat transfer sections,

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

International Journal of Heat and Mass Transfer, **35**(11), 2969–2982, doi: 10.1016/0017-9310(92)90317-L.

Bertani, C., Bersano, A., De Salve, M. and Sobrero, G., 2021, Experimental analysis of the start-up of a natural circulation loop in single and two-phase flow, *Nuclear Engineering and Design*, **385**, 111532, doi: 10.1016/j.nucengdes.2021.111532.

Bocanegra, J.A., Marchitto, A. and Misale, M., 2022, Thermal performance investigation of a mini natural circulation loop for solar PV panel or electronic cooling simulated by lattice Boltzmann method, *International Journal of Energy Production and Management*, **5**(4), 1–12, doi: 10.2495/EQ-V7-N1-1-12.

Boure, J.A., Bergles, A.E. and Tong, L.S., 1973, Review of two-phase flow instability, *Nuclear Engineering and Design*, **25**(2), 165–192, doi: 10.1016/0029-5493(73)90043-5.

Cammarata, L., Fichera, A. and Pagano, A., 2003, Stability maps for rectangular circulation loops, *Applied Thermal Engineering*, **23**(8), 965–977, doi: 10.1016/S1359-4311(03)00027-9.

Catrawedarma, IGNB., Deendarlianto, and Indarto., 2021, Statistical Characterization of Flow Structure of Air–water Two-phase Flow in Airlift Pump–Bubble Generator System, *International Journal of Multiphase Flow*, **138**, 103596, doi: 10.1016/j.ijmultiphaseflow.2021.103596.

Chandan, D., Arunachala, U.C. and Varun, K., 2023, Experimental study on flow and stability characteristics of horizontal heater and cooler natural circulation loop equipped with air injection, *International Journal of Thermal Sciences*, **194**, 108609, doi: 10.1016/j.ijthermalsci.2023.108609.

Cheng, H., Lei, H., Zeng, L. and Dai, C., 2019, Experimental investigation of single-phase natural circulation in a mini-loop driven by heating and cooling fluids, *Experimental Thermal and Fluid Science*, **103**, 182–190, doi: 10.1016/j.expthermflusci.2019.01.003.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chung, Y.-J., Kim, S.H. and Kim, H.-C., 2003, Thermal hydraulic analysis of SMART for heat removal transients by a secondary system, *Nuclear Engineering and Design*, **225**(2–3), 257–270, doi: 10.1016/S0029-5493(03)00193-6.

Crabtree, Allen and M. Siman-Tov., 1993, *Thermophysical Properties of Saturated Light and Heavy Water for Advanced Neutron Source Applications*, Oak Ridge National Lab. (ORNL), Oak Ridge, TN (United States).

Creveling, H.F., De Paz, J.F., Baladi, J.Y. and Schoenhals, R.J., 1975a, Stability characteristics of a single-phase free convection loop, *Journal of Fluid Mechanics*, **67**(1), 65–84, doi: 10.1017/S0022112075000171.

Creveling, H.F., De Paz, J.F., Baladi, J.Y. and Schoenhals, R.J., 1975b, Stability characteristics of a single-phase free convection loop, *Journal of Fluid Mechanics*, **67**(1), 65–84, doi: 10.1017/S0022112075000171.

Devia, F. and Misale, M., 2012, Analysis of the effects of heat sink temperature on single-phase natural circulation loops behaviour, *International Journal of Thermal Sciences*, **59**, 195–202, doi: 10.1016/j.ijthermalsci.2012.03.006.

Doganay, S. and Turgut, A., 2015, Enhanced effectiveness of nanofluid based natural circulation mini loop, *Applied Thermal Engineering*, **75**, 669–676, doi: 10.1016/j.applthermaleng.2014.10.083.

Ekariansyah, A.S., Widodo, S., Susyadi, S. and Tjahjono, H., 2021, Preliminary assessment of engineered safety features against station blackout in selected pwr models, *JURNAL TEKNOLOGI REAKTOR NUKLIR TRI DASA MEGA*, **23**(2), 47, doi: 10.17146/tdm.2021.23.2.6204.

Elperin, T. and Klochko, M., 2002, Flow regime identification in a two-phase flow using wavelet transform, *Experiments in Fluids*, **32**(6), 674–682, doi: 10.1007/s00348-002-0415-x.

Elton, D.N., Arunachala, U.C. and Vijayan, P.K., 2020, Investigations on the dependence of the stability threshold on different operating procedures in a single-phase rectangular natural circulation loop, *International Journal of*

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Heat and Mass Transfer, **161**, 120264, doi: 10.1016/j.ijheatmasstransfer.2020.120264.

Elton, D.N., Arunachala, U.C. and Vijayan, P.K., 2021, Stability enhancement in large diameter rectangular natural circulation loops using flow restrictors, *International Communications in Heat and Mass Transfer*, **126**, 105412, doi: 10.1016/j.icheatmasstransfer.2021.105412.

Elton, D.N., Arunachala, U.C. and Vijayan, P.K., 2022, Stabilization of single phase rectangular natural circulation loop of larger diameter using orifice plate, *International Communications in Heat and Mass Transfer*, **137**, 106216, doi: 10.1016/j.icheatmasstransfer.2022.106216.

Garibaldi, P. and Misale, M., 2008, Experiments in Single-Phase Natural Circulation Miniloops With Different Working Fluids and Geometries, *Journal of Heat Transfer*, **130**(10), 104506, doi: 10.1115/1.2948393.

Goudarzi, N. and Talebi, S., 2015, An approach to stability analysis and entropy generation minimization in the single-phase natural circulation loops, *Energy*, **80**, 213–226, doi: 10.1016/j.energy.2014.11.064.

Goudarzi, N. and Talebi, S., 2018, Heat removal ability for different orientations of single-phase natural circulation loops using the entransy method, *Annals of Nuclear Energy*, **111**, 509–522, doi: 10.1016/j.anucene.2017.09.035.

Ha, H., Lee, S. and Kim, H., 2017, Optimal design of passive containment cooling system for innovative PWR, *Nuclear Engineering and Technology*, **49**(5), 941–952, doi: 10.1016/j.net.2017.03.005.

Hamilton, D.C., Lynch, F.E. and Palmer, L.D., 1954, The Nature of the Flow of Ordinary Fluids in a Thermal Convection Harp, No. ORNL-1624, 4371580, p. ORNL-1624, 4371580, doi: 10.2172/4371580.

Ho, C.J., Chiou, S.P. and Hu, C.S., 1997, Heat transfer characteristics of a rectangular natural circulation loop containing water near its density extreme, *International Journal of Heat and Mass Transfer*, **40**(15), 3553–3558, doi: 10.1016/S0017-9310(97)00007-0.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Holman, J.P. and Boggs, J.H., 1960, Heat Transfer to Freon 12 Near the Critical State in a Natural-Circulation Loop, *Journal of Heat Transfer*, **82**(3), 221–226, doi: 10.1115/1.3679913.

Huang, Z. and Ma, W., 2019, Performance of a passive cooling system for spent fuel pool using two-phase thermosiphon evaluated by RELAP5/MELCOR coupling analysis, *Annals of Nuclear Energy*, **128**, 330–340, doi: 10.1016/j.anucene.2019.01.024.

IAEA, I., 2016, *Design Safety Considerations for Water Cooled Small Modular Reactors Incorporating Lessons Learned from the Fukushima Daiichi Accident*, International Atomic Energy Agency, Vienna.

IAEA, I., 2019, *Passive Safety Systems in Water-Cooled Reactors: An Overview and Demonstration with Basic Principle Simulators*, International Atomic Energy Agency, Vienna.

Ingersoll, D.T., Houghton, Z.J., Bromm, R. and Desportes, C., 2014, NuScale small modular reactor for Co-generation of electricity and water, *Desalination*, **340**, 84–93, doi: 10.1016/j.desal.2014.02.023.

Jain, V., Nayak, A.K., Vijayan, P.K., Saha, D. and Sinha, R.K., 2010, Experimental investigation on the flow instability behavior of a multi-channel boiling natural circulation loop at low-pressures, *Experimental Thermal and Fluid Science*, **34**(6), 776–787, doi: 10.1016/j.expthermflusci.2010.01.007.

Jiang, Y.Y. and Shoji, M., 2003, Flow stability in a natural circulation loop: influences of wall thermal conductivity, *Nuclear Engineering and Design*, **222**(1), 16–28, doi: 10.1016/S0029-5493(02)00393-X.

Johnsson, F., Zijerveld, R.C., Schouten, J.C., Van Den Bleek, C.M. and Leckner, B., 2000, Characterization of fluidization regimes by time-series analysis of pressure fluctuations, *International Journal of Multiphase Flow*, **26**(4), 663–715, doi: 10.1016/S0301-9322(99)00028-2.

Juarsa, M., Antariksawan, A.R., Kusuma, M.H., Haryanto, D. and Putra, N., 2018, Estimation of natural circulation flow based on temperature in the FASSIP-

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

02 large-scale test loop facility, *IOP Conference Series: Earth and Environmental Science*, **105**, 012091, doi: 10.1088/1755-1315/105/1/012091.

Juarsa, M., Antariksawan, A.R., Kusuma, M.H., Widodo, S. and Putra, N., 2019a, The effect of power and cooler flow on time responds of flow stability in natural circulation phenomenon using FASSIP-01 loop, presented at the THE 10TH INTERNATIONAL MEETING OF ADVANCES IN THERMOFLUIDS (IMAT 2018): Smart City: Advances in Thermofluid Technology in Tropical Urban Development, Bali, Indonesia, p. 020008, doi: 10.1063/1.5086555.

Juarsa, M., Antariksawan, A.R., Kusuma, M.H., Widodo, S. and Putra, N., 2019b, The effect of power and cooler flow on time responds of flow stability in natural circulation phenomenon using FASSIP-01 loop, presented at the THE 10TH INTERNATIONAL MEETING OF ADVANCES IN THERMOFLUIDS (IMAT 2018): Smart City: Advances in Thermofluid Technology in Tropical Urban Development, Bali, Indonesia, p. 020008, doi: 10.1063/1.5086555.

Juarsa, M., Giarno, Rohman, A.N., Heru K., G.B., Witoko, J.P. and Tjahyani, D.T.S., 2018, Flow rate and temperature characteristics in steady state condition on *FASSIP-01 loop* during commissioning, *Journal of Physics: Conference Series*, **962**, 012021, doi: 10.1088/1742-6596/962/1/012021.

Keller, J.B., 1966, Periodic oscillations in a model of thermal convection, *Journal of Fluid Mechanics*, **26**(3), 599–606, doi: 10.1017/S0022112066001423.

Kim, J.-H., Kim, T.-W., Lee, S.-M. and Park, G.-C., 2001, Study on the natural circulation characteristics of the integral type reactor for vertical and inclined conditions, *Nuclear Engineering and Design*, Elsevier BV, **207**(1), 21–31, doi: 10.1016/s0029-5493(00)00417-9.

Ko, Y., Seo, H., Cho, H.K. and Yi, K., 2024, Effect of inclination on SB LOCA transient of a floating nuclear reactor in MARS-KS analysis using moving

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

reactor model, *Nuclear Engineering and Design*, Elsevier BV, **426**, 113407, doi: 10.1016/j.nucengdes.2024.113407.

Koca, H.D., Doganay, S. and Turgut, A., 2017, Thermal characteristics and performance of Ag-water nanofluid: Application to natural circulation loops, *Energy Conversion and Management*, **135**, 9–20, doi: 10.1016/j.enconman.2016.12.058.

Krishnani, M. and Basu, D.N., 2017, Computational stability appraisal of rectangular natural circulation loop: Effect of loop inclination, *Annals of Nuclear Energy*, **107**, 17–30, doi: 10.1016/j.anucene.2017.04.012.

Kudariyawar, J.Y., Vaidya, A.M., Maheshwari, N.K. and Satyamurthy, P., 2016, Computational study of instabilities in a rectangular natural circulation loop using 3D CFD simulation, *International Journal of Thermal Sciences*, **101**, 193–206, doi: 10.1016/j.ijthermalsci.2015.11.003.

Kumar, N., Doshi, J.B. and Vijayan, P.K., 2011, Investigations on the role of mixed convection and wall friction factor in single-phase natural circulation loop dynamics, *Annals of Nuclear Energy*, **38**(10), 2247–2270, doi: 10.1016/j.anucene.2011.06.004.

Lee, K.-Y. and Kim, M.H., 2008, Modeling of condensation heat transfer for a PRHRS heat exchanger in a SMART-P plant, *Nuclear Engineering and Design*, **238**(12), 3253–3262, doi: 10.1016/j.nucengdes.2008.07.005.

Liao, H., Wang, X., Ma, J., Zhao, F., Li, C. and Tan, S., 2022, Characteristic analysis of natural circulation residual heat removal in small reactor, *International Journal of Advanced Nuclear Reactor Design and Technology*, **4**(4), 187–195, doi: 10.1016/j.jandt.2022.12.001.

Luzzi, L., Misale, M., Devia, F., Pini, A., Cauzzi, M.T., Fanale, F. and Cammi, A., 2017, Assessment of analytical and numerical models on experimental data for the study of single-phase natural circulation dynamics in a vertical loop, *Chemical Engineering Science*, **162**, 262–283, doi: 10.1016/j.ces.2016.12.058.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Misale, M., 2016, Experimental study on the influence of power steps on the thermohydraulic behavior of a natural circulation loop, *International Journal of Heat and Mass Transfer*, **99**, 782–791, doi: 10.1016/j.ijheatmasstransfer.2016.04.036.

Misale, M., Bocanegra, J.A., Borelli, D. and Marchitto, A., 2020a, Experimental analysis of four parallel single-phase natural circulation loops with small inner diameter, *Applied Thermal Engineering*, **180**, 115739, doi: 10.1016/j.applthermaleng.2020.115739.

Misale, M., Bocanegra, J.A., Borelli, D. and Marchitto, A., 2020b, Experimental analysis of four parallel single-phase natural circulation loops with small inner diameter, *Applied Thermal Engineering*, **180**, 115739, doi: 10.1016/j.applthermaleng.2020.115739.

Misale, M. and Frogheri, M., 2001, Stabilization of a single-phase natural circulation loop by pressure drops, *Experimental Thermal and Fluid Science*.

Misale, M., Garibaldi, P., Passos, J.C. and De Bitencourt, G.G., 2007, Experiments in a single-phase natural circulation mini-loop, *Experimental Thermal and Fluid Science*, **31**(8), 1111–1120, doi: 10.1016/j.expthermflusci.2006.11.004.

Misale, M., Garibaldi, P., Tarozzi, L. and Barozzi, G.S., 2011, Influence of thermal boundary conditions on the dynamic behaviour of a rectangular single-phase natural circulation loop, *International Journal of Heat and Fluid Flow*, **32**(2), 413–423, doi: 10.1016/j.ijheatfluidflow.2010.12.003.

Misale, M., Ruffino, P. and Frogheri, M., 2000, The influence of the wall thermal capacity and axial conduction over a single-phase natural circulation loop: 2-D numerical study, *Heat and Mass Transfer*, **36**(6), 533–539, doi: 10.1007/s002310000120.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Misale, M., Tagliafico, L. and Tanda, G., 1992, Experiments in a free convection rectangular loop, *Transport Phenomena in Heat and Mass Transfer*, Elsevier, pp. 203–211, doi: 10.1016/B978-0-444-89851-7.50023-6.

Mousavian, S.K., Misale, M., D'Auria, F. and A. Salehi, M., 2004, Transient and stability analysis in single-phase natural circulation, *Annals of Nuclear Energy*, **31**(10), 1177–1198, doi: 10.1016/j.anucene.2004.01.005.

Naveen, K., Iyer, K.N., Doshi, J.B. and Vijayan, P.K., 2014a, Investigations on single-phase natural circulation loop dynamics part 1: Model for simulating start-up from rest, *Progress in Nuclear Energy*, **76**, 148–159, doi: 10.1016/j.pnucene.2014.05.017.

Naveen, K., Iyer, K.N., Doshi, J.B. and Vijayan, P.K., 2014b, Investigations on single-phase natural circulation loop dynamics. Part 2: Role of wall constitutive laws, *Progress in Nuclear Energy*, **75**, 105–116, doi: 10.1016/j.pnucene.2014.04.011.

Naveen, K., Iyer, K.N., Doshi, J.B. and Vijayan, P.K., 2015, Investigations on single-phase natural circulation loop dynamics. Part 3: Role of expansion tank, *Progress in Nuclear Energy*, **78**, 65–79, doi: 10.1016/j.pnucene.2014.08.007.

Nayak, A.K., Gartia, M.R. and Vijayan, P.K., 2009, Thermal–hydraulic characteristics of a single-phase natural circulation loop with water and Al2O3 nanofluids, *Nuclear Engineering and Design*, **239**(3), 526–540, doi: 10.1016/j.nucengdes.2008.11.014.

Nishihara, T., 1997, Oscillatory instability of a single-phase natural circulation loop, presented at the NURETH-8: 8. international topical meeting on nuclear reactor thermal-hydraulics.

P K., Vijayan, M H., Bade, D., Saha, R K. Sinha, and V., Venkat Raj., 2000, *A Generalised Correlation for the Steady State Flow in Single-Phase Natural Circulation Loops*, BHABHA ATOMIC RESEARCH CENTRE, India.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pilehvar, A.F., Esteki, M.H., Ansarifar, G.R. and Hedayat, A., 2020, Stability analysis and parametric study of natural circulation integrated self-pressurized water reactor, *Annals of Nuclear Energy*, **139**, 107279, doi: 10.1016/j.anucene.2019.107279.

Pilkhwal, D.S., Ambrosini, W., Forgione, N., Vijayan, P.K., Saha, D. and Ferreri, J.C., 2007, Analysis of the unstable behaviour of a single-phase natural circulation loop with one-dimensional and computational fluid-dynamic models, *Annals of Nuclear Energy*, **34**(5), 339–355, doi: 10.1016/j.anucene.2007.01.012.

Putra, M.G., Deendarlianto, Pamungkas, A.E., Ariesta, E.P., Oktaviandi, R., Setiawan, P.H., Roshanti, F., *et al.*, 2025, Investigation of natural circulation flow instability based on thermal effect during steady-state condition using wavelet and chaotic analysis, *Nuclear Engineering and Design*, **443**, 114299, doi: 10.1016/j.nucengdes.2025.114299.

Ruiz, D.E., Cammi, A. and Luzzi, L., 2015, Dynamic stability of natural circulation loops for single phase fluids with internal heat generation, *Chemical Engineering Science*, **126**, 573–583, doi: 10.1016/j.ces.2014.12.050.

Saha, R., Sen, S., Mookherjee, S., Ghosh, K., Mukhopadhyay, A. and Sanyal, D., 2015, Experimental and Numerical Investigation of a Single-Phase Square Natural Circulation Loop, *Journal of Heat Transfer*, **137**(12), 121010, doi: 10.1115/1.4030926.

Seyyedi, S.M., Sahebi, N., Dogonchi, A.S. and Hashemi-Tilehnoee, M., 2019, Numerical and experimental analysis of a rectangular single-phase natural circulation loop with asymmetric heater position, *International Journal of Heat and Mass Transfer*, **130**, 1343–1357, doi: 10.1016/j.ijheatmasstransfer.2018.11.030.

Shakil, M., Ilyas, M., Zahid, F., Ahmad, M. and Aydogan, F., 2019, Analysis of loss of residual heat removal system during mid-loop operation of a 300

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

MWe PWR, *Progress in Nuclear Energy*, **112**, 1–6, doi: 10.1016/j.pnucene.2018.11.010.

Srivastava, T. and Basu, D.N., 2024, Numerical investigation of the microdynamics of the initiation of motion and startup transients in a supercritical natural circulation loop, *International Journal of Heat and Mass Transfer*, **224**, 125289, doi: 10.1016/j.ijheatmasstransfer.2024.125289.

Swapnalee, B.T. and Vijayan, P.K., 2011, A generalized flow equation for single phase natural circulation loops obeying multiple friction laws, *International Journal of Heat and Mass Transfer*, **54**(11–12), 2618–2629, doi: 10.1016/j.ijheatmasstransfer.2011.01.023.

Tyas, R.L., Hermansyah, H., Purba, J.H., Shariff, A.M. and Wulandari, S., 2026, Improving Nuclear Power Plant Safety Assessment: Review of Methods and Approaches, *International Journal of Technology*, **17**(1), 42, doi: 10.14716/ijtech.v17i1.7856.

Vijayan, P.K., 2002, Experimental observations on the general trends of the steady state and stability behaviour of single-phase natural circulation loops, *Nuclear Engineering and Design*, **215**(1–2), 139–152, doi: 10.1016/S0029-5493(02)00047-X.

Vijayan, P.K., Austregesilo, H. and Teschendorff, V., 1995, Simulation of the unstable oscillatory behavior of single-phase natural circulation with repetitive flow reversals in a rectangular loop using the computer code ATHLET, *Nuclear Engineering and Design*.

Vijayan, P.K., Bhojwani, V.K., Bade, M.H., Sharma, M., Nayak, A.K., Saha, D. and Sinha, R.K., 2001, Investigations on the effect of heater and cooler orientation on the steady state, transient and stability behaviour of single-phase natural circulation in a rectangular loop.

Vijayan, P.K. and Gartia, M.R., 2005, Steady-state flow in single-phase and two-phase natural circulation loops.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Vijayan, P.K., Nayak, A.K. and Kumar, N., 2019, *Single-Phase, Two-Phase and Supercritical Natural Circulation Systems*, Elsevier, doi: 10.1016/C2017-0-01142-4.

Vijayan, P.K., Nayak, A.K., Saha, D. and Gartia, M.R., 2008, Effect of Loop Diameter on the Steady State and Stability Behaviour of Single-Phase and Two-Phase Natural Circulation Loops, *Science and Technology of Nuclear Installations*, **2008**, 1–17, doi: 10.1155/2008/672704.

Vijayan, P.K., Sharma, M. and Saha, D., 2007, Steady state and stability characteristics of single-phase natural circulation in a rectangular loop with different heater and cooler orientations, *Experimental Thermal and Fluid Science*, **31**(8), 925–945, doi: 10.1016/j.expthermflusci.2006.10.003.

Wahidi, T. and Yadav, A.K., 2021, Instability mitigation by integrating twin Tesla type valves in supercritical carbon dioxide based natural circulation loop, *Applied Thermal Engineering*, **182**, 116087, doi: 10.1016/j.applthermaleng.2020.116087.

Waluyo, R., Deendarlianto, Indarto, Yuliaji, D., Pramono, G.E., Astyanto, A.H., Oktaviandi, R., *et al.*, 2026, Evaluation of the effectiveness and loop behavior due to inclination changes during natural circulation flow using statistical approaches, *International Journal of Thermal Sciences*, **224**, 110721, doi: 10.1016/j.ijthermalsci.2026.110721.

Waluyo, R., Deendarlianto, Indarto, Yuliaji, D., Sri Wardhani, V.I., Afandi, A., Putra, M.G., *et al.*, 2026, Design of rectangular single-phase natural circulation loop based on working fluid and geometry parameters to enhancement stability and mass flow rates: A research review, *Progress in Nuclear Energy*, **191**, 106037, doi: 10.1016/j.pnucene.2025.106037.

Wang, Y., 2013, Preliminary Study for the Passive Containment Cooling System Analysis of the Advanced PWR, *Energy Procedia*, **39**, 240–247, doi: 10.1016/j.egypro.2013.07.210.

UNIVERSITAS
GADJAH MADA
Investigasi kinerja termohidrolik dan instabilitas aliran sirkulasi alami berdasarkan variasi daya pemanas dan inklinasi loop untuk pengembangan sistem pendingin pasif di PLTN
Roy Waluyo, Prof. Dr. Eng. Ir. Deendarlianto, S.T., M. Eng
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Welander, P., 1957, Note on the Self-Sustained Oscillations of a Simple Thermal System, *Tellus*, **9**(3), 419–420, doi: 10.1111/j.2153-3490.1957.tb01898.x.

Welander, P., 1967, On the oscillatory instability of a differentially heated fluid loop, *Journal of Fluid Mechanics*, **29**(1), 17–30, doi: 10.1017/S0022112067000606.

Wen, D. and Ding, Y., 2006, Natural convective heat transfer of suspensions of titanium dioxide nanoparticles (nanofluids), *IEEE Transactions On Nanotechnology*, **5**(3), 220–227, doi: 10.1109/TNANO.2006.874045.

Wijayanta, S., Indarto, Deendarlianto, Catrawedarma, I.G.N.B. and Hudaya, A.Z., 2022, Statistical characterization of the interfacial behavior of the sub-regimes in gas-liquid stratified two-phase flow in a horizontal pipe, *Flow Measurement and Instrumentation*, **83**, 102107, doi: 10.1016/j.flowmeasinst.2021.102107.

Yuliaji, D., Waluyo, R., Pramono, G.E., Putra, M.G., Budiyanto, N.R., Mariadi, S.A., Kharisma, S., *et al.*, 2025, Thermal-hydraulics performance and stability two-phase flow using Al2O3 nanofluids in an open natural circulation loop, *Annals of Nuclear Energy*, **218**, 111424, doi: 10.1016/j.anucene.2025.111424.

Zhang, X.-R., Chen, L. and Yamaguchi, H., 2010, Natural convective flow and heat transfer of supercritical CO2 in a rectangular circulation loop, *International Journal of Heat and Mass Transfer*, **53**(19–20), 4112–4122, doi: 10.1016/j.ijheatmasstransfer.2010.05.031.