

DAFTAR PUSTAKA

- Abey, S., Mathew, M.T., Lee, D.J., Knoernschild, K.L., Wimmer, M.A. dan Sukotjo, C., 2014, Electrochemical Behavior of Titanium in Artificial Saliva: Influence of pH, *Journal of Oral Implantology*, 40(1), 3–10, doi: 10.1563/AAID-JOI-D-11-00054.
- Agrawal, C.M., 2014, *Introduction to Biomaterials: Basic Theory with Engineering Applications*, Cambridge University Press, New York.
- Alamri, H., 2024, Influence of Salivary pH on Dental Caries Index and Periodontal Status: A Cross-sectional Study, *World Journal of Dentistry*, 15(7), 617–620, doi: 10.5005/jp-journals-10015-2444.
- Alemayehu, D.-B. dan Jeng, Y.-R., 2021, Three-Dimensional Finite Element Investigation into Effects of Implant Thread Design and Loading Rate on Stress Distribution in Dental Implants and Anisotropic Bone, *Materials*, 14(22), 6974, doi: 10.3390/ma14226974.
- Al-Johany, S.S., Al Amri, M.D., Alsaeed, S. dan Alalola, B., 2017, Dental Implant Length and Diameter: A Proposed Classification Scheme: Implants Classification by Length and Diameter, *Journal of Prosthodontics*, 26(3), 252–260, doi: 10.1111/jopr.12517.
- Allal, N., Bourahla, A., Benharcha, F., Abdi, A., Bekkar Djeloul Sayah, Z. dan Trari, M., 2022, Anodizing parameters optimization of Ti–6Al–4V titanium alloy using response surface methodology, *Journal of the Indian Chemical Society*, 99(6), 100470, doi: 10.1016/j.jics.2022.100470.
- Alqahtani, A.R., Desai, S.R., Patel, J.R., Alqahtani, N.R., Alqahtani, A.S., Heboyen, A., Fernandes, G.V.O., Mustafa, M., dan Karobari, M.I., 2023, Investigating the impact of diameters and thread designs on the Biomechanics of short implants placed in D4 bone: a 3D finite element analysis, *BMC Oral Health*, 23(1), 686, doi: 10.1186/s12903-023-03370-8.
- Alves, S.A., Rossi, A.L., Ribeiro, A.R., Toptan, F., Pinto, A.M., Celis, J.-P., Shokuhfar, T., dan Rocha, L.A., 2017, Tribo-electrochemical behavior of bio-functionalized TiO₂ nanotubes in artificial saliva: Understanding of degradation mechanisms, *Wear*, 384–385, 28–42, doi: 10.1016/j.wear.2017.05.005.
- Anbarzadeh, E. dan Mohammadi, B., 2023, Investigation of the Effects of Sandblasting, Acid Etching, and Anodizing Parameters in the SLA + Anodizing on the Surface Treatment of Titanium Dental Implant Fixtures, *Physics of Metals and Metallography*, 124(13), 1606–1619, doi: 10.1134/S0031918X23600793.
- Anbarzadeh, E. dan Mohammadi, B., 2024, Improving the Surface Roughness of Dental Implant Fixture by Considering the Size, Angle and Spraying Pressure of Sandblast Particles, *Journal of Bionic Engineering*, 21(1), 303–324, doi: 10.1007/s42235-023-00422-1.
- Arifvianto, B., Mahardika, M., Salim, U.A. dan Suyitno, S., 2020, Comparison of Surface Characteristics of Medical-grade 316L Stainless Steel Processed by Sand-blasting, Slag Ball-blasting and Shot-blasting Treatments, *Journal of*

- Engineering and Technological Sciences*, 52(1), 1–13, doi: 10.5614/j.eng.technol.sci.2020.52.1.1.
- Arifvianto, B., Suyitno dan Mahardika, M., 2013, Surface modification of titanium using steel slag ball and shot blasting treatment for biomedical implant applications, *International Journal of Minerals, Metallurgy, and Materials*, 20(8), 788–795, doi: 10.1007/s12613-013-0797-1.
- Arinc, H., 2018, Effects of Prosthetic Material and Framework Design on Stress Distribution in Dental Implants and Peripheral Bone: A Three-Dimensional Finite Element Analysis, *Medical Science Monitor*, 24, 4279–4287, doi: 10.12659/MSM.908208.
- Arregui, M., Latour, F., Gil, F.J., Pérez, R.A., Giner-Tarrida, L. dan Delgado, L.M., 2021, Ion Release from Dental Implants, Prosthetic Abutments and Crowns under Physiological and Acidic Conditions, *Coatings*, 11(1), 98, doi: 10.3390/coatings11010098.
- Ausiello, P., Tribst, J.P.M., Ventre, M., Salvati, E., Di Lauro, A.E., Martorelli, M., Lanzotti, A., dan Watts, D.C., 2021, The role of cortical zone level and prosthetic platform angle in dental implant mechanical response: A 3D finite element analysis, *Dental Materials*, 37(11), 1688–1697, doi: 10.1016/j.dental.2021.08.022.
- Avağ, C. dan Akkocaoğlu, M., 2023, The evaluation of stress on bone level and tissue level short implants: A Finite Element Analysis (FEA) study, *Journal of Stomatology, Oral and Maxillofacial Surgery*, 124(1), 101298, doi: 10.1016/j.jormas.2022.09.019.
- Avcu, E., Yıldırım Avcu, Y., Baştan, F.E., Rehman, M.A.U., Üstel, F. dan Boccaccini, A.R., 2018, Tailoring the surface characteristics of electrophoretically deposited chitosan-based bioactive glass composite coatings on titanium implants via grit blasting, *Progress in Organic Coatings*, 123, 362–373, doi: 10.1016/j.porgcoat.2018.07.021.
- Baek, Y.-W., Lim, Y.-J. dan Kim, B., 2023, Comparison of Implant Surgery Methods of Cortical Tapping and Cortical Widening in Bone of Various Density: A Three-Dimensional Finite Element Study, *Materials*, 16(8), 3261, doi: 10.3390/ma16083261.
- Baihaqi, M.I., Sumarsongko, T. dan Bonifacius, S., 2022, The Effect of Implant Length and Diameter on Primary Stability of Tilted Implant on D4 Bone Density: An In Vitro Study, *Journal of International Oral Health*, 14(5).
- Baliga, S., Muglikar, S. dan Kale, R., 2013, Salivary pH: A diagnostic biomarker, *Journal of Indian Society of Periodontology*, 17(4), 461, doi: 10.4103/0972-124X.118317.
- Barbosa, F.T., Zanatta, L.C.S., De Souza Rendohl, E. dan Gehrke, S.A., 2021, Comparative analysis of stress distribution in one-piece and two-piece implants with narrow and extra-narrow diameters: A finite element study, *disunting oleh Bencharit, S.PLOS ONE*, 16(2), e0245800, doi: 10.1371/journal.pone.0245800.
- Barros, C.D.D.R., Rocha, J.C., Bastos, I.N. dan Ponciano Gomes, J.A.D.C., 2021, Tribocorrosion Resistance of Dental Implant Alloys—Assessment of cp-Ti,

- Ti6Al4V, and NiCr in Neutral and Acidified Saliva, *Journal of Bio- and Tribo-Corrosion*, 7(2), 73, doi: 10.1007/s40735-021-00508-5.
- Bechir, F., Pacurar, M., Tohati, A. dan Bataga, S.M., 2021, Comparative Study of Salivary pH, Buffer Capacity, and Flow in Patients with and without Gastroesophageal Reflux Disease, *International Journal of Environmental Research and Public Health*, 19(1), 201, doi: 10.3390/ijerph19010201.
- Beltrán-Fernández, J.A., González, M.G.R.Y., Hernández-Gómez, L.H., González, A.G.R.Y. dan Calderón, G.U., 2013, Mechanical Evaluation of Microimplants for Dental Surgery, dalam Ochsner, A. dan Altenbach, H. (Ed.), *Advances in Bio-Mechanical Systems and Materials*, Vol. 40, Springer International Publishing, Cham, hlm. 81–86, doi: 10.1007/978-3-319-00479-2_6.
- Bhadra, C.U., Jonas Davidson, D. dan Henry Raja, D., 2020, Fabrication of titanium oxide nanotubes by varying the anodization time, *Materials Today: Proceedings*, 33, 2711–2715, doi: 10.1016/j.matpr.2020.01.455.
- Brum, I.D.S., Elias, C.N., Lopes, J.C.A., Frigo, L., Dos Santos, P.G.P. dan De Carvalho, J.J., 2024, Clinical Analysis of the Influence of Surface Roughness in the Primary Stability and Osseointegration of Dental Implants: Study in Humans, *Coatings*, 14(8), 951, doi: 10.3390/coatings14080951.
- Byrne, G.D., O'Neill, L., Twomey, B. dan Dowling, D.P., 2013, Comparison between shot peening and abrasive blasting processes as deposition methods for hydroxyapatite coatings onto a titanium alloy, *Surface and Coatings Technology*, 216, 224–231, doi: 10.1016/j.surfcoat.2012.11.048.
- Callister, W.D. dan Rethwisch, D.G., 2019, *Materials Science and Engineering*, Wiley, New York.
- Cao, L., Zhang, W., Jiang, C., Wang, H., An, H., Ye, C., Ren, J., Huang, X., dan Deng, L., 2025, Effect of surface roughness on corrosion behaviour of stainless steel in supercritical CO₂, *Journal of Materials Research and Technology*, 36, 4946–4954, doi: 10.1016/j.jmrt.2025.04.209.
- Chen, J., Guo, J., Yang, L., Wang, L. dan Zhang, X., 2023, Effect of different implant angulations on the biomechanical performance of prosthetic screws in two implant-supported, screw-retained prostheses: A numerical and experimental study, *The Journal of Prosthetic Dentistry*, 130(2), 240.e1–240.e10, doi: 10.1016/j.prosdent.2023.06.004.
- Chen, J., Wang, L., Yang, L., Zhang, X., Huang, B. dan Li, J., 2021, The prosthetic screw loosening of two-implant supported screw-retained fixed dental prostheses in the posterior region: A retrospective evaluation and finite element analysis, *Journal of Biomechanics*, 122, 110423, doi: 10.1016/j.jbiomech.2021.110423.
- Chen, L., Liang, M., Wan, W., Tang, J., Lin, B., Yang, X., Chen, Y., dan Chen, Y., 2025, Corrosion of commercial pure titanium and two titanium alloys in extremely high-chloride and high-alkali seawater electrolysis environment, *Journal of Alloys and Compounds*, Elsevier BV, 1020, 179431, doi: 10.1016/j.jallcom.2025.179431.

- Chen, Y., Tao, Y., Chen, B., Guo, J., Xu, R. dan Guo, Z., 2025, Surface treatment improving the mechanism and electrochemical properties of lead anodes by sandblasting, *Journal of Solid State Electrochemistry*, 29(7), 2901–2910, doi: 10.1007/s10008-025-06193-5.
- Cridling, Q., Charriere, R., Jamon, D., Lenci, M., Pedferri, M. dan Delafosse, D., 2020, Anodized titanium oxide thickness estimation with ellipsometry, reflectance spectra extrema positions and electronic imaging: importance of the interfaces electromagnetic phase-shift, *Thin Solid Films*, 709, 138181, doi: 10.1016/j.tsf.2020.138181.
- Cura, A.C., Zuchuat, J.I., Tribbia, L.T., Taravini, I.R.E. dan Decco, O.A., 2022, Sandblasted, acid etched and UV irradiated titanium surface for dental implants: In vitro and in vivo analysis, *Materialia*, 21, 101302, doi: 10.1016/j.mtl.2021.101302.
- Dank, A., Aartman, I.H.A., Wismeijer, D. dan Tahmaseb, A., 2019, Effect of dental implant surface roughness in patients with a history of periodontal disease: a systematic review and meta-analysis, *International Journal of Implant Dentistry*, 5(1), 12, doi: 10.1186/s40729-019-0156-8.
- Darmanin, T. dan Guittard, F., 2015, Superhydrophobic and superoleophobic properties in nature, *Materials Today*, 18(5), 273–285, doi: 10.1016/j.mattod.2015.01.001.
- Dastenaei, F.M., Hajarian, A., Zargar, O., Zand, M.M. dan Noorollahian, S., 2019, Effects of thread shape on strength and stability of dental mini-screws against orthodontic forces, *Procedia Manufacturing*, 35, 1032–1038, doi: 10.1016/j.promfg.2019.06.053.
- David, T.M., Dev, P.R., Wilson, P., Sagayaraj, P. dan Mathews, T., 2022, A critical review on the variations in anodization parameters toward microstructural formation of TiO₂ nanotubes, *Electrochemical Science Advances*, 2(4), doi: 10.1002/elsa.202100083.
- Demirci, S., Dalmış, R., Dikici, T., Tünçay, M.M., Kaya, N. dan Güllüoğlu, A.N., 2021, Effect of surface modifications of additively manufactured Ti-6Al-4V alloys on apatite formation ability for biomedical applications, *Journal of Alloys and Compounds*, 887, 161445, doi: 10.1016/j.jallcom.2021.161445.
- Dhein, J., Haller, C., Reichl, F.-X., Milz, S., Hickel, R., Kollmuss, M. dan Högg, C., 2022, Intranuclear cell uptake and toxicity of titanium dioxide and zirconia particles as well as bacterial adhesion on dental titanium- and zirconia-implants, *Dental Materials*, 38(3), 517–528, doi: 10.1016/j.dental.2021.12.142.
- Dikici, T., Demirci, S. dan Erol, M., 2017, Enhanced photocatalytic activity of micro/nano textured TiO₂ surfaces prepared by sandblasting/acid-etching/anodizing process, *Journal of Alloys and Compounds*, 694, 246–252, doi: 10.1016/j.jallcom.2016.09.330.
- Dong, H., Lin, F., Boccaccini, A.R. dan Virtanen, S., 2021, Corrosion behavior of biodegradable metals in two different simulated physiological solutions: Comparison of Mg, Zn and Fe, *Corrosion Science*, 182, 109278, doi: 10.1016/j.corsci.2021.109278.

- Draganovská, D., Ižáriková, G., Guzanová, A. dan Brezinová, J., 2018, General Regression Model for Predicting Surface Topography after Abrasive Blasting, *Metals*, 8(11), 938, doi: 10.3390/met8110938.
- Eazhil, R., Swaminathan, S.V., Gunaseelan, M., Kannan, G.V. dan Alagesan, C., 2016, Impact of implant diameter and length on stress distribution in osseointegrated implants: A 3D FEA study, *Journal of International Society of Preventive and Community Dentistry*, 6(6), 590, doi: 10.4103/2231-0762.195518.
- Elias, C.N., Fernandes, D.J. dan Resende, C.R.S., 2015, Mechanical properties, surface morphology and stability of a modified commercially pure high strength titanium alloy for dental implants, 31, doi: <http://dx.doi.org/10.1016/j.dental.2014.10.002>.
- Farhan, L.S., 2019, The effect of diameter and length on the success rate of dental implant: Prospective clinical study, *Trends in Medicine*, 19(4), doi: 10.15761/TiM.1000194.
- Farrag, K.M. dan Khamis, M.M., 2021, Effect of anodized titanium abutment collars on peri-implant soft tissue: A split-mouth clinical study, *The Journal of Prosthetic Dentistry*, S0022391321005187, doi: 10.1016/j.prosdent.2021.09.019.
- Fintová, S., Kuběna, I., Palán, J., Mertová, K., Duchek, M., Hutař, P., Pastorek, F., dan Kunz, L., 2020, Influence of sandblasting and acid etching on fatigue properties of ultra-fine grained Ti grade 4 for dental implants, *Journal of the Mechanical Behavior of Biomedical Materials*, 111, 104016, doi: 10.1016/j.jmbbm.2020.104016.
- Gadge, M., Lohar, G. dan Chinchankar, S., 2022, A review on micro-blasting as surface treatment technique for improved cutting tool performance, *Materials Today: Proceedings*, 64, 725–730, doi: 10.1016/j.matpr.2022.05.196.
- Gbenontin, B.V., Kang, M., Ndiithi, N.J., Nyambura, S.M., Awuah, E. dan Zhang, Y., 2021, Effect of Grit Blasting and Polishing Pretreatments on the Microhardness, Adhesion and Corrosion Properties of Electrodeposited Ni-W/SiC Nanocomposite Coatings on 45 Steel Substrate, *Crystals*, 11(7), 729, doi: 10.3390/cryst11070729.
- Granato, R., Bonfante, E.A., Castellano, A., Khan, R., Jimbo, R., Marin, C., Morsi, S., Witek, L., dan Coelho, P.G., 2019, Osteointegrative and microgeometric comparison between micro-blasted and alumina blasting/acid etching on grade II and V titanium alloys (Ti-6Al-4V), *Journal of the Mechanical Behavior of Biomedical Materials*, 97, 288–295, doi: 10.1016/j.jmbbm.2019.05.026.
- Greenstein, G. dan Cavallaro, J., 2014, Failed dental implants: Diagnosis, removal and survival of reimplantations, *The Journal of the American Dental Association*, 145(8), 835–841, doi: 10.14219/jada.2014.28.
- Guan, L., Yang, X., Li, Y., Shi, C., Yan, D., Huang, J. dan Zhang, L.-C., 2021, Differences in electrochemical corrosion behaviours between selective laser melted and wrought Ti6Al4V alloys in acid fluoride-containing artificial

- saliva, *Journal of Applied Electrochemistry*, 51(11), 1619–1633, doi: 10.1007/s10800-021-01597-3.
- Gudić, S., Vrsalović, L., Kvrđić, D. dan Nagode, A., 2021, Electrochemical Behaviour of Ti and Ti-6Al-4V Alloy in Phosphate Buffered Saline Solution, *Materials*, 14(24), 7495, doi: 10.3390/ma14247495.
- Gulati, K., Martinez, R.D.O., Czerwiński, M. dan Michalska-Domańska, M., 2022, Understanding the influence of electrolyte aging in electrochemical anodization of titanium, *Advances in Colloid and Interface Science*, 302, 102615, doi: 10.1016/j.cis.2022.102615.
- Guo, C.Y., Matinlinna, J.P., Tsoi, J.K.-H. dan Hong Tang, A.T., 2019, Residual Contaminations of Silicon-Based Glass, Alumina and Aluminum Grits on a Titanium Surface After Sandblasting, *Silicon*, 11(5), 2313–2320, doi: 10.1007/s12633-015-9287-6.
- Guo, T., Ivanovski, S. dan Gulati, K., 2022a, Tuning electrolyte aging in titanium anodization to fabricate nano-engineered implants, *Surface and Coatings Technology*, 447, 128819, doi: 10.1016/j.surfcoat.2022.128819.
- Guo, T., Ivanovski, S. dan Gulati, K., 2022b, Optimizing titanium implant nano-engineering via anodization, *Materials & Design*, 223, 111110, doi: 10.1016/j.matdes.2022.111110.
- Guo, T., Scimeca, J.-C., Ivanovski, S., Verron, E. dan Gulati, K., 2023, Enhanced Corrosion Resistance and Local Therapy from Nano-Engineered Titanium Dental Implants, *Pharmaceutics*, 15(2), 315, doi: 10.3390/pharmaceutics15020315.
- Hagen, C.M.H., Hognestad, A., Knudsen, O.Ø. dan Sørby, K., 2019, The effect of surface roughness on corrosion resistance of machined and epoxy coated steel, *Progress in Organic Coatings*, Elsevier BV, 130, 17–23, doi: 10.1016/j.porgcoat.2019.01.030.
- Harasani, I., Jamaati, R. dan Jamshidi Aval, H., 2023, Electrochemical aspects and in vitro biocompatibility of Ti-SS304 layered composite, *Journal of Materials Research and Technology*, Elsevier BV, 26, 2847–2862, doi: 10.1016/j.jmrt.2023.08.082.
- Hasegawa, M., Saruta, J., Hirota, M., Taniyama, T., Sugita, Y., Kubo, K., Ishijima, M., Ikeda, T., Maeda, H., dan Ogawa, T., 2020, A Newly Created Meso-, Micro-, and Nano-Scale Rough Titanium Surface Promotes Bone-Implant Integration, *International Journal of Molecular Sciences*, 21(3), 783, doi: 10.3390/ijms21030783.
- Hossen, M.A., Aziz, A.A., Ikreedeeh, R.R., Muhammad, A.D., Yaacof, N., Leong, K.H. dan Wu, L., 2024, Optimization of anodizing parameters for the morphological properties of TiO₂ nanotubes based on response surface methodology, *Next Materials*, 2, 100061, doi: 10.1016/j.nxmte.2023.100061.
- Hsiao, V.K.S., Shih, M.-H., Wu, H.-C. dan Wu, T.-I., 2024, Comparative Study of Surface Modification Techniques for Enhancing Biocompatibility of Ti-6Al-4V Alloy in Dental Implants, *Applied Sciences*, 14(23), 10904, doi: 10.3390/app142310904.

- Huang, Q.-Y., Xiao, Y.-H., Li, X.-R., Zhu, C.-B., Sun, Q.-Q., Wu, L.-K. dan Cao, F.-H., 2025, Influence of near-yield stress on corrosion and passivation behavior of titanium in chloride solutions, *Corrosion Science*, Elsevier BV, 255, 113092, doi: 10.1016/j.corsci.2025.113092.
- Huang, Z.-L., Shi, J.-Y., Zhang, X., Gu, Y.-X. dan Lai, H.-C., 2021, The influence of the shock-absorbing restorative materials on the stress distributions of short dental implant rehabilitations, *European Review for Medical and Pharmacological Sciences*, 25(1), 24–34, doi: 10.26355/eurev_202101_24341.
- Hutchings, I. dan Shipway, P., 2017, *TRIBOLOGY: Friction and Wear of Engineering Materials*, Second Editions., Elsevier, Cambridge, MA.
- Ishak, M.I., Daud, R. dan Mohd Noor, S.N.F., 2023, The Effect Of Material Stiffness on Dental Implant Stability – A Finite Element Analysis, *ASEAN Engineering Journal*, 13(1), 59–67, doi: 10.11113/aej.v13.18087.
- Jiang, W., Cui, H. dan Song, Y., 2018, Electrochemical corrosion behaviors of titanium covered by various TiO₂ nanotube films in artificial saliva, *Journal of Materials Science*, 53(21), 15130–15141, doi: 10.1007/s10853-018-2706-5.
- Ju, J., Li, J., Jiang, M., Li, M., Yang, L., Wang, K., Yang, C., Kang, M., dan Wang, J., 2021, Microstructure and electrochemical corrosion behavior of selective laser melted Ti–6Al–4V alloy in simulated artificial saliva, *Transactions of Nonferrous Metals Society of China*, 31(1), 167–177, doi: 10.1016/S1003-6326(20)65485-1.
- Jung, W., Lee, W. dan Kwon, H.-B., 2019, Effects of abutment screw preload in two implant connection systems: A 3D finite element study, *The Journal of Prosthetic Dentistry*, 122(5), 474.e1-474.e8, doi: 10.1016/j.prosdent.2019.04.025.
- Kamachimudali, U., Sridhar, T.M. dan Raj, B., 2003, Corrosion of bio implants, *Sadhana*, 28(3–4), 601–637, doi: 10.1007/BF02706450.
- Kang, Y., Li, Z., Zhang, D. dan Murakami, R., 2025, Investigation of corrosion resistance of films prepared on magnesium alloy surfaces under various anodizing conditions, *Journal of Materials Science: Materials in Electronics*, 36(19), 1196, doi: 10.1007/s10854-025-15229-5.
- Kemény, A., Hajdu, I., Károly, D. dan Pammer, D., 2018, Osseointegration specified grit blasting parameters, *Materials Today: Proceedings*, 5(13), 26622–26627, doi: 10.1016/j.matpr.2018.08.126.
- Kemkes.go.id., 2023, Ketok Palu! RUU Kesehatan Sah jadi Undang-Undang, 11 Juli 2023.
- Khair, A.M.B., Maniangat Luke, A., Patnaik, R. dan Testarelli, L., 2025, EGCG's anticancer potential unveiled: triggering apoptosis in lung cancer cell lines through *in vitro* investigation, *PeerJ*, 13, e19135, doi: 10.7717/peerj.19135.
- Kheder, W., Al Kawas, S., Khalaf, K. dan Samsudin, A.R., 2021, Impact of tribocorrosion and titanium particles release on dental implant complications — A narrative review, *Japanese Dental Science Review*, 57, 182–189, doi: 10.1016/j.jdsr.2021.09.001.

- Kido, D., Komatsu, K., Suzumura, T., Matsuura, T., Cheng, J., Kim, J., Park, W., dan Ogawa, T., 2023, Influence of Surface Contaminants and Hydrocarbon Pellicle on the Results of Wettability Measurements of Titanium, *International Journal of Molecular Sciences*, 24(19), 14688, doi: 10.3390/ijms241914688.
- Kim, W.H., Lee, J.-C., Lim, D., Heo, Y.-K., Song, E.-S., Lim, Y.-J. dan Kim, B., 2019, Optimized Dental Implant Fixture Design for the Desirable Stress Distribution in the Surrounding Bone Region: A Biomechanical Analysis, *Materials*, 12(17), 2749, doi: 10.3390/ma12172749.
- Kim, W.-H., Shin, Y.C., Lee, S.-H., Kang, M.S., Lee, M.-S., Lee, J.H., Lee, J.-H., Han, D.-W, dan Kim, B., 2022, Dental implants with electrochemical nanopattern formation to increase osseointegration, *Journal of Industrial and Engineering Chemistry*, 116, 543–555, doi: 10.1016/j.jiec.2022.09.042.
- Koçoğlu, H., Yıldırım Avcu, Y., Yetik, O., Avcu, E. dan Sınmazçelik, T., 2020, Surface Properties of Titanium Alloys Grit Blasted at Various Particle Impingement Angles, *Materials Today: Proceedings*, 32, 18–26, doi: 10.1016/j.matpr.2020.05.511.
- Kokubo, Y. dan Asoh, H., 2022, Two-step bipolar anodization: Design of titanium with two different faces, *Electrochemistry Communications*, 142, 107376, doi: 10.1016/j.elecom.2022.107376.
- Kolafová, M., Šťovíček, J., Strnad, J., Zemek, J. dan Dybal, J., 2017, In Vitro Bioactivity Test of Real Dental Implants According to ISO 23317, *The International Journal of Oral & Maxillofacial Implants*, 32(6), 1221–1230, doi: 10.11607/jomi.5132.
- Kovrljija, I., Menshikh, K., Abreu, H., Cochis, A., Rimondini, L., Marsan, O., Rey, C., Combes, C., Locs, J., dan Loca, D., 2024, Challenging applicability of ISO 10993-5 for calcium phosphate biomaterials evaluation: Towards more accurate in vitro cytotoxicity assessment, *Biomaterials Advances*, 160, 213866, doi: 10.1016/j.bioadv.2024.213866.
- Kowar, J., Lund, H. dan Stenport, V.F., 2023, Long-term performance of implants with moderately rough anodized surface supporting single-tooth restorations: A retrospective analysis with an up to 15-year follow-up, *Clinical Oral Implants Research*, 34(4), 367–377, doi: 10.1111/clr.14048.
- Kul, E. dan Korkmaz, İ.H., 2021, Effect of different design of abutment and implant on stress distribution in 2 implants and peripheral bone: A finite element analysis study, *The Journal of Prosthetic Dentistry*, 126(5), 664.e1-664.e9, doi: 10.1016/j.prosdent.2020.09.058.
- Kumar, A.M., Hussein, M.A., Adesina, A.Y., Javid, M., Ali, U. dan Ogunlakin, N.O., 2024, Investigate the Effect of Blasting Materials on the Adhesion and Corrosion Protection Performance of Fusion Bonded Epoxy Coated Steel in NaCl Medium, *JOM*, 76(1), 300–312, doi: 10.1007/s11837-023-05910-7.
- Lee, H., Jo, M. dan Noh, G., 2021, Biomechanical effects of dental implant diameter, connection type, and bone density on microgap formation and fatigue failure: A finite element analysis, *Computer Methods and Programs in Biomedicine*, 200, 105863, doi: 10.1016/j.cmpb.2020.105863.

- Leyens, C. dan Peters, M. (Ed.), 2003, *Titanium and Titanium Alloys: Fundamentals and Applications*, 1 ed., Wiley, doi: 10.1002/3527602119.
- Li, R., Yang, J., Xu, S., Zhou, Y., Wang, X., Peng, H. dan Du, J., 2020, Preparation of Gd-Doped TiO₂ Nanotube Arrays by Anodization Method and Its Photocatalytic Activity for Methyl Orange Degradation, *Catalysts*, 10(3), 298, doi: 10.3390/catal10030298.
- Li, T., Hu, K., Cheng, L., Ding, Y., Ding, Y., Shao, J. dan Kong, L., 2011, Optimum selection of the dental implant diameter and length in the posterior mandible with poor bone quality – A 3D finite element analysis, *Applied Mathematical Modelling*, 35(1), 446–456, doi: 10.1016/j.apm.2010.07.008.
- Lim, B.-S., Cho, H.-R. dan Choe, H.-C., 2022, Corrosion behaviors of macro/micro/nano-scale surface modification on Ti-6Al-4V alloy for bio-implant, *Thin Solid Films*, 754, 139314, doi: 10.1016/j.tsf.2022.139314.
- Lim, S.-M., Hwang, J., Park, H.-B., Park, C.H. dan Jin, J.-O., 2020, Alumina Ceramic Exacerbates the Inflammatory Disease by Activation of Macrophages and T Cells, *International Journal of Molecular Sciences*, 21(19), 7114, doi: 10.3390/ijms21197114.
- Lima, R.B.W., Barreto, S.C., Alfrisany, N.M., Porto, T.S., De Souza, G.M. dan De Goes, M.F., 2019, Effect of silane and MDP-based primers on physico-chemical properties of zirconia and its bond strength to resin cement, *Dental Materials*, 35(11), 1557–1567, doi: 10.1016/j.dental.2019.07.008.
- Lin, Y., Qian, Q., Chen, Z., Dinh Tuan, P. dan Feng, D., 2022, Fabrication of high specific surface area TiO₂ nanopowders by anodization of porous titanium, *Electrochemistry Communications*, 136, 107234, doi: 10.1016/j.elecom.2022.107234.
- Liu, C., Revilla, R.I., Li, X., Jiang, Z., Yang, S., Cui, Z., Zhang, D., dkk., 2022, New insights into the mechanism of localised corrosion induced by TiN-containing inclusions in high strength low alloy steel, *Journal of Materials Science & Technology*, 124, 141–149, doi: 10.1016/j.jmst.2021.12.075.
- Liu, Y., Zhai, S., Guo, J., Fu, S., Shen, B., Zhao, Z. dan Ding, Q., 2024, Study on the Abrasive Blasting Mechanism of Solder Welded 304V Wire in Vascular Intervention, *Micromachines*, 15(12), 1405, doi: 10.3390/mi15121405.
- Lucca, G.D.S.D., Daleffe, A., Scheffer, G.S., Souza, M.A.D., Marques, C.R., Castelan, J. dan Schaeffer, L., 2021, Investigation of Wettability Using Contact Angle Measurements and Geometric Discrepancy Analysis of Heat-Treated Pure Titanium Grade 2, *Materials Research*, 24(4), e20210102, doi: 10.1590/1980-5373-mr-2021-0102.
- Lung, C.Y.K., Khan, A.S., Zeeshan, R., Akhtar, S., Chaudhry, A.A. dan Matinlinna, J.P., 2023, An antibacterial porous calcium phosphate bilayer functional coatings on titanium dental implants, *Ceramics International*, 49(2), 2401–2409, doi: 10.1016/j.ceramint.2022.09.213.
- Lv, L., Li, K., Xie, Y., Cao, Y. dan Zheng, X., 2017, Enhanced osteogenic activity of anatase TiO₂ film: Surface hydroxyl groups induce conformational changes in fibronectin, *Materials Science and Engineering: C*, 78, 96–104, doi: 10.1016/j.msec.2017.04.056.

- Martinez, M.A.F., Balderrama, Í.D.F., Karam, P.S.B.H., De Oliveira, R.C., De Oliveira, F.A., Grandini, C.R., Vicente, F.B., Stavropoulos, A., Zangrando, M.S.R., dan Sant'Ana, A.C.P., 2020, Surface roughness of titanium disks influences the adhesion, proliferation and differentiation of osteogenic properties derived from human, *International Journal of Implant Dentistry*, 6(1), 46, doi: 10.1186/s40729-020-00243-5.
- Moraes, S.L.D.D., Verri, F.R., Santiago Júnior, J.F., Almeida, D.A.D.F., Lemos, C.A.A., Gomes, J.M.D.L. dan Pellizzer, E.P., 2018, Three-Dimensional Finite Element Analysis of Varying Diameter and Connection Type in Implants with High Crown-Implant Ratio, *Brazilian Dental Journal*, 29(1), 36–42, doi: 10.1590/0103-6440201801746.
- Mozaffari, A., Hashtbaran, D., Moghadam, A. dan Aalaei, S., 2023, Stress Distribution in Peri-implant Bone in the Replacement of Molars with One or Two Implants: A Finite Element Analysis, *Journal of Dentistry*, 24(1), doi: 10.30476/dentjods.2022.92584.1659.
- Muangsisied, S., Chantarapanich, N., Veerasakul, M.S. dan Ingham, S., 2021, Effect of Implant Diameter and Cortical Bone Thickness on Biomechanical Performance of Short Dental Implant-Supported Distal Cantilever: A Finite Element Study, *Engineering Journal*, 25(2), 175–182, doi: 10.4186/ej.2021.25.2.175.
- Mühl, A., Szabó, P., Krafcsik, O., Aigner, Z., Kopniczky, J., Ákos Nagy, Marada, G., dan Turzó, K., 2022, Comparison of surface aspects of turned and anodized titanium dental implant, or abutment material for an optimal soft tissue integration, *Heliyon*, 8(8), e10263, doi: 10.1016/j.heliyon.2022.e10263.
- Nakpan, P. dan Aeimbhu, A., 2021, Fabrication of titanium dioxide nanotubes by difference the anodization voltage and time, *Materials Today: Proceedings*, 47, 3436–3440, doi: 10.1016/j.matpr.2021.03.290.
- NarendraKumar, U., Mathew, A.T., Iyer, N., Rahman, F. dan Manjubala, I., 2018, A 3D Finite Element Analysis Of Dental Implants With Varying Thread Angles, *Materials Today: Proceedings*, 5(5), 11900–11905, doi: 10.1016/j.matpr.2018.02.163.
- Nelson, J., Jain, S., Pal, P., Johnson, H.A., Nobles, K.P., Janorkar, A.V., Williamson, R.S., dan Roach, M.D., 2022, Anodized titanium with calcium and phosphorus surface enhancements for dental and orthopedic implant applications, *Thin Solid Films*, 745, 139117, doi: 10.1016/j.tsf.2022.139117.
- Niinomi, M., Nakai, M. dan Hieda, J., 2012, Development of new metallic alloys for biomedical applications, *Acta Biomaterialia*, 8(11), 3888–3903, doi: 10.1016/j.actbio.2012.06.037.
- Ong, T.H.D., Yu, N., Meenashisundaram, G.K., Schaller, B. dan Gupta, M., 2017, Insight into cytotoxicity of Mg nanocomposites using MTT assay technique, *Materials Science and Engineering: C*, 78, 647–652, doi: 10.1016/j.msec.2017.04.129.
- Özkavak, H.V., 2025, Wear Resistance, Hardness, and Residual Stress of Shot-Peened and Heat-Treated 8620 Nickel-Chromium-Molybdenum Steel,

- Journal of Materials Engineering and Performance*, 34(2), 916–933, doi: 10.1007/s11665-023-09110-x.
- Özmeriç, N., Çakal, G.Ö., Gökmenoğlu, C., Özmeriç, A., Oduncuoğlu, B.F., Hacaloğlu, T. dan Kaftanoğlu, B., 2022, Histomorphometric and biomechanical evaluation of the osseointegration around micro- and nano-level boron-nitride coated titanium dental implants, *Journal of Stomatology, Oral and Maxillofacial Surgery*, 123(6), e694–e700, doi: 10.1016/j.jormas.2022.06.016.
- Pandey, A.K., Gautam, R.K. dan Behera, C.K., 2023, Corrosion and wear behavior of Ti–5Cu–xNb biomedical alloy in simulated body fluid for dental implant applications, *Journal of the Mechanical Behavior of Biomedical Materials*, 137, 105533, doi: 10.1016/j.jmbbm.2022.105533.
- Park, J., Zobaer, T. dan Sutradhar, A., 2021, A Two-Scale Multi-Resolution Topologically Optimized Multi-Material Design of 3D Printed Craniofacial Bone Implants, *Micromachines*, 12(2), 101, doi: 10.3390/mi12020101.
- Park, J.B. dan Bronzino, J.D. (Ed.), 2002, *Biomaterials: Principles and Applications*, CRC Press, Boca Raton.
- Pellizzer, E.P., Lemos, C.A.A., Almeida, D.A.F., Batista, V.E.D.S., Júnior, J.F.S. dan Verri, F.R., 2018, Biomechanical analysis of different implant-abutments interfaces in different bone types: An in silico analysis, *Materials Science and Engineering: C*, 90, 645–650, doi: 10.1016/j.msec.2018.05.012.
- Pirmoradian, M., Naeeni, H.A., Firouzbakht, M., Toghraie, D., khabaz, M.K. dan Darabi, R., 2020, Finite element analysis and experimental evaluation on stress distribution and sensitivity of dental implants to assess optimum length and thread pitch, *Computer Methods and Programs in Biomedicine*, 187, 105258, doi: 10.1016/j.cmpb.2019.105258.
- Prando, D., Nicolis, D., Bolzoni, F., Pedferri, M. dan Ormellese, M., 2019, Chemical oxidation as repairing technique to restore corrosion resistance on damaged anodized titanium, *Surface and Coatings Technology*, 364, 225–230, doi: 10.1016/j.surfcoat.2019.03.005.
- Pratiwi, H., Kusmono dan Wildan, M.W., 2024, Influences of sodium hydroxide and oxalic acid treatments on physical, mechanical, thermal properties, and morphology of ramie fibers, *Journal of Materials Research and Technology*, 30, 8648–8660, doi: 10.1016/j.jmrt.2024.05.233.
- Qiao, Q., Cristino, V.A.M., Tam, L.M. dan Kwok, C.T., 2023, Laser surface alloying of titanium alloy with silver: Microstructure, hardness and corrosion property, *Surface and Coatings Technology*, 458, 129357, doi: 10.1016/j.surfcoat.2023.129357.
- Ren, S., Du, C., Liu, Z., Li, X., Xiong, J. dan Li, S., 2020, Effect of fluoride ions on corrosion behaviour of commercial pure titanium in artificial seawater environment, *Applied Surface Science*, Elsevier BV, 506, 144759, doi: 10.1016/j.apsusc.2019.144759.
- Ríos-Santos, J.V., Menjívar-Galán, A.M., Herrero-Climent, M., Ríos-Carrasco, B., Fernández-Palacín, A., Perez, R.A. dan Gil, F.J., 2018, Unravelling the effect of macro and microscopic design of dental implants on

- osseointegration: a randomised clinical study in minipigs, *Journal of Materials Science: Materials in Medicine*, 29(7), 99, doi: 10.1007/s10856-018-6101-1.
- Romero-Resendiz, L., Rossi, M.C., Seguí-Esquembre, C. dan Amigó-Borrás, V., 2023, Development and characterization of a new predominantly β Ti–15Mo–5In alloy for biomedical applications, *Journal of Materials Science*, 58(40), 15828–15844, doi: 10.1007/s10853-023-09017-x.
- Rossi, M., Kuroda, P., Danelon, M.R., Rossino, L.S. dan Afonso, C.R.M., 2024, Improving microhardness and wear properties by surface modification on Ti-34Nb-6Sn system by plasma electrolyte oxidation, *Materials Letters*, 370, 136773, doi: 10.1016/j.matlet.2024.136773.
- Saha, S., Kiran, K.U.V., Zhang, X., Hou, X. dan Roy, S., 2023, Investigating the tribological and corrosion behavior of Co–Cr alloy as an implant material for orthodontic applications, *Wear*, 523, 204755, doi: 10.1016/j.wear.2023.204755.
- Sajjad, U., Abbas, A., Sadeghianjahromi, A., Abbas, N., Liaw, J.-S. dan Wang, C.-C., 2021, Enhancing corrosion resistance of Al 5050 alloy based on surface roughness and its fabrication methods; an experimental investigation, *Journal of Materials Research and Technology*, Elsevier BV, 11, 1859–1867, doi: 10.1016/j.jmrt.2021.01.096.
- Santonocito, D., Nicita, F. dan Risitano, G., 2021, A Parametric Study on a Dental Implant Geometry Influence on Bone Remodelling through a Numerical Algorithm, *Prosthesis*, 3(2), 157–172, doi: 10.3390/prosthesis3020016.
- Sawangpan, J., Panich, S., Jantarasricha, T. dan Khantachawana, A., 2023, Investigation of surface hardness and roughness on formability of aluminum alloy sheet AA2024-T3 subjected to the shot peening process by silica shots, *Journal of Metals, Materials and Minerals*, 33(1), 56–64, doi: 10.55713/jmmm.v33i1.1594.
- Scherer, M.D., 2014, Presurgical Implant-Site Assessment and Restoratively Driven Digital Planning, *Dental Clinics of North America*, 58(3), 561–595, doi: 10.1016/j.cden.2014.04.002.
- Şenaslan, F., Taşdemir, M., Çelik, A. dan Bozkurt, Y.B., 2023, Enhanced wear resistance and surface properties of oxide film coating on biocompatible Ti45Nb alloy by anodization method, *Surface and Coatings Technology*, 469, 129797, doi: 10.1016/j.surfcoat.2023.129797.
- Setyana, L.D., Mahardika, M. dan Suyitno, S., 2020, Oblique Gate Direction During Centrifugal Casting in Artificial Lumbar Disc Model of CP-Ti, *Acta Metallurgica Slovaca*, 26(3), 132–137, doi: 10.36547/ams.26.3.535.
- Shafi, A.A., Kadir, M.R.A., Sulaiman, E., Kasim, N.H.A. dan Kassim, N.L.A., 2013, The Effect of Dental Implant Materials and Thread Profiles—A Finite Element and Statistical Study, 3, 509–513.
- Shafi, A.A., Kadir, M.R.A., Sulaiman, E., Kasim, N.H.A. dan Kassim, N.L.A., 2013, The Effect of Dental Implant Materials and Thread Profiles—A Finite Element and Statistical Study, *Journal of Medical Imaging and Health Informatics*, 3(4), 509–513, doi: 10.1166/jmihi.2013.1199.

- Shash, M., Nazha, H. dan Abbas, W., 2019, Influence of Different Abutment Designs on the Biomechanical Behavior of One-Piece Zirconia Dental Implants and Their Surrounding Bone: A 3D-FEA, *IRBM*, 40(6), 313–319, doi: 10.1016/j.irbm.2019.07.001.
- Shemtov-Yona, K. dan Rittel, D., 2015, On the mechanical integrity of retrieved dental implants, *Journal of the Mechanical Behavior of Biomedical Materials*, 49, 290–299, doi: 10.1016/j.jmbbm.2015.05.014.
- Shemtov-Yona, K., Rittel, D. dan Dorogoy, A., 2014, Mechanical assessment of grit blasting surface treatments of dental implants, *Journal of the Mechanical Behavior of Biomedical Materials*, 39, 375–390, doi: 10.1016/j.jmbbm.2014.07.027.
- Shirooyeh, M., Xu, J. dan Langdon, T.G., 2014, Microhardness evolution and mechanical characteristics of commercial purity titanium processed by high-pressure torsion, *Materials Science and Engineering: A*, 614, 223–231, doi: 10.1016/j.msea.2014.07.030.
- Stan, C., Beavers, C., Kunz, M. dan Tamura, N., 2018, X-Ray Diffraction under Extreme Conditions at the Advanced Light Source, *Quantum Beam Science*, 2(1), 4, doi: 10.3390/qbs2010004.
- Stricker, A., Bergfeldt, T., Fretwurst, T., Addison, O., Schmelzeisen, R., Rothweiler, R., Nelson, K., dan Gross, C., 2022, Impurities in commercial titanium dental implants – A mass and optical emission spectrometry elemental analysis, *Dental Materials*, 38(8), 1395–1403, doi: 10.1016/j.dental.2022.06.028.
- Suryono, A.F., Ilman, M.N., Iswanto, P.T. dan Ariyanto, T., 2025, Evaluation of Gambir extract as green corrosion inhibitor for API 5L X65 steel in 3.5 % NaCl solution containing 100 ppm NaHCO₃, *Results in Surfaces and Interfaces*, Elsevier BV, 20, 100600, doi: 10.1016/j.rsurfi.2025.100600.
- Szesz, E.M., Pereira, B.L., Kuromoto, N.K., Marino, C.E.B., de Souza, G.B. dan Soares, P., 2013, Electrochemical and morphological analyses on the titanium surface modified by shot blasting and anodic oxidation processes, *Thin Solid Films*, 528, 163–166, doi: 10.1016/j.tsf.2012.09.096.
- Tekçe, N., Fidan, S., Tuncer, S., Kara, D. dan Demirci, M., 2018, The effect of glazing and aging on the surface properties of CAD/CAM resin blocks, *The Journal of Advanced Prosthodontics*, 10(1), 50, doi: 10.4047/jap.2018.10.1.50.
- Tyagi, R., Kumar, S., Aggarwal, R., Choudhary, S., Malethia, A. dan Saini, N., 2020, A 3-D Finite Element Analysis of Stress Distribution on Implant-supported Fixed Prosthesis with Four Different Commercially Available Implant Systems, *The Journal of Contemporary Dental Practice*, 21(8), 835–840, doi: 10.5005/jp-journals-10024-2906.
- Udomsawat, C., Rungsiyakull, P., Rungsiyakull, C. dan Khongkhunthian, P., 2019, Comparative study of stress characteristics in surrounding bone during insertion of dental implants of three different thread designs: A three-dimensional dynamic finite element study, *Clinical and Experimental Dental Research*, 5(1), 26–37, doi: 10.1002/cre2.152.

- Uppalapati, V., Kumar, S., Aggarwal, R., Bhat, I., Munaganti, J. dan Khan, S., 2023, Three-dimensional Finite Element Stress Pattern Analysis in Bone around Implant-supported Abutment with Different Angulations under Axial and Oblique Load, *The Journal of Contemporary Dental Practice*, 24(1), 16–20, doi: 10.5005/jp-journals-10024-3464.
- Vargas-Moreno, V.F., Gomes, R.S., Ribeiro, M.C.D.O., Freitas, M.I.M., Del Bel Cury, A.A. dan Marcello-Machado, R.M., 2023, Influence of diameter in the stress distribution of extra-short dental implants under axial and oblique load: a finite element analysis, *Brazilian Journal of Oral Sciences*, 22, e238152, doi: 10.20396/bjos.v22i00.8668152.
- Velasco-Ortega, E., Ortiz-Garcia, I., Jiménez-Guerra, A., Núñez-Márquez, E., Moreno-Muñoz, J., Rondón-Romero, J.L., Cabanillas-Balsera, D., Gil, J., Muñoz-Guzón, F., dan Monsalve-Guil, L., 2021, Osseointegration of Sandblasted and Acid-Etched Implant Surfaces. A Histological and Histomorphometric Study in the Rabbit, *International Journal of Molecular Sciences*, 22(16), 8507, doi: 10.3390/ijms22168507.
- Vercellotti, T., Troiano, G., Oreglia, F., Lombardi, T., Gregorig, G., Morella, E., Rapani, A., dan Stacchi, C., 2020, Wedge-Shaped Implants for Minimally Invasive Treatment of Narrow Ridges: A Multicenter Prospective Cohort Study, *Journal of Clinical Medicine*, 9(10), 3301, doi: 10.3390/jcm9103301.
- Walkowicz, M., Rudnik, E., Osuch, P. dan Pęczar, D., 2025, Superhydrophobic and superhydrophilic copper coatings electrodeposited on copper substrate, *Metallurgija*, 64(1–2), 45–48, doi: <https://hrcak.srce.hr/clanak/462237>.
- Wei, C., Luo, L., Wu, Z., Zhang, J., Su, S. dan Zhan, Y., 2020, New Zr–25Ti–xMo alloys for dental implant application: Properties characterization and surface analysis, *Journal of the Mechanical Behavior of Biomedical Materials*, 111, 104017, doi: 10.1016/j.jmbbm.2020.104017.
- Winiarski, J., Tylus, W., Pawlyta, M. dan Szczygieł, B., 2022, Titanium anodization in deep eutectic solvents: The effect of anodizing time on the morphology and structure of anodic layers, *Applied Surface Science*, 577, 151892, doi: 10.1016/j.apsusc.2021.151892.
- Wu, C.-Y., Tu, K.-J., Deng, J.-P., Lo, Y.-S. dan Wu, C.-H., 2017, Markedly Enhanced Surface Hydroxyl Groups of TiO₂ Nanoparticles with Superior Water-Dispersibility for Photocatalysis, *Materials*, 10(5), 566, doi: 10.3390/ma10050566.
- www.besttechnologyinc.com., 2023, What is Titanium Anodizing? How to Anodize Titanium, *Best Technology*, 2023.
- Xiao, P., 2026, Quantitative assessment of the alignment between human trabecular microstructural orientation and mechanical anisotropy: Implications for Wolff's Law, *Bone*, 206, 117817, doi: 10.1016/j.bone.2026.117817.
- Xie, F., Lu, D., Cao, S., Mu, Y. dan Sun, Q., 2023, Electrochemical corrosion behavior and in vitro biocompatibility of Ti-Nb-Sn alloy for dental applications, *Corrosion Science*, 224, 111531, doi: 10.1016/j.corsci.2023.111531.

- Yabe, A., Okada, M., Hara, E.S., Torii, Y. dan Matsumoto, T., 2022, Self-adhering implantable device of titanium: Enhanced soft-tissue adhesion by sandblast pretreatment, *Colloids and Surfaces B: Biointerfaces*, 211, 112283, doi: 10.1016/j.colsurfb.2021.112283.
- Yang, Y., 2014, *Surface Treated Cp-Titanium for Biomedical Applications : A Combined Corrosion, Tribocorrosion and Biological Approach*, Ecole Centrale Paris.
- Yeo, I.-S.L., 2022, Dental Implants: Enhancing Biological Response Through Surface Modifications, *Dental Clinics of North America*, 66(4), 627–642, doi: 10.1016/j.cden.2022.05.009.
- Yetik, O., Koçoğlu, H., Yıldırım Avcu, Y., Avcu, E. dan Sırmazçelik, T., 2020, The Effects of Grit Size and Blasting Pressure on the Surface Properties of Grit Blasted Ti6Al4V Alloy, *Materials Today: Proceedings*, 32, 27–36, doi: 10.1016/j.matpr.2020.05.512.
- Yetim, T., 2017, An investigation of the corrosion properties of Ag-doped TiO₂-coated commercially pure titanium in different biological environments, *Surface and Coatings Technology*, Elsevier BV, 309, 790–794, doi: 10.1016/j.surfcoat.2016.10.084.
- Zboun, M., Arisan, V., Topcuoglu, N., Kuruoglu, F., Sener, L.T. dan Sarcan, F., 2020, In vitro comparison of titanium surface conditioning via boron-compounds and sand-blasting acid-etching, *Surfaces and Interfaces*, 21, 100703, doi: 10.1016/j.surfin.2020.100703.
- Zhang, H., Qin, W., Man, C., Cui, H., Kong, D., Cui, Z., Wang, X., dan Dong, C., 2022, Effect of heat treatment on microstructure and corrosion behavior of Ti6Al4V fabricated by laser beam powder bed fusion, *Corrosion Science*, 209, 110789, doi: 10.1016/j.corsci.2022.110789.
- Zhang, R., Yang, T., Liu, S., Wu, H., Long, J. dan Xie, L., 2023, Electrochemical removal of peri-implantitis associated biofilms from titanium implant surfaces by in-situ anodization, *Materials Chemistry and Physics*, 293, 126893, doi: 10.1016/j.matchemphys.2022.126893.
- Zhang, W.-N., Chen, L.-Y., Saimi, A., Huang, L.-J., He, J.-J. dan Luo, X.-P., 2025, Passive film characteristics of laser powder bed fusion produced commercially pure titanium: effects of temperature and annealing on corrosion resistance, *Journal of Materials Research and Technology*, 36, 6604–6618, doi: 10.1016/j.jmrt.2025.04.272.
- Zhang, Y., Jia, L., Wang, Z., Guo, W., Qin, X., Ge, C., Niu, Q., dan Zhang, Q., 2025, Alumina nanoparticles induce learning and memory impairment in a particle size-dependent and time-dependent manner, *Ecotoxicology and Environmental Safety*, 295, 118177, doi: 10.1016/j.ecoenv.2025.118177.
- Zhou, Q., Tian, M., Ying, Z., Dan, Y., Tang, F., Zhang, J., Zhu, J., dan Zhu, X., 2020, Dense films formed during Ti anodization in NH₄F electrolyte: Evidence against the field-assisted dissolution reactions of fluoride ions, *Electrochemistry Communications*, 111, 106663, doi: 10.1016/j.elecom.2020.106663.