

DAFTAR PUSTAKA

- Anand, A. (2017). *Unit-14 Accuracy Assessment*. IGNOU: New Delhi, India
- Anuruddha, M. C., Morimoto, T., Gamage, S., & Marikar, F. (2025). Assessing the economic and ecological costs of human–wildlife conflict in Nuwara Eliya. *Ecologies*, 6(1). <https://doi.org/10.3390/ecologies6010006>
- Ariyanto, A., Hong, S., Mehnert, J., & Frank, D. (2025b). Assessing threats to the Bawean deer, a camera trap approach. *DSG Newsletter*, (36), 11–19.
- Ariyanto, A., Park, H. B., & Hong, S. (2025a). Spatially explicit estimation of the Bawean deer population using antler-based male identification and sex and age ratios. *Wildlife Society Bulletin*. <https://doi.org/10.1002/wsb.1610>
- Ayalew, M. Z., & Melese, G. T. (2025). Effects of human–wildlife conflict on local people’s livelihoods and wildlife conservation in and around Alitash National Park, northwest Ethiopia. *Wildlife Biology*, 2025(1). <https://doi.org/10.1002/wlb3.01083>
- Baldwin, R. A. (2009). Use of maximum entropy modeling in wildlife research. *Entropy*, 11, 854–866. <https://doi.org/10.3390/e11040854>
- Bueno, A. S., & Peres, C. A. (2019). Patch-scale biodiversity retention in fragmented landscapes: Reconciling the habitat amount hypothesis with the island biogeography theory. *Journal of Biogeography*, 46(3), 621–632. <https://doi.org/10.1111/jbi.13499>
- Butt, S., Macphie, K., Turner, R. S., Morris, S. J., Morris, A., Pakeman, R., Kruuk, L. E. B., Pemberton, J. M., & Froy, H. (2026). Satellite-Derived NDVI Predicts Forage Availability in a Wild Ungulate System: Ground-Truthing Using Field-Collected Vegetation Biomass. *Ecology and Evolution*, 16(3). <https://doi.org/10.1002/ece3.73258>
- Cepeda-Duque, J. C., Arango-Correa, E., Frimodt-Møller, C., & Lizcano, D. J. (2024). Howling shadows: First report of domestic dog attacks on globally threatened mountain tapirs in high Andean cloud forests of Colombia. *Neotropical Biology and Conservation*, 19(1), 25–33. <https://doi.org/10.3897/neotropical.19.e117437>
- Chitwood, M. C., Lashley, M. A., Kilgo, J. C., Moorman, C. E., & Deperno, C. S. (2015). White-tailed deer population dynamics and adult female survival in the presence of a novel predator. *Journal of Wildlife Management*, 79(2), 211–219. <https://doi.org/10.1002/jwmg.835>
- Congalton, R. G. (1991). A review of assessing the accuracy of classifications of remotely sensed data. *Remote sensing of environment*, 37(1), 35–46. [https://doi.org/10.1016/0034-4257\(91\)90048-B](https://doi.org/10.1016/0034-4257(91)90048-B)
- Congedo, L. (2021). Semi-Automatic Classification Plugin: A Python tool for the download and processing of remote sensing images in QGIS. *Journal of Open Source Software*, 6(64), 3172. <https://doi.org/10.21105/joss.03172>
- Dalziel, A., & Evans, M. (2025). Community perceptions and socio-economic implications of conservation corridors and networks in the Vhembe District, Limpopo, South Africa. *Ambio*, 54(2), 338–349. <https://doi.org/10.1007/s13280-024-02073-w>

- Djuwantoko, & Purnomo, D. W. (2008). Penentuan Pakan Rusa Bawean dengan Analisis Kotoran, di Pulau Bawean. *Biota*, 13(3), 175–181. <https://doi.org/https://doi.org/10.24002/biota.v13i3.2572>
- Doherty, T. S., Dickman, C. R., Glen, A. S., Newsome, T. M., Nimmo, D. G., Ritchie, E. G., Vanak, A. T., & Wirsing, A. J. (2017). The global impacts of domestic dogs on threatened vertebrates. *Biological Conservation*, 210, 56–59. <https://doi.org/10.1016/j.biocon.2017.04.007>
- Eastman, J. R., Sangermano, F., Machado, E. A., Rogan, J., & Anyamba, A. (2013). Global trends in seasonality of Normalized Difference Vegetation Index (NDVI), 1982–2011. *Remote Sensing*, 5(10), 4799–4818. <https://doi.org/10.3390/rs5104799>
- Eskildsen, A., le Roux, P. C., Heikkinen, R. K., Høye, T. T., Kissling, W. D., Pöyry, J., Wisz, M. S., & Luoto, M. (2013). Testing species distribution models across space and time: high latitude butterflies and recent warming. *Global Ecology and Biogeography*, 22(12), 1293–1303. Portico. <https://doi.org/10.1111/geb.12078>
- Giliba, R. A., Kiffner, C., Fust, P., & Loos, J. (2023). Modelling elephant corridors over two decades reveals opportunities for conserving connectivity across a large protected area network. *PLOS ONE*, 18(10), e0292918. <https://doi.org/10.1371/journal.pone.0292918>
- Gillespie, R. G. (2024). Habitat and Niche, Concept of. In S. M. Scheiner (Ed.), *Encyclopedia of Biodiversity (Third Edition)* (pp. 99–111). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-822562-2.00164-X>
- Grumbach, C., & Hilker, F. M. (2025). Allee Pits in Metapopulations: Critical Dispersal Rates for Connectivity to be Beneficial. *Theoretical Ecology*, 18(1). <https://doi.org/10.1007/s12080-024-00597-1>
- Gurjar, S. B., & Padmanabhan, N. (2005). Study of Various Resampling Techniques for High-Resolution Remote Sensing Imagery. *Photonirvachak Journal of the Indian Society of Remote Sensing*, 33(1), 113–120. <https://doi.org/https://doi.org/10.1007/BF02989999>
- Hernandez, P.A., Graham, C.H., Master, L.L. and Albert, D.L. (2006), The effect of sample size and species characteristics on performance of different species distribution modeling methods. *Ecography*, 29: 773–785. <https://doi.org/10.1111/j.0906-7590.2006.04700.x>
- Hidayah, Z., Armono, H. D., Wardhani, M. K., & Wiyanto, D. B. (2022). The application of multi temporal satellite data for land cover mapping of Bawean Island, East Java. *Geosfera Indonesia*, 7(3), 207. <https://doi.org/10.19184/geosi.v7i3.30797>
- Hilty, J. A., Keeley, A. T. H., Lidicker Jr., W. Z., & Merenlender, A. M. (2019). *Corridor ecology: Linking landscapes for biodiversity conservation and climate adaptation (2nd ed)*. Island Press.
- Hilty, J., Worboys, G. L., Keeley, A., Woodley, S., Lausche, B., Locke, H., Carr, M., Pulsford, I., Pittock, J., White, J. W., Theobald, D. M., Levine, J., Reuling, M., Watson, J. E. M., Ament, R., & Tabor, G. M. (2020). *Guidelines for conserving connectivity through ecological networks and*

- corridors*. IUCN.
<https://doi.org/https://doi.org/10.2305/IUCN.CH.2020.PAG.30.en>
- International Union for Conservation of Nature and Natural Resources. (2022). *IUCN issues brief: Human-wildlife conflict*.
<https://iucn.org/resources/issues-brief/human-wildlife-conflict>
- Jia, J., Fang, Y., Li, X., Wen, Z., Zhang, D., & Sun, Y. (2025). Population Size and Habitat Suitability of the Endangered Sichuan Sika Deer (*Cervus nippon sichuanicus*) in a Forested Landscape. *Diversity*, 17(12).
<https://doi.org/10.3390/d17120845>
- Jiang, H., Hai, L., Luo, Z., Lan, X., Zhou, M., Qin, X., & Hu, D. (2025). Genetic erosion in captive alpine musk deer highlights the challenges of conserving endangered species in closed populations. *Animals*, 15(13).
<https://doi.org/10.3390/ani15131827>
- Johnson, M. D. (2007). Measuring Habitat Quality: A Review. *The Condor*, 109, 489–504. <https://academic.oup.com/condor/article/109/3/489/5563787>
- Keeley, A. T. H., Beier, P., & Gagnon, J. W. (2016). Estimating landscape resistance from habitat suitability: effects of data source and nonlinearities. *Landscape Ecology*, 31(9), 2151–2162. <https://doi.org/10.1007/s10980-016-0387-5>
- Kelompok Kerja Pengelolaan KEE Bentang Alam Wehea-Kelay. (2018). *Pengelolaan Kawasan Ekosistem Esensial Koridor Orang Utan Bentang Alam Wehea-Kelay di Kabupaten Kutai Timur dan Kabupaten Berau, Provinsi Kalimantan Timur*. Berau: Yayasan Konservasi Alam Nusantara.
- Khan, L. A., Ahmad, B., Chaudhary, A. A., Minhas, R. A., Awan, M. S., Dar, N. I., Ali, U., Ahmad, F., Kabir, M., & Bibi, S. (2024). The Human-Wildlife Conflict in Musk Deer National Park, Neelum Gureze Valley, Azad Jammu & Kashmir, Pakistan. *Brazilian Journal of Biology*, 84. <https://doi.org/10.1590/1519-6984.261655>
- Khosravi, R., Wan, H. Y., Sadeghi, M. R., & Cushman, S. A. (2023). Identifying Human–Brown Bear Conflict Hotspots for Prioritizing Critical Habitat and Corridor Conservation in Southwestern Iran. *Animal Conservation*, 26(1), 31–45. <https://doi.org/10.1111/acv.12800>
- Koen, E. L., Bowman, J., & Walpole, A. A. (2012). The effect of cost surface parameterization on landscape resistance estimates. *Molecular Ecology Resources*, 12(4), 686–696. <https://doi.org/https://doi.org/10.1111/j.1755-0998.2012.03123.x>
- Lahoz-Monfort, J. J., Guillera-Arroita, G., Milner-Gulland, E. J., Young, R. P., & Nicholson, E. (2010). Satellite imagery as a single source of predictor variables for habitat suitability modelling: How Landsat can inform the conservation of a critically endangered lemur. *Journal of Applied Ecology*, 47(5), 1094–1102. <https://doi.org/10.1111/j.1365-2664.2010.01854.x>
- Lang, N., Jetz, W., Schindler, K., & Wegner, J. D. (2023). A high-resolution canopy height model of the Earth. *Nature Ecology & Evolution*, 7(11), 1778–1789. <https://doi.org/10.1038/s41559-023-02206-6>
- Maliva, R., & Missimer, T. (2012). Geographic Information Systems. In *Environmental Science and Engineering* (pp. 457–473). Springer Science

- and Business Media Deutschland GmbH. https://doi.org/10.1007/978-3-642-29104-3_19
- Mansur, M., Semiadi, G., Iqbal, A., & Sujadi, A. (2004). Analisis Vegetasi pada Habitat Rusa Bawean (*Axis kuhlii* Mull. Et. Schleg) di Pulau Bawean. *Jurnal Teknologi Lingkungan*, 5(2), 148–158.
- Naderifar, M., Goli, H., & Ghaljaie, F. (2017). Snowball Sampling: A Purposeful Method of Sampling in Qualitative Research. *Strides in Development of Medical Education*, 14(3). <https://doi.org/10.5812/sdme.67670>
- Nijman, V. (2006). The endemic Bawean Serpent-eagle *Spilornis baweanus*: Habitat use, abundance and conservation. *Bird Conservation International*, 16(2), 131–143. <https://doi.org/10.1017/S0959270906000219>
- Nurcahyo, W., Anggraeni, D., & Imron, M. A. (2015). Monitoring of Physiological and Parasites Status of Bawean Deer (*Axis kuhlii*) in Its Habitat as a Baseline for Wildlife Conservation Endeavor. *Jurnal Sain Veteriner*, 33(2), 126–133. <https://doi.org/https://doi.org/10.22146/jsv.22001>
- Pande, C. B., Srivastava, A., Moharir, K. N., Radwan, N., Mohd Sidek, L., Alshehri, F., Pal, S. C., Tolche, A. D., & Zhran, M. (2024). Characterizing land use/land cover change dynamics by an enhanced random forest machine learning model: a Google Earth Engine implementation. *Environmental Sciences Europe*, 36(1). <https://doi.org/10.1186/s12302-024-00901-0>
- Panuntun, M. D., Haryono, E., & Santosa, L. W. (2023). Finding the Corridor Potential between Protected Areas in a Fragmented Landscape, Gunung Kidul Regency, Indonesia. *Journal of Landscape Ecology(Czech Republic)*, 16(1), 105–127. <https://doi.org/10.2478/jlecol-2023-0006>
- Peraturan Desa Adow Nomor 4 Tahun 2025. *Tentang Perlindungan dan Pemanfaatan Sumber Daya Alam pada Kawasan Koridor Satwa*. Bolaang Mongondow Selatan: Pemerintah Desa Adow.
- Peraturan Pemerintah Republik Indonesia Nomor 28 Tahun 2011. *Tentang Pengelolaan Kawasan Suaka Alam dan Kawasan Pelestarian Alam*. Jakarta: Sekretariat Negara Republik Indonesia.
- Phillips, S. J., Anderson, R. P., & Schapire, R. E. (2006). Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, 190, 231–259. <https://doi.org/10.1016/j.ecolmodel.2005.03.026>
- Pradhan, P., & Setyawan, A. D. (2021). Filtering multi-collinear predictor variables from multi-resolution rasters of WorldClim 2.1 for Ecological Niche Modeling in Indonesian context. *Asian Journal of Forestry*, 5(2), 111–122. <https://doi.org/10.13057/asianjfor/r050207>
- Rademaker M, Meijaard E, Semiadi G, Blokland S, Neilson EW, Rode-Margono EJ (2016) First Ecological Study of the Bawean Warty Pig (*Sus blouchi*), One of the Rarest Pigs on Earth. *PLoS ONE*, 11(4): e0151732. <https://doi.org/10.1371/journal.pone.0151732>
- Rahman, D. A., Aulagnier, S., Sunderland-Groves, J. L., & Semiadi, G. (2023). Population trend and ecology of the most isolated deer in the world, Bawean deer (*Axis kuhlii*): conservation challenges. *Therya*, 14(2), 281–292. <https://doi.org/10.12933/therya-23-2207>

- Rahman, D. A., Gonzalez, G., & Aulagnier, S. (2016). Benefit of camera trapping for surveying the critically endangered Bawean deer *Axis kuhlii* (Temminck, 1836). *Tropical Zoology*, 29(4), 155–172. <https://doi.org/10.1080/03946975.2016.1199763>
- Rahman, D. A., Gonzalez, G., Haryono, M., Muhtarom, A., Firdaus, A. Y., & Aulagnier, S. (2017). Factors affecting seasonal habitat use, and predicted range of two tropical deer in Indonesian rainforest. *Acta Oecologica*, 82, 41–51. <https://doi.org/10.1016/j.actao.2017.05.008>
- Riggio, J., Foreman, K., Freedman, E., Gottlieb, B., Hendler, D., Radomille, D., Rodriguez, R., Yamashita, T., Kioko, J., & Kiffner, C. (2022). Predicting wildlife corridors for multiple species in an East African ungulate community. *PLOS ONE*, 17(4 April). <https://doi.org/10.1371/journal.pone.0265136>
- Rode-Margono, E. J., Khwaja, H., Rademaker, M., & Semiadi, G. (2020). Ecology and conservation of the endemic Bawean warty pig *Sus verrucosus blouchi* and Bawean deer *Axis kuhlii*. *ORYX*, 54(6), 892–900. <https://doi.org/10.1017/S0030605318000996>
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1973). Monitoring vegetation systems in the Great Plains with ERTS. *Third Earth Resources Technology Satellite-1 Symposium*, 1, 309–317.
- Samuel, M. D., Pierce, D. J., & Garton, E. O. (1985). Identifying Areas of Concentrated Use within the Home Range. *Journal of Animal Ecology*, 54(3), 711–719. <https://doi.org/10.2307/4373>
- Semiadi, G., Duckworth, J. W., & Timmins, R. W. &. (2015). *Axis kuhlii*. *The IUCN Red List of Threatened Species*. <https://doi.org/10.2305/IUCN.UK.2015>
- Semiadi, G., Koestoto, S., Sutama, I. K., Masy'ud, B., & Affandy, L. (2003). Antler's growth of the endangered and endemic bawean deer (*Axis kuhlii* Muller & Schlegel, 1842). *Treubia*, 33(1), 89–95.
- Semiadi, G., Kustoto, Sutama, I. K., & Masyud, B. (1997). Perilaku Penorehan Ranggah pada Tumbuhan oleh Rusa Bawean (*Axis kuhlii*). *Berkala Penelitian Hayati*, 3(7), 45.
- Semiadi, G., Rahman, D. A., & Subeno. (2025). Bawean deer *Axis kuhlii* (Temminck, 1836). In M. Melletti & S. Focardi (Eds.), *Deer of the World: Ecology, Conservation and Management* (pp. 265–274). *Springer Nature Switzerland*. https://doi.org/10.1007/978-3-031-17756-9_16
- Silva, J. L. S., Souza, T. V., Oliveira, F. M. C., Rodal, M. J. N., & Melo, A. L. (2023). Accurate species distribution models: minimum required number of specimen records in the Caatinga biome. *Anais da Academia Brasileira de Ciências*, 95(2), e20201421. <https://doi.org/10.1590/0001-3765202320201421>
- Subeno. (2009). Kelimpahan dan Keanekaragaman Tanaman Pakan Rusa Bawean di Kawasan Suaka Margasatwa Pulau Bawean, Jawa Timur. *Jurnal Ilmu Kehutanan*, 3, 45–55. <https://doi.org/https://doi.org/10.22146/jik.928>
- Subrata, S. A., & Jauhar, M. F. (2007). Tingkat Kesukaan Rusa Bawean (*Axis kuhlii*) terhadap Jenis-Jenis Tumbuhan Bawah di Suaka Margasatwa dan

- Cagar Alam Pulau Bawean. *Jurnal Ilmu Kehutanan*, 1(2), 39–46. <https://doi.org/https://doi.org/10.22146/jik.1554>
- Swets, J. A. (1988). Measuring the Accuracy of Diagnostic Systems. *Science*, 240(4857), 1285–1293. <https://doi.org/10.1126/science.3287615>
- Tiwari, A., Saran, S., & Avishek, K. (2023). A scoping review of modelling techniques for ecological connectivity in heterogeneous landscape. *Journal of the Indian Society of Remote Sensing*, 51(11), 2143–2158. <https://doi.org/10.1007/s12524-023-01758-1>
- Tyukavina, A., Stehman, S. V., Pickens, A. H., Potapov, P., & Hansen, M. C. (2025). Practical global sampling methods for estimating area and map accuracy of land cover and change. *Remote Sensing of Environment*, 324, 1–21. <https://doi.org/10.1016/j.rse.2025.114714>
- United States Department of Agriculture, Natural Resources Conservation Service. (1999). *Conservation Corridor Planning at the Landscape Level: Managing for Wildlife Habitat (Part 614.4, National Biology Handbook, Part 190)*. Washington, D.C.: USDA NRCS, Watershed Science Institute dan Wildlife Habitat Management Institute.
- Urry, L. A. ., Cain, M. L. ., Wasserman, S. Alexander., Minorsky, P. V. ., Reece, J. B. ., & Campbell, N. A. . (2017). *Campbell biology (11th ed.)*. Pearson Education, Inc.
- van Proosdij, A.S.J., Sosef, M.S.M., Wieringa, J.J. and Raes, N. (2016), Minimum required number of specimen records to develop accurate species distribution models. *Ecography*, 39: 542-552. <https://doi.org/10.1111/ecog.01509>
- Wang, S., & Altermatt, F. (2019). Metapopulations revisited: the area-dependence of dispersal matters. *Ecology*, 100(9). <https://doi.org/10.1002/ecy.2792>
- Wu, J. (2008). Landscape Ecology. In S. E. Jørgensen & B. D. Fath (Eds.), *Encyclopedia of Ecology* (pp. 2103–2108). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-008045405-4.00864-8>
- Yan, H., Feng, Lei, Zhao, Y., Feng, Li, Wu, D., & Zhu, C. (2020). Prediction of the spatial distribution of *Alternanthera philoxeroides* in China based on ArcGIS and MaxEnt. *Global Ecology and Conservation*, 21. <https://doi.org/10.1016/j.gecco.2019.e00856>
- Zanuari, A. H., Abidin, K. Z., Mansor, M. S., Wan, H. Y., Afni Syed Abdullah, S. N., Abdul-Patah, P., & Nor, S. M. (2024). Identifying priority corridors and bottlenecks for three threatened large mammal species in the oil palm-dominated landscape of Peninsular Malaysia. *Global Ecology and Conservation*, 54. <https://doi.org/10.1016/j.gecco.2024.e03092>
- Zhao, J., Yu, L., Newbold, T., & Chen, X. (2025). Trends in habitat quality and habitat degradation in terrestrial protected areas. *Conservation Biology*, 39(2), e14348. <https://doi.org/https://doi.org/10.1111/cobi.14348>
- Zhou, L., Zhang, Y., Chen, Z., Bai, G., Dong, X., Zhang, Y., & Hou, G. (2025). An entire-process MaxEnt framework for habitat suitability modeling on Google Earth Engine: A case study of the oriental white stork in eastern mainland China. *Journal of Environmental Management*, 386. <https://doi.org/10.1016/j.jenvman.2025.125715>