UNIVERSITAS
GADJAH MADA
The Efficacy of Black Tea Cream Extrats in Various Concentration in Reducing SLS Induced Skin Irritation
Sivabalan Balakrishnan , Dr. Sunardi Radiono, SpKK(K).; dr. Riris Andono Ahmad, MPH
Universitas Gadjah Mada, 2005 | Diunduh dari http://etd.repository.ugm.ac.id/

PERPUSTAKAAN
FK.UGM

CHAPTER 5

REFERENCES / BIBLIOGRAPHY

Alexis AF, Jones VA, Stiller MJ. 1999 Potential therapeutic applications of tea in dermatology. *Int J Dermatol*; 38, 735-743

Baranda L, Gonzalez-Amaro R, Torres-Alvarez B et al. Correlation between pH and irritant effects of cleansers marketed for dry skin. *Int J Dermatol* 2002: 41: 494-499

Barany E, Lindberg M, Loden M. Biophysical characterization of skin damage and recovery after exposure to different surfactants. *Contact Dermatitis* 1999: 40: 98-103

Basketter D, Gerberick F, Kimber I *et al.* Contact irritation mechanisms. In: *Toxicology of Contact Dermatitis*, Anderson D, Waters M D, Marrs T C (eds. London): John Wiley and Sons, 1999: 11-38

Bedi MK, Shenefelt PD. 2002. Herbal therapy in dermatology. *Arch Dermatol*, 138:232-42

Bickers DR, Athar M. 2000 Novel approaches to chemoprevention of skin cancer. *Journal of Dermatology*; 27(11) : 691-5

Cronin E : Contact Dermatitis. Edinburgh, Churchill Livingstone, 1980.

De Groot A C, Nater J P, Lende R et al. Adverse effects of cosmetics and toiletries: a retrospective study in the general population. *Int J Dermatol Sci* 1988: 9: 255-259

Elias P M, Wood L C, Feingold K R. Epidermal pathogenesis of inflammatory dermatoses. *Am J Contact Dermat* 1999: 10: 119-126

Friebe K, Effendy I, Loffler H. 2002. Effects of skin occlusion in patch testing with sodium lauryl sulphate. *British Journal of Dermatology*, 148:65-9

Frosch P J, Kligman A M. The soap chamber test. A new method for assessing the irritancy of soaps. *J Am Acad Dermatol* 1979: 1: 35-41

UNIVERSITAS
GADJAH MADA
The Efficacy of Black Tea Cream Extrats in Various Concentration in Reducing SLS Induced Skin Irritation
Sivabalan Balakrishnan , Dr. Sunardi Radiono, SpKK(K).; dr. Riris Andono Ahmad, MPH
Universitas Gadjah Mada, 2005 | Diunduh dari http://etd.repository.ugm.ac.id/

Frosch PJ, Kurte A, Pilz B. Biophysical techniques for the evaluation of skin protective creams. In: PJ Frosch, AM Kligman, eds *Noninvasive Methods for the Quantification of Skin Functions*. Berlin: Springer; 1993, pp.214-22

Frosch PJ, Kurte A. Efficacy of skin barrier creams. (4). The repetitive irritation test (RIT) with a set of 4 standard irritants. *Contact Dermatitis* 1994; 31: 161-8

Frosch PJ, Schulze-Dirks A, Hoffman M *et al*. Efficacy of skin barrier creams. (1). The repetitive irritation test (RIT) in the guinea pig. *Contact Dermatitis* 1993; 28: 94-100

Fulmer A W, Kramer G J. Stratum corneum lipid abnormalties in surfactant-induced dry scaly skin. *J Invest Dermatol* 1986: 86 : 598-602

Gfatter R, Hackl P, Braun F. Effects of soap and detergents on skin surface pH, stratum corneum hydration and fat content in infants. *Dermatology* 1997; 195: 258-262

Gloor M, Wasik B, Gehring W. 2004. Cleansing, dehydrating, barrier-damaging, and irritating hyperaemising effect of four detergent brands: comparative studies using standardizes washing models. *Skin Research and Technology*, 10: 1-4

Goh CL. Cutting oil dermatitis on guinea pig skin. (2). Emoillent creams and cutting oil dermatitis. *Contact Dermatitis* 1991; 24: 81-5

Guillemin M, Murset JC, Lob M, Riquez J. Simple method to determine the efficacy of a cream used for skin protection against solvents. *Br J Ind Med* 1974; 31: 310 6

Hall-Manning T J, Holland G H, Rennie G et al. Skin irritation potential of mixed surfactant systems. *Food and Chemical Toxicology: An International Journal Published for the British Industrial Biological Research Association* 1998: 36: 233-238

Kaur S, Zilmer M, Eisen M, Kullisaar T, Rehema A, Vihalemm T. 2001. patients with allergic and irritant contact dermatitis are characterized by striking change of iron and oxidized glutathione status in non lesional area of the skin. *Journal of Investigative Dermatology*, 116: 886-90

Kirsner RS, Froelich CW. Soaps and detergents: Understanding their composition and effect. *Ostomy Wound Manage* 1998; 44: 62S-69S

UNIVERSITAS
GADJAH MADA
The Efficacy of Black Tea Cream Extrats in Various Concentration in Reducing SLS Induced Skin Irritation
Sivabalan Balakrishnan , Dr. Sunardi Radiono, SpKK(K).; dr. Riris Andono Ahmad, MPH
Universitas Gadjah Mada, 2005 | Diunduh dari http://etd.repository.ugm.ac.id/

Lachapelle JM. Efficacy of protective creams and/or gels. In: P Elsner, JM Lachapelle, JE Wahlberg, HI Maibach, eds *Prevention of Contact Dermatitis. Curr Probl Dermatol*. Basel: Karger; 1996; pp. 182-92

Landau JM, Yang CS. 1997 The effect of tea on health. *Chemistry and Industry*.

Lemeshow S. & Hosmer DV. 1997 *Besar sample dalam penelitian kesehatan.* Gadjah Mada University., Yogyakarta, hal 46-52

Lin JK, Liang YC. 2000 Cancer chemoprevention by tea polyphenols. *Proc Natl Sci counc Repub China* ; 24(1) : 1-13

Loden M. The effect of 4 barrier creams on the absorption of water, benzene, and formaldehyde into excised human skin. *Contact Dermatitis* 1986; 14: 292-6

Madiyono B, Moeslichan Mz S, Sastroasmoro S, Budiman I, Purwanto SH. 1995 Perkiraan besar sample. Dalam : Sastroasmoro S. & ismael S. (Eds) *Dasar-dasr metodologi penelitian klinis.* Binarupa Alsara, Jakarta, hal 187-212

Mahmoud G, Lachapelle JM. Evaluation of the protective value of an anti-solvent gel by laser Doppler flowmetry and histology. *Contact Dermatitis* 1985; 13: 14-9

Marks JG Jr, Fowler JF Jr, Sherertz EF, Rietschel RL. Prevention of poison ivy and poison oak allergic contact dermatitis by quaternium-18 bentonite. *J Am Acad Dermatol* 1995; 33: 212-6

Mukhtar H. & Ahmad N. 2000 Tea polyphenols: prevention of cancer and optimizing health. *American Journal of Clinical Nutrition*; 71(suppl):1698S-1702S

Nicander I, Peter A, Ollmar S. 2002. The use of different concentrations of betaine as a reducing irritation agent in soaps monitored visually and non-invasively. *Skin Research and Technology*, 9:43-9.

Orchard S. Barrier creams. *Dermatol Clin* 1984; 2: 619-29

Resnick B. Dermatologic problems in the elderly. *Lippincotts Prim Care Pract* 1997; 1: 14-30

Rycroft RJG: Low-humidity occupational dermatoses; in Current Approaches to Occupational Health 3. Bristol, Gardner, 1987.

UNIVERSITAS
GADJAH MADA
The Efficacy of Black Tea Cream Extrats in Various Concentration in Reducing SLS Induced Skin Irritation
Sivabalan Balakrishnan , Dr. Sunardi Radiono, SpKK(K).; dr. Riris Andono Ahmad, MPH
Universitas Gadjah Mada, 2005 | Diunduh dari http://etd.repository.ugm.ac.id/

Sarkar A & Bhaduri A. 2001 Black tea is powerful chemopreventor of reactive oxygen and nitrogen species: comparison with its individual catechin constituents and green tea. *Biochem Biophys Res Commun*; 284(1): 173-178

Smith HR, Baseketter DA, McFaden JP. 2002. Irritant dermatitis, irritancy and its role in allergic contact dermatitis. *Clinical and Experimental Dermatology*, 27: 679-683

Steele VE. Kelloff GJ. Balentine D. Boone CW. Mehta R. Bagheri D. Sigman CC. Zhu S. Sharma S. 2000 Comparative chemopreventive mechanisms of green tea, black tea and selected polyphenol extract measured by in vitro bioassays. *Carcinogenesis* ; 21(1) : 63-7

van der Valk P G, Crijins M C, Nater J P et al. Skin irritancy of commercially available soap and detergent bars as measured by water vapour loss. *Derm Beruf Umwelt* 1984: 32: 87-90

Wigger-Alberti W, Elsner P. Do barrier creams and gloves prevent or provoke contact dermatitis? *Am J Contact Dermatitis* 1998; 9: 100-6

Wigger-Alberti W. Krebs A, Elsner P. 2000. Experimental irritant contact dermatitis due to cumulative epicutaneous exposure to sodium lauryl sulphate and touluene: single and concurrent application. *British Journal of Dermatology*, 143:551-6

Willis CM. 1998. Quantitative immunocytochemical demonstration of reduced levels of superoxides dismutase following topical exposure to dithranol and sodium lauryl sulphate: an indication of the role of oxidative stress in acute irritant contact dermatitis. *European Journal of Dermatology*, 8: 8-12

Wortzman MS. Evaluation of mild skin cleansers. *Dermatol Clin* 1991; 9: 35-44

Yang OS, Chung JY, Yang G, Chabras K & Lee MJ. 2000 Tea and tea polyphenol in Cancer prevention. *Journal of Nutrition* ; 130: 472S-478S.

Zhai H, Maibach HI. Effect of barrier creams: human skin in vivo. *Contact dermatitis* 1996; 35: 92-6

Zhai H, Maibach HI. Moisturizersin preventing irritant contact dermatitis: am overview. *Contact Dermatitis* 1998; 38: 241-4

UNIVERSITAS
GADJAH MADA
The Efficacy of Black Tea Cream Extrats in Various Concentration in Reducing SLS Induced Skin Irritation
Sivabalan Balakrishnan , Dr. Sunardi Radiono, SpKK(K).; dr. Riris Andono Ahmad, MPH
Universitas Gadjah Mada, 2005 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhai H, Maibach HI. Percutaneous penetration (Dermatopharmacokinetics) in evaluating barrier creams. In: P Elsner, JM Lachapelle, JE Wahlberg, HI Maibach, eds *Prevention of Contact Dermatitis. Curr Probl Dermatol.* Basel: Karger; 1996, pp.193-205

Zhao J, Jin X, Yaping E, Zheng ZS, Zhang YJ, Athar M, Deleo VA, Mukhtar H, Bickers DR, Wang ZY. 1999 Photoprotective effects of black tea extracts against UVB-induced phototoxicity in skin. *Photochem Photobiol*; 70(4):637-44