

DAFTAR PUSTAKA

- AOAC (1984) Official Methods of Analysis. Washington DC: Association of Official Analytical Chemists Inc.
- Aktas-Akyildiz, E., Matilla, O., Sozer, N., Poutanen, K., Koksel, H., Nordlund, E., 2017. Effect of Steam Explosion on Enzymatic and Baking Quality of Wheat Bran. *Journal of Cereal Science*.
- Alam, Nur., Nurhaeni, 2008. Komposisi Kimia dan Sifat Fungsional Pati Jagung berbagai Varietas yang Diekstrak dengan Pelarut Natrium Bikarbonat. *Agroland* 15 (2) : 89 – 94.
- Alcázar-Alay, S. C. dan Mireles, M. A. A. 2015. Physicochemical properties, modifications and applications of starches from different botanical sources. *Food Sci. Technol, Campinas*, 35(2): 215-236.
- Ali, Abida, Touseef A. W., dan Idrees A. W.. 2016. Comparative study of the physico-chemical properties of rice and corn starches grown in Indian temperate climate. *Journal of the Saudi Society of Agricultural Sciences* vol 15, 75-82.
- Andarwulan, dkk., 2011. *Analisis Pangan*. PT Dian Rayat: Jakarta.
- Ardiana, Rosa. 2017. Mikroenkapsulasi Ekstrak Daun Kelor dengan Maltodekstrin Pati Kentang. Yogyakarta : Skripsi FTP UGM
- BeMiller, J., and Whistler, R., 2009. *Starch: Chemistry and Technology*. Elsevier Inc.: New York.
- Ben, E.S., Zulianis dan Halim, A. (2007). Studi awal pemisahan amilosa dan amilopektin pati singkong dengan fraksinasi butanol-air. *Jurnal Sains dan Teknologi Farmasi* 12(1): 1-11.
- Beta, T., and Corke. 2001. Noodle Quality as Related to Sorghum Starch Properties. *Cereal Chemistry* 78: 417-420.
- Cantarella, Maria, Laura C., Alberto G., Agata S., dan Francesco A.. 2004. Effect of Inhibitors Released during Steam-Explosion Treatment of Poplar Wood on Subsequent Enzymatic Hydrolysis and SSF. *Biotechnol. Prog.* 2004, 20, 200–206
- Chang, Y. H., dan Hsu, K. H. 1985. Extent of starch gelatinization during hydrothermal processing of corn for masa production. *Cereal Foods World*, 30, 545.

- Charley, H.; and Weaver, C., 1998. *Foods – A scientific approach*. Macmillan Publishers, London, UK.
- Chen, J. dan Jane, J. (1994) “Preparation of granular cold-water-soluble starches by alcoholic-alkaline treatment,” *Cereal Chemistry*, hal. 623–626.
- Chen, Hongzhang dan Wenjie Sui. 2016. Effect of Water States on Steam Explosion of Lignocellulosic Biomass. *Journal of Bioresource Technology* 199, page 155-163.
- Colonna P , Doublier JL , Melcion JP , de Monredon F , Mercier C . *Cereal Chem.*1984 ; 61 : 538 .86.
- Corn Refiners Association. 2006. *Corn Starch 11th edition*. Washington DC.
- Darmadji, P., Bangun P. N., Haryadi, Nursigit B., 2005. Tepung Jagung Kuning Pramasak dengan Proses Nikstamalisasi serta Karakterisasi Produknya. *Agritech* Vol. 25 No. 3 halaman 148-153.
- Datar, R., Huang, J., Maness, P., Mphagheghi, A., zernik, S., dan Chornet, E.. 2007. Hydrogen production from the fermentation of corn stover biomass pretreated with a steam-explosion process. *International Journal of Hydrogen Energy*, 32(8), 932-939.
- Davidson VJ , Paton D , Diosady LL , Larocque GJ . *J. Food Sci.* 1984 ; 49 : 453 .87.
- Din Z. U., Hanguo X., Peng F., 2017. Physical and chemical modification of starches: A review. *Food Science and Nutrition*, 57:12, 2691-2705.
- Doublier J. L., Colonna P., Mercier C., 1986. Extrusion Cooking and Drum Drying of Wheat Starch. II. Rheological Characterization of Starch Paste. *Cereal Chem.* 1986 ; 63 : 240.
- Ellis, R. P., Cochrane, M. P., Dale, M. F. B., Duffus, C. M., Lynn, A., Morrison, I. M., Prentice, R. D. M., Swanston, J. S., & Tiller, S. A. (1998). Starch production and industrial use. *Journal of the Science of Food and Agriculture*, 77(3), 289-311.
- Ezhilarasi, P. N., Karthik, P., Vhhanwal, N., dan Anandharamakrishan, C. 2012. *Nanoencapsulation Techniques for Food Bioactive Components: A Riview . J Food Bio[rocess Technol.* Food and Bioprocess Technology Volume 6, Issue 3, 628-647
- Fennema, O.R. 1996. Principles of Food Sciences. Part I (Food Chemistry). Marcell Dekker Inc. New York.
- Fernandez-Bolanos, K. Felizon, B., Heredia, A., Rodriguez, R., Guillen, R., and Jimenez, A. 2000. Steam-explosion of olive stones: hemicellulose

solubilization and enhancement of enzymatic hydrolysis of cellulose. *Bioresouce Technology* 79: 53-61.

- Fernández-Muñoz, J. L., Isela, R. M., González-Dávalos, M. L., Myriam, L., Valtierra, M. E., San Martín-Martinez, E., dan Rodríguez, M. E., 2004. Study of Calcium Ion Diffusion in Components of Maize Kernels During Traditional Nixtamalization Process. *Cereal Chem.* 81(1):65–69.
- Forssell, P.. 2004. Starch-based microencapsulation. *Starch in Food* pages 461–473.
- Gharsallaoui, A., Roudant, G., Chambin, O., Voilley, A. and Saurel, R.(2007). Application of spray drying in microencapsulation of food ingredients: An overview. *Food Res. Int.* 40:1107–1121.
- Gomez, M. H., McDonough, C. M. Rooney, L. W., and Waniska, R. D., 1989. Changes in corn and sorghum during nixmalization and tortilla baking. *Food Science* 54: 330-336.
- Gomez, M. H., Waniska R. D., Rooney L. W., 1991. Starch Characterization of Nixtamalized Corn Flour. *Cereal Chem.* 68(6):578-582.
- Gouin, S.. 2004. Micro-encapsulation: Industrial appraisal of existing technologies and trends. *Trends in Food Science and Technology*, 15, 330–347.
- Guzmán, A. Q., Jaramillo Flores, M. E., Feria, J. S., Méndez Montealvo, M. G. dan Wang, Y.-J. 2011. Rheological and thermal properties of masa as related to changes in corn protein during nixtamalization. *Journal of Cereal Science* 53:139-147.
- Haryanti, Pepita, Retno, S., dan Rumpoko W.. 2014. Pengaruh Suhu dan Lama Pemanasan Suspensi Pati serta Konsentrasi Butanol terhadap Karakteristik Fisikokimia Pati Tinggi Amilosa dari Tapioka. *Agritech*, Vol. 34, No. 3.
- Herawati, Heny. 2009. Potensi Pengembangan Produk Pati Tahan Cerna sebagai Pangan Fungsional. *Jurnal Litbang Pertanian*, 30(1).
- Hodge, S. and Osman, M. (1976). *Food Chemistry, Principles of Food Science Part 1*, pp. 102–114. Fennema, O. R., Ed.,Mercel Dekker,New York.
- Hoover, R., Swamidas, G., Vasanthan, T. 1993. Studies on the Physicochemical Properties of Native, Defatted, and Heat Moisture Treated Pigeon Pea (*Cajanus cajan* L.) Starch. *Carbohydrate Research* 246: 185-203.

- Hormdok, R, and A. Noomhorm. 2007. Hydrothermal Treatments of Rice Starch for Improvement of Rice Noodle Quality. *Food Science and Technology* 40: 1723-1731.
- Hustiany, R., 2006. Modifikasi Asilasi dan Suksinilasi Pati Tapioka sebagai Bahan Enkapsulasi Komponen Flavor. Disertasi, Institut Pertanian Bogor.
- Husniati. 2009. Studi Karakterisasi Sifat Fungsi Maltodekstrin dari Pati Singkong. *Jurnal Riset Industri* 3(2): 133-138.
- Inglett, G. E., 1970. Corn, Culture, Processing, Product. The AVI Publishihng Company, Inc. Westport, London.
- Inglett, G. E. 1987. Kernel, Structure, Composition and Quality. Ed. Corn: Culture. Processing and Products. Avi Publishing Company, Westport.
- Irfansyah. 2001. Karakteristik Fisiko_Kimia dan SungSIONal Tepung Ubi Jalar (*Ipomoea batatas L.*) serta Pemanfaatannya untuk Pembuatan Kerupuk. *Tesis Program Pascasarjana*. Institut Pertanian Bogor. Bogor.
- Jacquet, N., Maniet, G., Vanderghem, C., Delvigne, F., dan Richel, A.. 2015. Application of Steam Explosion as Pretreatment on Lignocellulosic Material : a review. *Industrial and Engineering Chemistry Reasearch* 54: 2593 – 2598.
- Kailasapathy K. 2002. Microencapsulation of Probiotic Bacteria : Technology and Potential Applications. *Curr. Issues Intest. Microbiol.* 3(2):39-48.
- Kilara, A.. 2006. *Interactions of Ingredients in Food Systems: An Introduction*. In: Gaonkar, A. G. dan A. McPherson (eds). 2006. *Ingredients Interactios: Effect on Food Quality 2nd Edition*. CRC Taylor & Francis, London.
- Klein, B., Zanella, V., Levien, N., Zavareze, R., Colussi, R., Amaral, J., Carlos, L., Renato, A. dan Dias, G. (2013) “Effect of single and dual heat – moisture treatments on properties of rice , cassava , and pinhao starches,” *Carbohydrate Polymers*. Elsevier Ltd., 98(2), hal. 1578–1584. doi: 10.1016/j.carbpol.2013.07.036.
- Koksel, H., Arzu B., Kevser K., Serpil O.. 2007. Effect of Acid Modification and Heat Treatments on Resistant Starch Formation and Functional Properties of Corn Starch. *International Journal of Food Properties*, 10: 691–702
- Konstantin G.B., Anna A. K., Maria A. G., Janis G., Sergey S., Dmitry G., Ivan N. Z., 2016. Application of steam explosion as a method of wood matrix thermochemical activation. *J Indian Acad Wood Sci*; 13(1): 82-89.

- Koswara, S., 2009 *Teknologi modifikasi pati*. Tersedia pada: <http://tekpan.unimus.ac.id/wpcontent/uploads/2013/07/TEKNOLOGIMODIFIKASI-PATI.pdf>
- Kusnandar, F., H. P. Hastuti, E. Syamsir. 2015. Pati Resisten Sagu Hasil Proses Hidrolisis Asam dan Autoclaving-Cooling. *Jurnal Teknologi dan Industri Pangan* 26(1): 52-62.
- Laboratory Gea Niro Research (2005) "Analytical Methods Dry Milk Products," (September), hal. 14–16.
- Leung, W. W., Ritva, R. B., Flora, H. C., 1987. *Food Composition Table for Use in East Asia Part I*.
- Li, G., Mengxue G., Fei L., Jie Z., Junliang S., 2017. Effect of Steam Explosion Pre-treatment on Molecular Structure of Sweet Potato Starch. *Tropical Journal of Pharmaceutical Research*; 16 (5): 1113-1119.
- Marzieh S., Maryam M. K., Hamid Z., Ilona S.H., Keikhosro K., 2013 Techno-economical study of biogas production improved by steam explosion pretreatment. *Bioresour Technol*; 148: 53-60.
- Mason, R.W.. 2009. *Starch use in foods*. Di dalam BeMiller J. dan Whitsler R.. *Starch: Chemistry and Technology*. New York (US): Academic Press.
- Mendez-Montecalvo G., M.M.Sánchez-Riveraa, O.Paredes-López, L.A.Bello-Pérez. 2006. *Thermal and rheological properties of nixtamalized maize starch*. *International Journal of Biological Macromolecules* Vol.40, pages 59-63
- Moniruzzaman, M., 1995. Effect of Steam Explosion on the Physicochemical Properties and Enzymatic Saccharification of Rice Straw. *Applied Biochemistry and Biotechnology* Vol.59.
- Muzimbaranda C. dan Tomasik P. 1994. *Starch*; 46 : 469 .
- Neelam, K., Sharma V., Singh, L., 2012. Various Techniques for The Modification of Starch and The Applications of Its Derivatives. *International Research Journal of Pharmacy*. ISSN 2230-8407.
- Ocheme, O. B., Oloyede O. O., dan Mikailu E. G.. 2010. Effect of Lime Soaking and Cooking (Nixtamalization) on the Proximate, Functional and Some Anti-nutritional Properties of Millet Flour. *AU J.T.* 14(2): 131-138.
- Pangestu, Alit. 2016. "Karakterisasi Sifat Fisikokimia dan Potensi Prebiotik Tepung Garut (*Maranta arundinacea*) dengan Perlakuan SteamFlash-Explosion". Universitas Gadjah Mada.

- Pérez, S., dan E.. 2010. Bertoft. The molecular structures of starch components and their contribution to the architecture of starch granules: a comprehensive review. *Starch*, 62 pp. 389-420
- Pielhop, Thomas, Janick, A., Philipp R. V. R., dan Michael H. S., 2016. Steam explosion pretreatment of softwood: the effect of the explosive decompression on enzymatic digestibility. *Biotechnology for Biofuels* 20169:152.
- Pitchon, E., O'Rourke, J. D. and Joseph, T. H. (1981). Process for cooking or gelatinizing materials. U.S. Patent, 4280851.
- Pourmakhdomi, A. A.. 2014. "Comparison of energy balances of steam explosion and torrefaction technologies". Lappeenranta University of Technology.
- Raja, K. C. M., Sankarikutty, B., Sreekumar, M., Jayalekshmy, A., Narayanan, C. S.. 1989. Material characterization studies of maltodextrin samples for the use of wall material. *Starch/ sta`rke*, 41, 298–303.
- Reineccius, G. A.. 1988. Spray-drying of food flavors. In G. A. Reineccius & S. J. Risch (Eds.), *Flavor encapsulation* (pp. 55–66). Washington, DC: American Chemical Society.
- Rooney, L. W. and Serna-Saldar, S. O., 1987., *Food uses of whole corn and dry milled fractions*. Pp. 399 – 429. In *Corn: Chemistry and Technology* (S. A. Watson and Ramsted, P. E., ed). AACC, St. Paul, MN.
- Rooney, L. W. and Edmun W. L., 2001. *Snack Food Processing*. CRC Press. Washington DC.
- Rosentrater, K. A., Thomas, L. R., Carl, J. B., Flores, R. A., 2005. Small-Scale Extrusion of Corn Masa By-Products. *Cereal Chem.* 82(4):436–446.
- Rubens, R. W. (1992). Method and apparatus for cooking and spray drying starch. U.S. Patent, 5149799.
- Sudiyani, Y., J. Waluyo, A.P. Riandy, P. Primandaru, Novia. 2015. Pengaruh Temperatur dan Waktu Tinggal pada Perlakuan Awal Bagas Sorgum dengan Metode Steam Explosion. *Jurnal Teknik Kimia* 4(21): 47-56.
- Sandhu, Kawaljit S. dan Singh, Narpinder. 2007. Some properties of corn starches II: Physicochemical, gelatinization, retrogradation, pasting and gel textural properties. *Food Chemistry* 101 (2007) 1499–1507.
- Saulnier, L., Marot, C., Chanliaud, E., Thibault, J.F., 1995. Cell wall polysaccharide interactions in maize bran. *Carbohydrate Polymers* 26, 2379–2387

- Sefa-Dedeh, S., Beatrice, C., Esther, S. D., Emmanuel, O. A., 2003. Effect of Nixtamalization on Chemical and Functional Properties of Maize. *Food Chemistry* 86 (2004) 317–324.
- Shahidi, F., dan Han, X. Q.. 1993. Encapsulation of food ingredients. *Critical Review in Food Science and Nutrition*, 33, 501–547.
- Shi, Ai-min, Dong L., LiJun W. Bing-Zheng L., Benu A.. 2011. Preparation of starch-based nanoparticles through high-pressure homogenization and miniemulsion cross-linking: Influence of various process parameters on particle size and stability. *Carbohydrate Polymers* 83 (2011) 1604–1610.
- Srivastava, H. C., Parrnar, R. S., Dave A. G. B., 1970. Studies on Dextrinization Part 1. Pyrodextrinization of Corn Starch in the Absence of Any Added Catalyst. *Die Starke* 22. Inhr. 1970 I Nr. 2.
- Suarni, I. U., Firmansyah, dan M. Aqil. 2013. Keragaman Mutu Pati Beberapa Varietas Jagung. *Penelitian Pertanian Tanaman Pangan* Vol. 32 No. 1.
- Sui, W., dan Chen, H. 2015. Water transfer in steam explosion process of corn stalk. *Industrial Crops and Products* 76 (2015) 977–986.
- Sui, W., dan Chen, H. 2016. Effects of Water States on Steam Explosion of Lignocellulosic Biomass. *Bioresource Technology*. Elsevier Ltd, 199: 155-163.
- Sun, Ye & Chen, Jiayang. 2002. Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresource Technology* 83 (2002) 1–11.
- Syamsir, E., P. Hariyadi, D. Fardiat, N. Andarwulan, F. Kusnandar. 2011. Karakterisasi Tapioka dari Lima Varietas Ubi Kayu (Manihot utilisima crantz) Asal Lampung. *Jurnal Agroteknologi* 5(1): 93-105.
- Taherzadeh, M., Karimi, K., 2008. Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: A review. *Int. J. Mol. Sci.* 9, 1621-1651.
- Tester, R. F., Karkalas, J., dan Qi, X., 2004. Starch - Composition, fine structure and architecture. *Journal of Cereal Science*, 39(2), 151-165.
- Tjahadi, R. T. 2017. Modifikasi Pati Kentang dengan Perlakuan Steam Explosion. Skripsi. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Tolls J., John V. D., Eric J. M., Verbruggen, Joop L. M., Hermens, Bjorn L., and Gerrit S., 2002. Aqueous Solubility-Molecular Size Relationships: A Mechanistic Case Study Using C10- to C19-Alkanes. *J. Phys. Chem. A* 2002, 106, 2760-2765
- Trejo-Gonzales, A., Feria Morales, A., Wild Altamirano, C., 1982. *The Role of Lime in the Alkaline Treatment of Maize and Tortilla Production, Modification of Proteins : Food, Nutritional, and Pharmacological*

Aspects. Di dalam Whitaker, J.R., Feeney R. E. *Advance in Chemistry*. Am. Chem. Soc., Washington DC.

Vikso-Nielsen, Anders, Andreas B., Kirsten J., Karina H. K., Ann J., dan Birger L. M.. 2001, Structural, Physicochemical, and Pasting Properties of Starches from Potato Plants with Repressed r1-Gene, *Biomacromolecules* 2, 836-843.

Yan, H. and Zhengbiao, G..U. (2010). Morphology of modified starches prepared by different methods. *Food Res. Int.* 43:767–772.

Yu, Z., Zhang, B., Yu, F., Xu, G., dan Song, A.. 2012. A real Explosion: The Requirement of Steam Explosion Pretreatment. *Bioresource Technology* 121 : 335-341

Yuliasih, I., Irawadi, T.T., Sailah, I., Pranamuda, H., Setyowati, K. dan Sunarti, T.C. (2007). Pengaruh proses fraksinasi pati sagu terhadap karakteristik fraksi amilosanya. *Jurnal Teknologi Industri Pertanian* 17(1): 29-36.