

DAFTAR PUSTAKA

- Acheampong, J. N., Gyamfi, C., & Arthur, E. (2023). Impacts of retention basins on downstream flood peak attenuation in the Odaw river basin, Ghana. *Journal of Hydrology: Regional Studies*, 47, 101364. <https://doi.org/10.1016/j.ejrh.2023.101364>
- AL-Hussein, A. A. M., Khan, S., Ncibi, K., Hamdi, N., & Hamed, Y. (2022). Flood Analysis Using HEC-RAS and HEC-HMS: A Case Study of Khazir River (Middle East—Northern Iraq). *Water*, 14(22), 3779. <https://doi.org/10.3390/w14223779>
- Alia, F., Iryani, S. Y., & Ramadhanti, N. (2021). Analisis Kapasitas Kolam Retensi Untuk Pengendalian Banjir di DAS Buah Kota Palembang. *Cantilever: Jurnal Penelitian Dan Kajian Bidang Teknik Sipil*, 9(2), 97–107. <https://doi.org/10.35139/cantilever.v9i2.44>
- Awadallah, M. O. M., Juárez, A., & Alfredsen, K. (2022). Comparison between Topographic and Bathymetric LiDAR Terrain Models in Flood Inundation Estimations. *Remote Sensing*, 14(1), 227. <https://doi.org/10.3390/rs14010227>
- Badan Nasional Penanggulangan Bencana. (2025, March 4). *Banjir Melanda Wilayah Kota dan Kabupaten Bekasi*.
- Birkinshaw, S. J., & Krivtsov, V. (2022). Evaluating the Effect of the Location and Design of Retention Ponds on Flooding in a Peri-Urban River Catchment. *Land*, 11(8), 1368. <https://doi.org/10.3390/land11081368>
- Chan, N. W., Ghani, A. A., Samat, N., Hasan, N. N. N., & Tan, M. L. (2020). *Integrating Structural and Non-structural Flood Management Measures for Greater Effectiveness in Flood Loss Reduction in the Kelantan River Basin, Malaysia* (pp. 1151–1162). https://doi.org/10.1007/978-3-030-32816-0_87
- D. D. More, B. K. Gavit, & S. B. Nandgude. (2024a). Hydrologic Engineering Centers-River Analysis System (HEC-RAS) - A Review. *Journal of Agriculture Research and Technology*, 49(01), 139–150. <https://doi.org/10.56228/JART.2024.49120>
- D. D. More, B. K. Gavit, & S. B. Nandgude. (2024b). Hydrologic Engineering Centers-River Analysis System (HEC-RAS) - A Review. *Journal of Agriculture Research and Technology*, 49(01), 139–150. <https://doi.org/10.56228/JART.2024.49120>
- Dharma, I. G. A., Waspodo, R. S. B., & Pandjaitan, N. (2021). Analisis Pengaruh Perubahan Penggunaan Lahan terhadap Debit Sungai (Studi Kasus : Sub DAS Cikeas). *Jurnal Teknik Sipil Dan Lingkungan*, 6(2), 121–132. <https://doi.org/10.29244/jsil.6.2.121-132>

- Feng, B., Zhang, Y., & Bourke, R. (2021). Urbanization impacts on flood risks based on urban growth data and coupled flood models. *Natural Hazards*, 106(1), 613–627. <https://doi.org/10.1007/s11069-020-04480-0>
- Florince, F., Arifaini, N., & Adha, I. (2016). Studi Kolam Retensi sebagai Upaya Pengendalian Banjir Sungai Way Simpur Kelurahan Palapa Kecamatan Tanjung Karang Pusat. *Jurnal Rekayasa Sipil Dan Desain*, 3(3), 507–520. <https://doi.org/10.23960/jrsdd.v3i3.480>
- García, C. L. C., Domínguez, Y. A., González, V. M. C., Jimenez, J., & González-Rodríguez, L. (2025). Design and assessment of sustainable retention ponds for flood reduction in an urban drainage system in Cuba. *Journal of Hydrology and Hydromechanics*, 73(3), 273–283. <https://doi.org/10.2478/johh-2025-0021>
- Gomes, M. N., Taha, A. F., Rápalo, L. M. C., Mendiondo, E. M., & Giacomoni, M. H. (2024). Real-time regulation of detention ponds via feedback control: Balancing flood mitigation and water quality. *Journal of Hydrology*, 643, 131866. <https://doi.org/10.1016/j.jhydrol.2024.131866>
- Gore, J. A., & Banning, J. (2017). Discharge Measurements and Streamflow Analysis. In *Methods in Stream Ecology, Volume 1* (pp. 49–70). Elsevier. <https://doi.org/10.1016/B978-0-12-416558-8.00003-2>
- Guido, B. I., Popescu, I., Samadi, V., & Bhattacharya, B. (2023). An integrated modeling approach to evaluate the impacts of nature-based solutions of flood mitigation across a small watershed in the southeast United States. *Natural Hazards and Earth System Sciences*, 23(7), 2663–2681. <https://doi.org/10.5194/nhess-23-2663-2023>
- Harits, M., Sapei, A., & Pandjaitan, N. H. (2024). Avoiding Flood by Improving Cross-Sectional Capacity through River Normalization. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 13(4), 1023. <https://doi.org/10.23960/jtep-l.v13i4.1023-1035>
- Husain, A. (2017). Flood Modelling by using HEC-RAS. *International Journal of Engineering Trends and Technology*, 50(1), 1–7. <https://doi.org/10.14445/22315381/IJETT-V50P201>
- Iing Rustandi, Raisa Fadhila, & Rully Savitri Nurvita. (2024). Analisis Kapasitas Kolam Retensi untuk Pengendali Banjir di Perumahan Siliwangi Green Residence Kecamatan Baleendah, Kabupaten Bandung. *Konstruksi: Publikasi Ilmu Teknik, Perencanaan Tata Ruang Dan Teknik Sipil*, 2(4), 271–289. <https://doi.org/10.61132/konstruksi.v2i4.769>

- Indrawan, I., & Siregar, R. I. (2018). Pemodelan Penerapan Terowongan Air (Tunnel) dalam Mengatasi Banjir Akibat Luapan Sungai Deli. *Jurnal Teknik Sipil*, 25(2), 113. <https://doi.org/10.5614/jts.2018.25.2.4>
- Kementerian PUPR, D. J. S. D. A. (2023, February 10). *Ditjen SDA Serius Tangani Banjir di Wilayah Sungai Cileungsi dan Cikeas*.
- Liu, J., Xiao, Y., Zhou, J., Lin, Q., Yuan, S., Zhang, T., Jiang, Q., Liu, J., & Gualtieri, C. (2024). Unsteady flow in a compound channel during flooding: Insights from a combined two-dimensional and three-dimensional numerical simulation. *Physics of Fluids*, 36(8). <https://doi.org/10.1063/5.0216832>
- Lopes Monteiro, C., Bonilla Brenes, J. R., Serrano-Pacheco, A., & Hack, J. (2023). Multi-criteria site selection and hydraulic modeling of green flood retention measures in a highly urbanized basin in Costa Rica. *Urban Forestry & Urban Greening*, 85, 127957. <https://doi.org/10.1016/j.ufug.2023.127957>
- Madi, H., Bedjaoui, A., Elhoussaoui, A., Elbakai, L. O., & Bounaama, A. (2023). Flood Vulnerability Mapping and Risk Assessment Using Hydraulic Modeling and GIS in the Tamanrasset Valley Watershed, Algeria. *Journal of Ecological Engineering*, 24(7), 35–48. <https://doi.org/10.12911/22998993/163252>
- Martua, D., Sutjiningsih, D., Anggraheni, E., & Hamid, N. (2021). Analisis Penerapan Kolam Retensi Sebagai Upaya Penanganan Banjir dengan Model 2-Dimensi The Analysis of Retention Pond as Flood Management Practices with 2-Dimensional Model. In *Jurnal Manajemen Aset Infrastruktur & Fasilitas* (Vol. 5, Number 4).
- Meliani, F., Sulistyowati, R., Sapan, E. G. A., Sumargana, L., Lestari, S., Suryanta, J., Rudiastuti, A. W., Cahyaningtiyas, I. F., Pianto, T. A., Akbar, H. I., Yulianingsani, Winarno, Priyadi, H., Cahya, D. L., Winarno, B., & Sutejo, B. (2025). The Influence of the Rainfall Extremes and Land Cover Changes on the Major Flood Events at Bekasi, West Jawa, and Its Surrounding Regions. *Resources*, 14(11), 169. <https://doi.org/10.3390/resources14110169>
- Muhamedyeva, D., Mamatov, N., Turgunov, B., & Yusupova, D. (2024). Control of unstable water flow in open channels. *E3S Web of Conferences*, 590, 02002. <https://doi.org/10.1051/e3sconf/202459002002>
- NGUYEN, T. K. T., & LE, V. T. (2025). The influence of roughness coefficient on hydrodynamic simulations: A case study at the Co Chien estuary, Mekong delta. *Inżynieria Mineralna*, 2(1). <https://doi.org/10.29227/IM-2025-01-02-022>
- Nugrahanto, E., Suprayogi, S., Hadi, M., & Rahmadwiati, R. (2022). ANALISIS DEBIT BANJIR RANCANGAN DENGAN METODE HIDROGRAF SATUAN SINTETIS NAKAYASU DI SUB DAS KEDUANG (Analysis of planned flood discharge using the Nakayasu synthetic unit hydrograph in Keduang Sub

- Watershed). *Jurnal Penelitian Pengelolaan Daerah Aliran Sungai*, 6(2), 111–124.
<https://doi.org/10.20886/jppdas.2022.6.2.111-124>
- Patel, D. P., Ramirez, J. A., Srivastava, P. K., Bray, M., & Han, D. (2017). Assessment of flood inundation mapping of Surat city by coupled 1D/2D hydrodynamic modeling: a case application of the new HEC-RAS 5. *Natural Hazards*, 89(1), 93–130. <https://doi.org/10.1007/s11069-017-2956-6>
- Peker, İ. B., Gülbaz, S., Demir, V., Orhan, O., & Beden, N. (2024). Integration of HEC-RAS and HEC-HMS with GIS in Flood Modeling and Flood Hazard Mapping. *Sustainability*, 16(3), 1226. <https://doi.org/10.3390/su16031226>
- Pemerintah Kota Bekasi. (2025, December 11). *Perkuat mitigasi, Kota Bekasi pasang 6 titik early warning system rawan banjir di Jatiasih*.
- Prayogo, T. B., Sholichin, M., Amalia, D., Othman, F., & Prabowo Rahardjo, S. S. (2025). Mitigating flood vulnerabilities through retarding basin systems: A case study in Bengawan Solo River, Indonesia. *International Journal of Disaster Risk Reduction*, 126, 105629. <https://doi.org/10.1016/j.ijdr.2025.105629>
- Sahdar, I., Rohmat, D., & Pranoto, W. A. (2023). Analysis of Peak Flood Discharge in Small-Scale River Flow Area. *IJEED (International Journal of Entrepreneurship and Business Development)*, 6(2), 244–253. <https://doi.org/10.29138/ijeed.v6i2.2128>
- Saksena, S., & Merwade, V. (2015). Incorporating the effect of DEM resolution and accuracy for improved flood inundation mapping. *Journal of Hydrology*, 530, 180–194. <https://doi.org/10.1016/j.jhydrol.2015.09.069>
- Schanze, J. (2018). Pluvial flood risk management: an evolving and specific field. *Journal of Flood Risk Management*, 11(3), 227–229. <https://doi.org/10.1111/jfr3.12487>
- Sohn, W., Kim, J.-H., Li, M.-H., Brown, R. D., & Jaber, F. H. (2020). How does increasing impervious surfaces affect urban flooding in response to climate variability? *Ecological Indicators*, 118, 106774. <https://doi.org/10.1016/j.ecolind.2020.106774>
- Taofick, B., Daniel, S. T., & Jamal, A. (2025). Analytical and numerical modeling of shallow water flow in a channel: Theoretical approaches and simulations. *International Journal of Applied Mechanics and Engineering*, 30(2), 21–45. <https://doi.org/10.59441/ijame/200966>
- Wang, C. H. (2014). Application of HEC-RAS Model in Simulation of Water Surface Profile of River. *Applied Mechanics and Materials*, 641–642, 232–235. <https://doi.org/10.4028/www.scientific.net/AMM.641-642.232>

- Wang, X., & Xie, H. (2018). A Review on Applications of Remote Sensing and Geographic Information Systems (GIS) in Water Resources and Flood Risk Management. *Water*, 10(5), 608. <https://doi.org/10.3390/w10050608>
- Wojak, S., Struzyński, A., & Wyrębek, M. (2023). ANALYSIS OF CHANGES IN HYDRAULIC PARAMETERS IN A LOWLAND RIVER USING NUMERICAL MODELING. *Acta Scientiarum Polonorum Formatio Circumiectus*, 22(1), 3–17. <https://doi.org/10.15576/ASP.FC/2023.22.1.3>
- Yalcin, E. (2020). Assessing the impact of topography and land cover data resolutions on two-dimensional HEC-RAS hydrodynamic model simulations for urban flood hazard analysis. *Natural Hazards*, 101(3), 995–1017. <https://doi.org/10.1007/s11069-020-03906-z>
- Yuri, C. O., Chikal, C., Rinal, R., & Ikhwan, I. (2025). Analisis Faktor Alam dan Manusia Penyebab Bencana Banjir di Daerah Aliran Sungai. *Indo-MathEdu Intellectuals Journal*, 6(5), 8388–8401. <https://doi.org/10.54373/imeij.v6i5.3884>
- Zahran, S., Gooda, E. A., & AbdelMeged, N. (2024). Modeling Al-Qaraqoul canal before and after rehabilitation using HEC-RAS. *Scientific Reports*, 14(1), 14760. <https://doi.org/10.1038/s41598-024-63995-9>
- Zainal, N. N., & Abu Talib, S. H. (2024). Review paper on applications of the HEC-RAS model for flooding, agriculture, and water quality simulation. *Water Practice & Technology*, 19(7), 2883–2900. <https://doi.org/10.2166/wpt.2024.173>