

DAFTAR PUSTAKA

- Abbaspour-Gilandeh, Y., Kaveh, M., Fatemi, H., & Aziz, M. (2021). Combined Hot Air, Microwave, and Infrared Drying of Hawthorn Fruit: Effects of Ultrasonic Pretreatment on Drying Time, Energy, Qualitative, and Bioactive Compounds' Properties. *Foods*, 10(5), 1006. <https://doi.org/10.3390/foods10051006>
- Acidri, R., Sawai, Y., Sugimoto, Y., Handa, T., Sasagawa, D., Masunaga, T., Yamamoto, S., & Nishihara, E. (2020). Phytochemical Profile and Antioxidant Capacity of Coffee Plant Organs Compared to Green and Roasted Coffee Beans. *Antioxidants*, 9(2), 93. <https://doi.org/10.3390/antiox9020093>
- Afriliana, A. (2018). *Teknologi Pengolahan Kopi Terkini*. CV. Budi Utama.
- Akasia, A. I., Nurweda Putra, I. D. N., & Giri Putra, I. N. (2021). Skrining Fitokimia Ekstrak Daun Mangrove *Rhizophora mucronata* dan *Rhizophora apiculata* yang Dikoleksi dari Kawasan Mangrove Desa Tuban, Bali. *Journal of Marine Research and Technology*, 4(1), 16. <https://doi.org/10.24843/JMRT.2021.v04.i01.p03>
- Alcantara, G. M. R. N., Martins, L. C., Gomes, W. P. C., Dresch, D., Rocha, F. R. P., & Melchert, W. R. (2025a). Effect of roasting on chemical composition of coffee. *Food Chemistry*, 477, 143169. <https://doi.org/10.1016/j.foodchem.2025.143169>
- Alcantara, G. M. R. N., Martins, L. C., Gomes, W. P. C., Dresch, D., Rocha, F. R. P., & Melchert, W. R. (2025b). Effect of roasting on chemical composition of coffee. *Food Chemistry*, 477, 143169. <https://doi.org/10.1016/j.foodchem.2025.143169>
- Al-Shemmeri, M., Fryer, P., Farr, R., & Lopez-Quiroga, E. (2024). Development of coffee bean porosity and thermophysical properties during roasting. *Journal of Food Engineering*, 378, 112096. <https://doi.org/10.1016/j.jfoodeng.2024.112096>
- Alstrup. (2020). The Effect of Roast Development Time Modulations on the Sensory Profile and Chemical Composition of the Coffee Brew as Measured by NMR and DHS-GC-MS. *Beverages*. <https://doi.org/10.3390/beverages6040070>
- Analianasari, Agassi, T. N., & Harahap, M. P. M. (2023). Evaluation of Coffee Bean Defects, Quality of Brewed Coffee, and Caffeine Content of Premium Ground Coffee. In M. Setiyo, Z. B. Pambuko, C. B. E. Praja, A. Setiawan, F. Yulastuti, L. Muliawanti, & V. S. Dewi (Eds.), *Proceedings of the 4th Borobudur International Symposium on Science and Technology 2022 (BIS-STE 2022)* (Vol. 225, pp. 860–868). Atlantis Press International BV. https://doi.org/10.2991/978-94-6463-284-2_90
- Anokye-Bempah, L., Styczynski, T., De Andrade Teixeira Fernandes, N., Gervay-Hague, J., Ristenpart, W. D., & Donis-González, I. R. (2024). The effect of roast profiles on the dynamics of titratable acidity during coffee roasting.

- Scientific Reports*, 14(1), 8237. <https://doi.org/10.1038/s41598-024-57256-y>
- Antony, A., & Farid, M. (2022). Effect of Temperatures on Polyphenols during Extraction. *Applied Sciences*, 12(4), 2107. <https://doi.org/10.3390/app12042107>
- Aschemann-Witzel, J., Ares, G., Thøgersen, J., & Monteleone, E. (2019). A sense of sustainability? – How sensory consumer science can contribute to sustainable development of the food sector. *Trends in Food Science & Technology*, 90, 180–186. <https://doi.org/10.1016/j.tifs.2019.02.021>
- Ashardiono, F., & Trihartono, A. (2024). Optimizing the potential of Indonesian coffee: A dual market approach. *Cogent Social Sciences*, 10(1), 2340206. <https://doi.org/10.1080/23311886.2024.2340206>
- Badan Pusat Statistik. (2023). *Statistik Kopi Indonesia 2023*. Badan Pusat Statistik.
- Balcázar-Zumaeta, C. R., Reyna-Gonzales, K., Diaz, D. I., Pajuelo-Muñoz, A. J., Iliquin-Chavez, A. F., Yoplac, I., Medina-Mendoza, M., Mori-Mestanza, D., Cayo-Colca, I. S., & Castro-Alayo, E. M. (2025). Optimizing roasting time and temperature to enhance the physicochemical properties, and retention of bioactive compounds of three coffee arabica subvarieties. *Applied Food Research*, 5(1), 100987. <https://doi.org/10.1016/j.afres.2025.100987>
- Barański, M., Średnicka-Tober, D., Volakakis, N., Seal, C., Sanderson, R., Stewart, G. B., Benbrook, C., Biavati, B., Markellou, E., Giotis, C., Gromadzka-Ostrowska, J., Rembiałkowska, E., Skwarło-Sońta, K., Tahvonon, R., Janovská, D., Niggli, U., Nicot, P., & Leifert, C. (2014). Higher antioxidant and lower cadmium concentrations and lower incidence of pesticide residues in organically grown crops: A systematic literature review and meta-analyses. *British Journal of Nutrition*, 112(5), 794–811. <https://doi.org/10.1017/S0007114514001366>
- Barnet, T., & Gilles, W. (2021). *Organic farming. Basic principles and good practices*. Research Institute of Organic Agriculture FiBL.
- Barrea, L., Pugliese, G., Frias-Toral, E., El Ghoch, M., Castellucci, B., Chapela, S. P., Carignano, M. D. L. A., Laudisio, D., Savastano, S., Colao, A., & Muscogiuri, G. (2023). Coffee consumption, health benefits and side effects: A narrative review and update for dietitians and nutritionists. *Critical Reviews in Food Science and Nutrition*, 63(9), 1238–1261. <https://doi.org/10.1080/10408398.2021.1963207>
- Baskaran, K., & Radhakrishnan, M. (2024). High-pressure processing-assisted in-situ extraction of caffeine, chlorogenic acid, phenolic content, and antioxidant properties of green coffee bean. *Journal of Food Process Engineering*, 47(2), e14551. <https://doi.org/10.1111/jfpe.14551>
- Belay, A., & Gholap, A. V. (2009). Characterization and determination of chlorogenic acids (CGA) in coffee beans by UV-Vis spectroscopy. *African Journal of Pure and Applied Chemistry*, 3(11), 234–240.
- Bender, I., Edesi, L., Hiiesalu, I., Ingver, A., Kaart, T., Kaldmäe, H., Talve, T., Tamm, I., & Luik, A. (2020). Organic Carrot (*Daucus carota* L.) Production Has an Advantage over Conventional in Quantity as Well as in Quality. *Agronomy*, 10(9), 1420. <https://doi.org/10.3390/agronomy10091420>

- Chandra, S., Khan, S., Avula, B., Lata, H., Yang, M. H., ElSohly, M. A., & Khan, I. A. (2014). Assessment of Total Phenolic and Flavonoid Content, Antioxidant Properties, and Yield of Aeroponically and Conventionally Grown Leafy Vegetables and Fruit Crops: A Comparative Study. *Evidence-Based Complementary and Alternative Medicine*, 2014(1), 253875. <https://doi.org/10.1155/2014/253875>
- Chiorcea-Paquim, A.-M. (2023). Electrochemistry of Flavonoids: A Comprehensive Review. *International Journal of Molecular Sciences*, 24(21), 15667. <https://doi.org/10.3390/ijms242115667>
- Chowdhury, A., Kumar, A. Y. N., Kumar, R., Maurya, V. K., Mahesh, M. S., Singh, A. K., Yadav, P. K., & Ghosh, M. (2025). Author Correction: Optimization of microwave parameters to enhance phytochemicals, antioxidants and metabolite profile of de-oiled rice bran. *Scientific Reports*, 15(1), 10310. <https://doi.org/10.1038/s41598-025-91310-7>
- Chu, B., Yu, K., Zhao, Y., & He, Y. (2018). Development of Noninvasive Classification Methods for Different Roasting Degrees of Coffee Beans Using Hyperspectral Imaging. *Sensors*, 18(4), 1259. <https://doi.org/10.3390/s18041259>
- Chung, H.-S., Kim, D.-H., Youn, K.-S., Lee, J.-B., & Moon, K.-D. (2013). Optimization of roasting conditions according to antioxidant activity and sensory quality of coffee brews. *Food Science and Biotechnology*, 22(1), 23–29. <https://doi.org/10.1007/s10068-013-0004-1>
- Cortés-Macías, E. T., López, C. F., Gentile, P., Girón-Hernández, J., & López, A. F. (2022). Impact of post-harvest treatments on physicochemical and sensory characteristics of coffee beans in Huila, Colombia. *Postharvest Biology and Technology*, 187, 111852. <https://doi.org/10.1016/j.postharvbio.2022.111852>
- Dippong, T., Dan, M., Kovacs, M. H., Kovacs, E. D., Levei, E. A., & Cadar, O. (2022a). Analysis of Volatile Compounds, Composition, and Thermal Behavior of Coffee Beans According to Variety and Roasting Intensity. *Foods*, 11(19), 3146. <https://doi.org/10.3390/foods11193146>
- Dos Santos, A. M., Marques, L. C., Gonçalves, C. P., & Marcucci, M. C. (2019). Botanical Aspects, Caffeine Content and Antioxidant Activity of Coffea arabica. *American Journal of Plant Sciences*, 10(06), 1013–1021. <https://doi.org/10.4236/ajps.2019.106073>
- Endeshaw, H., & Belay, A. (2020). Optimization of the roasting conditions to lower acrylamide content and improve the nutrient composition and antioxidant properties of Coffea arabica. *PLOS ONE*, 15(8), e0237265. <https://doi.org/10.1371/journal.pone.0237265>
- Eyhorn, F., Heeb, M., & Weidmann, G. (2020). *IFOAM Training Manual for Organic Agriculture in the Tropics*. International Federation of Organic Agriculture Movements.
- Farah, A. (2012). Coffee Constituents. In Y. Chu (Ed.), *Coffee* (1st ed., pp. 21–58). Wiley. <https://doi.org/10.1002/9781119949893.ch2>
- Feng, X., Zhu, H., Wang, Y., Yu, Y., Dai, H., Ma, L., & Zhang, Y. (2025). Clean and sustainable extraction of gelatin: Effects of microwave and freeze-thaw on

- the crosslinking degree and hydrogen bond of fish skin collagen. *Food Chemistry*, 470, 142682. <https://doi.org/10.1016/j.foodchem.2024.142682>
- Foti, M. C. (2015). Use and Abuse of the DPPH^{*} Radical. *Journal of Agricultural and Food Chemistry*, 63(40), 8765–8776. <https://doi.org/10.1021/acs.jafc.5b03839>
- Gamboa-Gómez, C. I., Morales-Castro, J., Barragan-Zuñiga, J., Herrera, M. D., Zamilpa-Álvarez, A., González, J. L., Martínez-Aguilar, G., Morales-Castro, E. P., Anese, M., & Alongi, M. (2024). Influence of coffee roasting degree on antioxidant and metabolic parameters: Comprehensive in vitro and in vivo analysis. *Current Research in Food Science*, 9, 100861. <https://doi.org/10.1016/j.crfs.2024.100861>
- Gligor, O., Clichici, S., Moldovan, R., Muntean, D., Vlase, A.-M., Nadăș, G. C., Matei, I. A., Filip, G. A., Vlase, L., & Crișan, G. (2023). The Effect of Extraction Methods on Phytochemicals and Biological Activities of Green Coffee Beans Extracts. *Plants*, 12(4), 712. <https://doi.org/10.3390/plants12040712>
- Gloess, A. N., Vietri, A., Wieland, F., Smrke, S., Schönbächler, B., López, J. A. S., Petrozzi, S., Bongers, S., Kozirowski, T., & Yeretizian, C. (2014). Evidence of different flavour formation dynamics by roasting coffee from different origins: On-line analysis with PTR-ToF-MS. *International Journal of Mass Spectrometry*, 365–366, 324–337. <https://doi.org/10.1016/j.ijms.2014.02.010>
- Gonthier, D. J., Witter, J. D., Spongberg, A. L., & Philpott, S. M. (2011). Effect of nitrogen fertilization on caffeine production in coffee (*Coffea arabica*). *Chemoecology*, 21(3), 123–130. <https://doi.org/10.1007/s00049-011-0073-7>
- Górecki, M., & Hallmann, E. (2020). The Antioxidant Content of Coffee and Its In Vitro Activity as an Effect of Its Production Method and Roasting and Brewing Time. *Antioxidants*, 9(4), 308. <https://doi.org/10.3390/antiox9040308>
- Halim-Lim, S. A., Wan-Mohtar, W. A. A. Q. I., Surapinchai, S., & Azizan, N. A. Z. (2022). Optimum condition of roasting process of Liberica coffee towards the local and international preference. *Food Research*, 6(3), 115–123. [https://doi.org/10.26656/fr.2017.6\(3\).340](https://doi.org/10.26656/fr.2017.6(3).340)
- Hassanpour, S. H., & Doroudi, A. (2023). Review of the antioxidant potential of flavonoids as a subgroup of polyphenols and partial substitute for synthetic antioxidants. *Avicenna Journal of Phytomedicine*, 13(4). <https://doi.org/10.22038/ajp.2023.21774>
- He, W., Chen, X., Sun, J., Chen, H., & Sun, B. (2025). Unveiling key aroma compounds formation during the roasting process of Yunnan Arabica coffee using molecular sensory science approaches. *Food Chemistry*, 494, 145853. <https://doi.org/10.1016/j.foodchem.2025.145853>
- Heimler, D., Romani, A., & Ieri, F. (2017). Plant polyphenol content, soil fertilization and agricultural management: A review. *European Food Research and Technology*, 243(7), 1107–1115. <https://doi.org/10.1007/s00217-016-2826-6>

- Herawati, D., Giriwono, P. E., Dewi, F. N. A., Kashiwagi, T., & Andarwulan, N. (2019). Critical roasting level determines bioactive content and antioxidant activity of Robusta coffee beans. *Food Science and Biotechnology*, 28(1), 7–14. <https://doi.org/10.1007/s10068-018-0442-x>
- Hernández, L. W., Seid Ahmed, Y., Curra, D. A., & Pérez, R. (2025). Multi-Response Optimization of Milling Parameters of AISI D2 Steel Using Response Surface Methodology and Desirability Function. *Journal of Manufacturing and Materials Processing*, 9(9), 314. <https://doi.org/10.3390/jmmp9090314>
- Indriati, A., Hidayat, D. D., Andriansyah, C. E., Rahayuningtyas, A., & Sudaryanto, A. (2020). Changes Of Some Engineering Properties Of Coffee Beans Due To Roasting Process. *Asian Journal of Applied Sciences*, 8(1). <https://doi.org/10.24203/ajas.v8i1.6055>
- Jung, S., Gu, S., Lee, S.-H., & Jeong, Y. (2021). Effect of Roasting Degree on the Antioxidant Properties of Espresso and Drip Coffee Extracted from *Coffea arabica* cv. Java. *Applied Sciences*, 11(15), 7025. <https://doi.org/10.3390/app11157025>
- Kalinowska, M., Gryko, K., Gołębiewska, E., Świdorski, G., Lewandowska, H., Pruszyński, M., Zawadzka, M., Kozłowski, M., Sienkiewicz-Gromiuk, J., & Lewandowski, W. (2022). Fe(III) and Cu(II) Complexes of Chlorogenic Acid: Spectroscopic, Thermal, Anti-/Pro-Oxidant, and Cytotoxic Studies. *Materials*, 15(19), 6832. <https://doi.org/10.3390/ma15196832>
- Kamiyama, M., Moon, J.-K., Jang, H. W., & Shibamoto, T. (2015). Role of Degradation Products of Chlorogenic Acid in the Antioxidant Activity of Roasted Coffee. *Journal of Agricultural and Food Chemistry*, 63(7), 1996–2005. <https://doi.org/10.1021/jf5060563>
- Kementerian Pertanian. (2023). *Buku Outlook Kopi 2023*. Kementerian Pertanian.
- Krishnaian, K., & Shahabudeen, P. (2012). *Applied design of experiments and taguchi methods*. PHI Learning Private Limited.
- Król, K., Gantner, M., Tatarak, A., & Hallmann, E. (2020). The content of polyphenols in coffee beans as roasting, origin and storage effect. *European Food Research and Technology*, 246(1), 33–39. <https://doi.org/10.1007/s00217-019-03388-9>
- Laukalēja, I., Krūma, Z., & Cinkmanis, I. (2022). Impact of The Roast Level on Chemical Composition of Coffee from Colombia. *Proceedings of the Latvian Academy of Sciences. Section B. Natural, Exact, and Applied Sciences.*, 76(1), 145–151. <https://doi.org/10.2478/prolas-2022-0022>
- Majeed, F., Husnain, S. N., Raza, A., Sultan, M., Munir, A., Hensel, O., & Nasirahmadi, A. (2022). Energy and exergy analysis of a solar coffee roaster using concentrating scheffler-reflector. *Thermal Science and Engineering Progress*, 34, 101407. <https://doi.org/10.1016/j.tsep.2022.101407>
- Malaquias, J. V., Celestino, S. M. C., & Xavier, M. F. F. (2018). Optimization of the roasting conditions of arabica coffee cultivated in the cerrado area of Brazil. *Brazilian Journal of Food Technology*, 21(0). <https://doi.org/10.1590/1981-6723.16216>

- Malik, F., Nadeem, M., Ainee, A., Kanwal, R., Sultan, M., Iqbal, A., Mahmoud, S. F., Alshehry, G. A., Al-Jumayi, H. A., & Algarni, E. H. A. (2022). Quality Evaluation of Lemon Cordial Stored at Different Times with Microwave Heating (Pasteurization). *Sustainability*, 14(4), 1953. <https://doi.org/10.3390/su14041953>
- Mazhar, S. H., Waseem, M., Ahmad, Z., Javed, M. R., Manzoor, M. F., Khan, M. A., Mugabi, R., Alsulami, T., & Nayik, G. A. (2024). Influence of microwave processing on nutritional, anti-nutritional, antioxidant and sensory characteristics of kachnar powder and supplemented flatbreads. *Food Chemistry: X*, 24, 101888. <https://doi.org/10.1016/j.fochx.2024.101888>
- Montgomery, D. C. (2013). *Design and analysis of experiments* (Eighth edition). John Wiley & Sons, Inc.
- Münchow, M., Alstrup, J., Steen, I., & Giacalone, D. (2020). Roasting Conditions and Coffee Flavor: A Multi-Study Empirical Investigation. *Beverages*, 6(2), 29. <https://doi.org/10.3390/beverages6020029>
- Murai, T., & Matsuda, S. (2023). The Chemopreventive Effects of Chlorogenic Acids, Phenolic Compounds in Coffee, against Inflammation, Cancer, and Neurological Diseases. *Molecules*, 28(5), 2381. <https://doi.org/10.3390/molecules28052381>
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response Surface Methodology*. John Wiley & Sons, Inc.
- Neves, T. T. D., Brandão, R. M., Barbosa, R. B., Cardoso, M. D. G., Batista, L. R., & Silva, C. F. (2021). Simulation of coffee beans contamination by *Aspergillus* species under different environmental conditions and the biocontrol effect by *Saccharomyces cerevisiae*. *LWT*, 148, 111610. <https://doi.org/10.1016/j.lwt.2021.111610>
- Ozuna, C., Mulík, S., Valdez-Rodríguez, B., Abraham-Juárez, Ma. D. R., & Fernández-López, C. L. (2020). The effect of organic farming on total phenols, total flavonoids, brown compounds and antioxidant activity of spent coffee grounds from Mexico. *Biological Agriculture & Horticulture*, 36(2), 107–118. <https://doi.org/10.1080/01448765.2019.1704876>
- Pereira, L. L., Debona, D. G., Pinheiro, P. F., De Oliveira, G. F., Ten Caten, C. S., Moksunova, V., Kopanina, A. V., Vlasova, I. I., Talskikh, A. I., & Yamamoto, H. (2021). Roasting Process. In L. Louzada Pereira & T. Rizzo Moreira (Eds.), *Quality Determinants In Coffee Production* (pp. 303–372). Springer International Publishing. https://doi.org/10.1007/978-3-030-54437-9_7
- Ponder, A., Krakówko, K., Kruk, M., Kuliński, S., Magoń, R., Ziółkowski, D., Jariene, E., & Hallmann, E. (2025). Organic and Conventional Coffee Beans, Infusions, and Grounds as a Rich Sources of Phenolic Compounds in Coffees from Different Origins. *Molecules*, 30(6), 1290. <https://doi.org/10.3390/molecules30061290>
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized Methods for the Determination of Antioxidant Capacity and Phenolics in Foods and Dietary

- Supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302. <https://doi.org/10.1021/jf0502698>
- Puth, M.-T., Neuhäuser, M., & Ruxton, G. D. (2014). Effective use of Pearson's product–moment correlation coefficient. *Animal Behaviour*, 93, 183–189. <https://doi.org/10.1016/j.anbehav.2014.05.003>
- Putro, A. W., Rinnan, Å., & Frøst, M. B. (2026). Indonesians would like their coffee produced organically! – Preferences for iced coffee analysed with a discrete choice experiment. *Food Quality and Preference*, 135, 105726. <https://doi.org/10.1016/j.foodqual.2025.105726>
- Ranilla, L. G., Kwon, Y.-I., Apostolidis, E., & Shetty, K. (2010). Phenolic compounds, antioxidant activity and in vitro inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America. *Bioresource Technology*, 101(12), 4676–4689. <https://doi.org/10.1016/j.biortech.2010.01.093>
- Rao. (2014). The Coffee Roaster's Companion. *Scott Rao*.
- Rempelos, L., Baranski, M., Wang, J., Adams, T. N., Adebisuyi, K., Beckman, J. J., Brockbank, C. J., Douglas, B. S., Feng, T., Greenway, J. D., Gür, M., Iyaremye, E., Kong, C. L., Korkut, R., Kumar, S. S., Kwedibana, J., Masselos, J., Mutalemwa, B. N., Nkambule, B. S., ... Leifert, C. (2021). Integrated Soil and Crop Management in Organic Agriculture: A Logical Framework to Ensure Food Quality and Human Health? *Agronomy*, 11(12), 2494. <https://doi.org/10.3390/agronomy11122494>
- Rheem, S., & Oh, S. (2019). Improving the Quality of Response Surface Analysis of an Experiment for Coffee-Supplemented Milk Beverage: I. Data Screening at the Center Point and Maximum Possible R-Square. *Food Science of Animal Resources*, 39(1), 114–120. <https://doi.org/10.5851/kosfa.2019.e9>
- Ripper, B., Kaiser, C. R., & Perrone, D. (2020). Use of NMR techniques to investigate the changes on the chemical composition of coffee melanoidins. *Journal of Food Composition and Analysis*, 87, 103399. <https://doi.org/10.1016/j.jfca.2019.103399>
- Salamatullah, A. M., Alkaltham, M. S., & Hayat, K. (2022). Effect of microwave roasting on the chemical constituents and antioxidant potentials of coffee beans. *International Food Research Journal*, 29(3), 552–560. <https://doi.org/10.47836/ifrj.29.3.08>
- Savić, I. M., Savić Gajić, I. M., & Gajić, D. G. (2024). Optimization of the Microwave-Assisted Extraction of Caffeine from Roasted Coffee Beans. *Foods*, 13(15), 2333. <https://doi.org/10.3390/foods13152333>
- Schrama, M., De Haan, J. J., Kroonen, M., Verstegen, H., & Van Der Putten, W. H. (2018). Crop yield gap and stability in organic and conventional farming systems. *Agriculture, Ecosystems & Environment*, 256, 123–130. <https://doi.org/10.1016/j.agee.2017.12.023>
- Siddeeg, A., AlKehayez, N. M., Abu-Hiamed, H. A., Al-Sanea, E. A., & AL-Farga, A. M. (2021). Mode of action and determination of antioxidant activity in

- the dietary sources: An overview. *Saudi Journal of Biological Sciences*, 28(3), 1633–1644. <https://doi.org/10.1016/j.sjbs.2020.11.064>
- Sirappa, M. P., & Heryanto, R. (2024). *Standardisasi Pengolahan Biji Kopi Berkualitas*. 2(1).
- Stratil, P., Klejdus, B., & Kubáň, V. (2006). Determination of Total Content of Phenolic Compounds and Their Antioxidant Activity in Vegetables Evaluation of Spectrophotometric Methods. *Journal of Agricultural and Food Chemistry*, 54(3), 607–616. <https://doi.org/10.1021/jf052334j>
- Sun, S., Yu, Y., Jo, Y., Han, J. H., Xue, Y., Cho, M., Bae, S.-J., Ryu, D., Park, W., Ha, K.-T., & Zhuang, S. (2025). Impact of extraction techniques on phytochemical composition and bioactivity of natural product mixtures. *Frontiers in Pharmacology*, 16, 1615338. <https://doi.org/10.3389/fphar.2025.1615338>
- Tarasov, A., Bochkova, A., Muzyukin, I., Chugunova, O., & Stozhko, N. (2022). The Effect of Pre-Treatment of Arabica Coffee Beans with Cold Atmospheric Plasma, Microwave Radiation, Slow and Fast Freezing on Antioxidant Activity of Aqueous Coffee Extract. *Applied Sciences*, 12(12), 5780. <https://doi.org/10.3390/app12125780>
- Vidal-Casanella. (2022). Total Polyphenol Content in Food Samples and Nutraceuticals: Antioxidant Indices versus High Performance Liquid Chromatography. *Antioxidants*. <https://doi.org/10.3390/antiox11020324>
- Wei, F., & Tanokura, M. (2025). Changes in coffee beans during roasting. In *Coffee in Health and Disease Prevention* (pp. 125–137). Elsevier. <https://doi.org/10.1016/B978-0-443-13868-3.00072-7>
- Wu, H., Gu, J., Bk, A., Nawaz, M. A., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. (2022). Effect of processing on bioaccessibility and bioavailability of bioactive compounds in coffee beans. *Food Bioscience*, 46, 101373. <https://doi.org/10.1016/j.fbio.2021.101373>
- Xu, D., Deng, Y., Han, T., Jiang, L., Xi, P., Wang, Q., Jiang, Z., & Gao, L. (2018). In vitro and in vivo effectiveness of phenolic compounds for the control of postharvest gray mold of table grapes. *Postharvest Biology and Technology*, 139, 106–114. <https://doi.org/10.1016/j.postharvbio.2017.08.019>
- Yang, N., Liu, C., Liu, X., Degn, T. K., Munchow, M., & Fisk, I. (2016). Determination of volatile marker compounds of common coffee roast defects. *Food Chemistry*, 211, 206–214. <https://doi.org/10.1016/j.foodchem.2016.04.124>
- Yen, G.-C., & Chen, H.-Y. (1995). Antioxidant Activity of Various Tea Extracts in Relation to Their Antimutagenicity. *Journal of Agricultural and Food Chemistry*, 43(1), 27–32. <https://doi.org/10.1021/jf00049a007>