Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abel, S., A. Peters, S. Trinks, H. Schonsky, M. Facklam, and G. Wessolek. 2013. Impact of biochar and hydrochar addition on water retention and water repellency of sandy soil. Geoderm*a*, *202*: 183-191.

Acharya, B. S., S. Dodla, J. J. Wang, K. Pavuluri, M. Darapuneni, S. Dattamudi, B. Maharjan, and G. Kharel. 2024. Biochar impacts on soil water dynamics: knowns, unknowns, and research directions. Biochar, 6(1): 1-21.

Agviolita, P., Y. Yushardi, dan F. K. A. Anggraeni. 2021. Pengaruh perbedaan biochar terhadap kemampuan menjaga retensi pada tanah. *Jurnal Fisika Unand*, *10*(2), 267-273.

Alkharabsheh, H., M. Seleiman, M. Battaglia, A. Shami, R. Jalal, B. Alhammad, K. Almutairi, and A. Al-Saif. 2021. Biochar and Its Broad Impacts in Soil Quality and Fertility, Nutrient Leaching and Crop Productivity: A Review. *Agronomy*, 11 (993): 1-29.

Amalia, D., dan R. Fajri. 2020. Analisis kadar nitrogen dalam pupuk urea prill dan granule menggunakan metode kjeldahl di PT Pupuk Iskandar Muda. Quimica: Jurnal Kimia Sains dan Terapan, *2*(1): 28-32.

Amalina, A.D., P.D. Yuliyanti, E.R. Putra, R.I. Ni'mah, dan L. Azizah. 2024. Peran biochar dalam meningkatkan kesuburan tanah dan retensi air. Hibrida: Jurnal Pertanian, Peternakan, Perikanan, *2*(2): 81-90.

Amanah, M. A. S., and A. D. Susila. 2025. Fertilizer efficiency of ammonium (NH4+) and nitrate (NO3-) by fertigation in shallot production. Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy*)*, *53*(1), 23-34.

Amir, B. A. S. O., D. Indradewa, dan E.T.S. Putra. 2015. Relationship of nodule and nitrate reductase activity with N uptake in some cultivars of soybean (Glycine max). In Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia, 1(5): 1132-1135.

Astiko, W., A. Taqwim, dan B. B. Santoso. 2018. Pengaruh panjang dan diameter stek batang terhadap pertumbuhan bibit kelor (*Moringa oleifera* Lam.). Jurnal Sains teknologi & Lingkungan, 4(2):120-131.

Baligar, V. C., and N.K. Fageria. 2017. Influence of nitrogen forms and levels on the growth and nutrition of cacao. Journal *of* Plant Nutrition, *40*(5): 709- 718.

Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Badan Kebijakan Perdagangan. 2025. *Newsletter ekspor impor*. Kementrian Perdagangan Republik Indonesia. https://bkperdag.kemendag.go.id/storage/publikasi/qwJVOO0toHJhepf3wudQRvBkL25x3kbOOwSH8pJt.pdf

Blanco-Canqui, H. 2017. Biochar and soil physical properties. Soil Science Society of America Journal, 81(4): 687-711.

Brassard, P., Godbout, S., Lévesque, V., Palacios, J.H., Raghavan, V., Ahmed, A., Hogue, R., Jeanne, T. and Verma, M. 2019. Biochar for soil amendment. Char and Carbon Materials Derived from Biomass, 109-146.

Borden, K. A., S. C. Thomas, and M. E. Isaac. 2020. Variation in fine root traits reveals nutrient-specific acquisition strategies in agroforestry systems. Plant and Soil, 453(1): 139-151.

Chen, Z. S., T. Liu, J. F. Dong, G. Chen, Z. Li, J. L.Zhou, and Z. Chen. 2022. Sustainable application for agriculture using biochar-based slow-release fertilizers: a review. ACS Sustainable Chemistry & Engineering, 11(1): 1-12.

Cheng, C. H., J. Lehmann, J. E. Thies, S. D. Burton, and M. H. Engelhard. 2006. Oxidation of black carbon by biotic and abiotic processes. Organic geochemistry, 37(11): 1477-1488.

Clough, T.J., L.M. Condron, C. Kammann, and C. Miller. 2013. A review of biochar and soil nitrogen dynamics. Agronomy, 3: 275-293.

Sala, P. D., C. Cilas, T. E. Gimeno, S. Wohl, S. Y. Opoku, A. Găinuşă-Bogdan, and F. Ribeyre. 2021. Assessment of atmospheric and soil water stress impact on a tropical crop: the case of Theobroma cacao under Harmattan conditions in eastern Ghana. Agricultural and Forest Meteorology, 311: 1-17.

Dharmadewi, A. I. M. 2020. Analisis kandungan klorofil pada beberapa jenis sayuran hijau sebagai alternatif bahan dasar food suplement. Emasains: Jurnal Edukasi Matematika dan Sains, 9(2): 171-176.

Ding, Y., Y. Liu, S. Liu, Z. Li, X. Tan, X. Huang, G. Zeng, L. Zhou, B. Zheng. 2016. Biochar to improve soil fertility. A review. Agronomy for sustainable development, 36, 1-18.

Direktorat Jenderal Perkebunan. 2009. Statistik Perkebunan Indonesia 2018- 2020: Kakao. Jakarta: Sekretariat Direktorat Jenderal Perkebunan, Direktorat Jenderal

UNIVERSITAS GADJAH MADA
Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Perkebunan, Kementerian Pertanian.

Direktorat Statistik Tanaman Pangan, Hortikultura, dan Perkebunan. 2024.Statistik Kakao Indonesia 2023. Jakarta : Badan Pusat Statistik.

Erdal, I., P. K. Alaboz. Ş. Ekinci, C. Türkan, Yaylacı, and A. Şener. 2024. Effect of biochar on some soil properties after 4-year application and its effect on growth, yield and nutrient uptake of wheat grown on an alkaline soil. Rendiconti Lincei. Scienze Fisiche e Naturali, 35: 223 – 235.

Farhanandi, B. W., dan N.K. Indah. 2022. Karakteristik morfologi dan anatomi tanaman kakao (*Theobroma cacao* L.) yang tumbuh pada ketinggian berbeda. LenteraBio: Berkala Ilmiah Biologi, *11*(2): 310-325.

Fikri, M. S., D. Indradewa, and E. T. S. Putra. 2015. Pengaruh pemberian kompos limbah media tanam jamur pada pertumbuhan dan hasil kangkung darat (*Ipomoea reptans* Poir.). Vegetalika, *4*(2): 79-89.

Gardini, E. A., A. Farfan, F. Barraza, C. O. Arévalo-Hernández, L. B. Zuñiga-Cernades, J. Alegre, and V. C. Baligar. 2021. Growth, physiological, nutrient uptake efficiency and shade tolerance responses of cacao genotypes under different shades. Agronomy, 11: 1-22.

Gąsior, D., and W. J. Tic. 2017. Application of the biochar-based technologies as the way of realization of the sustainable development strategy. Economic and Environmental Studies, 17(43): 597-611.

Gence, C., and H. Erdem. 2025. Determination of NH4+ and NO3- adsorption and desorption capacities of biochars produced at different temperatures. Turkish Journal of Agriculture - Food Science and Technology, 13(4): 985-990.

Guo, M., Y. Shen, and Z. He. 2012. Poultry litter-based biochar: preparation, characterization, and utilization. Applied Research of Animal Manure,8: 169-202.

Hall, C. J. J. V. 1914. Cocoa. Macmillan & Co: London.

Hariz, A. M., W. A. K. G. W. Azlina, M. M. Fazly, Z. Z. Norziana, M. M. Ridzuan, S. Tosiah, and A. N. Ain. 2015. Local practices for production of rice husk biochar and coconut shell biochar: Production methods, product characteristics, nutrient and field water holding capacity. Journal of Tropical Agriculture and Food Science, *43*(1): 91-101.

UNIVERSITAS
GADJAH MADA
**Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar**
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Havlin, J. L., S.L. Tisdale, W.L. Nelson, and J.D. Beaton. 2017. Soil fertility and fertilizers: an introduction to nutrient management. Eight edition. Pearson India Education Services : India.

Hernita, D., R. Poerwanto, A.D. Susila, dan S. Anwar. 2012. Penentuan status hara nitrogen pada bibit duku. Jurnal Hortikultura, 22(1): 29-36.

Hesse, H., O. Kreft, S. Maimann, M. Zeh, and R. Hoefgen. 2004. Current understanading of the regulation of methionine biosynthesis in plants. Journal of Experimental Botany, 55(404): 1799-1808.

Hidayat, B., N. U. W. Sebayang, and A. Utami. 2022. Utilization of biomass in the form biochar and compost on soil properties. Jurnal Online Pertanian Tropik, 9(3): 182-191.

Indriani, K. R., R. A. Hadi, and F. A. Sari. 2024. Pengaruh dosis nitrogen terhadap pertumbuhan dan hasil tanaman pakcoy (*Brassica Rapa* L.) Varietas Nauli F1. Jurnal Greenation Pertanian dan Perkebunan, 2(2): 42-50.

Iswahyudi, I. Saputra, dan Irwandi. 2018. Pengaruh pemberian pupuk npk dan biochar terhadap pertumbuhan dan hasil padi sawah (*Oryza sativa* L.). Jurnal Penelitian Agrosamudra, *5*(1), 14-23.

Jagtap, U. B., and V.A. Bapat. 2015. Wines from fruits other than grapes: Current status and future prospectus. Food Bioscience, *9*: 80-96.

Jez, J. M. 2019. Structural biology of plant sulfur metabolism: from sulfate to glutathione. Journal of Experimental Botany, 70(16):4089-4013.

Jien, S.H., and C.S. Wang. 2013. Effects of biochar on soil properties and erosion potential in a highly weathered soil. Catena, 110: 225-233.

Keeping, M. G., R. S. Rutherford, C. Sewpersad, and N. Miles. 2015. Provision of nitrogen as ammonium rather than nitrate increases silicon uptake in sugarcane. AoB Plants, 7: 1-13.

Khoidir, S. I. 2023. Karakteristik fisik, kimia dan sensoris biji kakao criollo, forastero dan trinitario. Journal of Comprehensive Science (JCS), 2(3): 764-770.

Kohira, Y., D. Fentie, M. Lewoyehu, T. Wutisirirattanachai, A. Gezahegn, M. Ahmed, S. Akizuki, S. Addisu, and S. Sato. 2025. The sustainable management of nitrogen fertilizers for environmental impact mitigation by biochar applications to soils: A Review from the Past Decade. *Environments*, 2(182): 1-23.

Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kurniawan, A., B. Haryono, M. Baskara, dan S. Y. Tyasmoro. 2016. Pengaruh penggunaan biochar pada media tanam terhadap pertumbuhan bibit tanaman tebu (*Saccharum officinarum L.)*(Disertasi). Fakultas Pertanian, Universitas Brawijaya.

Kusumawati, K., S. Muhartini, dan R. Rogomulyo, R. 2015. Pengaruh konsentrasi dan frekuensi pemberian limbah tahu terhadap pertumbuhan dan hasil bayam (Amaranthus tricolor L.) pada media pasir pantai. Vegetalika, *4*(2): 48-62.

Lahive, F., P. Hadley, and A. J. Daymond. 2019. The physiological responses of cocoa to the environment and the implication for the climate change resilience. A review. Agronomy for Sustainable Development 39(5):1-22.

Laurenze, R., A. Ala, and I.R. Saleh. 2023. Application of coconut shell biochar and rhizobacteria consortium to increase cocoa production (*Theobroma cacao* L.). Pelita Perebunan (a Coffee and Cocoa Research Journal), 39(2): 119-128.

Lehmann, J., and S. Joseph. 2015. Biochar for Environmental Management: Science And Technology. Routledge: New York.

Lehmann, J., M. C. Rillig, J. Thies, C. A. Masiello, W. C. Hockaday, and D. Crowley. 2011. Biochar effects on soil biota–a review. Soil biology and biochemistry, *43*(9): 1812-1836.

Lewis, V. R., A. D. Farrell, P. Umaharan, and A. M. Lennon. 2021. Genetic variation in high light responses of *Theobroma cacao* L. Accessions. Heliyon, 7: 1-11.

Liferdi, L. 2010. Efek pemberian fosfor terhadap pertumbuhan dan status hara pada bibit manggis. Jurnal Hortikultura, *20*(1): 18-26.

Liu, P., X. Li, S. Hu, W. He, Y. Zhou, and Y. Wang. 2024. Effects of nitrogen forms on root morphology and nitrogen accumulation in *Pinus tabuliformis* carr. seedlings under exponential fertilization. Forests, 15(2): 1-14.

Liu, S., S. Cui, F. Ying, J. Nasar, Y. Wang, and Q. Gao. 2021. Simultaneous improvement of protein concentration and amino acid balance in maize grains by coordination application of nitrogen and sulfur. Journal of Cereal Science, 99, 1-7.

LOC, N. X., and D. T. M. Phuong. 2025. Optimizing biochar production: a review of recent progress in lignocellulosic biomass pyrolysis. Frontiers of Agricultural Science & Engineering, *12*(1): 148-172.

Long, J., T. Tan, Y. Zhu, X. An, X. Zhang, and D. Wang. 2024. Response of blueberry photosynthetic physiology to light intensity during different stages of fruit

UNIVERSITAS
GADJAH MADA
**Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar**
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

development. PloS one, 19(9): 1-14.

Lutfiah, I., S. Sulistyawati, dan S. H. Pratiwi. 2021. Pengaruh dosis nitrogen terhadap pertumbuhan dan hasil tanaman terung ungu (*Solanum melongena* L. var. Hibrida F1 Antaboga). Jurnal Agroteknologi Merdeka Pasuruan, *5*(1): 1-6.

Mangansige, C. T., N. S. Ai, and P. Siahaan, P. 2018. Panjang dan volume akar tanaman padi lokal Sulawesi Utara saat kekeringan yang diinduksi dengan polietilen glikol 8000. Jurnal MIPA, *7*(2): 12-15.

Mardiyan, K., B. Nasrul, dan N. Nelvia. 2024. Pengaruh Biochar cangkang kelapa sawit dan pupuk npk terhadap pertumbuhan dan hasil tanaman jagung manis (*Zea mays* saccharata Sturt.). Innovative: Journal Of Social Science Research, *4*(3): 16840-16854.

Mariska, R., U. S. Indrawati, dan R. Riduansyah. 2025. Pengaruh kombinasi biochar sekam padi dan kompos pukan sapi terhadap ketersediaan npk dan pertumbuhan tanaman tomat (*Lycopersicum esculentum* L.) di tanah ultisol. Jurnal Sains Pertanian Equator, *15*(1): 110- 121.

Marschner, H., M. Haussling, and E. George. 1991. Ammonium and nitrate uptake rates and rhizosphere pH in non-mycorrizal roots of Norway spruce (*Picea abies* L. Karst). Trees, 5: 14-21.

Mašková, T., and T. Herben. 2018. Root:shoot ratio in developing seedlings: How seedlings change their allocation in response to seed mass and ambient nutrient supply. Ecology and Evolution, 8: 7143 – 7150.

Mastur, M., S. Syafaruddin, dan M. Syakir. 2015. Peran dan pengelolaan hara nitrogen pada tanaman tebu untuk peningkatan produktivitas tebu. Perspektif: Review Penelitian Tanaman Industri, 14(2): 73-86.

Mateus-Rodríguez, J. F., F. Lahive, P. Hadley, and A. J. Daymond. 2023. Effects of simulated climate change conditions of increased temperature and [CO2] on the early growth and physiology of the tropical tree crop, *Theobroma cacao* L. Tree Physiology, 43:2050-2063.

Meier, M., Y. Liu, K. Lay-Pruitt, H. Takahashi, and N. Von Wirén. 2020. Auxin-mediated root branching is determined by the form of available nitrogen. Nature Plants, 6: 1136 - 1145.

Mulyani, N. S., M. E. Suryadi, S. Dwiningsih, dan Haryanto. 2001. Dinamika hara

Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

nitrogen pada tanah sawah. Jurnal Tanah dan Iklim, 19:14-25.

Nugroho, S. A., R. Taufika, and I. L. Novenda. 2021. Analisis kandungan klorofil *Colocasia esculenta, Theobroma cacao, Carica papaya, Dieffenbachia* sp, dan *Codiaeum variegatum*. Bioma: Jurnal Biologi dan Pembelajaran Biologi, *6*(2): 131-143.

Nurahmi, E., Y. Yunus, dan Yennita. 2013. Pengaruh umur kecambah dan dosis pupuk urea terhadap pertumbuhan bibit kakao. Jurnal Floratek, 8: 10-17.

Padjung, R., S. Saad, A. Bahrun, and I. Ridwan. 2019. Growth and development of *Theobroma cacao* s-eedlings as a response to different dosages of vermicompost and arbuscular mycorrhizal fungi. IOP Conference Series: Earth and Environmental Science, 343:1-5.

Panataria, L. R., dan P. Sihombing. 2020. Pengaruh pemberian biochar dan poc terhadap pertumbuhan dan produksi tanaman pakcoy (*Brassica Rap*a L.) pada tanah ultisol. Jurnal Rhizobia, 2(1): 1-13.

Pranata, M., dan B. Kurniasih. 2019. Pengaruh pemberian pupuk kompos jerami padi terhadap pertumbuhan dan hasil padi (Oryza sativa L.) pada kondisi salin. Vegetalika, *8*(2): 95-107.

Prastowo, E., I. Dwiyanto, M. Arifin, and S.B. Santoso. 2021. Nitrogen uptake of cocoa seedlings as a response to cocoa pod husk derived liquid organic fertilizer application in combination with urea. Pelita Perkebunan, 37(1): 22-31.

Proklamasiningsih, E., I. D. Prijambada, D. I. A. H. Rachmawati, dan R. P. Sancayaningsih. 2012. Laju fotosintesis dan kandungan klorofil kedelai pada media tanam masam dengan pemberian garam aluminium. Agrotrop, *2*(1): 17-24.

Puslitkoka. 2015. Kakao: Sejarah, Botani, Proses Produksi, Pengolahan, dan Perdagangan. Yogyakarta: Gadjah Mada University Press.

Puslitkoka. 2015. Pedoman Teknis Budidaya Tanaman Kakao (*Theobroma cacao* L.). Jember: Pusat Penelitian Kopi dan Kakao.

Puslitkoka. 2013. Warta Pusat Penelitian Kopi dan Kakao. Pusat Penelitian Kopi dan Kakao, 25(3): 1-32.

Pusat Penelitian Kopi dan Kakao. 2013. Warta Pusat Penelitian Kopi dan Kakao.

Rachmawati, D., M. Maryani, dan T. Setyaningsih. 2010. Pengaruh pupuk nitrogen dan ethephon terhadap pertumbuhan, pembungaan dan hasil padi lokal (*Oryza sativa*

UNIVERSITAS GADJAH MADA
Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

L. cv. Rojolele). Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati, 15(3): 449-458.

Rahmawati, A., dan F. A. Putri. 2024. Pemanfaatan lignin pada tempurung kelapa sebagai alternatif bahan perekat lignin resorsinol formaldehida (LRF). Jurnal Integrasi Proses, *13*(1): 73-78.

Rahni, N. M., H. S. Gusnawaty, T. Wijayanto, S. Yahya, R. Ekha, G. A. K. S. Irawati, G. A. K. Sutarita, T. C. Rakian, L. O. Afa, Zulfikar, A. A. Anas, E. Febrianti, dan A. Hamzah. 2019. Komponen hasil dan hasil tiga ekotipe kacang tanah lokal (*Arachis hypogaea* L.) berpotensi unggul yang diaplikasikan pupuk kompos plus pada lahan sub optimal. *Prosiding Seminar dan Lokakarya Nasional* . Peran Perguruan Tinggi Pertanian dalam Menghasilkan Sumber Daya Manusia di Era Revolusi Industri 4.0: 76-83. Bandung, 23-24 September 2019: Universitas Padjadjaran.

Ramayana, A.S., T.P. Daru, Hamsyin, and Alidi. 2024. Performance of cocoa fruit (*Theobroma cacao* L.) at different slope positions in a wet tropical climate. Universial Journal of Agricultural Research, 12(2): 229-309.

Ribeiro, M.A.Q., J.O. da Silva, W.M. Aitken, R.C.R. Machado, and V.C. Baligar. 2009. Nitrogen use efficiency in cacao genotypes. Journal of Plant Nutrition, 31(2): 239-249.

Rochmi, A.N. 2024. Pengaruh cekaman air dan pemberian biochar bambu terhadap serapan npk kedelai pada tanah entisol Samas, Bantul. Skripsi.

Rosidi, A. 2016. Evaluasi pengaruh residu biochar dan dosis nitrogen terhadap pertumbuhan dan hasil kedelai (*Glycine max*. L. Merill.) pada tanah bertekstur lempung berpasir (*sandy loam)*. Crop Agro, Scientific Journal of Agronomy, *9*(1): 1-8.

Rosyady, M.G., R.A. Pramesti, Setiyono, D.E. Kusbianto, G. Subroto, D.A. Savitri, Y. Hariyati, R.Y. Rahman, and I. Ibanah. 2023. The effect of nutrients (N and P) and hormone (IAA) application on the growth of cocoa (*Theobroma cacao* L.) plagiotrope cuttings. Journal La Lifesci, 4(6):211- 219.

Sagita, L., L. F. Liman, F. Fathul, dan M. Muhtarudin. 2022. Pengaruh pemberian jenis dan dosis pupuk nitrogen (urea dan calcium ammonium nitrate) terhadap produktivitas rumput gama umami. Jurnal Riset dan Inovasi Peternakan (Journal of Research and Innovation of Animals), *6*(4): 374-384.

UNIVERSITAS
GADJAH MADA
**Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar**
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Santoso, T. I., and F. Zakariyya. 2022. Field Performance of Plagiotropic Cacao in Two Clonally Propagation methods: vegetative and early production phase.

Santoso, T. I., E. Sulistyaningsih, E. T. S. Putra, and A. W. Susilo. 2025. Typology of cocoa seedlings derived from orthotropic and plagiotropic cutting compared with grafting and hybrid seeds. Caraka Tani, 40(2): 266-280.

Sathiyavani, E., N. K. Prabaharan, and K. K. Surendar. 2017. Role of mineral nutrition on root growth of crop plants–a review. International Journal of Current Microbiology and Applied Sciences, *6*(4): 2810-2837.

Senge, M., Sergeeva, N., & Hale, K. (2021). Classic highlights in porphyrin and porphyrinoid total synthesis and biosynthesis.. *Chemical Society reviews*.

Singh, H., B.K. Northup, C.W. Rice, and P.V.V. Prasad. 2022. Biochar applications infuence soil physical and chemical properties, microbial diversity, and crop productivity: a meta-analysis. Biochar, 4(8): 1-17.

Sitompul, H. S., I. Maulina., dan I. Situmorang. 2023. Analisis kandungan unsur hara pupuk organik cair dari limbah pisang: *Musa Paradisiaca*. Jurnal Pendidikan Sains Dan Komputer, 3(02): 198-204.

Snoeck, D., L. Koko, J. Joffre, P. Bastide, and P. Jagoret. 2016. Cacao nutrition and fertilization. Sustainable Agriculture Reviews, 19: 1-40.

Suci, I. A., Hamdani, dan A. Masulili. 2025. Enkapsulasi dan karakterisasi urea dengan penyalut biokomposit zeolit alam-alginat-biochar sebagai pupuk lepas lambat. Jurnal Agrikultura, 36(2): 350-358.

Sukartono, U. W., Z. Kusuma, and W. H. Nugroho. 2011. Soil fertility status, nutrient uptake, and maize (*Zea mays* L.) yield following biochar and cattle manure application on sandy soils of Lombok, Indonesia. Journal of Tropical agriculture, *49*(1-2): 47-52.

Sukartono, W. H., Nugroho, W. H., & Kusuma, Z. (2011). Simple biochar production generated from cattle dung and coconut shell. J Basic Appl Sci Res, *1*(10): 1680-1685.

Susilo, A. W., Sobir, S., Wuriandani, A., and Wirnas, D. (2019). Seedling performance of cocoa genotypes (Theobroma cacao L.) in drought stress condition.. Pelita Perkebunan: a Coffee and Cocoa Research Journal, 35: 167-176.

Syakir, M., dan E. Surmaini. 2017. Perubahan iklim dalam konteks sistem produksi dan

UNIVERSITAS GADJAH MADA
Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis Pupuk N dan Aplikasi Biochar
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

pengembangan kopi di Indonesia. Jurnal Penelitian Dan Pengembangan Pertanian, 36(2): 77-90.

Thomson, C. J., H. Marschner, and V. Römheld. 1993. Effect of nitrogen fertilizer form on pH of the bulk soil and rhizosphere, and on the growth, phosphorus, and micronutrient uptake of bean. Journal of Plant Nutrition, 16(3): 493-506.

Tjitroosoepomo, G. 1988. Taksonomi Tumbuhan (Spermathopyta). Gadjah Mada University Press: Yogyakarta.

Tomczyk, A., Z. Sokołowska, and P. Boguta. 2020. Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects. Reviews in Environmental Science and Bio/Technology, *19*(1): 191-215.

Tran, T. T. 2018. The effect of light exposure on the total chlorophyll content, Chl a/b ratio, and Car/Chl ratio in the barks of Fraxinus latifolia seedlings. (Thesis). Oregon: Portland State University.

Trevisan, M. H., S.A.S. da Silva, M.L.M. de Araújo, V.D. da Silva Farias, M.A. Júnior, C.B. Cordeiro, V.L. Araujo, E.V.B. Araujo, R.O. da Silva. 2021. Application of different nitrogen doses in fertirrigated cacao seedlings. *Research, Society and Development*, *10*(11):1-13.

Verdiana, M. A., H. T. Sebayang, dan T. Sumarni. 2016. Pengaruh berbagai dosis biochar sekam padi dan pupuk npk terhadap pertumbuhan dan hasil tanaman jagung (*Zea mays* L.). Jurnal Produksi Tanaman, 4(8): 611- 616.

Wang, D., Z. Xu, J. Zhao, Y.Wang, and Z. Yu. 2011. Excessive nitrogen application decreases grain yield and increasesnitrogen loss in a wheat-soil system. Acta Agriculturae Scandinavica Section B-Soil and Plant Science, 61: 681-692.

Wang, Q., S. Li, J. Li, and D. Huang. 2024. The utilization and roles of nitrogen in plants. Forests, 15(1191): 1-20.

Weinstein, M., S. Baram, U. Yermiyahu, M. Lieberman-Lazarovich, L. Tsehansky, A. Elmakias, P. Kumar, and E.R. Graber. 2024. Nitrogen, phosphorus and potassium nutrition effects on flowering and reproduction in an F1 segregating population of the Theobroma cacao L. CCN-51 cultivar. *Scientia Horticulturae*, *337*: 1-9.

Widyastuti, L. S., Y. Parapasan, dan M. Same. 2021. Pertumbuhan bibit kakao (*Theobroma cacao* L.) pada berbagai jenis klon dan jenis pupuk kandang.

UNIVERSITAS
GADJAH MADA
**Respons Pertumbuhan Bibit Stek Kakao Plagiotrop (Plagiotropic Cacao Clonal) terhadap Perbedaan Jenis
Pupuk N dan Aplikasi Biochar**
Hanif Naufal Ariq, Dr. Ir. Endang Sulistyaningsih, M.Sc.; Prof. Dr. Ir. Benito Heru Purwanto, M.P., M.Agr.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jurnal Agro Industri Perkebunan, 9(2): 109-118.

Witte, C. P. 2011. Urea metabolism in plants. Plant Science, 180(3): 431-438.

Wu, B., Z. Cui, E. Zechariah, L. Guo, Y. Gao, B. Yan, H. Liu, Y. Wang, H. Wang, and L. Li. 2024. Post-anthesis dry matter and nitrogen accumulation, partitioning, and translocation in maize under different nitrate–ammonium ratios in Northwestern China. Frontiers in Plant Science, 15: 1-15.

Wu, C., Q. Sun, Z. Ren, N. Xia, Z. Wang, H. Sun, and W. Wang. 2024. Combined effects of nitrogen fertilizer and biochar on the growth, yield, and quality of pepper. Open Life Sciences, 19(1), 1-12.

Yadav, V., S. Jain, P. Mishra, P. Khare, A. K. Shukla, T. Karak., and A. K. Singh. 2019. Amelioration in nutrient mineralization and microbial activities of sandy loam soil by short term field aged biochar. Applied soil ecology, 138: 144-155.

Yama, D. I., T. R. Yunita, Z. Mutaqin, dan Alfiah. 2025. Morfo-fisiologis bibit kakao (*Theobroma cacao* L.) pada aplikasi beberapa jenis pupuk nitrogen. Jurnal Agro Industri Perkebunan, 13(3): 183-194.

Yao, Y., B. Gao, M. Zhang, M.Inyang, and A.R. Zimmerman. 2012. Effect of biochar amendment on sorption and leaching of nitrate, ammonium, and phosphate in a sandy soil. Chemosphere, 89: 1467-1471.

Yustiningsih, M. 2019. Intensitas cahaya dan efisiensi fotosintesis pada tanaman naungan dan tanaman terpapar cahaya langsung. BIO-EDU: Jurnal pendidikan biologi, 4(2): 44-49.

Zhang, H., Y. Cheng, Y. Zhong, J. Ni, R. Wei, and W. Chen. 2024. Roles of biochars' properties in their water-holding capacity and bound water evaporation: quantitative importance and controlling mechanism. Biochar, 6(30):1-14.

Zheng, H., Z. Wang, X. Deng, S. Herbert, and B. Xing. 2013. Impacts of adding biochar on nitrogen retention and bioavailability in agricultural soil. *Geoderma*, *206*: 32-39.

Zhou, C., S. Wu, C. Li, W. Quan, and A. Wang. 2023. Response mechanisms of woody plants to high-temperature stress. Plants, 12(20):1-15.