

## DAFTAR PUSTAKA

- Abbas, K. A., Khalil, S. K. dan Hussin, A. S. M. (2010) "Modified Starches and Their Usages in Selected Food Products: A Review Study," *Journal of Agricultural Science*, 2(2), hal. 90–100. doi: 10.5539/jas.v2n2p90.
- Adinugraha, H. A., Kartikawati, N. K., Setiadi, D. dan Prastyono. (2014) *Pengembangan Teknik Budidaya Sukun untuk Ketahanan Pangan*. Diedit oleh M. Na'iem, Mahfudz, dan S. B. Prabawa. Jakarta: IPB Press. Tersedia pada: [http://www.forda-mof.org/files/buku\\_9\\_Sukun.pdf](http://www.forda-mof.org/files/buku_9_Sukun.pdf).
- Adinugraha, H. A. dan Kartikawati, N. K. (2012) "Variasi Morfologi dan Kandungan Gizi Buah Sukun," *Wana Benih*, 13(2), hal. 99–106.
- Agustin, S. (2011) *Kajian Pengaruh Hidrokoloid dan CaCl<sub>2</sub> terhadap Profil Gelatinisasi Bahan Baku serta Aplikasinya pada Bihun Sukun*. Institut Pertanian Bogor.
- Akanbi, T. O., Nazamid, S. dan Adebawale, A. A. (2009) "Functional and pasting properties of a tropical breadfruit (*Artocarpus altilis*) starch from Ile-Ife, Osun state, Nigeria," *International Food Research Journal*, 16(2), hal. 151–157. doi: 10.3923/pjn.2008.194.201.
- Aktas-Akyildiz, E., Mattila, O., Sozer, N., Poutanen, K., Koksel, H. dan Nordlund, E. (2017) "Effect of steam explosion on enzymatic hydrolysis and baking quality of wheat bran," *Journal of Cereal Science*. Elsevier Ltd, 78, hal. 25–32. doi: 10.1016/j.jcs.2017.06.011.
- Alvira, P., Tomás-Pejó, E., Ballesteros, M. dan Negro, M. J. (2010) "Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: A review," *Bioresource Technology*. Elsevier Ltd, 101(13), hal. 4851–4861. doi: 10.1016/j.biortech.2009.11.093.
- Anastasiades, A., Thanou, S., Loulis, D., Stapatoris, A. dan Karapantsios, T. D. (2002) "Rheological and physical characterization of pregelatinized maize starches," *Journal of Food Engineering*, 52(1), hal. 57–66. doi: 10.1016/S0260-8774(01)00086-3.
- Andarwulan, N., Kusnandar, F. dan Herawati, D. (2011) *Analisis Pangan*. Jakarta: Dian Rakyat.
- Ashogbon, A. O. dan Akintayo, E. T. (2014) "Recent trend in the physical and chemical modification of starches from different botanical sources: A review," *Starch/Staerke*, 66(1–2), hal. 41–57. doi: 10.1002/star.201300106.

- Baêta, B. E. L., Cordeiro, P. H. M., Passos, F., Gurgel, L. V. A., de Aquino, S. F. dan Fdz-Polanco, F. (2017) "Steam explosion pretreatment improved the biomethanization of coffee husks," *Bioresource Technology*. Elsevier, 245(August), hal. 66–72. doi: 10.1016/j.biortech.2017.08.110.
- BeMiller, J. N. dan Huber, K. C. (2008) "Carbohydrates," in Damodaran, S., Parkin, K. L., dan Fennema, O. R. (ed.) *Fennema's Food Chemistry*. 4th ed. USA: CRC Press, hal. 1158. doi: 10.1080/01932691.2011.584482.
- Briffaz, A., Bohuon, P., Méot, J. M., Matignon-Pons, B. dan Mestres, C. (2018) "Modelling of Water Transport with Convection Effects on Amylose Transfer in a Swelling, Eroding and Gelatinizing Starchy Matrix," *Journal of Food Engineering*, 221, hal. 132–140. doi: 10.1016/j.jfoodeng.2017.10.014.
- Budiyati, C. S., Kumoro, A. C., Ratnawati, R. dan Retnowati, D. S. (2016) "Modifikasi Pati Sukun ( *Artocarpus Altilis* ) dengan Teknik Oksidasi Menggunakan Hidrogen Peroksida Tanpa Katalis," *TEKNIK*, 37(1), hal. 32–40. Tersedia pada: <http://ejournal.undip.ac.id/index.php/teknik>.
- Carvalho, A. F. A., Marcondes, W. F., de Oliva Neto, P., Pastore, G. M., Saddler, J. N. dan Arantes, V. (2017) "The potential of tailoring the conditions of steam explosion to produce xylo-oligosaccharides from sugarcane bagasse," *Bioresource Technology*. Elsevier, 250(November 2017), hal. 221–229. doi: 10.1016/j.biortech.2017.11.041.
- Chen, B., Dang, L., Zhang, X., Fang, W., Hou, M., Liu, T. dan Wang, Z. (2017) "Physicochemical properties and micro-structural characteristics in starch from kudzu root as affected by cross-linking," *Food Chemistry*. Elsevier Ltd, 219, hal. 93–101. doi: 10.1016/j.foodchem.2016.09.128.
- Chen, Z. (2003) *Physicochemical properties of sweet potato starches and their application in noodle products*. Wageningen University.
- Departemen Kesehatan Republik Indonesia (1995) *Daftar Komposisi Zat Gizi Pangan Indonesia*. 1995 ed. Jakarta: Departemen Kesehatan Republik Indonesia.
- Desai, K. G. H. dan Park, H. J. (2005) "Recent Developments in Microencapsulation of Food Ingredients Recent Developments in Microencapsulation of Food Ingredients," *Drying Technology*. Seoul, 23(7), hal. 1361–1394. doi: 10.1081/DRT-200063478.
- Dewi, S. dan Mardiah, Z. (2007) "Korelasi Amilosa Terhadap Konsistensi Gel , Nisbah Penyerapan Air ( Npa ) Dan Nisbah Pengembangan Volume ( Npv ) Pada Beras Varietas Lokal," hal. 157–164.
- Din, Z., Xiong, H. dan Fei, P. (2017) "Physical and chemical modification of starches: A review," *Critical Reviews in Food Science and Nutrition*, 57(12), hal. 2691–2705. doi: 10.1080/10408398.2015.1087379.

- Doblado-Maldonado, A. F., Janssen, F., Gomand, S. V., De Ketelaere, B., Goderis, B. dan Delcour, J. A. (2017) "A response surface analysis of the aqueous leaching of amylose from maize starch," *Food Hydrocolloids*, 63, hal. 265–272. doi: 10.1016/j.foodhyd.2016.09.006.
- Eastman, J. E. dan Moore, C. O. (1984) "Cold Water Soluble Granular Starch for Gelled Food Composition." United State. Tersedia pada: <https://docs.google.com/viewer?url=patentimages.storage.googleapis.com/pdfs/US4465702.pdf>.
- Ezengige, G. (2016) *Health Benefits of Breadfruits*. Tersedia pada: <http://healthbubbles.com/gb/?p=3349> (Diakses: 1 Januari 2017).
- Farida, I. (2015) *Produksi Bioetanol dari Pati Sukun (Artocarpus communis FORST.) secara Sakarifikasi dan Fermentasi Simultan (SSF) Terekayasa Menggunakan Ragi Tape*. Institut Pertanian Bogor.
- GEA Niro Research Laboratory (2005) *Analytical Methods for Dry Milk Products, GEA*. Tersedia pada: <https://www.gea.com/en/products/analytical-methods-dry-milk-products.jsp> (Diakses: 3 September 2017).
- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A. dan Saurel, R. (2007) "Applications of spray-drying in microencapsulation of food ingredients: An overview," *Food Research International*, 40(9), hal. 1107–1121. doi: 10.1016/j.foodres.2007.07.004.
- Graham, H. D. dan De Bravo, E. N. (1981) "Composition of the Breadfruit," *Journal of Food Science*, 46(2), hal. 535–539. doi: 10.1111/j.1365-2621.1981.tb04904.x.
- Guntara, M. dan Priska, F. (2013) "Pengaruh Pati Sukun (Artocarpus altilis (Park.) Fosberg.) Terpregelatinisasi Fosfat sebagai Matriks terhadap Disolusi Tablet Lepas Lambat Teofilin," *Farmasains*, 2(1), hal. 5–10.
- Haryanti, P., Setyawati, R. dan Wicaksono, R. (2014) "Pengaruh Suhu Dan Lama Pemanasan Suspensi Pati Serta Konsentrasi Butanol Terhadap Karakteristik Fisikokimia Pati Tinggi Amilosa Dari Tapioka," *Agritech*, 34(3), hal. 308–315.
- Hou, Q., Wang, Y., Liu, W., Liu, L., Xu, N. dan Li, Y. (2014) "An application study of autohydrolysis pretreatment prior to poplar chemi-thermomechanical pulping," *Bioresource Technology*. Elsevier Ltd, 169, hal. 155–161. doi: 10.1016/j.biortech.2014.06.091.
- Huang, T. T., Zhou, D. N., Jin, Z. Y., Xu, X. M. dan Chen, H. Q. (2016) "Effect of repeated heat-moisture treatments on digestibility, physicochemical and structural properties of sweet potato starch," *Food Hydrocolloids*. Elsevier Ltd, 54, hal. 202–210. doi: 10.1016/j.foodhyd.2015.10.002.

- Iroba, K. L., Tabil, L. G., Sokhansanj, S. dan Dumonceaux, T. (2014) "Pretreatment and fractionation of barley straw using steam explosion at low severity factor," *Biomass and Bioenergy*. Elsevier Ltd, 66, hal. 286–300. doi: 10.1016/j.biombioe.2014.02.002.
- Jiang, S. dan Guo, N. (2016) "The steam explosion pretreatment and enzymatic hydrolysis of wheat," *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 7036(March), hal. 1–6. doi: 10.1080/15567036.2012.744118.
- Kartikasari, S. N., Sari, P. dan Subagio, A. (2016) "Karakterisasi Sifat Kimia, Profil Amilografi (RVA) dan Morfologi Granula (SEM) Pati Singkong Termodifikasi secara Biologi," *Jurnal Agroteknologi*, 10(1), hal. 13.
- Klein, B., Pinto, V. Z., Vanier, N. L., Zavareze, E. D. R., Colussi, R., Evangelho, J. A. D., Gutkoski, L. C. dan Dias, A. R. G. (2013) "Effect of single and dual heat-moisture treatments on properties of rice, cassava, and pinhao starches," *Carbohydrate Polymers*. Elsevier Ltd., 98(2), hal. 1578–1584. doi: 10.1016/j.carbpol.2013.07.036.
- Koswara, S. (2009) *Teknologi Modifikasi Pati, Teknologi Pangan*. Tersedia pada: <http://tekpan.unimus.ac.id/wp-content/uploads/2013/07/TEKNOLOGI-MODIFIKASI-PATI.pdf> (Diakses: 1 Januari 2017).
- Leite, T. S., de Jesus, A. L. T., Schmiele, M., Tribst, A. A. L. dan Cristianini, M. (2017) "High pressure processing (HPP) of pea starch: Effect on the gelatinization properties," *LWT - Food Science and Technology*. Elsevier Ltd, 76, hal. 361–369. doi: 10.1016/j.lwt.2016.07.036.
- Li, G. dan Zhu, F. (2017) "Effect of high pressure on rheological and thermal properties of quinoa and maize starches," *Food Chemistry*. Elsevier, 241(May 2017), hal. 380–386. doi: 10.1016/j.foodchem.2017.08.088.
- Li, W., Tian, X., Liu, L., Wang, P., Wu, G., Zheng, J., Ouyang, S., Luo, Q. dan Zhang, G. (2015) "High pressure induced gelatinization of red adzuki bean starch and its effects on starch physicochemical and structural properties," *Food Hydrocolloids*. Elsevier Ltd, 45, hal. 132–139. doi: 10.1016/j.foodhyd.2014.11.013.
- Liu, Y., Chen, J., Luo, S., Li, C., Ye, J., Liu, C. dan Gilbert, R. G. (2017) "Physicochemical and structural properties of pregelatinized starch prepared by improved extrusion cooking technology," *Carbohydrate Polymers*. Elsevier Ltd., 175, hal. 265–272. doi: 10.1016/j.carbpol.2017.07.084.
- Marta, H., Marsetio, Cahyana, Y. dan Pertiwi, A. G. (2016) "Sifat Fungsional dan Amilografi Pati Millet Putih ( *Pennisetum glaucum* ) Termodifikasi secara Heat Moisture Treatment dan Annealing," *Jurnal Aplikasi Teknologi Pangan*, 5(3), hal. 76–84.

- Molavi, H., Razavi, S. M. A. dan Farhoosh, R. (2017) "Impact of hydrothermal modifications on the physicochemical, morphology, crystallinity, pasting and thermal properties of acorn starch," *Food Chemistry*. Elsevier, 245(October 2017), hal. 385–393. doi: 10.1016/j.foodchem.2017.10.117.
- Muklisoh, D. (2017) *Modifikasi Pati Singkong (Manihot esculenta) Menggunakan Perlakuan Steam Explosion*. Universitas Gadjah Mada.
- Murúa-Pagola, B., Beristain-Guevara, C. I. dan Martínez-Bustos, F. (2009) "Preparation of starch derivatives using reactive extrusion and evaluation of modified starches as shell materials for encapsulation of flavoring agents by spray drying," *Journal of Food Engineering*. Elsevier Ltd, 91(3), hal. 380–386. doi: 10.1016/j.jfoodeng.2008.09.035.
- Pawoko, H. E. (2017) *Modifikasi Pati Garut (Maranta arundinaceae L.) Menggunakan Perlakuan Steam Explosion*. Universitas Gadjah Mada.
- Perten Instrument (tanpa tanggal) *Rapid Visco Analyzer*. Tersedia pada: <https://www.perten.com/Products/Rapid-Visco-Analyser-RVA/> (Diakses: 15 Januari 2018).
- Pitojo, S. (1992) *Budidaya sukun*. Yogyakarta: Penerbit Kanisius. Tersedia pada: <https://books.google.co.id/books?id=HEBPQwAACAAJ>.
- Poshadri, A. dan Kuna, A. (2010) "Microencapsulation technology: A review," *The Journal of Research ANGRAU*, 38(1), hal. 86–102.
- Ragone, D., Heller, J. dan Engels, J. (1997) *Breadfruit, Artocarpus altilis (Parkinson) Fosberg Promoting the Conservation and Use of Underutilized and Neglected Crops*. Rome: International Plant Genetic Resources Institute. Tersedia pada: [https://www.researchgate.net/publication/244993536\\_Breadfruit\\_Artocarpus\\_altilis\\_Parkinson\\_Fosberg](https://www.researchgate.net/publication/244993536_Breadfruit_Artocarpus_altilis_Parkinson_Fosberg).
- Raja, K. C. M., Sankarikutty, B., Sreekumar, M., Jayalekshmy dan Narayanan, S. (1989) "Material Characterization studies of maltodextrin sample for use of wall material," *Starch/Stärke*, 41(8), hal. 298–303.
- da Silva Morais, A. P., Sansígolo, C. A. dan de Oliveira Neto, M. (2016) "Effects of autohydrolysis of Eucalyptus urograndis and Eucalyptus grandis on influence of chemical components and crystallinity index," *Bioresource Technology*, 214, hal. 623–628. doi: 10.1016/j.biortech.2016.04.124.
- Simanaviciute, D., Liudvinaviciute, D., Klimaviciute, R. dan Rutkaite, R. (2017) "Cross-linked cationic starch derivatives for immobilization of chlorogenic acid," *European Polymer Journal*. Elsevier, 93(September 2016), hal. 833–842. doi: 10.1016/j.eurpolymj.2017.02.022.
- Sui, W. dan Chen, H. (2016) "Effects of water states on steam explosion of lignocellulosic biomass," *Bioresource Technology*. Elsevier Ltd, 199, hal.

155–163. doi: 10.1016/j.biortech.2015.09.001.

Supriati, Y. (2010) “Sukun sebagai Sumber Pangan Alternatif Substitusi Beras,” *Iptek Tanaman Pangan*, 5(2), hal. 219–231. Tersedia pada: <http://pangan.litbang.pertanian.go.id/files/09-yatisupriati.pdf>.

The Culinary Institute of America (2016) *A Tasting of Culinary Science - Starch*. Tersedia pada: <https://www.youtube.com/watch?v=oiGUyvMHqM4> (Diakses: 17 Maret 2018).

Tjahjadi, R. T. (2017) *Modifikasi Pati Kentang dengan Perlakuan Steam Explosion*. Universitas Gadjah Mada.

Ulyarti (1997) *Mempelajari Sifat-Sifat Amilografi pada Amilosa, Amilopektin, dan Campurannya*. Institut Pertanian Bogor.

Wojtasz-mucha, J., Hasani, M. dan Theliander, H. (2017) “Bioresource Technology Hydrothermal pretreatment of wood by mild steam explosion and hot water extraction,” *Bioresource Technology*. Elsevier Ltd, 241, hal. 120–126. doi: 10.1016/j.biortech.2017.05.061.

Yu, Z., Zhang, B., Yu, F., Xu, G. dan Song, A. (2012) “A real explosion: The requirement of steam explosion pretreatment,” *Bioresource Technology*. Elsevier Ltd, 121, hal. 335–341. doi: 10.1016/j.biortech.2012.06.055.

Yuliana (2011) *Karakterisasi Prigelatinisasi Pati Singkong Fosfat yang dibuat dengan Menggunakan Natrium Tripolifosfat sebagai Eksipien dalam Sediaan Farmasi*. Universitas Indonesia.

Zhang, C., Han, J. A. dan Lim, S. T. (2017) “Characteristics of Some Physically Modified Starches using Mild Heating and Freeze-Thawing,” *Food Hydrocolloids*. Elsevier Ltd. doi: 10.1016/j.foodhyd.2017.11.035.

Zhang, Y. dan Chen, H. (2012) “Multiscale modeling of biomass pretreatment for optimization of steam explosion conditions,” *Chemical Engineering Science*. Elsevier, 75, hal. 177–182. doi: 10.1016/j.ces.2012.02.052.